1.14

Pediatric Length of Stay by Diagnosis and Operation, United States, 1983

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1984

LENGTH OF STAY

Copyright 1984 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1983
. . . by Diagnosis, United States, North Central Region, 1983
. . . by Diagnosis, United States, Northeastern Region, 1983
. . . by Diagnosis, United States, Southern Region, 1983
. . . by Diagnosis, United States, Western Region, 1983
. . . by Diagnosis, Canada, 1983

. . . by Operation, United States, 1983
. . . by Operation, United States, North Central Region, 1983
. . . by Operation, United States, Northeastern Region, 1983
. . . by Operation, United States, Southern Region, 1983
. . . by Operation, United States, Western Region, 1983
. . . by Operation, Canada, 1983

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1983
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1983

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1983 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1983 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1983 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Associate

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients in Diagnosis Groups 16
  Summary of All Patients Except Newborn 17
  Diagnosis Groups 1-398 18
  Summary of All Patients in Operation Groups. 218
  Operation Groups 501-764 219
Appendix: ***ICD-9-CM*** **Codes for Selected Diagnosis and Operation Groups** . . 285
Index to Length of Stay Tables 291

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.
2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.
5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Instituttions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1983

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	338	38	11.2	6,280	752	12.0
25-49	1,149	209	18.2	42,121	8,059	19.1
50-99	1,318	360	27.3	94,345	26,054	27.6
100-199	1,249	364	29.1	177,461	52,322	29.5
200-299	708	224	31.6	172,540	55,481	32.2
300-399	400	134	33.5	136,410	45,867	33.6
400-499	267	89	33.3	118,309	39,670	33.5
500 or more	308	81	26.3	214,148	53,786	25.1
Total	5,737	1,499	26.1	961,614	281,991	29.3
Region and Census Division						
Northeast	824	326	39.6	205,590	69,937	34.0
New England	241	104	43.2	48,477	17,680	36.5
Middle Atlantic	583	222	38.1	157,113	52,257	33.3
North Central	1,690	487	28.8	277,521	99,035	35.7
East North Central	894	383	42.9	187,810	79,982	42.6
West North Central	796	104	13.1	89,711	19,053	21.2
South	2,154	382	17.8	336,048	69,411	20.7
South Atlantic	814	212	26.0	157,099	40,874	26.0
East South Central	499	94	18.8	71,520	14,728	20.6
West South Central	841	76	9.0	107,429	13,809	12.9
West	1,069	304	28.4	142,455	43,608	30.6
Mountain	366	124	33.9	38,924	18,391	47.2
Pacific	703	180	25.6	103,531	25,217	24.4
Total	5,737	1,499	26.1	961,614	281,991	29.3

The Pediatric book was compiled from the data of 1,485 hospitals. The Geriatric book was compiled from the data of 1,476 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1982 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients. The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.* Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one UHDDS Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parenthesis by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis or procedure group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups* or *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the admission diagnosis or principal procedure in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses and procedures can also be found in the Alphabetic Indexes at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table. Operated codes can be found in *ICD-9-CM,* Volume 3.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 12 year old patient is admitted to a hospital. The admitting diagnosis is viral pneumonia and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* and *Volume 3, Procedures, Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Pneumonia is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 179.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pleural effusion, excluding tuberculosis	3		186
Criteria for admission			
1. *For management of underlying cause (e.g., radiation or chemotherapy for lymphoma)*			
2. *Scheduled for operation other than thoracentesis*			
3.			
4.			
Pleurisy, without mention of effusion or tbc *	4		186
Pneumonia			
acute interstitial	3		17
broncho-, organism not specified	3		179
chronic, interstitial	3		186
lobar	3		179
organism or type not specified	3		179
pneumococcal	3		179
viral	3		179
Criteria for admission (for above 7)			
1. *Respiratory distress (cyanosis, dyspnea at rest, tachypnea > 40 resp/min, $PO_2 < 50$)*			
2. *Complicating respiratory disease e.g., emphysema, COPD, asthma*			
3. *Serious complicating illness, e.g., diabetes mellitus, leukemia, steroid therapy, neoplasms, renal disease*			
4.			
5.			

b. The Alphabetic Index at the back of the length of stay book shows that pneumonia is included in diagnosis group 179.

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmastectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

c. Pneumonia can be found in Volume 2 of *ICD-9-CM* on page 586.



Step 2. Find the table for group 179 in the length of stay book.



179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	330	7.2	17	2	3	6	9	13	16	21
1-11 MOS	7894	6.0	17	2	2	5	7	11	13	21
1-5 YRS	13395	5.1	12	2	2	4	6	9	11	17
6-12 YRS	3717	5.4	13	2	2	5	7	10	12	19
13-19 YRS	2110	6.4	20	2	3	5	8	11	14	26
B. *Operated*										
0-27 DYS	13	11.6	59	4	6	9	12	22	32	34
1-11 MOS	169	13.7	157	3	4	10	17	28	46	95
1-5 YRS	251	12.2	112	3	3	9	15	24	32	64
6-12 YRS	124	12.1	54	3	4	11	17	22	26	34
13-19 YRS	139	15.7	147	3	4	12	20	34	41	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32232	4.7	8	2	2	4	6	8	10	14
B. *Operated*	221	8.1	47	2	2	6	10	17	20	33
2. MULTIPLE DX										
A. *Not Operated*	27446	5.5	15	2	2	5	7	10	12	19
B. *Operated*	696	13.2	120	3	4	10	17	25	36	69
1. SINGLE DX	32453	4.7	8	2	2	4	6	8	10	14
2. MULTIPLE DX	28142	5.7	19	2	2	5	7	10	13	22
A. NOT OPERATED	59678	5.1	11	2	2	4	6	9	11	17
B. OPERATED	917	12.0	107	2	3	9	16	23	32	63
TOTAL 0-27 DYS	822	6.5	14	2	3	6	8	11	13	20
1-11 MOS	17013	5.6	15	2	2	5	7	10	12	19
1-5 YRS	28596	4.8	11	2	2	4	6	8	10	16
6-12 YRS	9125	5.1	12	2	2	4	6	9	11	18
13-19 YRS	5039	6.0	20	2	3	5	7	10	13	25
GRAND TOTAL	60595	5.2	13	2	2	4	6	9	11	18

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

Step 4. Since no surgery is scheduled, use the first five lines of the table (Section 1.A).



179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

Step 5. The patient is 12 years old and therefore falls in the age group 6-12.



179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

Step 6. The 50th percentile day is the date assigned for initial extended stay review. Column 7 shows the fourth day after admission to be the day that this patient comes up for extended stay review.



179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

The patient was admitted on 3 November; therefore, the fourth day will fall on 7 November. Prior to or on 7 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables
Diagnosis Groups

(Pediatric) 1,485 Hospitals, United States, January-December 1983

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	501371	3.0	2	1	1	3	3	5	5	7
1-11 MOS	48000	3.7	8	1	1	3	5	7	9	14
1-5 YRS	98979	3.2	9	1	1	2	4	6	8	15
6-12 YRS	64198	3.5	23	1	1	2	4	6	9	26
13-19 YRS	144531	3.8	34	<1	1	3	4	6	10	34
B. *Operated*										
0-27 DYS	1679	4.8	31	1	1	3	5	9	13	24
1-11 MOS	13518	3.6	18	<1	<1	2	4	8	11	21
1-5 YRS	60663	2.5	12	<1	<1	2	2	5	8	18
6-12 YRS	78457	2.8	13	<1	1	2	3	5	8	18
13-19 YRS	177398	3.1	9	<1	1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	292046	4.6	24	2	2	3	5	7	10	26
1-11 MOS	67868	4.7	19	1	2	4	6	9	12	22
1-5 YRS	122159	3.9	14	1	1	3	5	7	9	18
6-12 YRS	62492	4.4	45	1	1	3	5	8	12	41
13-19 YRS	116562	5.7	80	1	1	3	6	11	21	53
B. *Operated*										
0-27 DYS	11991	18.4	420	2	3	10	27	57	80	99+
1-11 MOS	12284	7.8	109	<1	1	4	10	19	28	68
1-5 YRS	53300	3.8	42	<1	<1	2	3	9	14	35
6-12 YRS	48168	4.2	48	<1	1	2	4	9	15	38
13-19 YRS	118344	5.2	50	1	1	3	6	10	15	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	857079	3.2	10	1	1	3	4	5	6	14
B. *Operated*	331715	2.9	11	<1	1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	661127	4.6	34	1	1	3	5	8	11	32
B. *Operated*	244087	5.5	78	<1	1	3	6	11	20	56
1. SINGLE DX	1188794	3.1	11	1	1	3	4	5	7	14
2. MULTIPLE DX	905214	4.9	46	1	1	3	5	8	13	39
A. NOT OPERATED	1518206	3.8	21	1	1	3	4	6	8	23
B. OPERATED	575802	4.0	41	<1	1	2	4	8	12	36
TOTAL 0-27 DYS	807087	3.8	20	1	2	3	4	6	7	21
1-11 MOS	141670	4.5	24	1	1	3	5	9	12	25
1-5 YRS	335101	3.4	17	<1	1	2	4	7	9	20
6-12 YRS	253315	3.6	30	<1	1	2	4	7	10	29
13-19 YRS	556835	4.3	40	1	1	3	4	8	12	36
GRAND TOTAL	**2094008**	**3.9**	**27**	**1**	**1**	**3**	**4**	**6**	**9**	**27**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	13042	3.5	12	1	1	3	4	6	9	19
1-11 MOS	48000	3.7	8	1	1	3	5	7	9	14
1-5 YRS	98979	3.2	9	1	1	2	4	6	8	15
6-12 YRS	64198	3.5	23	1	1	2	4	6	9	26
13-19 YRS	144531	3.8	34	<1	1	3	4	6	10	34
B. *Operated*										
0-27 DYS	1472	4.8	29	1	1	3	5	9	13	23
1-11 MOS	13518	3.6	18	<1	<1	2	4	8	11	21
1-5 YRS	60663	2.5	12	<1	<1	2	2	5	8	18
6-12 YRS	78457	2.8	13	<1	1	2	3	5	8	18
13-19 YRS	177398	3.1	9	<1	1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9160	6.2	57	1	2	4	7	13	20	39
1-11 MOS	67868	4.7	19	1	2	4	6	9	12	22
1-5 YRS	122159	3.9	14	1	1	3	5	7	9	18
6-12 YRS	62492	4.4	45	1	1	3	5	8	12	41
13-19 YRS	116562	5.7	80	1	1	3	6	11	21	53
B. *Operated*										
0-27 DYS	1487	12.3	229	1	2	7	15	30	55	99+
1-11 MOS	12284	7.8	109	<1	1	4	10	19	28	68
1-5 YRS	53300	3.8	42	<1	<1	2	3	9	14	35
6-12 YRS	48168	4.2	48	<1	1	2	4	9	15	38
13-19 YRS	118344	5.2	50	1	1	3	6	10	15	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	368750	3.6	21	1	1	3	4	6	9	24
B. *Operated*	331508	2.9	11	<1	1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	378241	4.7	42	1	1	3	5	8	13	37
B. *Operated*	233583	4.9	53	<1	1	3	5	10	16	42
1. SINGLE DX	700258	3.3	17	<1	1	2	4	6	8	20
2. MULTIPLE DX	611824	4.8	46	1	1	3	5	9	14	39
A. NOT OPERATED	746991	4.2	32	1	1	3	5	7	11	31
B. OPERATED	565091	3.7	29	<1	1	2	4	7	11	28
TOTAL 0-27 DYS	25161	5.1	47	1	1	3	5	10	16	37
1-11 MOS	141670	4.5	24	1	1	3	5	9	12	25
1-5 YRS	335101	3.4	17	<1	1	2	4	7	9	20
6-12 YRS	253315	3.6	30	<1	1	2	4	7	10	29
13-19 YRS	556835	4.3	40	1	1	3	4	8	12	36
GRAND TOTAL	**1312082**	**4.0**	**31**	**<1**	**1**	**3**	**4**	**7**	**11**	**30**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	208	4.2	12	1	2	3	5	7	9	18
1-11 MOS	2018	3.7	7	1	1	3	4	7	9	13
1-5 YRS	2773	3.2	5	1	1	3	4	6	7	11
6-12 YRS	1711	2.6	4	1	1	2	3	5	6	10
13-19 YRS	1620	2.8	4	1	1	2	4	5	6	10
B. *Operated*										
0-27 DYS	4	7.8	25	3	3	7	12	13	13	13
1-11 MOS	23	7.0	41	1	2	5	9	13	21	31
1-5 YRS	30	5.4	58	1	1	4	5	8	14	43
6-12 YRS	32	5.9	41	2	2	4	7	10	13	37
13-19 YRS	83	5.0	9	2	2	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	208	5.1	14	2	2	4	6	9	11	27
1-11 MOS	3384	4.4	13	1	2	4	5	8	10	17
1-5 YRS	4810	3.5	5	1	1	3	4	6	7	12
6-12 YRS	1691	3.2	4	1	1	3	4	6	7	11
13-19 YRS	1482	3.3	6	1	1	3	4	6	8	13
B. *Operated*										
0-27 DYS	8	9.4	58	3	3	8	12	22	25	25
1-11 MOS	63	11.3	162	3	3	7	13	25	53	95
1-5 YRS	62	7.8	72	2	3	5	7	16	24	50
6-12 YRS	42	5.3	48	2	2	4	6	8	24	99+
13-19 YRS	70	6.4	39	1	3	5	7	10	15	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8330	3.2	6	1	1	3	4	6	7	12
B. *Operated*	172	5.6	28	2	2	4	6	10	13	36
2. MULTIPLE DX										
A. *Not Operated*	11575	3.7	8	1	1	3	4	6	8	14
B. *Operated*	245	7.9	85	2	3	5	8	16	25	64
1. SINGLE DX	8502	3.2	6	1	1	3	4	6	7	12
2. MULTIPLE DX	11820	3.8	10	1	2	3	5	7	8	15
A. NOT OPERATED	19905	3.5	7	1	1	3	4	6	8	13
B. OPERATED	417	7.0	63	2	2	5	7	13	21	54
TOTAL 0-27 DYS	428	4.8	14	1	2	4	6	9	11	25
1-11 MOS	5488	4.3	13	1	2	3	5	7	10	17
1-5 YRS	7675	3.4	6	1	1	3	4	6	7	12
6-12 YRS	3476	3.0	5	1	1	2	4	5	7	11
13-19 YRS	3255	3.2	6	1	1	3	4	6	7	12
GRAND TOTAL	**20322**	**3.6**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	4.2	5	1	1	5	6	7	7	7
1-5 YRS	32	5.1	22	1	2	4	6	10	11	26
6-12 YRS	14	6.4	46	2	2	4	6	15	24	26
13-19 YRS	20	12.8	67	4	5	10	17	23	29	35
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	8	14.0	431	1	2	6	15	50	63	63
6-12 YRS	2	8.5	25	5	5	8	12	12	12	12
13-19 YRS	10	9.5	15	4	4	9	13	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	8.8	80	1	1	5	15	23	23	23
1-5 YRS	26	8.2	60	3	3	6	10	21	26	36
6-12 YRS	5	8.0	24	3	3	6	12	15	15	15
13-19 YRS	13	8.2	27	2	3	8	10	17	19	19
B. *Operated*										
0-27 DYS										
1-11 MOS	2	13.5	5	12	12	13	15	15	15	15
1-5 YRS	4	8.8	12	4	4	9	11	12	12	12
6-12 YRS	1	47.0		47	47	47	47	47	47	47
13-19 YRS	12	13.8	225	2	4	10	12	34	55	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	7.4	48	2	2	5	9	17	24	33
B. *Operated*	22	10.9	160	2	3	8	13	17	38	63
2. MULTIPLE DX										
A. *Not Operated*	49	8.2	47	3	3	6	10	18	23	36
B. *Operated*	19	14.5	206	3	4	11	13	38	53	58
1. SINGLE DX	93	8.3	75	2	2	5	10	17	24	51
2. MULTIPLE DX	68	10.0	97	3	3	7	12	21	25	56
A. NOT OPERATED	120	7.8	47	2	3	5	10	17	23	35
B. OPERATED	41	12.6	180	2	3	10	13	22	52	63
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	13	8.2	43	1	1	5	13	17	22	23
1-5 YRS	70	7.5	84	2	3	4	9	12	23	58
6-12 YRS	22	8.8	108	2	2	5	12	18	34	47
13-19 YRS	55	11.3	83	3	4	9	14	21	24	57
GRAND TOTAL	**161**	**9.0**	**85**	**2**	**3**	**6**	**11**	**19**	**24**	**57**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	8	6.9	43	2	2	4	10	18	20	20
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	26	9.2	285	<1	<1	2	9	29	53	74
6-12 YRS	2	5.0	8	3	3	5	7	7	7	7
13-19 YRS	10	11.9	311	<1	1	8	9	37	61	61
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	13.8	149	3	4	8	21	34	35	35
6-12 YRS	4	27.3	899	1	1	19	48	69	69	69
13-19 YRS	2	16.0	200	6	6	16	26	26	26	26
B. *Operated*										
0-27 DYS										
1-11 MOS	3	11.0	84	3	3	9	18	21	21	21
1-5 YRS	10	10.8	91	<1	1	8	20	57	96	99+
6-12 YRS	4	20.8	448	3	3	18	38	45	45	45
13-19 YRS	8	10.3	43	1	2	12	16	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	6.4	35	2	2	4	6	17	20	20
B. *Operated*	39	9.6	265	<1	<1	4	9	24	55	74
2. MULTIPLE DX										
A. *Not Operated*	14	17.9	341	1	3	10	28	38	62	69
B. *Operated*	25	12.2	124	1	2	9	20	32	56	99+
1. SINGLE DX	49	8.9	218	<1	<1	4	9	18	49	74
2. MULTIPLE DX	39	14.3	203	1	2	9	21	33	57	99+
A. NOT OPERATED	24	13.1	240	2	2	7	17	31	45	69
B. OPERATED	64	10.6	209	<1	<1	5	13	31	51	96
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	9.5	65	3	3	7	15	21	21	21
1-5 YRS	52	9.8	187	<1	<1	5	12	31	46	99
6-12 YRS	10	20.2	524	1	2	9	32	57	69	69
13-19 YRS	21	11.3	170	1	2	9	15	21	42	61
GRAND TOTAL	**88**	**11.3**	**216**	**<1**	**1**	**6**	**14**	**31**	**49**	**90**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	5.4	15	2	2	3	9	11	11	11
1-11 MOS	25	2.9	2	<1	1	3	4	5	6	6
1-5 YRS	285	2.6	2	1	1	2	3	4	5	7
6-12 YRS	337	2.7	13	1	1	2	3	4	5	7
13-19 YRS	198	3.1	3	1	1	3	4	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	26	1.8	2	<1	1	2	2	2	5	7
6-12 YRS	65	1.7		<1	1	2	2	2	3	4
13-19 YRS	33	2.6	5	1	1	2	2	5	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	4.0	3	2	2	5	5	5	5	5
1-11 MOS	61	3.6	5	1	2	3	4	7	8	13
1-5 YRS	611	3.0	3	1	1	3	4	5	6	9
6-12 YRS	651	3.0	3	1	1	3	4	5	6	9
13-19 YRS	455	3.5	4	1	2	3	4	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	34	3.2	5	<1	1	2	5	7	8	8
6-12 YRS	37	2.8	11	1	1	2	2	5	8	20
13-19 YRS	15	4.5	52	<1	1	3	4	5	24	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	850	2.8	7	1	1	2	3	4	5	8
B. *Operated*	124	2.0	2	1	1	2	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	1781	3.2	3	1	1	3	4	5	7	10
B. *Operated*	87	3.3	16	1	1	2	4	7	8	26
1. SINGLE DX	974	2.7	6	1	1	2	3	4	5	8
2. MULTIPLE DX	1868	3.2	4	1	1	3	4	5	7	10
A. NOT OPERATED	2631	3.0	4	1	1	3	4	5	6	9
B. OPERATED	211	2.5	8	1	1	2	2	5	7	15
TOTAL 0-27 DYS	8	4.9	10	2	2	4	7	10	11	11
1-11 MOS	87	3.5	4	1	1	3	4	6	8	12
1-5 YRS	956	2.8	3	1	1	2	3	5	6	8
6-12 YRS	1090	2.8	6	1	1	2	3	5	6	9
13-19 YRS	701	3.4	5	1	1	3	4	6	7	11
GRAND TOTAL	**2842**	**3.0**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	227	5.8	11	2	2	5	8	11	12	16
1-11 MOS	519	5.2	14	1	2	4	7	11	12	16
1-5 YRS	404	4.7	9	1	2	4	6	9	11	14
6-12 YRS	62	5.5	13	1	2	5	7	11	13	16
13-19 YRS	32	6.7	35	1	2	5	8	12	21	30
B. *Operated*										
0-27 DYS	9	7.0	15	2	2	7	10	12	12	12
1-11 MOS	13	10.7	13	4	5	12	13	14	15	15
1-5 YRS	8	6.4	15	<1	1	6	10	11	11	11
6-12 YRS	2	8.0	72	2	2	8	14	14	14	14
13-19 YRS	3	15.3	25	10	10	16	19	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	199	6.8	21	2	2	5	9	12	15	25
1-11 MOS	714	6.2	19	2	2	5	9	12	14	22
1-5 YRS	687	6.2	22	2	2	5	8	12	14	24
6-12 YRS	161	7.3	37	2	2	6	10	14	17	30
13-19 YRS	169	8.2	39	2	3	7	10	15	21	31
B. *Operated*										
0-27 DYS	21	10.5	109	2	2	7	11	28	38	39
1-11 MOS	36	14.1	173	3	5	10	14	30	46	65
1-5 YRS	43	11.7	63	2	3	11	15	23	29	34
6-12 YRS	23	17.1	127	3	6	14	28	39	59	99+
13-19 YRS	43	16.5	215	3	4	13	20	35	52	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1244	5.2	13	1	2	4	7	10	12	16
B. *Operated*	35	9.0	22	2	3	10	12	14	16	20
2. MULTIPLE DX										
A. *Not Operated*	1930	6.6	24	2	2	5	9	12	15	25
B. *Operated*	166	14.1	144	3	4	11	16	31	40	70
1. SINGLE DX	1279	5.3	13	1	2	4	7	11	12	16
2. MULTIPLE DX	2096	7.2	37	2	2	5	9	13	17	32
A. NOT OPERATED	3174	6.0	20	2	2	5	8	11	14	22
B. OPERATED	201	13.2	126	3	4	11	15	28	38	68
TOTAL 0-27 DYS	456	6.5	21	2	2	5	9	11	13	23
1-11 MOS	1282	6.1	24	2	2	4	8	12	14	23
1-5 YRS	1142	5.9	21	1	2	5	8	11	14	23
6-12 YRS	248	7.8	48	2	2	6	10	14	22	41
13-19 YRS	247	9.5	79	2	3	7	12	19	27	51
GRAND TOTAL	**3375**	**6.5**	**29**	**2**	**2**	**5**	**8**	**12**	**15**	**29**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	51	8.7	28	2	2	9	12	15	16	22
1-11 MOS	391	7.2	20	2	2	6	10	13	15	21
1-5 YRS	256	7.2	19	1	2	7	10	13	15	18
6-12 YRS	79	5.6	15	1	2	4	8	12	12	15
13-19 YRS	126	6.1	13	2	2	5	9	11	13	15
B. *Operated*										
0-27 DYS	2	8.0	72	2	2	8	14	14	14	14
1-11 MOS	12	9.3	16	2	2	10	12	13	14	14
1-5 YRS	26	7.8	104	<1	1	4	11	15	23	52
6-12 YRS	9	10.6	198	2	2	3	15	33	45	45
13-19 YRS	11	4.5	14	1	1	3	5	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	29	12.4	82	3	4	11	15	22	33	43
1-11 MOS	300	8.7	33	2	3	8	11	15	18	31
1-5 YRS	288	6.9	23	2	2	6	10	13	15	25
6-12 YRS	113	5.6	20	1	2	4	7	12	14	24
13-19 YRS	141	6.7	29	2	2	5	8	13	16	30
B. *Operated*										
0-27 DYS	4	14.3	118	2	2	13	22	28	28	28
1-11 MOS	34	12.4	65	2	2	11	17	23	27	36
1-5 YRS	35	9.2	44	1	3	9	12	19	24	28
6-12 YRS	11	19.4	260	2	5	11	31	45	52	53
13-19 YRS	27	17.7	208	4	4	12	22	40	53	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	903	7.0	19	2	2	6	10	13	15	21
B. *Operated*	60	7.9	81	1	1	5	11	14	16	51
2. MULTIPLE DX										
A. *Not Operated*	871	7.5	31	2	2	6	10	14	16	30
B. *Operated*	111	13.4	123	2	3	10	17	28	38	54
1. SINGLE DX	963	7.1	23	1	2	6	10	13	15	21
2. MULTIPLE DX	982	8.2	45	2	2	7	11	15	19	36
A. NOT OPERATED	1774	7.2	25	2	2	6	10	13	15	26
B. OPERATED	171	11.5	115	1	2	9	14	24	36	53
TOTAL 0-27 DYS	86	10.2	52	2	2	10	15	16	22	39
1-11 MOS	737	8.1	29	2	3	7	11	14	17	28
1-5 YRS	605	7.2	26	1	2	6	10	13	15	25
6-12 YRS	212	6.5	46	1	2	4	9	13	15	41
13-19 YRS	305	7.3	47	2	2	5	9	13	18	39
GRAND TOTAL	**1945**	**7.6**	**34**	**2**	**2**	**6**	**10**	**14**	**16**	**29**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	270	4.3	6	2	2	4	5	7	8	13
1-11 MOS	1015	3.7	4	1	2	3	4	6	7	10
1-5 YRS	658	3.6	6	1	1	3	4	6	9	12
6-12 YRS	939	2.9	3	1	1	3	4	5	6	8
13-19 YRS	963	3.3	4	1	1	3	4	6	7	11
B. Operated										
0-27 DYS	6	7.6	14	3	3	7	12	12	12	12
1-11 MOS	15	4.9	3	3	3	4	6	7	8	9
1-5 YRS	6	5.8	15	3	3	5	7	12	13	13
6-12 YRS	9	6.7	67	1	1	3	8	20	27	27
13-19 YRS	18	3.0	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	110	5.0	9	2	2	4	5	9	10	18
1-11 MOS	516	4.2	6	1	2	4	5	7	9	13
1-5 YRS	309	4.5	12	1	2	4	5	8	10	17
6-12 YRS	251	3.9	14	1	2	3	4	8	9	16
13-19 YRS	307	4.2	11	1	2	3	5	8	10	15
B. Operated										
0-27 DYS	3	7.0	19	4	4	5	10	12	12	12
1-11 MOS	33	5.9	15	<1	2	4	8	12	13	15
1-5 YRS	11	7.6	18	3	3	7	10	14	16	16
6-12 YRS	4	3.3	4	2	2	3	4	6	6	6
13-19 YRS	15	8.2	40	2	3	7	10	16	24	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3845	3.4	4	1	1	3	4	6	7	11
B. Operated	54	5.0	17	1	2	4	6	9	12	26
2. MULTIPLE DX										
A. Not Operated	1493	4.3	10	1	2	4	5	8	10	15
B. Operated	66	6.6	21	1	2	5	8	13	15	25
1. SINGLE DX	3899	3.4	4	1	1	3	4	6	7	11
2. MULTIPLE DX	1559	4.4	11	1	2	4	5	8	10	16
A. NOT OPERATED	5338	3.7	6	1	2	3	4	6	8	12
B. OPERATED	120	5.9	20	1	2	4	8	12	13	27
TOTAL 0-27 DYS	389	4.5	7	2	2	4	5	7	10	14
1-11 MOS	1579	3.9	5	1	2	3	5	7	8	12
1-5 YRS	984	3.9	8	1	1	3	5	7	9	15
6-12 YRS	1203	3.1	6	1	1	3	4	6	7	10
13-19 YRS	1303	3.6	7	1	1	3	4	6	8	12
GRAND TOTAL	**5458**	**3.7**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**12**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	22	6.2	14	1	1	5	9	12	13	13
1-11 MOS	314	2.8	2	1	1	3	3	4	5	9
1-5 YRS	523	3.2	4	1	1	3	4	5	7	10
6-12 YRS	154	4.0	13	1	1	3	5	7	9	26
13-19 YRS	162	4.0	12	1	1	3	5	7	8	18
B. Operated										
0-27 DYS	2	39.0	1058	16	16	39	62	62	62	62
1-11 MOS	4	3.8	4	2	2	4	5	6	6	6
1-5 YRS	6	3.2	3	<1	<1	4	4	5	5	5
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	9	6.6	113	<1	<1	<1	8	25	33	33
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	18	8.1	36	1	2	5	13	15	20	22
1-11 MOS	442	3.3	4	1	2	3	4	5	6	11
1-5 YRS	1067	3.7	6	1	1	3	5	6	8	13
6-12 YRS	383	3.8	10	1	1	3	5	7	9	14
13-19 YRS	317	5.3	23	1	2	5	7	9	11	18
B. Operated										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	9	10.6	223	3	3	4	10	35	49	49
1-5 YRS	19	10.3	63	2	2	9	14	23	27	29
6-12 YRS	18	8.6	71	1	1	6	12	18	30	36
13-19 YRS	21	10.3	49	3	4	9	14	24	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1175	3.4	6	1	1	3	4	6	7	12
B. Operated	22	8.0	196	<1	<1	4	6	21	45	62
2. MULTIPLE DX										
A. Not Operated	2227	3.9	9	1	1	3	5	7	9	14
B. Operated	68	9.9	77	2	3	7	13	22	29	90
1. SINGLE DX	1197	3.4	10	1	1	3	4	6	8	13
2. MULTIPLE DX	2295	4.1	12	1	1	3	5	7	10	16
A. NOT OPERATED	3402	3.7	8	1	1	3	4	7	8	13
B. OPERATED	90	9.5	106	<1	1	6	13	22	33	64
TOTAL 0-27 DYS	43	8.7	95	1	2	6	12	15	18	62
1-11 MOS	769	3.2	6	1	1	3	4	5	6	11
1-5 YRS	1615	3.6	6	1	1	3	4	6	8	13
6-12 YRS	556	4.0	13	1	1	3	5	7	10	20
13-19 YRS	509	5.1	23	1	2	4	6	9	11	27
GRAND TOTAL	**3492**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	6.7	6	4	4	7	8	9	9	9
1-5 YRS	42	4.3	6	1	2	4	6	8	9	12
6-12 YRS	137	4.5	8	1	2	4	6	8	9	15
13-19 YRS	277	6.4	15	2	2	6	8	11	13	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	2	16.0	392	2	2	16	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	5	4.0	12	2	2	3	5	10	10	10
1-5 YRS	22	6.1	17	1	2	5	8	12	16	18
6-12 YRS	58	5.7	20	2	3	4	7	11	15	26
13-19 YRS	174	6.5	16	2	2	6	9	12	14	20
B. *Operated*										
0-27 DYS										
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	11	12.8	56	3	5	11	15	23	31	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	459	5.6	13	1	2	5	7	9	12	21
B. *Operated*	5	8.0	154	1	1	2	11	30	30	30
2. MULTIPLE DX										
A. *Not Operated*	260	6.3	17	2	2	5	8	11	15	21
B. *Operated*	15	11.6	52	2	3	11	15	17	28	32
1. SINGLE DX	464	5.6	14	1	2	5	7	9	12	21
2. MULTIPLE DX	275	6.6	20	2	2	5	9	13	15	23
A. NOT OPERATED	719	5.9	15	2	2	5	7	10	13	21
B. OPERATED	20	10.7	73	1	2	10	14	23	31	32
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	9	6.1	20	2	2	4	9	13	15	15
1-5 YRS	67	4.9	11	1	2	4	7	9	12	17
6-12 YRS	198	4.8	11	1	2	4	6	8	10	19
13-19 YRS	464	6.6	19	2	2	6	8	12	14	24
GRAND TOTAL	**739**	**6.0**	**17**	**2**	**2**	**5**	**8**	**11**	**14**	**22**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	2.4	1	1	1	2	3	4	4	4
1-5 YRS	154	3.7	4	1	1	3	5	6	8	11
6-12 YRS	283	3.9	5	1	2	3	5	7	8	12
13-19 YRS	1595	4.2	6	1	2	4	5	7	9	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	6.5	16	1	1	6	8	12	13	13
6-12 YRS	5	3.2	7	<1	<1	2	6	6	6	6
13-19 YRS	15	6.7	28	1	2	5	8	16	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	3.2	1	1	1	3	4	4	4	4
1-5 YRS	233	4.1	5	1	2	4	5	7	8	12
6-12 YRS	338	4.1	8	1	2	4	5	7	9	13
13-19 YRS	1878	4.6	7	2	2	4	6	8	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	57.0		57	57	57	57	57	57	57
1-5 YRS	6	4.3	4	1	1	5	6	6	6	6
6-12 YRS	13	7.8	79	1	2	5	8	19	31	34
13-19 YRS	61	6.7	15	1	2	6	9	12	15	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2038	4.1	6	1	2	4	5	7	8	12
B. *Operated*	26	6.0	22	1	1	5	8	13	17	20
2. MULTIPLE DX										
A. *Not Operated*	2455	4.5	7	2	2	4	5	8	9	14
B. *Operated*	81	7.3	55	1	2	6	9	14	15	50
1. SINGLE DX	2064	4.2	6	1	2	4	5	7	9	13
2. MULTIPLE DX	2536	4.6	9	2	2	4	6	8	10	14
A. NOT OPERATED	4493	4.3	6	1	2	4	5	7	9	13
B. OPERATED	107	7.0	47	1	2	6	8	14	15	44
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	12	7.3	246	1	1	3	4	20	52	57
1-5 YRS	399	4.0	5	1	2	4	5	7	8	12
6-12 YRS	639	4.1	8	1	2	4	5	7	9	14
13-19 YRS	3549	4.5	7	2	2	4	6	8	9	14
GRAND TOTAL	**4600**	**4.4**	**7**	**1**	**2**	**4**	**5**	**8**	**9**	**14**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	8	1.9	1	<1	<1	1	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	3	4.7	5	2	2	6	6	6	6	6
1-5 YRS	62	1.6	1	<1	<1	1	2	3	4	7
6-12 YRS	126	1.4	1	<1	<1	1	2	2	3	5
13-19 YRS	504	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS	2	2.5	5	<1	<1	2	4	4	4	4
6-12 YRS	3	3.0	4	1	1	3	4	5	5	5
13-19 YRS	20	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	13	2.4	3	1	1	2	2	4	7	8
6-12 YRS	19	1.8	1	<1	<1	2	2	3	5	5
13-19 YRS	138	3.3	16	<1	<1	2	4	6	9	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*	695	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	26	2.0	2	<1	<1	1	3	4	5	6
B. *Operated*	171	3.0	14	<1	<1	2	3	5	7	19
1. SINGLE DX	705	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLF DX	197	2.9	12	<1	<1	2	3	5	7	19
A. NOT OPERATED	36	1.9	2	<1	<1	1	3	4	5	6
B. OPERATED	866	2.1	4	<1	<1	2	2	4	5	8
TOTAL 0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	4	3.8	7	1	1	4	6	6	6	6
1-5 YRS	78	1.8	2	<1	<1	1	2	3	4	8
6-12 YRS	148	1.5	1	<1	<1	1	2	2	3	5
13-19 YRS	670	2.2	5	<1	<1	2	3	4	5	9
GRAND TOTAL	**902**	**2.1**	**4**	**<1**	**<1**	**2**	**2**	**4**	**5**	**8**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	644	3.5	2	2	2	3	4	5	6	9
1-11 MOS	2092	2.8	2	1	1	3	4	4	5	7
1-5 YRS	2135	2.8	3	1	1	2	3	5	6	8
6-12 YRS	1282	2.7	4	1	1	2	3	5	6	9
13-19 YRS	1069	3.0	4	1	1	3	4	5	7	9
B. *Operated*										
0-27 DYS	18	3.8	6	1	1	3	5	8	9	9
1-11 MOS	32	3.8	5	1	2	3	4	7	9	11
1-5 YRS	49	3.2	7	<1	<1	3	4	6	8	16
6-12 YRS	63	3.3	8	<1	1	2	4	7	9	15
13-19 YRS	56	3.5	9	1	1	3	4	7	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	327	4.1	9	1	2	4	5	6	8	14
1-11 MOS	1814	3.3	5	1	1	3	4	5	7	12
1-5 YRS	3070	3.0	4	1	1	3	4	5	6	9
6-12 YRS	1544	3.1	4	1	1	3	4	5	6	11
13-19 YRS	1365	3.5	9	1	1	3	4	6	7	14
B. *Operated*										
0-27 DYS	16	5.4	53	2	2	3	5	9	25	32
1-11 MOS	48	5.3	12	1	2	4	7	11	12	13
1-5 YRS	78	4.4	14	1	1	4	6	8	9	24
6-12 YRS	67	6.6	60	1	2	5	8	11	13	53
13-19 YRS	84	6.8	69	1	1	5	7	14	19	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7222	2.9	3	1	1	3	4	5	6	8
B. *Operated*	218	3.4	7	<1	1	3	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	8120	3.2	5	1	1	3	4	5	7	11
B. *Operated*	293	5.8	42	1	2	4	7	10	13	52
1. SINGLE DX	7440	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX	8413	3.3	7	1	1	3	4	6	7	12
A. NOT OPERATED	15342	3.1	4	1	1	3	4	5	6	10
B. OPERATED	511	4.8	29	1	1	3	6	9	12	32
TOTAL 0-27 DYS	1005	3.7	5	1	2	3	4	5	7	11
1-11 MOS	3986	3.1	4	1	1	3	4	5	6	10
1-5 YRS	5332	2.9	4	1	1	3	4	5	6	9
6-12 YRS	2956	3.0	6	1	1	2	4	5	6	11
13-19 YRS	2574	3.4	9	1	1	3	4	6	7	14
GRAND TOTAL	**15853**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.8	2	1	1	3	4	4	4	4
1-5 YRS	70	3.9	4	1	2	4	5	6	7	11
6-12 YRS	88	4.3	11	2	2	3	5	7	9	22
13-19 YRS	69	4.6	8	1	2	4	5	8	10	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	3.3	8	1	1	3	5	7	7	7
6-12 YRS	3	4.3	1	3	3	5	5	5	5	5
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	3.0	11	1	1	2	5	8	8	8
1-5 YRS	32	4.8	6	2	2	4	6	8	10	11
6-12 YRS	42	4.4	6	1	1	4	6	8	10	10
13-19 YRS	36	5.1	7	1	2	5	6	9	10	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.5	5	3	3	4	6	6	6	6
6-12 YRS	2	9.5	25	6	6	9	13	13	13	13
13-19 YRS	2	6.0	18	3	3	6	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	4.2	8	1	2	4	5	7	8	15
B. *Operated*	9	3.6	4	1	1	4	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	114	4.7	6	1	2	4	6	8	10	12
B. *Operated*	6	6.7	15	3	3	6	9	13	13	13
1. SINGLE DX	240	4.2	8	1	2	4	5	7	8	15
2. MULTIPLE DX	120	4.8	7	1	2	4	6	9	10	13
A. NOT OPERATED	345	4.4	7	1	2	4	5	7	10	14
B. OPERATED	15	4.8	10	1	1	4	6	9	12	13
TOTAL 0-27 DYS										
1-11 MOS	8	2.9	6	1	1	2	4	7	8	8
1-5 YRS	108	4.2	5	1	2	4	5	7	8	11
6-12 YRS	135	4.4	9	1	2	4	5	8	10	15
13-19 YRS	109	4.7	7	1	2	4	6	8	10	15
GRAND TOTAL	**360**	**4.4**	**7**	**1**	**2**	**4**	**5**	**8**	**10**	**14**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	21	5.5	13	<1	1	5	8	10	12	14
1-11 MOS	14	6.9	7	4	4	6	10	10	12	12
1-5 YRS	25	5.6	42	1	1	4	7	11	19	32
6-12 YRS	13	4.4	10	1	1	3	6	9	11	11
13-19 YRS	293	4.5	5	2	2	4	5	7	9	12
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS	5	4.4	13	1	1	3	7	10	10	10
6-12 YRS	3	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	50	3.4	5	1	1	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	9.6	1	8	8	10	10	11	11	11
1-11 MOS	8	6.5	15	<1	1	6	9	12	13	13
1-5 YRS	20	7.4	25	<1	1	7	10	14	17	19
6-12 YRS	8	9.1	116	<1	<1	7	10	27	34	34
13-19 YRS	233	5.7	12	2	3	5	7	9	12	19
B. *Operated*										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	4	2.8	3	1	1	2	4	5	5	5
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	46	7.0	78	<1	1	5	9	15	20	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	366	4.8	8	1	2	4	6	8	10	14
B. *Operated*	59	3.4	5	<1	1	3	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	274	6.0	16	2	3	5	8	10	13	20
B. *Operated*	52	6.7	72	<1	1	4	9	14	19	54
1. SINGLE DX	425	4.6	8	1	2	4	6	8	10	13
2. MULTIPLE DX	326	6.1	25	1	2	5	8	11	14	23
A. NOT OPERATED	640	5.3	12	1	2	4	7	9	11	18
B. OPERATED	111	5.0	39	<1	1	3	6	10	13	35
TOTAL 0-27 DYS	27	6.3	13	1	1	7	9	10	11	14
1-11 MOS	23	7.0	11	2	4	6	10	12	13	13
1-5 YRS	54	5.9	31	1	1	4	8	12	16	31
6-12 YRS	25	5.4	47	<1	<1	3	8	11	17	34
13-19 YRS	622	5.1	14	1	2	4	6	9	11	18
GRAND TOTAL	**751**	**5.2**	**16**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	2.0	1	1	1	2	3	3	3	3
1-11 MOS	16	3.8	6	<1	<1	3	6	7	8	9
1-5 YRS	42	4.0	9	<1	1	3	6	9	10	12
6-12 YRS	39	3.1	14	<1	<1	2	4	7	12	18
13-19 YRS	22	2.9	2	<1	<1	3	4	5	5	5
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	4.7	12	<1	<1	5	7	8	8	8
1-5 YRS	4	1.8	2	<1	<1	1	3	4	4	4
6-12 YRS	7	5.9	16	2	2	6	8	12	13	13
13-19 YRS	9	8.6	123	<1	<1	6	11	26	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	3.6	5	1	1	3	5	6	9	10
1-11 MOS	117	4.4	10	1	1	3	6	8	10	17
1-5 YRS	78	4.4	9	1	2	4	5	9	12	15
6-12 YRS	64	5.2	20	<1	<1	4	7	12	16	19
13-19 YRS	48	5.2	20	1	1	4	6	11	14	25
B. *Operated*										
0-27 DYS	3	10.7	86	3	3	8	18	21	21	21
1-11 MOS	5	19.2	548	3	3	10	28	60	60	60
1-5 YRS	5	10.6	245	<1	<1	4	16	38	38	38
6-12 YRS	8	24.6	586	2	3	16	44	60	64	64
13-19 YRS	10	8.2	94	1	1	6	8	22	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	3.4	9	<1	<1	3	4	7	9	16
B. *Operated*	24	5.9	55	<1	<1	4	7	12	20	36
2. MULTIPLE DX										
A. *Not Operated*	321	4.7	13	<1	1	4	6	9	12	17
B. *Operated*	31	14.8	324	<1	1	8	20	43	60	64
1. SINGLE DX	147	3.8	17	<1	<1	3	5	8	10	19
2. MULTIPLE DX	352	5.6	48	<1	1	4	6	10	15	38
A. NOT OPERATED	444	4.3	12	<1	1	3	6	8	11	16
B. OPERATED	55	10.9	223	<1	<1	6	11	36	48	64
TOTAL 0-27 DYS	22	4.3	19	1	1	3	5	9	14	21
1-11 MOS	141	4.9	32	1	1	3	6	9	10	24
1-5 YRS	129	4.5	18	<1	1	4	6	9	11	20
6-12 YRS	118	5.9	78	<1	<1	3	6	14	17	55
13-19 YRS	89	5.3	35	<1	1	4	6	11	14	35
GRAND TOTAL	**499**	**5.1**	**39**	**<1**	**1**	**4**	**6**	**10**	**14**	**37**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	7	3.0	6	1	1	3	3	7	8	8
6-12 YRS	9	3.0	4	1	1	3	4	6	7	7
13-19 YRS	8	3.1	3	1	1	3	4	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	7.5	34	3	3	5	11	16	16	16
6-12 YRS	18	4.5	6	2	3	4	5	9	10	10
13-19 YRS	13	4.5	5	2	2	4	5	7	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	25	5.5	43	1	2	4	6	10	17	34
6-12 YRS	22	3.8	6	1	1	3	6	7	8	9
13-19 YRS	15	4.8	7	1	2	4	6	9	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.0	8	3	3	5	7	7	7	7
6-12 YRS	15	3.9	4	2	2	3	5	6	9	10
13-19 YRS	12	4.8	12	2	2	4	5	9	14	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.1	4	1	1	3	4	7	7	8
B. *Operated*	35	4.9	9	2	3	4	5	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	63	4.7	21	1	1	4	6	9	10	31
B. *Operated*	29	4.3	7	2	2	3	5	7	10	15
1. SINGLE DX	60	4.1	7	1	2	3	5	7	10	15
2. MULTIPLE DX	92	4.6	16	1	2	4	6	8	10	26
A. NOT OPERATED	88	4.2	16	1	1	3	5	8	9	26
B. OPERATED	64	4.6	8	2	2	4	5	8	11	16
TOTAL 0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	38	5.2	33	1	1	4	6	10	14	34
6-12 YRS	64	3.9	5	1	2	3	5	7	9	10
13-19 YRS	48	4.4	7	2	2	4	5	8	10	15
GRAND TOTAL	**152**	**4.4**	**13**	**1**	**2**	**3**	**5**	**8**	**10**	**16**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	6.3	4	4	4	7	8	8	8	8
1-11 MOS	6	6.7	73	2	2	3	5	22	24	24
1-5 YRS	37	3.5	5	<1	1	3	5	7	7	9
6-12 YRS	21	4.6	6	2	2	4	5	9	10	10
13-19 YRS	38	3.9	7	<1	1	3	6	7	10	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	6	2.7	1	1	1	3	4	4	4	4
13-19 YRS	25	5.0	9	1	1	5	7	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	39	8.3	27	2	2	8	11	16	18	23
1-5 YRS	65	6.8	20	2	3	6	9	11	13	28
6-12 YRS	41	5.8	14	1	2	5	7	11	13	20
13-19 YRS	62	5.3	19	1	2	4	7	9	10	28
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	19.3	82	11	11	18	26	29	29	29
1-5 YRS	9	16.0	98	4	5	14	23	31	35	35
6-12 YRS	7	9.7	95	1	1	3	17	24	25	25
13-19 YRS	31	7.7	37	1	2	7	10	16	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	4.1	10	<1	1	3	6	7	9	17
B. *Operated*	32	4.7	9	1	1	4	7	9	10	12
2. MULTIPLE DX										
A. *Not Operated*	207	6.4	21	2	2	5	8	12	15	26
B. *Operated*	51	10.0	68	1	2	8	14	23	26	35
1. SINGLE DX	137	4.2	9	1	1	4	6	8	10	14
2. MULTIPLE DX	258	7.2	32	1	2	6	9	14	19	29
A. NOT OPERATED	312	5.7	18	1	2	5	7	10	13	23
B. OPERATED	83	8.0	52	1	2	6	11	18	24	33
TOTAL 0-27 DYS	4	5.8	4	4	4	6	7	8	8	8
1-11 MOS	48	8.8	41	2	2	8	12	18	23	29
1-5 YRS	112	6.4	31	1	2	5	8	12	15	32
6-12 YRS	75	5.6	20	1	2	4	7	10	15	24
13-19 YRS	156	5.4	19	1	1	4	7	10	12	24
GRAND TOTAL	**395**	**6.1**	**26**	**1**	**2**	**5**	**8**	**11**	**16**	**28**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	2	6.5	41	2	2	6	11	11	11	11
13-19 YRS	1	2.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	4	5.5	10	2	2	5	8	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	5.5	5	4	4	5	7	7	7	7
13-19 YRS	7	3.4	3	2	2	3	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	6.5	22	2	2	6	10	11	11	11
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	7	4.3	9	1	1	4	6	9	9	9
B. *Operated*	10	4.0	3	2	2	4	5	6	7	7
1. SINGLE DX	4	6.5	22	2	2	6	10	11	11	11
2. MULTIPLE DX	17	4.1	5	1	2	4	5	7	8	9
A. NOT OPERATED	11	5.1	13	1	1	4	8	10	11	11
B. OPERATED	10	4.0	3	2	2	4	5	6	7	7
TOTAL 0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	2	7.5	13	5	5	7	10	10	10	10
6-12 YRS	5	5.0	17	1	1	4	8	11	11	11
13-19 YRS	12	4.1	5	2	2	3	5	8	9	9
GRAND TOTAL	**21**	**4.6**	**8**	**1**	**2**	**4**	**6**	**9**	**10**	**11**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	5.2	2	3	3	5	6	7	7	7
13-19 YRS	8	3.6	7	1	1	3	5	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	8	2.9	1	2	2	3	4	4	4	4
13-19 YRS	14	3.6	4	1	1	3	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	3	5.0	1	4	4	5	6	6	6	6
6-12 YRS	11	6.0	9	1	2	7	8	10	11	11
13-19 YRS	26	4.8	16	1	2	3	6	11	14	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	12	6.3	20	1	1	5	9	14	14	14
13-19 YRS	7	4.6	8	1	1	4	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.4	5	1	1	4	6	7	8	9
B. *Operated*	24	3.8	8	1	2	3	5	6	10	15
2. MULTIPLE DX										
A. *Not Operated*	41	5.2	12	1	2	4	7	10	12	17
B. *Operated*	21	5.3	16	1	1	4	8	11	14	14
1. SINGLE DX	40	4.0	7	1	1	4	5	7	8	15
2. MULTIPLE DX	62	5.2	13	1	1	4	7	10	13	17
A. NOT OPERATED	57	5.0	10	1	2	4	7	9	11	17
B. OPERATED	45	4.5	12	1	1	4	5	9	14	15
TOTAL 0-27 DYS										
1-11 MOS	2	11.0	32	7	7	11	15	15	15	15
1-5 YRS	6	3.3	4	1	1	3	5	6	6	6
6-12 YRS	39	5.3	11	1	2	4	7	10	13	14
13-19 YRS	55	4.3	10	1	1	4	5	8	11	17
GRAND TOTAL	**102**	**4.7**	**11**	**1**	**1**	**4**	**6**	**9**	**12**	**16**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	2	4.5	25	1	1	4	8	8	8	8
1. SINGLE DX										
2. MULTIPLE DX	2	4.5	25	1	1	4	8	8	8	8
A. NOT OPERATED										
B. OPERATED	2	4.5	25	1	1	4	8	8	8	8
TOTAL 0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**2**	**4.5**	**25**	**1**	**1**	**4**	**8**	**8**	**8**	**8**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	21.0		21	21	21	21	21	21	21
13-19 YRS	4	14.0	74	5	5	13	21	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.0		3	3	3	3	3	3	3
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	2	5.5	13	3	3	5	8	8	8	8
B. *Operated*	5	15.4	65	5	5	18	22	24	24	24
1. SINGLE DX	4	3.5	1	3	3	3	4	5	5	5
2. MULTIPLE DX	7	12.6	69	3	3	9	20	23	24	24
A. NOT OPERATED	5	4.0	5	3	3	3	5	8	8	8
B. OPERATED	6	13.7	70	5	5	13	21	24	24	24
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	14.5	85	8	8	14	21	21	21	21
13-19 YRS	9	8.1	59	3	3	5	11	22	24	24
GRAND TOTAL	**11**	**9.3**	**63**	**3**	**3**	**5**	**16**	**22**	**24**	**24**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS										
6-12 YRS										
13-19 YRS	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	17.0		17	17	17	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	3	13.3	6	11	11	13	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	1	17.0		17	17	17	17	17	17	17
1. SINGLE DX	3	13.3	6	11	11	13	15	16	16	16
2. MULTIPLE DX	1	17.0		17	17	17	17	17	17	17
A. NOT OPERATED										
B. OPERATED	4	14.3	8	11	11	14	16	17	17	17
TOTAL 0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS										
6-12 YRS										
13-19 YRS	2	15.0	8	13	13	15	17	17	17	17
GRAND TOTAL	**4**	**14.3**	**8**	**11**	**11**	**14**	**16**	**17**	**17**	**17**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.0	2	8	8	9	10	10	10	10
1-5 YRS	1	26.0		26	26	26	26	26	26	26
6-12 YRS										
13-19 YRS	5	12.4	112	3	3	8	18	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	5.5	1	5	5	5	6	6	6	6
1-5 YRS										
6-12 YRS	3	15.0	193	6	6	8	25	31	31	31
13-19 YRS	4	7.8	4	6	6	8	9	10	10	10
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	11.0	4	9	9	11	12	13	13	13
1-5 YRS	1	23.0		23	23	23	23	23	23	23
6-12 YRS	2	21.0	98	17	17	24	31	31	31	31
13-19 YRS	15	13.9	90	3	4	12	20	24	34	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	8	13.3	93	3	4	9	20	29	30	30
2. MULTIPLE DX										
A. *Not Operated*	10	9.4	60	5	5	7	9	20	31	31
B. *Operated*	22	14.5	82	4	5	12	21	26	33	37
1. SINGLE DX	8	13.3	93	3	4	9	20	29	30	30
2. MULTIPLE DX	32	12.9	79	4	5	10	18	26	31	37
A. NOT OPERATED	10	9.4	60	5	5	7	9	20	31	31
B. OPERATED	30	14.2	82	3	4	11	21	28	31	37
TOTAL 0-27 DYS	2	6.5	1	6	6	6	7	7	7	7
1-11 MOS	7	8.9	8	5	5	9	11	13	13	13
1-5 YRS	2	24.5	5	23	23	24	26	26	26	26
6-12 YRS	5	18.6	145	6	6	17	31	31	31	31
13-19 YRS	24	12.6	80	3	4	9	18	25	32	37
GRAND TOTAL	**40**	**13.0**	**79**	**4**	**5**	**9**	**18**	**28**	**31**	**37**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	14.5	41	10	10	14	19	19	19	19
1-5 YRS	2	21.5	25	18	18	21	25	25	25	25
6-12 YRS										
13-19 YRS	4	31.3	355	13	13	28	45	56	56	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	4	7.3	16	4	4	7	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	8	24.6	219	10	11	20	30	50	56	56
1. SINGLE DX	5	6.0	20	1	1	4	10	12	12	12
2. MULTIPLE DX	9	22.1	248	2	5	19	27	48	56	56
A. NOT OPERATED	2	1.5	1	1	1	1	2	2	2	2
B. OPERATED	12	18.8	217	4	4	15	23	41	54	56
TOTAL 0-27 DYS										
1-11 MOS	3	12.7	30	9	9	10	17	19	19	19
1-5 YRS	4	11.5	142	1	1	10	21	25	25	25
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	6	22.2	411	4	4	17	35	54	56	56
GRAND TOTAL	**14**	**16.4**	**223**	**1**	**2**	**12**	**21**	**37**	**52**	**56**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	19	4.5	68	1	1	2	4	6	24	38
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	2	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	8	10.5	38	2	3	11	15	18	19	19
1-5 YRS	19	15.4	228	2	2	11	22	28	49	66
6-12 YRS	3	6.0	21	2	2	5	9	11	11	11
13-19 YRS	10	8.9	24	3	3	8	10	16	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	42	4.2	15	1	1	3	4	11	13	18
6-12 YRS	10	9.8	65	4	4	7	12	23	30	30
13-19 YRS	10	5.0	23	1	1	4	5	12	18	18
B. *Operated*										
0-27 DYS										
1-11 MOS	7	23.7	309	4	5	18	36	50	53	53
1-5 YRS	15	19.2	294	2	4	14	22	51	60	63
6-12 YRS	10	14.5	152	<1	2	11	15	36	39	39
13-19 YRS	5	16.4	419	6	6	8	19	53	53	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	4.2	52	1	1	2	4	5	15	38
B. *Operated*	40	12.1	130	2	2	9	15	25	28	66
2. MULTIPLE DX										
A. *Not Operated*	65	5.5	31	1	1	4	6	12	18	29
B. *Operated*	37	18.4	261	2	4	12	25	49	53	63
1. SINGLE DX	65	9.0	114	1	2	5	11	20	28	62
2. MULTIPLE DX	102	10.2	152	1	1	5	12	25	38	58
A. NOT OPERATED	90	5.1	37	1	1	4	5	12	18	35
B. OPERATED	77	15.1	200	2	3	11	18	34	52	65
TOTAL 0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS	19	13.8	187	1	2	9	18	35	46	53
1-5 YRS	95	8.9	146	1	1	4	12	23	30	65
6-12 YRS	25	10.6	99	1	2	7	12	30	35	39
13-19 YRS	27	8.6	98	2	3	6	8	17	25	53
GRAND TOTAL	**167**	**9.7**	**136**	**1**	**1**	**5**	**12**	**23**	**34**	**61**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS										
13-19 YRS	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	1	28.0		28	28	28	28	28	28	28
1-11 MOS	2	19.0	162	10	10	19	28	28	28	28
1-5 YRS										
6-12 YRS										
13-19 YRS	1	12.0		12	12	12	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	2	22.0	72	16	16	22	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	4	19.5	97	10	10	28	46	99+	99+	99+
1. SINGLE DX	4	12.3	151	2	2	9	22	28	28	28
2. MULTIPLE DX	5	15.8	141	1	2	20	28	93	99+	99+
A. NOT OPERATED	3	2.0	1	1	1	2	3	3	3	3
B. OPERATED	6	20.3	74	10	10	28	28	86	99+	99+
TOTAL 0-27 DYS	1	28.0		28	28	28	28	28	28	28
1-11 MOS	2	19.0	162	10	10	19	28	28	28	28
1-5 YRS	1	16.0		16	16	58	99+	99+	99+	99+
6-12 YRS										
13-19 YRS	5	9.2	130	1	1	3	16	28	28	28
GRAND TOTAL	**9**	**14.2**	**131**	**1**	**1**	**14**	**28**	**64**	**99+**	**99+**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	11.7	41	7	7	9	16	19	19	19
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	10.3	22	5	5	12	13	14	14	14
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	4	4.0	9	<1	<1	4	6	7	7	7
13-19 YRS	7	6.7	11	2	2	7	9	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	22.0		22	22	22	22	22	22	22
1-11 MOS	3	13.7	169	1	1	13	23	27	27	27
1-5 YRS	6	4.3	8	2	2	3	4	9	10	10
6-12 YRS	4	6.3	22	2	2	5	10	12	12	12
13-19 YRS	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	3	12.3	66	3	3	16	17	18	18	18
1-11 MOS	3	11.7	225	3	3	3	23	29	29	29
1-5 YRS	3	5.7	4	4	4	5	7	8	8	8
6-12 YRS	3	9.0	76	3	3	5	15	19	19	19
13-19 YRS	9	13.8	78	4	5	10	19	28	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	8.4	41	3	3	7	11	19	19	19
B. *Operated*	15	6.7	15	<1	2	7	9	12	14	14
2. MULTIPLE DX										
A. *Not Operated*	16	7.5	58	1	2	4	11	21	25	27
B. *Operated*	21	11.4	77	3	3	8	17	26	30	31
1. SINGLE DX	20	7.2	20	1	2	7	9	13	16	19
2. MULTIPLE DX	37	9.7	71	2	3	8	14	24	28	31
A. NOT OPERATED	21	7.7	52	1	2	4	10	20	24	27
B. OPERATED	36	9.5	55	2	3	7	13	19	27	31
TOTAL 0-27 DYS	4	14.8	68	3	3	17	20	22	22	22
1-11 MOS	12	11.8	85	1	2	10	16	28	29	29
1-5 YRS	12	4.8	6	2	2	4	6	9	10	10
6-12 YRS	11	6.2	29	<1	1	5	8	15	19	19
13-19 YRS	18	9.8	58	2	3	8	12	22	28	31
GRAND TOTAL	**57**	**8.8**	**54**	**2**	**2**	**7**	**12**	**19**	**26**	**31**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	3.7		3	3	4	4	4	4	4
13-19 YRS	3	7.0	19	2	2	9	10	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	4	5.8	30	1	1	6	10	11	11	11
1-5 YRS	9	6.1	16	1	1	6	8	12	14	14
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	11	4.2	16	1	1	2	5	10	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	2	3.0	8	1	1	3	5	5	5	5
6-12 YRS	7	2.6	1	1	1	3	3	4	4	4
13-19 YRS	15	5.3	11	2	2	4	8	10	11	12
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	3	14.3	124	6	6	10	23	27	27	27
1-5 YRS	11	17.8	587	1	2	10	20	47	85	88
6-12 YRS	2	7.0	8	5	5	7	9	9	9	9
13-19 YRS	10	10.1	68	3	3	7	16	23	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.7	12	1	1	4	8	10	10	10
B. *Operated*	25	5.4	18	1	1	5	8	11	14	15
2. MULTIPLE DX										
A. *Not Operated*	25	4.5	9	1	2	3	6	9	10	12
B. *Operated*	27	13.4	276	2	3	9	18	25	36	88
1. SINGLE DX	32	5.3	16	1	1	4	8	11	14	15
2. MULTIPLE DX	52	9.1	165	1	2	6	10	20	26	87
A. NOT OPERATED	32	4.5	9	1	1	4	6	9	10	12
B. OPERATED	52	9.6	165	1	2	6	11	20	26	87
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	8	9.4	67	1	1	9	11	22	27	27
1-5 YRS	23	11.2	316	1	1	6	12	20	44	88
6-12 YRS	13	4.2	8	1	2	3	4	9	11	11
13-19 YRS	39	6.3	31	2	2	5	9	14	18	27
GRAND TOTAL	**84**	**7.6**	**111**	**1**	**2**	**5**	**9**	**15**	**20**	**67**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	26	5.7	150	1	1	3	4	4	22	65
6-12 YRS	74	3.4	6	1	1	3	4	5	9	16
13-19 YRS	116	2.9	7	<1	<1	2	4	5	6	15
B. *Operated*										
0-27 DYS	2	8.5	13	6	6	8	11	11	11	11
1-11 MOS	13	8.1	27	1	2	7	11	16	18	18
1-5 YRS	46	9.7	115	1	1	7	12	23	36	53
6-12 YRS	77	6.7	35	1	1	5	8	15	16	32
13-19 YRS	157	7.0	31	1	2	5	10	14	19	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	2.0	2	<1	<1	1	4	4	4	4
1-5 YRS	65	5.7	73	<1	1	3	6	12	18	56
6-12 YRS	137	4.5	36	1	1	3	5	8	14	35
13-19 YRS	217	4.1	14	1	1	3	5	9	12	20
B. *Operated*										
0-27 DYS										
1-11 MOS	7	7.9	13	2	2	8	11	12	12	12
1-5 YRS	25	13.1	289	1	2	11	14	25	41	87
6-12 YRS	59	11.4	117	2	2	10	12	24	38	53
13-19 YRS	93	12.7	152	2	2	9	14	31	45	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	3.4	24	<1	1	3	4	5	8	18
B. *Operated*	295	7.4	46	1	2	5	10	15	19	38
2. MULTIPLE DX										
A. *Not Operated*	425	4.5	31	1	1	3	5	9	13	23
B. *Operated*	184	12.2	153	2	2	9	14	26	44	54
1. SINGLE DX	513	5.7	40	1	1	4	7	12	16	35
2. MULTIPLE DX	609	6.8	80	1	1	4	8	14	21	50
A. NOT OPERATED	643	4.1	29	<1	1	3	4	8	12	21
B. OPERATED	479	9.2	92	1	2	7	12	19	27	52
TOTAL 0-27 DYS	2	8.5	13	6	6	8	11	11	11	11
1-11 MOS	28	6.3	23	<1	1	5	10	12	16	18
1-5 YRS	162	8.0	136	1	1	4	8	17	25	65
6-12 YRS	347	5.9	51	1	1	4	7	13	17	44
13-19 YRS	583	6.0	50	1	1	4	8	13	19	45
GRAND TOTAL	**1122**	**6.3**	**62**	**1**	**1**	**4**	**8**	**13**	**19**	**47**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.0	7	1	1	2	5	6	6	6
6-12 YRS	3	5.0	1	4	4	5	6	6	6	6
13-19 YRS	20	4.0	8	<1	<1	3	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	3.0	3	2	2	2	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	24.0		24	24	24	24	24	24	24
1-5 YRS	2	9.0	50	4	4	9	14	14	14	14
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	6	4.8	5	1	1	5	6	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	26	4.0	7	<1	<1	3	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	3	3.0	3	2	2	2	4	5	5	5
B. *Operated*	10	7.7	44	1	2	5	8	19	24	24
1. SINGLE DX	26	4.0	7	<1	<1	3	6	8	9	9
2. MULTIPLE DX	13	6.6	38	1	2	5	7	16	22	24
A. NOT OPERATED	3	3.0	3	2	2	2	4	5	5	5
B. OPERATED	36	5.0	19	<1	1	4	6	9	13	24
TOTAL 0-27 DYS										
1-11 MOS	1	24.0		24	24	24	24	24	24	24
1-5 YRS	5	5.4	27	1	1	4	8	14	14	14
6-12 YRS	4	5.3	1	4	4	5	6	6	6	6
13-19 YRS	29	4.0	7	<1	<1	4	6	8	9	9
GRAND TOTAL	**39**	**4.8**	**18**	**<1**	**1**	**4**	**6**	**9**	**12**	**24**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	4	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	3	3.0	1	2	2	3	4	4	4	4
6-12 YRS	8	4.0	7	<1	<1	4	6	7	8	8
13-19 YRS	13	2.9	3	<1	1	2	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	4	3.3	7	<1	<1	2	5	7	7	7
1-5 YRS	4	2.3	2	1	1	2	3	4	4	4
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	7	4.9	23	2	2	3	6	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	28	3.0	4	<1	<1	2	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	4	2.5		2	2	2	3	3	3	3
B. *Operated*	18	3.8	13	<1	1	2	4	8	13	15
1. SINGLE DX	29	3.0	4	<1	<1	2	4	6	6	8
2. MULTIPLE DX	22	3.6	11	1	1	2	3	8	11	15
A. NOT OPERATED	5	2.6		2	2	3	3	3	3	3
B. OPERATED	46	3.3	7	<1	<1	2	4	7	8	15
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	9	2.3	4	<1	<1	2	3	5	7	7
1-5 YRS	9	2.6	1	1	1	2	3	4	4	4
6-12 YRS	10	3.6	6	<1	<1	3	6	7	8	8
13-19 YRS	22	3.5	9	1	1	3	4	6	10	15
GRAND TOTAL	**51**	**3.3**	**7**	**<1**	**<1**	**2**	**4**	**6**	**8**	**15**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.3	10	<1	<1	4	7	7	7	7
1-5 YRS										
6-12 YRS	2	6.5	1	6	6	6	7	7	7	7
13-19 YRS	8	4.4	9	<1	<1	4	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.0	2	3	3	4	5	5	5	5
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	3	9.3	102	3	3	4	17	21	21	21
13-19 YRS	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	7	7.7	4	4	5	8	9	10	10	10
1-5 YRS	2	12.5	61	7	7	12	18	18	18	18
6-12 YRS										
13-19 YRS	3	8.7	49	2	2	8	14	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	14	4.6	8	<1	<1	5	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	7	7.1	43	3	3	4	9	19	21	21
B. *Operated*	12	8.8	20	2	3	8	10	17	18	18
1. SINGLE DX	15	4.4	8	<1	<1	5	7	7	9	9
2. MULTIPLE DX	19	8.2	27	2	3	7	10	17	20	21
A. NOT OPERATED	8	6.4	42	1	2	4	7	18	21	21
B. OPERATED	26	6.5	17	<1	1	7	8	10	16	18
TOTAL 0-27 DYS										
1-11 MOS	13	6.1	8	<1	2	7	8	9	10	10
1-5 YRS	3	9.7	54	4	4	7	15	18	18	18
6-12 YRS	5	8.2	54	3	3	6	10	21	21	21
13-19 YRS	13	5.5	20	<1	1	5	8	11	15	16
GRAND TOTAL	**34**	**6.5**	**22**	**<1**	**1**	**7**	**8**	**11**	**18**	**21**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	3.5	4	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	20.0		20	20	20	20	20	20	20
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	4	1.5	1	1	1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	6	3.5	4	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	2	12.0	128	4	4	12	20	20	20	20
B. *Operated*	6	2.3	6	1	1	1	3	7	7	7
1. SINGLE DX	7	3.1	4	1	1	3	5	6	6	6
2. MULTIPLE DX	8	4.8	43	1	1	2	5	16	20	20
A. NOT OPERATED	3	8.3	104	1	1	4	16	20	20	20
B. OPERATED	12	2.9	5	1	1	2	5	6	7	7
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	2	10.5	181	1	1	10	20	20	20	20
6-12 YRS										
13-19 YRS	11	2.8	4	1	1	3	4	6	6	6
GRAND TOTAL	**15**	**4.0**	**24**	**1**	**1**	**3**	**5**	**7**	**17**	**20**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	7.5	5	6	6	7	9	9	9	9
1-11 MOS										
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS										
13-19 YRS	2	7.5	5	6	6	7	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	2	12.5	85	6	6	12	19	19	19	19
B. *Operated*										
0-27 DYS										
1-11 MOS	2	7.0	72	1	1	7	13	13	13	13
1-5 YRS										
6-12 YRS										
13-19 YRS	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	5	8.8	11	6	6	9	10	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	3	9.7	66	4	4	6	16	19	19	19
B. *Operated*	3	7.0	36	1	1	7	11	13	13	13
1. SINGLE DX	5	8.8	11	6	6	9	10	14	14	14
2. MULTIPLE DX	6	8.3	43	1	1	6	13	18	19	19
A. NOT OPERATED	3	9.7	66	4	4	6	16	19	19	19
B. OPERATED	8	8.1	17	1	2	8	11	14	14	14
TOTAL 0-27 DYS	2	7.5	5	6	6	7	9	9	9	9
1-11 MOS	3	6.0	39	1	1	4	11	13	13	13
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS										
13-19 YRS	5	9.4	30	6	6	7	11	19	19	19
GRAND TOTAL	**11**	**8.5**	**26**	**1**	**3**	**7**	**12**	**16**	**19**	**19**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	2.0	1	1	1	2	3	3	3	3
6-12 YRS	2	6.5	5	5	5	6	8	8	8	8
13-19 YRS	13	2.5	1	1	1	2	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	3	10.3	14	6	6	12	13	13	13	13
13-19 YRS	27	7.4	8	3	5	7	8	11	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	3	16.7	482	3	3	5	33	42	42	42
13-19 YRS	12	9.1	95	1	1	5	14	23	32	33
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS	3	10.7	40	7	7	7	15	18	18	18
13-19 YRS	25	8.5	9	5	5	8	11	13	14	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.8	3	1	1	2	3	5	7	8
B. *Operated*	31	7.7	8	3	5	7	9	12	13	16
2. MULTIPLE DX										
A. *Not Operated*	19	8.8	132	1	1	4	10	27	38	42
B. *Operated*	32	8.4	11	5	5	7	10	13	15	18
1. SINGLE DX	51	5.8	12	1	2	5	8	11	12	16
2. MULTIPLE DX	51	8.5	54	1	2	7	10	16	19	42
A. NOT OPERATED	39	5.7	73	1	1	3	5	15	27	42
B. OPERATED	63	8.0	10	4	5	7	10	12	14	18
TOTAL 0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	2	5.5	25	2	2	5	9	9	9	9
1-5 YRS	10	2.9	4	1	1	2	4	6	7	7
6-12 YRS	11	11.5	121	3	4	7	13	28	41	42
13-19 YRS	77	7.2	24	1	2	7	9	12	16	29
GRAND TOTAL	**102**	**7.2**	**35**	**1**	**2**	**6**	**9**	**12**	**17**	**37**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	1.0		<1	<1	1	1	1	1	1
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.0	1	1	1	2	3	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	7.5	41	3	3	7	12	12	12	12
6-12 YRS										
13-19 YRS	4	4.5	22	<1	<1	3	8	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.1		<1	<1	1	1	2	2	2
B. *Operated*	5	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	4	4.0	4	1	1	5	5	5	5	5
B. *Operated*	6	5.5	24	<1	<1	4	11	12	12	12
1. SINGLE DX	12	1.4		<1	<1	1	2	3	3	3
2. MULTIPLE DX	10	4.9	15	<1	<1	5	5	11	12	12
A. NOT OPERATED	11	2.2	3	<1	<1	1	4	5	5	5
B. OPERATED	11	3.8	16	<1	<1	2	5	11	12	12
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	14	3.0	9	<1	1	2	5	6	11	12
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6	3.5	16	<1	<1	2	5	10	11	11
GRAND TOTAL	**22**	**3.0**	**10**	**<1**	**<1**	**2**	**5**	**7**	**11**	**12**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	4.8	12	1	1	4	7	9	9	9
6-12 YRS										
13-19 YRS	2	5.5	13	3	3	5	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	3	2.7	1	2	2	2	4	4	4	4
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	2	10.0	8	8	8	10	12	12	12	12
1-11 MOS	5	7.6	45	2	2	5	11	19	19	19
1-5 YRS	9	8.8	40	2	2	8	15	17	17	17
6-12 YRS	2	10.0	50	5	5	10	15	15	15	15
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		1	1	1	2	2	2	2
B. *Operated*	6	5.0	10	1	1	5	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	9	2.8	5	1	1	2	3	6	8	8
B. *Operated*	18	8.7	34	2	2	8	15	17	18	19
1. SINGLE DX	9	3.8	10	1	1	3	6	9	9	9
2. MULTIPLE DX	27	6.7	32	1	2	4	11	16	17	19
A. NOT OPERATED	12	2.4	4	1	1	2	3	5	8	8
B. OPERATED	24	7.8	30	1	2	7	12	16	18	19
TOTAL 0-27 DYS	4	6.0	25	1	1	5	10	12	12	12
1-11 MOS	6	7.7	36	2	2	6	8	18	19	19
1-5 YRS	19	5.8	30	1	1	3	9	16	17	17
6-12 YRS	3	7.0	52	1	1	5	12	15	15	15
13-19 YRS	4	3.8	8	2	2	3	5	8	8	8
GRAND TOTAL	**36**	**6.0**	**27**	**1**	**1**	**4**	**8**	**15**	**17**	**19**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	18	3.1	4	<1	1	2	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	17.0		17	17	17	17	17	17	17
1-5 YRS	10	6.9	53	1	1	4	9	19	22	22
6-12 YRS	4	4.5	8	2	2	4	7	7	7	7
13-19 YRS	31	5.2	11	1	2	5	7	10	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	5.2	39	1	1	4	7	16	16	16
6-12 YRS										
13-19 YRS	23	5.0	8	<1	1	5	7	9	10	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	3	7.7	80	2	2	3	14	18	18	18
6-12 YRS	3	3.7	2	2	2	4	5	5	5	5
13-19 YRS	33	10.2	41	2	4	9	14	18	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.0	4	<1	1	2	5	6	6	6
B. *Operated*	46	5.8	22	1	1	5	7	13	17	22
2. MULTIPLE DX										
A. *Not Operated*	28	5.0	12	1	1	4	7	9	11	16
B. *Operated*	40	9.4	42	2	3	8	14	17	24	26
1. SINGLE DX	66	4.9	18	1	1	4	6	10	14	21
2. MULTIPLE DX	68	7.6	34	1	1	5	10	16	18	26
A. NOT OPERATED	48	4.2	10	1	1	4	6	8	9	16
B. OPERATED	86	7.4	34	1	2	6	10	16	19	26
TOTAL 0-27 DYS										
1-11 MOS	2	10.5	85	4	4	10	17	17	17	17
1-5 YRS	20	6.1	45	1	1	3	8	17	20	22
6-12 YRS	7	4.1	5	2	2	4	6	7	7	7
13-19 YRS	105	6.4	26	1	1	5	8	13	15	25
GRAND TOTAL	**134**	**6.3**	**28**	**1**	**1**	**5**	**8**	**14**	**17**	**25**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.5	13	3	3	5	8	8	8	8
6-12 YRS	3	2.7	4	1	1	2	4	5	5	5
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	8.3	38	2	2	8	13	14	14	14
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	6	2.7	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	10	7.2	34	1	1	5	11	16	18	18
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	8.7	24	3	3	11	12	12	12	12
1-5 YRS	6	16.7	129	1	2	17	25	31	32	32
6-12 YRS										
13-19 YRS	3	12.0	151	3	3	7	21	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.8	8	1	1	3	6	8	8	8
B. *Operated*	13	4.1	19	<1	1	2	4	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	11	6.6	34	1	1	4	11	16	18	18
B. *Operated*	13	12.8	101	1	2	11	20	27	31	32
1. SINGLE DX	18	4.0	15	<1	1	3	5	11	14	14
2. MULTIPLE DX	24	10.0	78	1	1	7	15	25	28	32
A. NOT OPERATED	16	5.8	27	1	1	4	9	14	17	18
B. OPERATED	26	8.4	77	1	1	4	13	24	27	32
TOTAL 0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	3	8.7	24	3	3	11	12	12	12	12
1-5 YRS	22	9.8	70	1	1	8	14	20	28	32
6-12 YRS	6	2.0	2	<1	<1	1	2	5	5	5
13-19 YRS	9	5.8	61	1	1	3	5	18	26	26
GRAND TOTAL	**42**	**7.4**	**59**	**1**	**1**	**4**	**11**	**18**	**25**	**32**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	3.5	1	2	2	4	4	4	4	4
1-5 YRS	28	3.4	12	<1	1	2	4	7	10	17
6-12 YRS	6	2.8	1	2	2	3	4	4	4	4
13-19 YRS	5	4.2	9	2	2	2	7	8	8	8
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	8	9.4	8	5	6	9	12	13	13	13
1-5 YRS	58	10.8	31	4	7	10	13	16	20	38
6-12 YRS	16	10.6	16	6	7	9	12	18	19	19
13-19 YRS	10	7.1	28	1	1	6	13	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	2.9	2	1	1	3	4	5	5	5
1-5 YRS	38	5.3	35	1	1	3	6	11	17	32
6-12 YRS	17	3.8	5	1	1	4	5	6	9	10
13-19 YRS	5	8.0	64	2	2	5	10	22	22	22
B. *Operated*										
0-27 DYS										
1-11 MOS	6	14.3	59	7	7	11	23	25	25	25
1-5 YRS	40	17.6	274	4	6	12	22	39	48	89
6-12 YRS	12	12.6	35	3	6	12	16	22	22	22
13-19 YRS	5	15.4	71	8	8	14	20	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	3.4	8	<1	1	3	4	7	8	17
B. *Operated*	93	10.2	26	3	6	9	12	16	19	32
2. MULTIPLE DX										
A. *Not Operated*	70	4.8	25	1	1	4	5	10	17	30
B. *Operated*	63	16.1	192	5	7	11	17	30	42	84
1. SINGLE DX	138	8.0	31	1	2	8	11	14	18	25
2. MULTIPLE DX	133	10.2	136	1	2	7	12	23	31	59
A. NOT OPERATED	115	4.3	19	1	1	3	5	8	11	25
B. OPERATED	156	12.6	101	3	6	10	14	22	29	52
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	30	7.0	34	1	2	5	9	13	23	25
1-5 YRS	164	9.9	113	1	2	8	12	17	30	52
6-12 YRS	51	7.9	30	2	2	7	11	17	19	22
13-19 YRS	25	8.4	49	1	2	6	13	17	24	29
GRAND TOTAL	**271**	**9.1**	**83**	**1**	**2**	**7**	**11**	**17**	**25**	**43**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	2.5	5	<1	<1	1	4	6	8	8
1-5 YRS	37	1.5	1	<1	1	1	2	2	4	6
6-12 YRS	6	1.7	1	1	1	2	2	3	3	3
13-19 YRS										
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	23	2.8	2	1	1	3	3	4	6	7
1-5 YRS	26	2.8	5	<1	1	2	3	6	7	11
6-12 YRS	3	4.7	5	2	2	6	6	6	6	6
13-19 YRS	4	5.5	18	1	1	5	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.7	14	2	2	3	7	9	9	9
1-5 YRS	13	3.2	17	<1	<1	1	4	8	14	16
6-12 YRS	8	7.0	103	2	2	4	4	24	32	32
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.7	2	4	4	6	7	7	7	7
1-5 YRS	10	3.3	6	<1	<1	2	6	7	8	8
6-12 YRS	4	3.0	3	<1	<1	3	4	5	5	5
13-19 YRS	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	1.7	2	<1	1	1	2	3	4	8
B. *Operated*	57	3.1	5	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	24	4.7	45	<1	<1	3	4	10	21	32
B. *Operated*	18	3.6	5	<1	<1	3	6	7	8	8
1. SINGLE DX	111	2.4	4	<1	1	2	3	5	6	11
2. MULTIPLE DX	42	4.2	27	<1	<1	3	4	7	12	32
A. NOT OPERATED	78	2.6	16	<1	<1	1	3	4	7	28
B. OPERATED	75	3.2	5	1	1	3	4	6	7	11
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	40	3.1	4	<1	1	3	4	6	8	9
1-5 YRS	86	2.4	6	<1	1	1	3	5	6	14
6-12 YRS	21	4.4	42	<1	1	3	4	6	18	32
13-19 YRS	5	4.8	16	1	1	4	7	11	11	11
GRAND TOTAL	**153**	**2.9**	**11**	**<1**	**1**	**2**	**4**	**6**	**7**	**16**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	5.7	65	<1	<1	<1	11	15	15	15
1-5 YRS	27	4.7	45	<1	1	2	6	10	25	28
6-12 YRS	46	3.1	15	<1	<1	2	3	8	15	18
13-19 YRS	39	4.0	12	1	1	3	5	8	12	17
B. *Operated*										
0-27 DYS										
1-11 MOS	9	9.8	17	2	4	10	13	15	15	15
1-5 YRS	58	11.7	58	1	3	10	16	19	21	44
6-12 YRS	84	11.0	68	1	2	10	14	19	27	47
13-19 YRS	56	12.4	101	2	5	10	14	17	39	54
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	6.7	52	2	2	3	12	15	15	15
1-5 YRS	54	3.2	15	<1	1	2	4	8	12	19
6-12 YRS	78	4.4	25	1	1	3	5	11	14	26
13-19 YRS	55	7.6	119	1	1	4	6	19	36	55
B. *Operated*										
0-27 DYS										
1-11 MOS	8	29.8	442	7	9	25	42	60	68	68
1-5 YRS	86	21.6	339	4	4	15	31	47	63	99
6-12 YRS	90	17.5	174	4	5	15	22	33	57	86
13-19 YRS	83	18.7	305	3	5	14	25	60	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	3.9	22	<1	1	2	5	8	15	25
B. *Operated*	207	11.5	72	1	2	10	15	18	24	50
2. MULTIPLE DX										
A. *Not Operated*	190	5.0	52	1	1	3	5	11	19	43
B. *Operated*	267	19.6	278	3	5	15	26	45	65	99+
1. SINGLE DX	322	8.8	67	1	1	8	12	17	20	48
2. MULTIPLE DX	457	13.5	235	1	1	8	18	36	56	99+
A. NOT OPERATED	305	4.6	41	<1	1	2	5	10	16	33
B. OPERATED	474	16.0	204	2	4	12	19	36	54	99+
TOTAL 0-27 DYS										
1-11 MOS	23	15.8	268	<1	1	12	15	42	52	68
1-5 YRS	225	12.6	212	1	1	8	16	32	45	75
6-12 YRS	298	10.0	113	1	1	7	14	22	30	60
13-19 YRS	233	12.1	193	1	2	8	15	29	52	99+
GRAND TOTAL	**779**	**11.6**	**171**	**1**	**1**	**8**	**15**	**26**	**43**	**83**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	5	2.2	2	<1	<1	2	3	4	4	4
6-12 YRS	2	4.5	25	<1	<1	4	8	8	8	8
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	4	5.3	6	2	2	5	7	8	8	8
1-5 YRS	13	11.5	55	2	3	10	17	20	27	29
6-12 YRS	9	11.8	89	2	2	13	16	27	29	29
13-19 YRS	13	15.6	248	5	7	10	16	33	59	65
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	11	6.5	37	<1	<1	4	9	17	19	19
6-12 YRS	8	5.6	55	<1	<1	3	6	18	23	23
13-19 YRS	8	10.4	98	1	1	7	19	25	25	25
B. *Operated*										
0-27 DYS										
1-11 MOS	3	26.7	1049	6	6	10	50	64	64	64
1-5 YRS	14	13.4	90	3	3	12	17	21	37	41
6-12 YRS	20	17.3	119	3	3	15	25	35	38	39
13-19 YRS	19	20.8	233	4	4	17	25	47	50	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.7	5	<1	<1	2	3	6	8	8
B. *Operated*	39	12.3	125	2	3	9	15	24	29	65
2. MULTIPLE DX										
A. *Not Operated*	29	7.1	56	<1	1	4	9	21	25	25
B. *Operated*	56	18.0	189	3	4	15	24	40	47	63
1. SINGLE DX	48	10.5	116	1	2	8	14	21	29	65
2. MULTIPLE DX	85	14.3	170	1	2	12	19	32	42	60
A. NOT OPERATED	38	6.1	47	<1	<1	3	8	18	24	25
B. OPERATED	95	15.6	169	3	3	12	18	32	45	65
TOTAL 0-27 DYS										
1-11 MOS	10	11.1	351	2	2	5	8	37	64	64
1-5 YRS	43	9.7	68	1	1	8	15	19	23	41
6-12 YRS	39	12.9	114	<1	1	12	17	29	35	39
13-19 YRS	41	16.6	219	2	3	13	24	42	49	65
GRAND TOTAL	**133**	**12.9**	**153**	**1**	**2**	**10**	**17**	**27**	**40**	**64**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	61	3.9	31	<1	1	3	4	7	10	36
6-12 YRS	14	3.3	27	<1	1	1	3	9	18	20
13-19 YRS	10	3.7	2	2	2	4	4	5	6	6
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	10	9.0	24	1	2	9	14	15	15	15
1-5 YRS	34	7.6	26	1	2	7	11	14	19	20
6-12 YRS	11	5.8	32	<1	2	4	5	14	21	22
13-19 YRS	36	5.8	23	1	1	5	6	11	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	13	9.5	248	<1	1	3	7	32	52	57
1-5 YRS	92	4.4	20	1	1	3	6	9	14	24
6-12 YRS	23	3.3	3	<1	1	3	4	6	7	7
13-19 YRS	22	2.9	6	1	1	2	4	6	9	10
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	15	18.3	289	6	7	12	19	41	63	70
1-5 YRS	27	18.1	469	1	3	9	24	55	68	83
6-12 YRS	23	14.9	181	2	2	11	21	30	45	57
13-19 YRS	60	6.7	24	2	2	5	8	12	17	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	3.7	26	<1	1	3	4	6	9	32
B. *Operated*	92	6.9	27	1	2	5	9	15	19	23
2. MULTIPLE DX										
A. *Not Operated*	150	4.5	36	1	1	3	5	9	13	28
B. *Operated*	126	12.0	202	2	3	7	12	27	43	73
1. SINGLE DX	181	5.3	29	1	1	4	6	12	17	24
2. MULTIPLE DX	276	7.9	125	1	1	4	8	17	27	63
A. NOT OPERATED	239	4.2	32	<1	1	3	4	8	12	29
B. OPERATED	218	9.9	134	1	2	6	11	20	28	67
TOTAL 0-27 DYS	2	11.0	50	6	6	11	16	16	16	16
1-11 MOS	42	11.7	206	<1	1	8	14	26	47	70
1-5 YRS	214	6.5	100	1	1	3	7	13	20	59
6-12 YRS	71	7.4	95	1	1	4	8	21	27	53
13-19 YRS	128	5.5	21	1	1	4	6	10	15	25
GRAND TOTAL	**457**	**6.9**	**88**	**1**	**1**	**4**	**8**	**15**	**23**	**57**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.3	4	<1	<1	1	3	5	5	5
1-5 YRS	38	3.6	36	<1	1	2	3	6	8	38
6-12 YRS	8	3.6	5	1	1	3	6	7	7	7
13-19 YRS	8	2.4	1	1	1	2	3	4	4	4
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	8	8.8	66	2	2	7	10	22	27	27
1-5 YRS	25	9.4	117	1	2	5	12	21	38	46
6-12 YRS	9	4.6	17	1	1	3	6	12	14	14
13-19 YRS	22	5.9	16	1	2	4	8	11	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	19	8.9	83	1	2	7	10	22	32	36
1-5 YRS	68	4.0	14	<1	1	3	5	9	11	22
6-12 YRS	38	5.3	82	1	1	2	4	10	30	43
13-19 YRS	96	3.8	10	1	1	3	5	7	9	19
B. *Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	19	15.6	431	4	5	8	11	34	67	93
1-5 YRS	46	13.7	117	2	3	11	17	32	38	47
6-12 YRS	30	10.9	94	1	2	8	14	26	35	37
13-19 YRS	90	9.0	47	1	2	8	11	18	21	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.3	25	<1	1	2	3	6	7	36
B. *Operated*	65	7.4	62	1	2	5	9	14	22	44
2. MULTIPLE DX										
A. *Not Operated*	222	4.6	31	1	1	3	5	9	12	37
B. *Operated*	187	11.0	114	2	2	8	13	22	33	46
1. SINGLE DX	123	5.5	48	1	1	3	6	11	15	40
2. MULTIPLE DX	409	7.5	79	1	1	5	9	15	24	41
A. NOT OPERATED	280	4.3	30	1	1	3	5	9	11	37
B. OPERATED	252	10.1	103	2	2	8	12	20	33	46
TOTAL 0-27 DYS	4	4.8	10	2	2	4	7	9	9	9
1-11 MOS	50	10.9	215	1	2	8	10	27	35	93
1-5 YRS	177	7.2	77	1	1	4	8	15	27	44
6-12 YRS	85	7.0	79	1	1	4	8	18	33	41
13-19 YRS	216	6.1	32	1	1	5	8	12	17	28
GRAND TOTAL	**532**	**7.1**	**73**	**1**	**1**	**4**	**9**	**14**	**23**	**41**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.0	1	2	2	3	4	4	4	4
6-12 YRS	25	1.8	3	<1	<1	1	2	4	5	8
13-19 YRS	37	2.7	7	<1	<1	2	3	6	7	15
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	11	6.5	34	2	2	6	7	15	21	22
6-12 YRS	51	6.2	14	1	1	6	9	11	14	15
13-19 YRS	228	6.9	25	1	1	6	9	15	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0	2	<1	<1	1	3	3	3	3
6-12 YRS	14	3.9	21	<1	<1	2	5	7	16	18
13-19 YRS	81	4.1	22	<1	1	2	5	10	14	25
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.0	32	2	2	6	10	10	10	10
1-5 YRS	3	8.0	61	3	3	4	14	17	17	17
6-12 YRS	12	6.5	20	<1	<1	5	11	12	13	13
13-19 YRS	112	10.9	121	2	3	8	13	23	28	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	2.4	5	<1	<1	1	3	5	7	14
B. *Operated*	291	6.7	24	1	1	6	9	14	16	22
2. MULTIPLE DX										
A. *Not Operated*	97	4.0	21	<1	<1	2	5	9	15	23
B. *Operated*	129	10.4	110	2	2	8	13	22	28	69
1. SINGLE DX	356	5.9	23	1	1	5	8	13	15	22
2. MULTIPLE DX	226	7.6	81	<1	1	5	10	17	24	40
A. NOT OPERATED	162	3.4	15	<1	<1	2	4	7	12	18
B. OPERATED	420	7.9	53	1	2	7	10	15	19	29
TOTAL 0-27 DYS										
1-11 MOS	3	6.3	16	2	2	7	9	10	10	10
1-5 YRS	19	5.7	30	1	2	3	7	15	20	22
6-12 YRS	102	4.8	16	<1	<1	4	8	10	13	17
13-19 YRS	458	7.0	53	1	1	5	9	15	18	29
GRAND TOTAL	**582**	**6.6**	**46**	**1**	**1**	**5**	**9**	**14**	**18**	**28**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS	13	4.8	21	1	1	5	6	9	16	18
1-5 YRS	210	4.0	19	<1	<1	3	5	10	12	18
6-12 YRS	167	3.1	9	<1	<1	2	4	7	9	14
13-19 YRS	112	4.8	33	<1	<1	3	5	12	17	28
B. *Operated*										
0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS	17	8.4	38	1	1	8	11	19	21	22
1-5 YRS	172	6.9	63	<1	1	4	10	17	21	39
6-12 YRS	96	6.1	62	<1	1	3	8	16	26	39
13-19 YRS	68	9.3	99	1	2	5	12	26	33	38
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	24	7.6	46	1	2	5	9	19	24	25
1-5 YRS	343	4.7	26	1	1	3	6	11	15	26
6-12 YRS	324	5.0	29	<1	1	3	6	11	14	29
13-19 YRS	156	5.5	77	<1	1	4	7	11	12	53
B. *Operated*										
0-27 DYS										
1-11 MOS	4	14.3	63	6	6	13	19	25	25	25
1-5 YRS	147	14.4	194	1	2	11	19	34	44	64
6-12 YRS	102	15.8	222	1	2	10	24	38	53	85
13-19 YRS	85	15.9	271	2	3	10	20	40	48	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	504	3.9	19	<1	<1	3	5	9	12	20
B. *Operated*	354	7.3	70	<1	1	4	10	20	25	38
2. MULTIPLE DX										
A. *Not Operated*	847	5.1	37	<1	1	3	6	11	15	29
B. *Operated*	338	15.2	219	1	2	10	21	36	48	72
1. SINGLE DX	858	5.3	43	<1	<1	3	6	12	18	36
2. MULTIPLE DX	1185	7.9	110	1	1	4	9	19	29	55
A. NOT OPERATED	1351	4.6	31	<1	1	3	5	10	14	27
B. OPERATED	692	11.1	158	1	1	7	15	27	38	60
TOTAL 0-27 DYS	3	11.7	97	5	5	7	19	23	23	23
1-11 MOS	58	7.7	42	1	1	6	10	19	23	25
1-5 YRS	872	6.6	73	<1	1	4	8	16	23	44
6-12 YRS	689	6.3	74	<1	1	3	7	14	25	47
13-19 YRS	421	8.0	125	<1	1	4	9	19	30	55
GRAND TOTAL	**2043**	**6.8**	**83**	**<1**	**1**	**4**	**8**	**16**	**24**	**47**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	3.5	6	<1	<1	3	5	7	7	7
1-5 YRS	65	4.8	15	<1	<1	4	6	11	12	18
6-12 YRS	46	3.5	9	<1	<1	3	5	8	9	13
13-19 YRS	62	4.4	9	<1	1	4	6	8	10	12
B. *Operated*										
0-27 DYS										
1-11 MOS	7	10.1	69	<1	1	10	16	23	24	24
1-5 YRS	24	14.9	213	3	3	7	25	49	62	99+
6-12 YRS	32	8.2	76	2	2	4	10	25	27	33
13-19 YRS	26	14.3	209	1	1	9	18	38	49	49
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	25	4.6	6	1	1	5	6	7	9	11
1-5 YRS	70	6.9	54	<1	1	4	9	15	26	33
6-12 YRS	94	6.9	68	<1	1	4	8	16	23	48
13-19 YRS	118	6.2	42	<1	1	5	7	12	16	41
B. *Operated*										
0-27 DYS										
1-11 MOS	5	35.0	473	5	5	31	52	62	62	62
1-5 YRS	39	18.5	340	2	4	9	30	46	54	82
6-12 YRS	25	28.8	619	4	5	24	45	68	81	91
13-19 YRS	58	25.1	452	2	3	21	39	60	68	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	179	4.3	11	<1	<1	4	6	8	11	14
B. *Operated*	89	11.9	156	1	2	8	16	34	49	80
2. MULTIPLE DX										
A. *Not Operated*	308	6.5	50	<1	1	4	7	13	20	37
B. *Operated*	127	24.2	459	2	4	14	37	57	68	93
1. SINGLE DX	268	6.8	72	<1	1	4	8	15	26	49
2. MULTIPLE DX	435	11.6	234	1	2	6	11	34	47	79
A. NOT OPERATED	487	5.7	37	<1	1	4	7	11	15	33
B. OPERATED	216	19.1	369	2	2	11	31	49	62	94
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	43	8.9	155	<1	1	5	7	25	37	62
1-5 YRS	198	9.5	144	<1	1	5	11	28	37	68
6-12 YRS	197	9.1	182	<1	1	4	9	25	35	73
13-19 YRS	264	10.8	204	1	1	5	10	35	42	68
GRAND TOTAL	**703**	**9.8**	**177**	**<1**	**1**	**5**	**10**	**28**	**40**	**68**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	3.0	5	1	1	2	4	6	6	6
1-5 YRS	41	2.8	4	<1	<1	3	4	5	6	9
6-12 YRS	66	3.3	14	<1	1	3	3	6	9	22
13-19 YRS	61	3.7	14	<1	1	3	4	7	11	22
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	28	9.5	63	1	1	8	12	22	25	34
6-12 YRS	49	6.7	34	<1	<1	5	10	13	15	30
13-19 YRS	63	8.4	72	1	2	5	11	20	28	37
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	3.6	7	1	1	3	5	8	8	8
1-5 YRS	70	4.3	18	<1	1	3	5	10	14	20
6-12 YRS	78	6.4	104	1	1	3	6	9	32	56
13-19 YRS	108	4.1	15	1	1	3	5	9	13	19
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	5	10.8	53	1	1	12	14	21	21	21
1-5 YRS	20	15.7	377	1	2	9	15	47	68	72
6-12 YRS	24	9.0	53	2	3	7	11	20	25	32
13-19 YRS	52	14.1	105	4	5	11	19	29	42	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173	3.4	11	<1	1	3	4	6	9	22
B. *Operated*	142	8.0	57	1	1	6	11	18	24	35
2. MULTIPLE DX										
A. *Not Operated*	261	4.8	43	1	1	3	5	9	15	39
B. *Operated*	102	13.0	144	2	3	9	17	25	36	68
1. SINGLE DX	315	5.4	37	<1	1	3	7	12	20	33
2. MULTIPLE DX	363	7.1	84	1	1	4	9	16	22	48
A. NOT OPERATED	434	4.2	31	1	1	3	5	8	11	31
B. OPERATED	244	10.1	99	1	2	7	13	21	30	45
TOTAL 0-27 DYS	2	6.5	13	4	4	6	9	9	9	9
1-11 MOS	16	5.6	30	1	1	3	8	12	18	21
1-5 YRS	159	6.3	83	<1	1	3	7	14	30	62
6-12 YRS	217	5.8	58	<1	1	3	7	12	21	43
13-19 YRS	284	6.8	58	1	1	4	9	17	22	41
GRAND TOTAL	**678**	**6.3**	**63**	**1**	**1**	**4**	**8**	**14**	**21**	**42**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	10	3.3	6	<1	<1	3	4	7	9	9
1-5 YRS	19	1.9	2	<1	<1	2	2	3	5	7
6-12 YRS	48	2.8	6	<1	<1	2	4	6	8	12
13-19 YRS	133	3.5	7	<1	1	3	4	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	6	1.7	1	<1	<1	1	2	3	3	3
6-12 YRS	14	3.2	7	<1	1	2	4	6	10	11
13-19 YRS	38	5.3	24	1	1	3	7	11	12	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	1	1	1	2	3	3	3	3
B. *Operated*	210	3.2	6	<1	1	2	4	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	59	4.4	19	<1	1	3	5	11	11	25
1. SINGLE DX	214	3.2	6	<1	1	2	4	7	8	12
2. MULTIPLE DX	61	4.3	18	<1	1	3	5	11	11	24
A. NOT OPERATED	6	1.8	1	1	1	2	2	3	3	3
B. OPERATED	269	3.4	9	<1	1	3	4	8	10	12
TOTAL 0-27 DYS										
1-11 MOS	11	3.1	6	<1	<1	3	4	7	9	9
1-5 YRS	26	1.8	2	<1	<1	2	2	3	4	7
6-12 YRS	63	2.9	6	<1	<1	2	4	6	9	12
13-19 YRS	175	3.9	11	<1	1	3	5	8	11	14
GRAND TOTAL	**275**	**3.4**	**9**	**<1**	**1**	**2**	**4**	**8**	**10**	**12**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	14	2.6	7	1	1	2	3	5	10	11
6-12 YRS	13	1.5	1	1	1	1	2	3	3	3
13-19 YRS	12	4.5	24	<1	<1	3	6	11	17	18
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	4.0	7	2	2	3	6	7	7	7
1-5 YRS	55	2.6	4	1	1	2	3	5	8	9
6-12 YRS	52	3.9	25	1	1	2	3	10	16	26
13-19 YRS	50	5.4	19	<1	1	4	8	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	7	3.1	8	1	1	2	4	8	9	9
6-12 YRS	15	2.8	3	<1	1	3	4	5	6	6
13-19 YRS	19	4.3	7	2	2	3	6	9	10	10
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	5.0	32	1	1	5	9	9	9	9
1-5 YRS	19	6.3	38	<1	1	5	8	15	22	25
6-12 YRS	26	3.9	11	<1	1	3	5	10	12	12
13-19 YRS	59	8.6	83	1	2	7	11	15	19	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.8	11	<1	1	2	3	6	10	18
B. *Operated*	161	3.9	16	1	1	2	4	9	13	19
2. MULTIPLE DX										
A. *Not Operated*	43	3.4	6	1	1	3	5	7	9	10
B. *Operated*	107	7.0	59	1	1	5	9	13	17	43
1. SINGLE DX	200	3.7	15	1	1	2	4	9	12	18
2. MULTIPLE DX	150	6.0	46	1	1	4	8	12	15	25
A. NOT OPERATED	82	3.1	8	1	1	2	4	7	9	16
B. OPERATED	268	5.1	35	1	1	3	7	12	15	25
TOTAL 0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	7	3.4	11	1	1	2	6	9	9	9
1-5 YRS	95	3.4	13	1	1	2	4	8	9	22
6-12 YRS	106	3.5	16	1	1	2	3	8	12	22
13-19 YRS	140	6.5	48	1	1	5	9	13	16	29
GRAND TOTAL	**350**	**4.7**	**30**	**1**	**1**	**3**	**6**	**10**	**14**	**25**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	34	1.7	2	<1	1	1	2	3	4	7
6-12 YRS	16	2.1	1	<1	1	2	3	4	5	5
13-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	12	4.1	17	<1	<1	2	7	11	13	13
1-5 YRS	213	1.9	2	1	1	2	2	3	4	8
6-12 YRS	144	1.8	2	<1	1	1	2	3	5	9
13-19 YRS	110	2.6	5	1	1	2	2	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	15	1.7	1	<1	<1	1	2	3	4	4
6-12 YRS	3	1.0		1	1	1	1	1	1	1
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	7	8.3	76	1	1	5	11	23	26	26
1-5 YRS	41	3.2	10	1	1	2	3	8	11	15
6-12 YRS	45	2.0	3	<1	1	2	2	2	5	10
13-19 YRS	39	4.6	29	1	1	2	6	11	19	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	1.8	1	<1	1	1	2	3	4	7
B. *Operated*	480	2.1	3	<1	1	2	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	20	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*	132	3.5	18	1	1	2	3	9	11	24
1. SINGLE DX	533	2.1	3	<1	1	2	2	4	6	9
2. MULTIPLE DX	152	3.2	16	1	1	2	3	8	11	24
A. NOT OPERATED	73	1.8	1	<1	1	1	2	3	4	7
B. OPERATED	612	2.4	7	1	1	2	2	4	8	13
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	20	5.5	39	<1	1	3	9	12	19	26
1-5 YRS	303	2.1	3	1	1	2	2	3	5	10
6-12 YRS	208	1.9	2	<1	1	2	2	3	5	9
13-19 YRS	153	3.1	12	1	1	2	3	8	9	21
GRAND TOTAL	**685**	**2.3**	**6**	**1**	**1**	**2**	**2**	**4**	**7**	**12**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.7	14	<1	<1	2	6	8	8	8
1-5 YRS	7	2.7	2	1	1	3	4	5	5	5
6-12 YRS	7	2.9	3	1	1	2	4	6	6	6
13-19 YRS	22	2.7	3	1	1	2	4	5	6	7
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	35	2.3	3	<1	<1	2	3	4	7	8
1-5 YRS	193	2.2	3	<1	<1	2	2	4	6	9
6-12 YRS	623	2.8	5	<1	1	2	3	5	6	13
13-19 YRS	1432	2.8	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	9	5.2	39	<1	<1	3	6	15	21	21
6-12 YRS	9	4.4	30	<1	<1	2	6	14	15	15
13-19 YRS	15	1.3		<1	<1	1	1	2	3	3
B. *Operated*										
0-27 DYS	3	10.7	10	7	7	12	13	13	13	13
1-11 MOS	25	7.8	48	1	1	6	9	19	24	25
1-5 YRS	41	6.8	77	1	1	4	9	14	18	53
6-12 YRS	117	4.9	67	<1	1	3	5	10	17	50
13-19 YRS	253	4.0	28	1	1	3	4	8	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.8	3	1	1	2	4	6	7	8
B. *Operated*	2284	2.7	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	37	3.0	19	<1	<1	1	3	6	14	21
B. *Operated*	439	4.8	45	1	1	3	5	10	15	27
1. SINGLE DX	2323	2.7	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	476	4.7	43	<1	1	3	5	10	15	25
A. NOT OPERATED	76	2.9	11	<1	<1	2	4	6	8	19
B. OPERATED	2723	3.1	11	<1	1	2	4	5	7	16
TOTAL 0-27 DYS	4	9.0	18	4	4	9	12	13	13	13
1-11 MOS	67	4.4	27	<1	<1	2	6	9	16	25
1-5 YRS	250	3.1	19	<1	<1	2	3	6	9	20
6-12 YRS	756	3.1	15	<1	1	2	3	5	7	18
13-19 YRS	1722	3.0	7	1	1	2	4	5	7	12
GRAND TOTAL	**2799**	**3.1**	**11**	**<1**	**1**	**2**	**4**	**5**	**7**	**16**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	31	2.9	9	<1	<1	1	4	7	8	14
1-5 YRS	21	2.8	9	<1	<1	2	3	4	9	15
6-12 YRS	11	3.8	15	<1	1	2	5	10	14	14
13-19 YRS	11	2.5	4	1	1	2	4	5	7	7
B. *Operated*										
0-27 DYS	23	4.5	12	<1	1	3	6	10	12	13
1-11 MOS	335	2.7	8	<1	<1	2	3	6	9	15
1-5 YRS	889	2.3	5	<1	<1	2	2	4	7	11
6-12 YRS	585	2.3	8	<1	<1	2	2	4	7	13
13-19 YRS	494	2.4	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	48	4.4	19	<1	<1	3	6	12	13	20
1-5 YRS	33	2.8	6	<1	<1	1	5	6	8	10
6-12 YRS	12	1.9	2	<1	<1	1	3	4	5	5
13-19 YRS	6	3.5	6	1	1	3	5	7	7	7
B. *Operated*										
0-27 DYS	6	10.5	69	2	2	9	17	22	23	23
1-11 MOS	82	8.0	122	<1	1	4	9	19	30	56
1-5 YRS	165	3.0	8	<1	1	2	4	7	8	12
6-12 YRS	150	2.6	10	<1	<1	2	2	5	8	19
13-19 YRS	159	4.0	57	<1	<1	2	4	7	11	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.9	8	<1	<1	2	3	6	8	15
B. *Operated*	2326	2.4	6	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	100	3.5	13	<1	<1	2	5	8	11	17
B. *Operated*	562	4.0	43	<1	<1	2	4	9	12	37
1. SINGLE DX	2403	2.4	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX	662	3.9	38	<1	<1	2	4	8	12	35
A. NOT OPERATED	177	3.2	11	<1	<1	2	4	7	11	15
B. OPERATED	2888	2.7	14	<1	<1	2	3	5	8	17
TOTAL 0-27 DYS	33	5.2	27	<1	1	3	8	12	16	23
1-11 MOS	496	3.7	32	<1	<1	2	4	9	13	26
1-5 YRS	1108	2.4	5	<1	<1	2	3	5	7	11
6-12 YRS	758	2.4	8	<1	<1	2	2	5	7	15
13-19 YRS	670	2.8	17	<1	<1	2	3	5	7	15
GRAND TOTAL	**3065**	**2.7**	**13**	**<1**	**<1**	**2**	**3**	**6**	**8**	**17**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	30	2.1	1	<1	1	2	2	3	4	5
13-19 YRS	789	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	2.2	3	<1	<1	2	3	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	111	2.3	3	<1	1	2	2	4	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.7		<1	<1	2	2	2	2	2
B. *Operated*	820	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	5	2.2	3	<1	<1	2	3	5	5	5
B. *Operated*	114	2.3	3	<1	1	2	2	4	6	9
1. SINGLE DX	823	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	119	2.3	3	<1	1	2	2	4	6	9
A. NOT OPERATED	8	2.0	2	<1	<1	2	2	4	5	5
B. OPERATED	934	1.9	1	<1	<1	2	2	3	3	6
TOTAL 0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	32	2.0	1	<1	1	2	2	3	4	5
13-19 YRS	907	1.9	1	<1	<1	2	2	3	3	6
GRAND TOTAL	**942**	**1.9**	**1**	**<1**	**<1**	**2**	**2**	**3**	**3**	**6**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS										
6-12 YRS										
13-19 YRS	12	4.8	10	<1	<1	6	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	2	6.5	5	5	5	6	8	8	8	8
1-11 MOS	6	6.7	13	1	2	8	10	82	99+	99+
1-5 YRS	4	8.5	14	6	6	7	11	14	14	14
6-12 YRS	4	6.8	13	4	4	5	9	12	12	12
13-19 YRS	20	5.9	19	1	2	5	7	9	15	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	13	5.1	10	<1	<1	6	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*	36	6.4	15	1	2	6	8	12	19	99+
1. SINGLE DX	14	4.9	9	<1	<1	6	7	8	10	10
2. MULTIPLE DX	38	6.3	15	1	2	6	8	12	18	99+
A. NOT OPERATED	3	3.7	1	3	3	3	5	5	5	5
B. OPERATED	49	6.1	14	1	1	6	8	11	14	99+
TOTAL 0-27 DYS	2	6.5	5	5	5	6	8	8	8	8
1-11 MOS	8	6.6	10	1	2	8	9	64	99+	99+
1-5 YRS	4	8.5	14	6	6	7	11	14	14	14
6-12 YRS	4	6.8	13	4	4	5	9	12	12	12
13-19 YRS	34	5.4	15	<1	1	5	7	9	10	21
GRAND TOTAL	**52**	**5.9**	**13**	**1**	**1**	**6**	**8**	**10**	**14**	**98**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	2.6	3	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	4.0	11	2	2	3	6	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	7	2.6	3	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	4	4.0	11	2	2	3	6	9	9	9
1. SINGLE DX	7	2.6	3	<1	<1	2	3	5	6	6
2. MULTIPLE DX	4	4.0	11	2	2	3	6	9	9	9
A. NOT OPERATED										
B. OPERATED	11	3.1	6	<1	1	2	3	7	9	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	11	3.1	6	<1	1	2	3	7	9	9
GRAND TOTAL	**11**	**3.1**	**6**	**<1**	**1**	**2**	**3**	**7**	**9**	**9**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	3.7		3	3	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	3	3.0	4	1	1	3	4	5	5	5
6-12 YRS	35	6.2	8	3	4	6	7	10	11	18
13-19 YRS	373	5.4	2	3	4	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	4	4.8	4	3	3	5	6	7	7	7
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	3	8.7	4	7	7	8	10	11	11	11
1-5 YRS	4	5.5	2	4	4	5	6	7	7	7
6-12 YRS	30	6.5	6	4	4	6	7	9	10	17
13-19 YRS	256	6.1	6	4	4	6	7	8	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.7		3	3	4	4	4	4	4
B. *Operated*	412	5.5	3	3	4	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	5	4.2	5	2	2	3	6	7	7	7
B. *Operated*	294	6.2	6	4	4	6	7	8	9	19
1. SINGLE DX	415	5.5	3	3	4	5	6	7	8	11
2. MULTIPLE DX	299	6.2	6	3	4	6	7	8	9	19
A. NOT OPERATED	8	4.0	3	2	2	4	5	7	7	7
B. OPERATED	706	5.8	5	3	4	6	6	8	9	15
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	4	7.8	6	5	5	7	9	11	11	11
1-5 YRS	7	4.4	4	1	1	5	6	7	7	7
6-12 YRS	66	6.3	8	3	4	6	7	9	11	18
13-19 YRS	636	5.7	4	3	4	6	6	8	8	14
GRAND TOTAL	**714**	**5.8**	**5**	**3**	**4**	**6**	**6**	**8**	**9**	**15**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	6.7	10	3	3	8	9	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	4.0	7	2	2	3	6	7	7	7
13-19 YRS	14	3.4	6	<1	<1	3	6	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	7	7.3	10	3	3	7	9	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	6.7	10	3	3	8	9	9	9	9
B. *Operated*	19	3.3	6	<1	<1	2	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	9	7.0	10	3	3	7	9	11	13	13
1. SINGLE DX	22	3.8	7	<1	<1	3	6	8	9	9
2. MULTIPLE DX	9	7.0	10	3	3	7	9	11	13	13
A. NOT OPERATED	3	6.7	10	3	3	8	9	9	9	9
B. OPERATED	28	4.5	10	<1	<1	4	7	9	10	13
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	2	5.5	25	2	2	5	9	9	9	9
6-12 YRS	4	3.8	5	2	2	3	5	7	7	7
13-19 YRS	24	5.0	10	<1	1	5	7	9	10	13
GRAND TOTAL	**31**	**4.7**	**10**	**<1**	**1**	**5**	**7**	**9**	**9**	**13**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.7		<1	<1	2	2	2	2	2
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	11	3.0	3	1	1	3	3	5	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	17	2.4	3	<1	1	2	3	3	6	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	4	4.3	16	<1	<1	3	7	10	10	10
1. SINGLE DX	17	2.4	3	<1	1	2	3	3	6	8
2. MULTIPLE DX	4	4.3	16	<1	<1	3	7	10	10	10
A. NOT OPERATED										
B. OPERATED	21	2.8	5	<1	<1	2	3	5	9	10
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	3	1.7		<1	<1	2	2	2	2	2
6-12 YRS	3	1.7	1	1	1	1	3	3	3	3
13-19 YRS	12	3.6	7	1	1	3	3	9	10	10
GRAND TOTAL	**21**	**2.8**	**5**	**<1**	**<1**	**2**	**3**	**5**	**9**	**10**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	5.5	13	3	3	5	8	8	8	8
13-19 YRS	4	2.5	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	5	2.8	6	<1	<1	1	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	7	3.1	7	1	1	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	7	3.1	6	<1	<1	2	6	6	6	6
1. SINGLE DX	7	3.1	7	1	1	3	5	7	8	8
2. MULTIPLE DX	8	3.1	5	<1	<1	2	5	6	6	6
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED	14	3.1	6	<1	1	2	5	6	8	8
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	5.7	6	3	3	6	7	8	8	8
13-19 YRS	10	2.7	4	<1	<1	2	5	6	6	6
GRAND TOTAL	**15**	**3.1**	**5**	**<1**	**1**	**3**	**5**	**6**	**8**	**8**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	7	1.6		<1	<1	2	2	2	2	2
1-5 YRS	36	1.3		<1	<1	1	2	2	2	2
6-12 YRS	17	1.8		<1	<1	2	2	3	4	4
13-19 YRS	13	1.8		<1	<1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	7	2.3	2	1	1	2	3	4	4	4
6-12 YRS	3	2.7	4	<1	<1	2	4	5	5	5
13-19 YRS	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	73	1.5		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	4	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*	13	2.3	2	<1	<1	2	4	4	5	5
1. SINGLE DX	73	1.5		<1	<1	1	2	2	2	4
2. MULTIPLE DX	17	2.1	2	<1	<1	2	3	4	5	5
A. NOT OPERATED	4	1.5	1	<1	<1	1	2	3	3	3
B. OPERATED	86	1.6	1	<1	<1	1	2	2	4	5
TOTAL 0-27 DYS										
1-11 MOS	9	1.4		<1	<1	1	2	2	2	2
1-5 YRS	46	1.4	1	<1	<1	1	2	2	3	4
6-12 YRS	21	2.0	1	<1	<1	2	2	4	4	5
13-19 YRS	14	1.9	1	<1	<1	2	2	3	4	4
GRAND TOTAL	**90**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**2**	**4**	**5**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated* -										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.3		2	2	2	3	3	3	3
6-12 YRS										
13-19 YRS	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	4	10.0	57	3	3	10	16	17	17	17
1-5 YRS	6	6.5	14	<1	<1	7	10	10	10	10
6-12 YRS	11	11.0	18	3	6	11	12	18	19	19
13-19 YRS	22	8.2	12	1	2	9	11	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	7.5	85	1	1	7	14	14	14	14
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	4	4.3	16	1	1	3	7	10	10	10
13-19 YRS	4	15.5	166	3	3	13	25	32	32	32
B. *Operated*										
0-27 DYS										
1-11 MOS	10	13.2	68	2	2	12	19	24	25	25
1-5 YRS	17	20.2	181	2	3	21	29	40	46	48
6-12 YRS	4	9.3	31	4	4	9	14	15	15	15
13-19 YRS	20	18.3	329	3	5	11	22	47	67	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.3	15	2	2	3	6	10	10	10
B. *Operated*	43	8.9	18	1	3	9	11	14	17	19
2. MULTIPLE DX										
A. *Not Operated*	12	8.3	88	1	1	4	12	23	31	32
B. *Operated*	51	17.2	209	2	4	13	23	33	48	68
1. SINGLE DX	47	8.5	19	1	2	9	11	13	17	19
2. MULTIPLE DX	63	15.5	197	2	2	11	21	31	43	68
A. NOT OPERATED	16	7.3	71	1	1	3	10	18	28	32
B. OPERATED	94	13.4	138	2	3	10	17	25	35	68
TOTAL 0-27 DYS										
1-11 MOS	16	11.7	63	1	2	12	17	23	25	25
1-5 YRS	28	14.1	172	1	2	10	22	34	42	48
6-12 YRS	19	9.2	26	1	2	10	12	16	18	19
13-19 YRS	47	13.1	176	2	3	10	13	25	37	68
GRAND TOTAL	**110**	**12.5**	**133**	**1**	**2**	**10**	**16**	**24**	**32**	**67**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.8		1	1	2	2	2	2	2
6-12 YRS	10	2.7	1	1	1	3	4	4	4	4
13-19 YRS	95	3.4	2	2	2	3	4	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	37	4.0	3	2	2	4	4	5	6	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	5.0	32	<1	<1	4	9	9	9	9
B. *Operated*	109	3.3	2	1	2	3	4	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	39	3.9	3	2	2	4	4	5	6	13
1. SINGLE DX	111	3.3	2	1	2	3	4	4	5	11
2. MULTIPLE DX	40	4.0	3	2	2	4	4	5	6	13
A. NOT OPERATED	3	4.7	16	<1	<1	4	8	9	9	9
B. OPERATED	148	3.5	2	2	2	3	4	5	5	13
TOTAL 0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	5	1.6		<1	<1	2	2	2	2	2
6-12 YRS	11	2.7	1	1	1	3	4	4	4	4
13-19 YRS	134	3.6	3	2	2	3	4	5	5	13
GRAND TOTAL	**151**	**3.5**	**3**	**2**	**2**	**3**	**4**	**5**	**5**	**13**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	3.1	2	1	1	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	24	9.3	14	5	5	9	10	13	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	6.7	83	1	1	3	5	23	25	25
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	2	15.5	113	8	8	15	23	23	23	23
13-19 YRS	25	14.1	287	2	4	10	15	23	42	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.0	2	1	1	3	4	5	5	5
B. *Operated*	25	9.4	14	5	5	9	11	14	18	20
2. MULTIPLE DX										
A. *Not Operated*	6	6.7	83	1	1	3	5	23	25	25
B. *Operated*	29	13.9	252	2	4	10	15	23	29	90
1. SINGLE DX	35	7.6	19	1	3	8	10	12	17	20
2. MULTIPLE DX	35	12.6	228	1	2	9	15	23	26	90
A. NOT OPERATED	16	4.4	32	1	1	3	4	5	19	25
B. OPERATED	54	11.8	145	4	5	9	14	18	23	87
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	3	15.0	57	8	8	14	21	23	23	23
13-19 YRS	64	10.0	136	1	3	8	11	17	24	81
GRAND TOTAL	**70**	**10.1**	**128**	**1**	**2**	**8**	**12**	**18**	**23**	**77**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	4.0	13	1	1	3	7	8	8	8
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	24	2.5	3	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	26.0		26	26	26	26	26	26	26
1-5 YRS										
6-12 YRS										
13-19 YRS	25	3.4	4	1	2	3	4	6	8	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	28	2.7	4	<1	<1	2	3	5	8	9
2. MULTIPLE DX										
A. *Not Operated*	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*	26	4.2	24	1	2	3	4	7	13	26
1. SINGLE DX	28	2.7	4	<1	<1	2	3	5	8	9
2. MULTIPLE DX	29	3.9	22	<1	1	3	4	7	11	26
A. NOT OPERATED	3	1.0		<1	<1	1	1	1	1	1
B. OPERATED	54	3.4	14	<1	1	3	4	6	9	25
TOTAL 0-27 DYS										
1-11 MOS	4	9.5	130	1	1	5	17	26	26	26
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	52	2.8	4	<1	1	2	4	5	7	10
GRAND TOTAL	**57**	**3.3**	**13**	**<1**	**1**	**2**	**4**	**6**	**9**	**25**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	5	1.2		<1	<1	1	1	2	2	2
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	10.3	108	2	2	7	18	22	22	22
1-5 YRS										
6-12 YRS	3	2.3	5	1	1	1	4	5	5	5
13-19 YRS	5	8.4	160	2	2	3	11	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	10	2.4	12	<1	<1	1	2	7	12	12
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	11	7.3	98	1	1	3	6	26	31	31
1. SINGLE DX	11	2.6	11	<1	<1	1	3	8	12	12
2. MULTIPLE DX	11	7.3	98	1	1	3	6	26	31	31
A. NOT OPERATED	1	5.0		5	5	5	5	5	5	5
B. OPERATED	21	5.0	60	<1	<1	2	4	16	26	31
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	4	10.8	73	2	2	9	17	22	22	22
1-5 YRS	5	1.2		<1	<1	1	1	2	2	2
6-12 YRS	5	2.2	3	1	1	1	3	5	5	5
13-19 YRS	7	6.3	120	<1	<1	2	4	26	31	31
GRAND TOTAL	**22**	**5.0**	**57**	**<1**	**<1**	**2**	**5**	**15**	**26**	**31**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	11	1.5	1	<1	<1	1	2	3	4	4
1-5 YRS	51	3.6	14	<1	<1	2	5	7	10	23
6-12 YRS	53	3.8	23	<1	1	2	4	9	10	29
13-19 YRS	60	2.7	5	<1	1	2	4	5	7	12
B. *Operated*										
0-27 DYS	5	2.8	2	1	1	3	4	5	5	5
1-11 MOS	49	4.1	15	1	1	2	6	10	14	16
1-5 YRS	139	5.4	45	<1	1	3	7	11	15	47
6-12 YRS	174	4.2	26	<1	<1	2	4	10	13	23
13-19 YRS	307	4.5	16	1	1	3	6	10	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	4.5	12	1	1	4	7	9	9	9
1-11 MOS	16	4.0	18	<1	<1	2	6	11	12	13
1-5 YRS	65	3.2	9	<1	<1	2	4	8	10	12
6-12 YRS	58	4.0	20	<1	1	2	5	10	14	24
13-19 YRS	77	5.4	132	1	1	3	5	9	14	80
B. *Operated*										
0-27 DYS										
1-11 MOS	10	7.8	57	1	1	7	9	19	27	27
1-5 YRS	52	12.9	139	2	2	9	20	23	38	56
6-12 YRS	100	12.0	226	1	2	8	14	24	37	81
13-19 YRS	158	7.4	65	1	2	5	9	16	24	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	177	3.2	13	<1	1	2	4	7	9	22
B. *Operated*	674	4.6	24	<1	1	3	6	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	220	4.3	56	<1	1	2	5	9	11	29
B. *Operated*	320	9.7	132	1	2	6	12	22	27	66
1. SINGLE DX	851	4.3	22	<1	1	3	5	10	12	22
2. MULTIPLE DX	540	7.5	108	1	1	4	9	17	24	57
A. NOT OPERATED	397	3.8	37	<1	1	2	4	8	10	24
B. OPERATED	994	6.2	65	1	1	3	8	14	20	44
TOTAL 0-27 DYS	11	3.4	5	1	1	3	4	7	9	9
1-11 MOS	86	4.2	20	<1	1	2	6	10	13	23
1-5 YRS	307	5.9	59	<1	1	3	8	13	21	48
6-12 YRS	385	6.1	88	<1	1	3	7	14	20	58
13-19 YRS	602	5.2	44	1	1	3	6	11	15	35
GRAND TOTAL	**1391**	**5.5**	**58**	**<1**	**1**	**3**	**7**	**12**	**17**	**40**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	5	2.4	1	2	2	2	3	4	4	4
13-19 YRS	12	2.4	1	1	1	3	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	6	3.5	1	3	3	3	4	5	5	5
13-19 YRS	73	3.4	1	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.3	17	<1	<1	3	7	9	9	9
13-19 YRS	9	4.2	5	<1	<1	5	6	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	3	5.0	27	2	2	2	9	11	11	11
13-19 YRS	19	4.8	7	2	3	4	6	9	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.3	1	1	1	2	3	4	4	4
B. *Operated*	81	3.4	1	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	12	4.3	7	<1	<1	4	6	8	9	9
B. *Operated*	24	5.0	9	2	2	4	7	10	11	12
1. SINGLE DX	99	3.2	1	1	2	3	4	4	5	6
2. MULTIPLE DX	36	4.7	8	<1	1	4	6	9	11	12
A. NOT OPERATED	30	3.1	4	<1	1	3	4	6	7	9
B. OPERATED	105	3.7	3	2	2	3	4	6	7	11
TOTAL 0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	4	2.3	1	1	1	2	3	3	3	3
6-12 YRS	17	3.6	7	1	2	3	4	8	10	11
13-19 YRS	113	3.6	3	1	2	3	4	6	7	11
GRAND TOTAL	**135**	**3.6**	**3**	**1**	**2**	**3**	**4**	**6**	**7**	**11**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	3.1	4	1	1	2	4	6	8	8
1-11 MOS	13	5.2	25	1	1	2	8	12	17	18
1-5 YRS	19	4.8	15	1	1	3	6	11	13	14
6-12 YRS	29	3.5	5	1	1	3	5	7	9	9
13-19 YRS	76	4.5	15	1	1	4	6	8	9	25
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	16	5.8	36	1	3	4	5	13	22	25
13-19 YRS	127	4.8	11	2	3	4	5	6	8	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	4.4	23	2	2	2	4	13	16	16
1-11 MOS	14	6.7	29	1	2	5	12	14	18	19
1-5 YRS	11	5.1	9	2	2	4	7	10	10	10
6-12 YRS	25	4.7	8	2	2	4	6	8	10	15
13-19 YRS	103	5.8	41	1	2	5	7	10	12	37
B. *Operated*										
0-27 DYS										
1-11 MOS	2	7.0	72	1	1	7	13	13	13	13
1-5 YRS	4	9.5	32	3	3	9	14	16	16	16
6-12 YRS	8	12.8	265	4	4	7	12	41	52	52
13-19 YRS	65	6.4	30	2	3	5	6	12	21	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	4.3	13	1	1	3	5	9	10	19
B. *Operated*	145	4.9	13	2	3	4	5	6	10	25
2. MULTIPLE DX										
A. *Not Operated*	162	5.6	31	1	2	4	7	10	13	19
B. *Operated*	79	7.2	54	2	3	5	8	13	23	45
1. SINGLE DX	294	4.6	13	1	2	4	5	7	10	24
2. MULTIPLE DX	241	6.1	39	1	2	5	7	11	14	31
A. NOT OPERATED	311	5.0	23	1	1	4	6	9	12	19
B. OPERATED	224	5.7	29	2	3	4	6	10	14	28
TOTAL 0-27 DYS	21	3.7	12	1	2	2	4	8	12	16
1-11 MOS	30	6.1	27	1	1	4	10	13	18	19
1-5 YRS	35	5.3	16	1	2	4	8	12	14	16
6-12 YRS	78	5.3	43	1	1	4	6	9	14	44
13-19 YRS	371	5.3	24	1	2	4	6	9	12	26
GRAND TOTAL	**535**	**5.3**	**25**	**1**	**2**	**4**	**6**	**10**	**13**	**26**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	8.0	18	1	1	9	10	12	12	12
1-5 YRS	178	5.9	10	1	2	6	7	9	11	18
6-12 YRS	598	5.8	9	2	2	5	7	9	12	15
13-19 YRS	621	5.4	9	2	2	5	7	9	11	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS	11	4.0	4	1	2	4	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	13	5.7	14	<1	2	5	7	10	15	16
1-5 YRS	125	5.3	14	1	1	5	8	10	13	15
6-12 YRS	324	5.9	22	1	1	5	8	11	14	24
13-19 YRS	515	6.0	61	1	2	5	7	10	12	38
B. *Operated*										
0-27 DYS										
1-11 MOS	2	12.0	18	9	9	12	15	15	15	15
1-5 YRS	2	25.5	613	8	8	25	43	43	43	43
6-12 YRS	14	17.8	748	1	1	7	19	62	89	97
13-19 YRS	22	8.0	38	2	3	6	10	16	24	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1403	5.6	9	2	2	5	7	9	11	15
B. *Operated*	14	4.2	3	1	2	4	5	6	8	8
2. MULTIPLE DX										
A. *Not Operated*	979	5.9	42	1	2	5	7	10	13	24
B. *Operated*	40	12.5	316	1	2	6	12	26	50	97
1. SINGLE DX	1417	5.6	9	2	2	5	7	9	11	15
2. MULTIPLE DX	1019	6.1	54	1	2	5	7	11	14	32
A. NOT OPERATED	2382	5.7	22	1	2	5	7	10	12	18
B. OPERATED	54	10.4	247	1	2	6	10	22	40	95
TOTAL 0-27 DYS	3	2.7	2	<1	<1	3	4	4	4	4
1-11 MOS	20	6.9	17	<1	1	6	9	13	15	16
1-5 YRS	306	5.8	16	1	1	5	7	10	12	17
6-12 YRS	938	6.0	26	1	2	5	8	10	13	20
13-19 YRS	1169	5.7	33	1	2	5	7	9	12	21
GRAND TOTAL	**2436**	**5.8**	**28**	**1**	**2**	**5**	**7**	**10**	**12**	**20**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	7.3	3	5	5	7	8	9	9	9
1-5 YRS	105	6.0	12	1	1	6	8	10	12	17
6-12 YRS	912	4.9	11	1	2	4	7	9	11	15
13-19 YRS	1833	4.3	13	1	2	3	6	8	10	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	36.0	1800	6	6	36	66	66	66	66
6-12 YRS	8	5.6	9	1	2	6	8	9	10	10
13-19 YRS	16	6.6	12	2	3	6	7	11	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	5.3	6	3	3	5	7	8	8	8
1-11 MOS	11	8.8	22	2	2	9	12	15	17	17
1-5 YRS	91	7.1	19	1	2	7	9	13	16	22
6-12 YRS	601	5.4	41	1	1	4	7	10	13	28
13-19 YRS	1665	4.9	16	1	2	4	6	9	11	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	7.0	12	<1	<1	8	10	10	10	10
6-12 YRS	14	15.5	115	2	3	15	21	28	39	42
13-19 YRS	74	10.2	104	3	3	7	12	23	32	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2854	4.6	13	1	2	4	6	9	11	15
B. *Operated*	26	8.5	147	2	3	6	8	11	26	66
2. MULTIPLE DX										
A. *Not Operated*	2371	5.2	23	1	2	4	7	9	12	22
B. *Operated*	94	10.8	103	3	3	8	13	23	32	57
1. SINGLE DX	2880	4.6	14	1	2	4	6	9	11	15
2. MULTIPLE DX	2465	5.4	27	1	2	4	7	10	13	25
A. NOT OPERATED	5225	4.9	17	1	2	4	6	9	11	17
B. OPERATED	120	10.3	112	2	3	7	11	21	30	67
TOTAL 0-27 DYS	3	5.3	6	3	3	5	7	8	8	8
1-11 MOS	15	8.4	17	2	2	8	10	14	16	17
1-5 YRS	204	6.8	33	1	2	6	8	11	14	21
6-12 YRS	1535	5.2	25	1	2	4	7	10	12	20
13-19 YRS	3588	4.8	17	1	2	4	6	9	11	19
GRAND TOTAL	**5345**	**5.0**	**20**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	7.3	26	3	3	6	11	13	13	13
1-5 YRS	98	6.5	15	1	2	7	8	11	13	18
6-12 YRS	437	6.2	12	2	3	6	8	11	12	17
13-19 YRS	719	5.5	15	1	2	5	7	9	11	16
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	19	4.6	23	<1	<1	3	6	10	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	4.7	9	1	1	5	7	9	9	9
1-11 MOS	19	6.5	11	2	3	6	8	12	13	14
1-5 YRS	68	6.1	16	1	2	5	9	11	15	17
6-12 YRS	292	5.5	19	1	1	4	7	10	12	22
13-19 YRS	824	5.8	28	1	2	5	7	10	14	22
B. *Operated*										
0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS	3	11.3	4	9	9	12	13	13	13	13
1-5 YRS	2	6.0	18	3	3	6	9	9	9	9
6-12 YRS	7	7.0	24	1	1	7	10	14	15	15
13-19 YRS	56	8.9	64	2	3	7	10	17	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1257	5.8	14	1	2	5	7	10	12	17
B. *Operated*	23	4.3	19	<1	1	3	5	10	14	20
2. MULTIPLE DX										
A. *Not Operated*	1210	5.8	25	1	2	5	7	10	14	22
B. *Operated*	69	8.9	57	2	2	8	11	17	22	41
1. SINGLE DX	1280	5.8	14	1	2	5	7	10	12	17
2. MULTIPLE DX	1279	5.9	27	1	2	5	8	11	14	22
A. NOT OPERATED	2467	5.8	19	1	2	5	7	10	12	21
B. OPERATED	92	7.8	52	1	2	6	10	14	21	40
TOTAL 0-27 DYS	9	6.2	38	1	1	5	7	16	21	21
1-11 MOS	26	7.0	14	2	3	6	11	13	13	14
1-5 YRS	168	6.3	15	1	2	6	8	11	14	18
6-12 YRS	738	5.9	15	1	2	5	8	11	12	20
13-19 YRS	1618	5.8	24	1	2	5	7	10	13	22
GRAND TOTAL	**2559**	**5.9**	**21**	**1**	**2**	**5**	**8**	**10**	**13**	**21**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	25	2.5	2	1	1	2	4	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	5.0	10	2	2	4	7	9	9	9
13-19 YRS	100	3.6	5	1	1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	21	3.6	7	1	1	3	5	8	9	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	123	4.7	10	1	1	4	6	8	11	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	2.5	2	1	1	2	4	4	5	5
B. *Operated*	104	3.7	5	1	1	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	24	3.5	6	<1	1	3	5	7	9	10
B. *Operated*	127	4.6	9	1	1	4	6	8	11	14
1. SINGLE DX	129	3.4	5	1	1	3	5	6	8	10
2. MULTIPLE DX	151	4.5	9	1	1	4	6	8	10	13
A. NOT OPERATED	49	3.0	4	1	1	2	4	6	7	10
B. OPERATED	231	4.2	8	1	1	4	6	8	9	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.3	4	<1	<1	4	5	5	5	5
6-12 YRS	8	4.0	7	1	1	3	6	8	9	9
13-19 YRS	269	4.0	7	1	1	4	5	7	9	13
GRAND TOTAL	**280**	**4.0**	**7**	**1**	**1**	**4**	**6**	**7**	**9**	**13**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	5.3	13	1	1	4	9	10	10	10
1-11 MOS	40	4.4	34	1	1	2	5	12	19	27
1-5 YRS	231	2.8	8	1	1	2	3	5	9	18
6-12 YRS	229	2.6	6	1	1	2	3	6	7	9
13-19 YRS	230	3.1	5	1	1	3	4	6	7	9
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	5	4.2	6	2	2	3	6	8	8	8
1-5 YRS	14	4.6	10	1	2	4	6	10	11	11
6-12 YRS	19	3.9	6	<1	1	4	5	7	9	10
13-19 YRS	32	5.9	22	2	2	5	8	10	12	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	6.2	21	<1	2	5	8	14	16	16
1-11 MOS	70	6.2	56	1	1	4	7	14	23	40
1-5 YRS	271	4.0	15	1	1	3	5	9	12	18
6-12 YRS	282	3.0	10	1	1	2	4	6	9	18
13-19 YRS	381	4.0	24	1	1	3	5	7	10	20
B. *Operated*										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	16	9.3	178	1	2	5	9	20	45	56
1-5 YRS	31	10.4	201	1	1	5	11	21	52	64
6-12 YRS	15	6.9	39	2	2	5	9	25	78	99+
13-19 YRS	33	9.4	87	2	3	7	10	18	37	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	737	2.9	8	1	1	2	4	6	8	16
B. *Operated*	71	5.1	15	1	2	4	7	10	11	23
2. MULTIPLE DX										
A. *Not Operated*	1018	3.9	20	1	1	3	5	8	12	21
B. *Operated*	96	9.4	129	2	2	5	10	20	41	83
1. SINGLE DX	808	3.1	9	1	1	2	4	6	8	16
2. MULTIPLE DX	1114	4.4	32	1	1	3	5	9	13	26
A. NOT OPERATED	1755	3.5	16	1	1	2	4	7	10	18
B. OPERATED	167	7.6	84	1	2	5	9	15	24	63
TOTAL 0-27 DYS	23	6.7	25	1	2	6	10	14	17	18
1-11 MOS	131	5.9	63	1	1	3	7	14	22	45
1-5 YRS	547	3.9	25	1	1	2	4	9	12	19
6-12 YRS	545	3.0	9	1	1	2	4	6	8	18
13-19 YRS	676	4.1	22	1	1	3	5	8	10	21
GRAND TOTAL	**1922**	**3.9**	**23**	**1**	**1**	**3**	**4**	**8**	**11**	**23**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	26	5.1	6	2	3	5	7	9	10	11
1-5 YRS	14	5.8	25	1	2	4	6	16	18	18
6-12 YRS	4	22.5	1052	4	4	7	40	71	71	71
13-19 YRS	11	5.6	22	1	2	4	7	13	17	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	5	4.8	5	2	2	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	15	5.5	14	1	2	4	7	12	13	14
1-11 MOS	107	10.0	81	2	2	8	12	20	29	48
1-5 YRS	58	7.0	19	1	2	5	11	14	17	93
6-12 YRS	18	9.5	36	2	3	9	13	16	22	26
13-19 YRS	30	15.8	256	2	3	8	25	42	54	58
B. *Operated*										
0-27 DYS										
1-11 MOS	4	18.8	154	5	5	17	27	35	35	35
1-5 YRS	7	23.4	355	1	2	26	46	85	99+	99+
6-12 YRS	10	17.1	329	2	2	9	31	45	57	57
13-19 YRS	12	13.1	234	1	3	7	12	44	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	6.6	90	1	2	4	7	11	17	68
B. *Operated*	7	4.0	6	<1	<1	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	228	9.7	87	2	2	7	12	20	29	58
B. *Operated*	33	17.2	269	1	3	10	31	47	55	99+
1. SINGLE DX	63	6.3	81	1	2	4	7	10	16	64
2. MULTIPLE DX	261	10.6	115	2	2	7	12	25	37	58
A. NOT OPERATED	284	9.1	89	2	2	6	11	18	27	58
B. OPERATED	40	14.9	247	1	2	8	23	45	53	99+
TOTAL 0-27 DYS	16	5.3	14	1	2	4	6	12	13	14
1-11 MOS	137	9.3	74	2	3	7	11	19	28	43
1-5 YRS	80	8.1	69	1	2	5	11	18	36	99+
6-12 YRS	33	13.2	237	2	3	9	14	32	54	71
13-19 YRS	58	12.3	200	2	2	7	12	32	49	58
GRAND TOTAL	**324**	**9.8**	**111**	**2**	**2**	**6**	**11**	**21**	**33**	**61**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	59	8.5	50	2	2	7	11	16	20	40
1-5 YRS	123	8.0	23	1	2	7	11	14	16	22
6-12 YRS	207	11.6	39	3	5	10	14	18	22	33
13-19 YRS	262	13.0	38	4	6	12	15	22	25	35
B. *Operated*										
0-27 DYS										
1-11 MOS	2	26.0	338	13	13	26	39	39	39	39
1-5 YRS	7	7.4	32	2	2	5	10	16	18	18
6-12 YRS	10	22.1	391	2	4	14	39	53	66	66
13-19 YRS	15	12.1	32	2	4	12	15	18	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	139	11.1	112	2	3	8	14	22	31	54
1-5 YRS	211	9.4	26	2	3	10	12	16	18	23
6-12 YRS	311	11.8	41	3	5	11	14	19	23	34
13-19 YRS	414	11.6	49	2	4	11	14	20	24	36
B. *Operated*										
0-27 DYS	1	19.0		19	19	59	99+	99+	99+	99+
1-11 MOS	12	19.8	224	3	3	18	42	99+	99+	99+
1-5 YRS	44	11.2	78	2	2	10	14	20	33	45
6-12 YRS	41	15.8	251	2	3	11	20	25	55	80
13-19 YRS	71	17.9	239	2	3	14	20	41	49	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	651	11.2	40	2	4	10	14	19	22	33
B. *Operated*	34	14.9	175	2	3	12	15	39	39	66
2. MULTIPLE DX										
A. *Not Operated*	1076	11.1	51	2	3	10	14	18	23	37
B. *Operated*	169	15.8	203	2	3	13	19	37	49	99+
1. SINGLE DX	685	11.4	47	2	4	10	14	19	23	38
2. MULTIPLE DX	1245	11.8	74	2	3	10	14	20	26	48
A. NOT OPERATED	1727	11.1	47	2	3	10	14	19	23	35
B. OPERATED	203	15.6	197	2	3	13	18	38	47	99+
TOTAL 0-27 DYS	2	13.0	72	7	7	19	80	99+	99+	99+
1-11 MOS	212	11.0	108	2	3	8	14	23	37	87
1-5 YRS	385	9.1	32	2	2	9	12	15	18	27
6-12 YRS	569	12.2	63	3	5	11	14	20	24	44
13-19 YRS	762	12.7	66	3	4	12	15	21	26	42
GRAND TOTAL	**1930**	**11.6**	**64**	**2**	**3**	**10**	**14**	**20**	**25**	**44**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	4.3	11	1	1	3	6	9	11	11
6-12 YRS	63	2.0	6	1	1	1	1	5	9	13
13-19 YRS	61	3.1	60	1	1	1	3	6	8	54
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	41	7.2	7	4	5	7	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	4.3	4	3	3	3	5	8	9	9
6-12 YRS	44	9.0	290	1	1	4	7	39	98	99+
13-19 YRS	59	9.8	286	1	1	4	6	37	67	97
B. *Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS										
6-12 YRS										
13-19 YRS	40	8.2	11	3	5	8	10	11	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	2.7	31	1	1	1	3	6	9	20
B. *Operated*	43	7.2	7	4	5	7	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	112	9.1	265	1	1	4	6	38	68	99+
B. *Operated*	41	8.2	11	4	5	8	10	11	13	22
1. SINGLE DX	177	3.8	29	1	1	1	6	8	10	17
2. MULTIPLE DX	153	8.9	196	1	2	5	8	19	53	99+
A. NOT OPERATED	246	5.6	147	1	1	3	5	9	38	99+
B. OPERATED	84	7.7	9	4	5	7	9	11	12	21
TOTAL 0-27 DYS										
1-11 MOS	2	9.5	5	8	8	9	11	11	11	11
1-5 YRS	20	4.3	7	1	1	3	6	8	10	11
6-12 YRS	107	4.9	134	1	1	2	5	9	39	99+
13-19 YRS	201	6.9	112	1	1	5	8	10	20	71
GRAND TOTAL	**330**	**6.1**	**113**	**1**	**1**	**4**	**7**	**10**	**19**	**97**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	55	3.2	9	1	1	2	4	6	9	17
1-11 MOS	69	5.1	23	1	1	4	6	10	12	28
1-5 YRS	171	3.0	10	<1	<1	2	4	7	9	14
6-12 YRS	158	1.9	3	<1	<1	1	2	3	4	11
13-19 YRS	159	2.6	5	<1	<1	2	4	6	7	11
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	14	3.6	15	<1	1	3	5	91	99+	99+
1-5 YRS	62	4.8	18	1	1	3	6	12	14	18
6-12 YRS	42	3.6	8	<1	1	3	5	8	10	13
13-19 YRS	48	4.6	21	1	1	3	5	11	13	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	35	5.8	58	1	2	3	6	11	25	39
1-11 MOS	142	6.1	31	1	2	4	7	12	19	28
1-5 YRS	300	4.7	26	1	1	3	6	9	13	23
6-12 YRS	209	4.3	28	<1	<1	2	5	10	14	24
13-19 YRS	197	4.7	15	<1	1	4	6	10	13	18
B. *Operated*										
0-27 DYS	2	8.5	85	2	2	8	15	15	15	15
1-11 MOS	27	19.9	285	2	3	13	40	47	60	99+
1-5 YRS	64	10.1	99	1	2	8	15	27	62	99+
6-12 YRS	34	8.0	90	1	2	5	9	16	24	52
13-19 YRS	55	8.6	105	1	1	6	11	22	39	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	612	2.9	9	<1	<1	2	4	6	9	14
B. *Operated*	167	4.4	16	1	1	3	5	11	13	85
2. MULTIPLE DX										
A. *Not Operated*	883	4.9	26	<1	1	3	6	10	14	25
B. *Operated*	182	10.7	139	1	2	7	14	29	49	99+
1. SINGLE DX	779	3.2	11	<1	<1	2	4	7	10	17
2. MULTIPLE DX	1065	5.9	50	<1	1	4	7	13	18	48
A. NOT OPERATED	1495	4.1	20	<1	<1	3	5	9	11	22
B. OPERATED	349	7.7	90	1	1	4	10	18	41	99+
TOTAL 0-27 DYS	93	4.3	29	1	1	3	4	8	14	34
1-11 MOS	252	7.1	74	1	1	5	8	17	28	97
1-5 YRS	597	4.8	32	<1	1	3	6	11	15	38
6-12 YRS	443	3.7	25	<1	<1	2	4	9	12	22
13-19 YRS	459	4.5	26	<1	<1	3	6	10	13	26
GRAND TOTAL	**1844**	**4.7**	**35**	**<1**	**<1**	**3**	**6**	**10**	**15**	**45**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	2	11.0	18	8	8	11	14	14	14	14
13-19 YRS	4	6.3	3	4	4	6	7	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	10	6.8	11	1	2	7	8	11	14	14
B. *Operated*										
1. SINGLE DX	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX	10	6.8	11	1	2	7	8	11	14	14
A. NOT OPERATED	12	6.0	13	1	1	6	8	10	13	14
B. OPERATED										
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	2	5.5	13	3	3	5	8	8	8	8
6-12 YRS	2	11.0	18	8	8	11	14	14	14	14
13-19 YRS	5	5.2	8	1	1	6	7	8	8	8
GRAND TOTAL	**12**	**6.0**	**13**	**1**	**1**	**6**	**8**	**10**	**13**	**14**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	16	3.9	7	1	1	3	6	8	9	9
1-11 MOS	93	3.4	6	1	1	3	4	6	8	13
1-5 YRS	161	2.7	4	1	1	2	3	5	6	10
6-12 YRS	74	2.8	5	1	1	2	3	5	7	13
13-19 YRS	47	2.3	2	1	1	2	3	4	4	8
B. *Operated*										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	2	4.0	2	3	3	4	5	5	5	5
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	7.0	32	3	3	7	11	11	11	11
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	69	6.0	47	1	1	4	6	14	23	35
1-11 MOS	813	4.5	15	1	2	3	5	8	12	24
1-5 YRS	1302	3.3	5	1	1	3	4	6	7	13
6-12 YRS	539	3.5	8	1	1	3	4	6	8	16
13-19 YRS	520	3.9	23	1	1	3	5	6	9	21
B. *Operated*										
0-27 DYS	3	12.3	34	8	8	10	17	19	19	19
1-11 MOS	35	11.0	160	1	2	6	10	27	34	63
1-5 YRS	29	9.2	85	1	2	6	14	28	41	99+
6-12 YRS	11	7.3	53	1	1	4	15	45	92	99+
13-19 YRS	26	7.5	79	1	1	5	9	15	35	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	391	2.9	4	1	1	2	3	5	7	12
B. *Operated*	8	4.3	10	1	1	3	5	9	11	11
2. MULTIPLE DX										
A. *Not Operated*	3243	3.8	12	1	1	3	4	6	9	17
B. *Operated*	104	9.3	104	1	2	6	10	27	35	99+
1. SINGLE DX	399	2.9	4	1	1	2	3	5	7	12
2. MULTIPLE DX	3347	3.9	16	1	1	3	4	7	10	22
A. NOT OPERATED	3634	3.7	11	1	1	3	4	6	9	16
B. OPERATED	112	8.9	99	1	2	6	10	26	35	99+
TOTAL 0-27 DYS	90	5.8	40	1	1	4	6	12	19	34
1-11 MOS	943	4.6	21	1	1	3	5	8	12	17
1-5 YRS	1493	3.3	7	1	1	3	4	6	7	15
6-12 YRS	626	3.5	9	1	1	3	4	6	8	19
13-19 YRS	594	3.9	25	1	1	3	4	6	9	26
GRAND TOTAL	**3746**	**3.8**	**15**	**1**	**1**	**3**	**4**	**7**	**9**	**21**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	42	3.0	3	1	1	3	4	5	6	7
1-5 YRS	70	3.7	7	1	1	3	5	7	9	14
6-12 YRS	12	4.1	12	<1	<1	3	5	9	12	13
13-19 YRS	34	4.3	23	1	1	3	5	7	8	29
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	3.6	4	1	1	3	5	6	6	6
6-12 YRS	4	4.0	10	1	1	3	6	8	8	8
13-19 YRS	12	5.1	12	1	1	4	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	81	5.7	48	2	2	4	6	9	14	48
1-5 YRS	89	4.5	11	1	1	4	6	9	10	18
6-12 YRS	30	3.9	10	1	1	3	4	7	12	15
13-19 YRS	129	4.2	8	1	1	4	5	8	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	9	12.6	113	3	4	10	17	30	37	37
1-5 YRS	11	5.9	17	<1	1	5	8	12	15	15
6-12 YRS	4	8.3	33	3	3	7	12	16	16	16
13-19 YRS	35	5.9	10	2	2	6	7	10	12	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	3.7	10	1	1	3	5	7	8	15
B. *Operated*	23	4.4	9	1	1	3	7	9	10	11
2. MULTIPLE DX										
A. *Not Operated*	330	4.6	19	1	1	4	6	8	10	17
B. *Operated*	59	7.1	32	2	2	6	9	14	17	35
1. SINGLE DX	181	3.8	10	1	1	3	5	7	8	14
2. MULTIPLE DX	389	5.0	22	1	2	4	6	9	12	19
A. NOT OPERATED	488	4.3	16	1	1	3	5	8	10	16
B. OPERATED	82	6.3	27	1	2	5	8	11	15	31
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	132	5.3	43	1	1	4	6	9	14	41
1-5 YRS	177	4.2	10	1	1	3	5	8	10	17
6-12 YRS	50	4.3	13	<1	1	3	5	9	13	16
13-19 YRS	210	4.5	11	1	1	4	6	8	10	15
GRAND TOTAL	**570**	**4.6**	**18**	**1**	**1**	**4**	**6**	**8**	**11**	**18**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	26	3.2	3	1	2	3	4	5	8	8
1-5 YRS	279	4.0	6	1	1	3	5	7	9	11
6-12 YRS	559	3.8	9	1	1	3	5	7	9	13
13-19 YRS	845	4.9	12	1	2	4	6	8	10	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	5.5	3	3	3	6	7	7	7	7
6-12 YRS	7	5.1	8	2	2	5	8	9	9	9
13-19 YRS	5	9.8	21	4	4	8	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	49	4.4	12	1	2	4	5	8	9	23
1-5 YRS	423	5.2	18	1	2	4	6	10	12	19
6-12 YRS	504	5.2	17	<1	1	4	7	10	12	22
13-19 YRS	641	6.3	23	1	2	5	8	12	15	25
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	8	8.6	34	1	1	7	14	16	16	16
6-12 YRS	21	13.6	130	1	2	11	20	31	37	41
13-19 YRS	44	12.6	82	2	2	10	18	23	29	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1709	4.4	10	1	1	4	6	8	9	15
B. *Operated*	16	6.7	14	2	2	6	8	13	15	15
2. MULTIPLE DX										
A. *Not Operated*	1617	5.6	20	1	2	5	7	11	13	23
B. *Operated*	74	12.3	91	1	2	10	18	24	32	43
1. SINGLE DX	1725	4.4	10	1	1	4	6	8	9	15
2. MULTIPLE DX	1691	5.9	25	1	2	5	7	11	15	26
A. NOT OPERATED	3326	5.0	15	1	1	4	6	9	12	22
B. OPERATED	90	11.3	81	1	2	8	16	23	30	43
TOTAL 0-27 DYS										
1-11 MOS	76	4.0	9	1	2	3	4	7	8	20
1-5 YRS	714	4.7	14	1	2	4	6	9	11	16
6-12 YRS	1091	4.7	16	1	1	4	6	9	11	23
13-19 YRS	1535	5.7	21	1	2	5	7	10	14	24
GRAND TOTAL	**3416**	**5.1**	**18**	**1**	**1**	**4**	**6**	**10**	**12**	**23**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	17	4.0	10	<1	1	3	7	9	11	12
1-11 MOS	91	2.9	10	<1	1	2	4	7	10	17
1-5 YRS	286	2.5	10	<1	<1	1	3	5	6	16
6-12 YRS	233	2.4	24	<1	<1	<1	2	4	7	33
13-19 YRS	275	1.5	2	<1	<1	1	1	3	4	9
B. *Operated*										
0-27 DYS										
1-11 MOS	15	7.2	35	1	2	7	9	13	21	24
1-5 YRS	67	5.8	40	1	1	4	6	11	16	40
6-12 YRS	52	5.6	17	1	2	5	7	12	14	21
13-19 YRS	38	7.0	22	2	3	6	8	13	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	2.3	3	<1	<1	1	3	5	7	7
1-11 MOS	118	3.6	14	1	1	2	5	9	11	19
1-5 YRS	335	4.0	54	<1	<1	2	5	8	11	30
6-12 YRS	258	3.4	14	<1	<1	2	4	8	10	21
13-19 YRS	302	3.9	20	<1	<1	2	5	8	14	24
B. *Operated*										
0-27 DYS										
1-11 MOS	18	10.2	291	1	1	4	11	22	54	74
1-5 YRS	68	12.1	200	2	2	6	15	28	44	68
6-12 YRS	50	9.7	194	2	2	6	10	19	27	94
13-19 YRS	67	12.1	175	2	3	9	16	21	30	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	902	2.3	11	<1	<1	1	2	5	7	15
B. *Operated*	172	6.1	29	1	2	5	7	12	16	27
2. MULTIPLE DX										
A. *Not Operated*	1026	3.8	29	<1	<1	2	5	8	11	23
B. *Operated*	203	11.4	196	1	2	7	14	23	39	83
1. SINGLE DX	1074	2.9	16	<1	<1	1	3	6	9	20
2. MULTIPLE DX	1229	5.0	64	<1	<1	3	6	11	16	43
A. NOT OPERATED	1928	3.1	21	<1	<1	1	4	7	9	19
B. OPERATED	375	9.0	126	1	2	5	11	18	25	67
TOTAL 0-27 DYS	30	3.3	8	<1	<1	2	4	7	9	12
1-11 MOS	242	4.1	37	1	1	2	5	9	12	24
1-5 YRS	756	4.3	56	<1	<1	2	5	9	14	44
6-12 YRS	593	3.7	37	<1	<1	2	4	8	12	27
13-19 YRS	682	3.9	37	<1	<1	1	5	9	15	26
GRAND TOTAL	**2303**	**4.0**	**43**	**<1**	**<1**	**2**	**5**	**9**	**13**	**28**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	2.4	1	<1	<1	2	3	4	4	4
1-5 YRS	17	2.1	1	1	1	2	3	4	4	4
6-12 YRS	13	5.1	16	<1	1	4	6	12	14	14
13-19 YRS	21	3.4	7	<1	<1	2	5	7	9	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	17	3.9	17	<1	1	3	6	7	14	17
1-5 YRS	62	3.6	7	<1	1	3	4	7	9	13
6-12 YRS	61	4.2	17	1	1	3	5	10	13	22
13-19 YRS	98	5.0	29	1	1	4	7	10	12	34
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	7.7	10	4	4	9	10	10	10	10
6-12 YRS	13	7.5	56	1	1	4	13	19	23	24
13-19 YRS	9	13.3	91	2	3	13	17	28	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	3.3	7	<1	<1	2	4	7	10	14
B. *Operated*	4	2.8	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	239	4.4	19	1	1	3	5	8	12	23
B. *Operated*	25	9.6	68	1	2	6	14	19	26	34
1. SINGLE DX	61	3.3	7	<1	1	2	4	7	9	14
2. MULTIPLE DX	264	4.9	26	1	1	3	6	11	14	25
A. NOT OPERATED	296	4.2	17	1	1	3	5	8	12	20
B. OPERATED	29	8.7	64	1	2	5	13	19	24	34
TOTAL 0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	22	3.6	13	<1	<1	2	5	7	11	17
1-5 YRS	84	3.5	7	1	1	3	4	7	9	13
6-12 YRS	88	4.8	23	1	1	3	5	12	16	24
13-19 YRS	129	5.3	34	<1	1	3	7	11	14	36
GRAND TOTAL	**325**	**4.6**	**23**	**1**	**1**	**3**	**5**	**10**	**13**	**24**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	1.9	1	1	1	2	3	4	4	4
1-11 MOS	50	3.6	39	1	1	3	4	4	5	46
1-5 YRS	431	3.4	6	1	1	3	4	7	9	11
6-12 YRS	274	3.7	10	<1	1	3	4	7	9	15
13-19 YRS	121	3.8	11	<1	1	3	5	7	10	19
B. *Operated*										
0-27 DYS										
1-11 MOS	17	4.2	7	<1	1	4	5	8	11	12
1-5 YRS	169	4.7	21	1	1	3	6	9	14	25
6-12 YRS	105	5.3	12	1	2	5	7	9	11	19
13-19 YRS	149	5.8	11	2	2	5	7	9	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	6.7	27	1	1	5	9	15	16	16
1-11 MOS	65	5.4	50	1	1	3	6	10	14	46
1-5 YRS	486	4.3	14	<1	1	3	6	8	10	19
6-12 YRS	305	4.5	13	<1	1	4	6	10	12	17
13-19 YRS	242	5.0	20	<1	1	4	6	10	13	22
B. *Operated*										
0-27 DYS	4	6.3	25	<1	<1	5	9	13	13	13
1-11 MOS	19	8.8	106	<1	1	6	8	30	34	34
1-5 YRS	110	7.7	49	2	3	5	9	17	23	66
6-12 YRS	92	7.6	50	1	2	5	10	14	20	41
13-19 YRS	141	8.4	92	<1	1	6	10	20	28	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	884	3.5	10	1	1	3	4	7	9	15
B. *Operated*	440	5.2	15	1	2	4	6	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	1105	4.6	17	<1	1	3	6	9	11	21
B. *Operated*	366	8.0	68	1	2	6	9	17	25	71
1. SINGLE DX	1324	4.1	12	1	1	3	5	8	10	18
2. MULTIPLE DX	1471	5.4	32	1	1	4	7	11	15	33
A. NOT OPERATED	1989	4.1	14	1	1	3	5	8	10	18
B. OPERATED	806	6.4	41	1	2	5	8	13	19	38
TOTAL 0-27 DYS	19	4.6	19	<1	1	3	6	12	15	16
1-11 MOS	151	5.1	50	1	1	3	5	9	13	46
1-5 YRS	1196	4.3	16	1	1	3	5	8	11	23
6-12 YRS	776	4.7	18	<1	1	4	6	9	12	20
13-19 YRS	653	5.7	34	1	1	4	7	11	16	32
GRAND TOTAL	**2795**	**4.8**	**23**	**1**	**1**	**4**	**6**	**9**	**12**	**25**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	2.9	3	1	1	3	4	6	6	6
1-5 YRS	178	1.9	2	1	1	2	2	4	4	7
6-12 YRS	1406	2.0	2	1	1	2	2	3	4	6
13-19 YRS	1294	2.3	2	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	77	3.2	3	1	2	3	4	5	6	11
6-12 YRS	548	3.5	2	2	2	3	4	5	6	10
13-19 YRS	708	3.8	3	2	2	4	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	5.0	12	3	3	3	8	9	9	9
1-5 YRS	159	2.5	2	1	1	2	3	5	6	7
6-12 YRS	813	2.7	3	1	1	2	3	5	6	8
13-19 YRS	617	2.8	5	1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS	3	7.7	36	2	2	7	12	14	14	14
1-5 YRS	55	4.1	3	2	2	4	5	7	8	9
6-12 YRS	254	4.4	8	2	2	4	5	7	9	15
13-19 YRS	388	4.9	10	2	2	4	6	8	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2885	2.1	2	1	1	2	3	4	5	7
B. *Operated*	1333	3.7	2	2	2	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	1592	2.7	4	1	1	2	3	5	6	9
B. *Operated*	700	4.7	9	2	2	4	5	7	9	18
1. SINGLE DX	4218	2.6	2	1	1	2	3	5	5	8
2. MULTIPLE DX	2292	3.3	6	1	1	3	4	6	7	13
A. NOT OPERATED	4477	2.3	2	1	1	2	3	4	5	8
B. OPERATED	2033	4.0	5	2	2	4	5	6	8	13
TOTAL 0-27 DYS										
1-11 MOS	13	4.5	14	1	1	3	6	10	13	14
1-5 YRS	469	2.6	3	1	1	2	3	5	5	8
6-12 YRS	3021	2.7	3	1	1	2	3	5	6	9
13-19 YRS	3007	3.1	5	1	1	3	4	5	7	10
GRAND TOTAL	**6510**	**2.9**	**4**	**1**	**1**	**2**	**4**	**5**	**6**	**9**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	58	4.7	4	2	3	4	6	8	8	10
1-5 YRS	319	4.6	6	1	2	4	6	8	10	12
6-12 YRS	202	4.3	7	1	1	4	6	8	9	12
13-19 YRS	91	3.3	4	1	1	3	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	14	6.4	7	3	3	6	8	10	11	11
1-5 YRS	132	3.8	16	<1	<1	2	5	9	12	18
6-12 YRS	140	2.8	6	<1	<1	2	3	7	8	12
13-19 YRS	158	2.9	4	<1	1	2	3	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0	1	2	2	2	2	2	2	2
1-11 MOS	39	5.7	10	1	2	5	8	9	12	14
1-5 YRS	247	4.8	9	1	2	4	6	9	10	14
6-12 YRS	151	4.6	10	1	2	4	6	9	12	15
13-19 YRS	79	4.5	7	1	1	4	6	9	10	13
B. *Operated*										
0-27 DYS										
1-11 MOS	26	8.4	31	3	4	7	11	13	17	31
1-5 YRS	71	6.3	16	1	1	6	8	12	13	18
6-12 YRS	66	4.1	17	<1	1	2	5	11	13	20
13-19 YRS	66	5.0	25	<1	1	3	7	9	19	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	672	4.3	6	1	2	4	6	8	9	11
B. *Operated*	444	3.2	9	<1	<1	2	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	517	4.7	9	1	2	4	6	9	11	14
B. *Operated*	229	5.5	22	<1	1	4	8	12	14	21
1. SINGLE DX	1116	3.9	8	1	1	3	5	8	9	13
2. MULTIPLE DX	746	5.0	13	1	2	4	7	9	12	19
A. NOT OPERATED	1189	4.5	7	1	2	4	6	8	10	13
B. OPERATED	673	4.0	14	<1	1	3	6	9	12	19
TOTAL 0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	137	5.9	13	2	3	5	8	9	12	16
1-5 YRS	769	4.7	10	1	1	4	6	9	11	15
6-12 YRS	559	4.0	9	<1	1	3	5	8	10	14
13-19 YRS	394	3.6	9	<1	1	3	5	7	9	17
GRAND TOTAL	**1862**	**4.3**	**10**	**1**	**1**	**3**	**6**	**8**	**10**	**15**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	35	5.4	30	<1	1	4	7	14	19	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	22.0	648	4	4	22	40	40	40	40
1-5 YRS										
6-12 YRS	4	7.3	100	1	1	3	13	22	22	22
13-19 YRS	40	10.3	148	1	1	5	12	29	38	54
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	5.1	29	<1	1	3	6	14	18	19
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	46	10.5	156	1	1	5	13	30	41	54
B. *Operated*	1	10.0		10	10	10	10	10	10	10
1. SINGLE DX	39	5.0	29	<1	1	3	6	14	18	19
2. MULTIPLE DX	47	10.5	153	1	1	5	13	30	41	54
A. NOT OPERATED	84	8.0	105	1	1	4	10	19	30	51
B. OPERATED	2	6.0	32	2	2	6	10	10	10	10
TOTAL 0-27 DYS										
1-11 MOS	2	22.0	648	4	4	22	40	40	40	40
1-5 YRS										
6-12 YRS	8	4.4	53	1	1	2	4	17	22	22
13-19 YRS	76	8.0	97	1	1	4	10	19	30	52
GRAND TOTAL	**86**	**8.0**	**103**	**1**	**1**	**4**	**10**	**19**	**30**	**51**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	1.4	1	<1	<1	1	2	3	3	3
1-5 YRS	89	1.4	1	<1	<1	1	1	2	3	8
6-12 YRS	181	1.6	1	<1	1	1	2	3	3	6
13-19 YRS	307	3.2	31	<1	1	2	3	5	7	33
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	6	4.8	45	1	1	2	6	17	18	18
13-19 YRS	7	4.0	5	2	2	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	12	5.4	34	1	1	3	9	37	88	99+
1-5 YRS	67	4.1	25	1	1	2	4	11	15	25
6-12 YRS	146	4.5	68	1	1	2	4	7	13	47
13-19 YRS	392	7.0	89	1	1	4	7	18	28	53
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.3	16	2	2	2	7	9	9	9
6-12 YRS	8	19.6	486	2	2	11	28	58	65	65
13-19 YRS	33	11.2	216	1	1	6	20	34	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	584	2.4	17	<1	1	1	2	4	6	23
B. *Operated*	14	4.1	21	1	1	2	6	9	16	18
2. MULTIPLE DX										
A. *Not Operated*	618	6.1	77	1	1	3	6	14	25	50
B. *Operated*	44	12.3	256	1	1	7	15	40	74	99+
1. SINGLE DX	598	2.4	17	<1	1	2	2	4	6	22
2. MULTIPLE DX	662	6.5	91	1	1	3	7	16	28	67
A. NOT OPERATED	1202	4.3	51	1	1	2	4	9	17	41
B. OPERATED	58	10.3	210	1	1	6	12	33	66	99+
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	19	3.9	25	<1	1	2	6	16	60	99+
1-5 YRS	160	2.6	13	<1	1	1	2	5	10	20
6-12 YRS	341	3.3	49	1	1	2	3	6	9	41
13-19 YRS	739	5.6	74	1	1	3	5	13	25	56
GRAND TOTAL	**1260**	**4.6**	**60**	**1**	**1**	**2**	**4**	**10**	**19**	**48**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility.

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	19	3.3	5	<1	<1	3	4	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	7.0	79	2	2	4	5	23	27	27
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	63	6.8	43	1	2	5	9	14	20	35
B *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	7.5	85	1	1	7	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.1	4	<1	<1	2	4	6	8	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	72	6.7	45	1	2	5	8	14	22	35
B. *Operated*	2	7.5	85	1	1	7	14	14	14	14
1. SINGLE DX	21	3.1	4	<1	<1	2	4	6	8	8
2. MULTIPLE DX	74	6.7	45	1	1	5	9	14	22	35
A. NOT OPERATED	93	5.9	38	<1	1	4	6	12	18	33
B. OPERATED	2	7.5	85	1	1	7	14	14	14	14
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	6.4	71	2	2	4	5	20	27	27
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	84	6.1	36	<1	1	4	7	14	17	34
GRAND TOTAL	**95**	**5.9**	**38**	**<1**	**1**	**4**	**6**	**14**	**17**	**33**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	2	5.5	41	1	1	5	10	10	10	10
6-12 YRS	5	20.6	1028	1	1	4	35	76	76	76
13-19 YRS	61	8.5	85	1	1	5	13	18	27	45
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	18.0	128	10	10	18	26	26	26	26
1-11 MOS	3	6.0	16	2	2	6	9	10	10	10
1-5 YRS	4	5.8	58	1	1	3	10	17	17	17
6-12 YRS	9	2.3	7	1	1	2	2	6	9	9
13-19 YRS	158	11.6	182	1	1	7	14	29	41	66
B. *Operated*										
0-27 DYS										
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS										
6-12 YRS										
13-19 YRS	3	24.0	133	13	13	23	33	36	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	9.3	147	1	1	5	13	20	32	70
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	176	10.9	171	1	1	6	14	29	40	65
B. *Operated*	4	21.8	109	13	13	19	29	36	36	36
1. SINGLE DX	69	9.3	147	1	1	5	13	20	32	70
2. MULTIPLE DX	180	11.2	172	1	1	7	14	29	39	65
A. NOT OPERATED	245	10.5	164	1	1	6	14	26	38	66
B. OPERATED	4	21.8	109	13	13	19	29	36	36	36
TOTAL 0-27 DYS	2	18.0	128	10	10	18	26	26	26	26
1-11 MOS	5	8.4	23	2	2	9	11	15	15	15
1-5 YRS	6	5.7	43	1	1	3	10	16	17	17
6-12 YRS	14	8.9	403	1	1	2	4	26	65	76
13-19 YRS	222	10.9	158	1	1	7	14	28	38	63
GRAND TOTAL	**249**	**10.7**	**165**	**1**	**1**	**6**	**14**	**27**	**38**	**66**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	5.5	2	4	4	5	6	7	7	7
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS										
13-19 YRS	317	20.3	321	2	3	17	28	49	63	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	7.0	72	1	1	7	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	55.0	1899	10	10	58	87	97	97	97
13-19 YRS	158	22.3	387	3	4	18	34	53	74	99+
B. *Operated*										
0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	16.3	70	9	9	14	22	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	20.1	319	2	3	17	28	49	63	99+
B. *Operated*	2	7.0	72	1	1	7	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	163	22.7	423	2	4	17	35	56	75	99+
B. *Operated*	5	17.2	57	9	9	16	23	28	28	28
1. SINGLE DX	324	20.0	318	2	3	17	28	49	63	99+
2. MULTIPLE DX	168	22.5	413	2	4	17	34	55	75	99+
A. NOT OPERATED	485	21.0	354	2	3	17	29	52	69	99+
B. OPERATED	7	14.3	75	1	3	13	20	27	28	28
TOTAL 0-27 DYS	2	11.5	181	2	2	11	21	21	21	21
1-11 MOS	4	5.5	2	4	4	5	6	7	7	7
1-5 YRS	2	8.0	72	2	2	8	14	14	14	14
6-12 YRS	3	55.0	1899	10	10	77	98	99+	99+	99+
13-19 YRS	481	20.9	340	2	3	17	29	50	66	99+
GRAND TOTAL	**492**	**20.9**	**351**	**2**	**3**	**17**	**29**	**51**	**68**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	41.5	824	2	2	43	69	96	99+	99+
13-19 YRS	86	19.8	359	2	4	13	28	47	63	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	38.3	169	17	18	42	49	51	51	51
13-19 YRS	65	30.4	465	3	4	29	43	67	80	98
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	35.0	288	23	23	35	47	47	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	21.6	427	2	3	14	35	56	76	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	71	31.1	442	3	5	29	43	66	78	97
B. *Operated*	2	35.0	288	23	23	35	47	47	47	47
1. SINGLE DX	94	21.6	427	2	3	14	35	56	76	99+
2. MULTIPLE DX	73	31.2	434	3	5	29	44	66	77	96
A. NOT OPERATED	165	25.7	453	3	4	19	40	58	79	99+
B. OPERATED	2	35.0	288	23	23	35	47	47	47	47
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	14	40.1	511	2	3	43	50	89	97	99+
13-19 YRS	153	24.5	427	3	4	18	37	56	70	99+
GRAND TOTAL	**167**	**25.8**	**450**	**3**	**4**	**19**	**41**	**58**	**79**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	8.5	5	7	7	8	10	10	10	10
1-11 MOS	6	27.0	280	7	7	25	46	47	47	47
1-5 YRS										
6-12 YRS	18	25.2	459	1	2	24	40	67	87	99+
13-19 YRS	707	21.7	346	2	4	16	30	48	69	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	98.0		98	98	98	98	98	98	98
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	21.0	403	7	7	12	36	44	44	44
1-11 MOS	4	15.3	23	11	11	14	18	22	22	22
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	20	32.8	603	3	8	27	50	64	84	98
13-19 YRS	523	21.3	306	2	4	18	32	53	72	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS										
6-12 YRS										
13-19 YRS	27	28.9	482	3	7	22	47	64	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	733	21.8	347	2	4	17	31	49	70	99+
B. *Operated*	1	98.0		98	98	98	98	98	98	98
2. MULTIPLE DX										
A. *Not Operated*	551	21.6	318	2	4	18	32	53	71	99+
B. *Operated*	28	28.5	468	3	7	20	47	63	89	99+
1. SINGLE DX	734	21.9	355	2	4	17	31	49	71	99+
2. MULTIPLE DX	579	21.9	326	2	4	18	33	54	73	99+
A. NOT OPERATED	1284	21.7	334	2	4	17	32	52	71	99+
B. OPERATED	29	30.9	618	3	7	22	47	76	98	99+
TOTAL 0-27 DYS	5	16.0	250	7	7	10	20	44	44	44
1-11 MOS	11	21.9	182	7	9	18	26	46	47	47
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	38	29.2	535	1	3	27	45	66	86	99+
13-19 YRS	1258	21.7	337	2	4	17	32	52	72	99+
GRAND TOTAL	**1313**	**21.9**	**342**	**2**	**4**	**17**	**32**	**52**	**71**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	24	18.3	716	1	2	6	26	87	98	99+
6-12 YRS	50	32.1	513	4	6	40	61	99+	99+	99+
13-19 YRS	17	27.8	558	3	7	23	31	64	84	92
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	23	15.1	498	1	1	4	22	61	80	99+
6-12 YRS	60	25.8	490	2	2	24	45	97	99+	99+
13-19 YRS	14	28.1	544	2	3	25	51	99	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	45.0		45	45	72	99+	99+	99+	99+
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	27.7	596	2	3	24	54	99+	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	97	23.6	512	1	2	21	45	88	99+	99+
B. *Operated*	2	24.0	882	3	3	45	86	99+	99+	99+
1. SINGLE DX	91	27.7	596	2	3	24	55	99+	99+	99+
2. MULTIPLE DX	99	23.6	511	1	2	21	46	94	99+	99+
A. NOT OPERATED	188	25.5	554	1	2	23	50	99+	99+	99+
B. OPERATED	2	24.0	882	3	3	72	99+	99+	99+	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	48	16.4	590	1	1	5	21	65	98	99+
6-12 YRS	111	28.8	504	2	4	32	57	99+	99+	99+
13-19 YRS	31	27.9	533	2	6	24	45	89	99	99+
GRAND TOTAL	**190**	**25.5**	**553**	**1**	**2**	**23**	**50**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	15.8	152	3	4	13	19	36	38	38
1-5 YRS	1	32.0		32	32	32	32	32	32	32
6-12 YRS	37	26.2	482	2	3	23	43	65	99	99+
13-19 YRS	501	17.6	301	2	3	12	24	42	59	90
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	27.9	1195	3	3	17	39	88	99	99+
1-5 YRS	2	36.5	41	32	32	36	41	41	41	41
6-12 YRS	70	37.2	699	5	7	32	59	90	99	99+
13-19 YRS	885	22.7	432	2	3	17	34	61	83	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	33.0		33	33	33	33	33	33	33
13-19 YRS	42	33.4	516	5	7	36	53	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	545	18.1	315	2	3	12	25	44	60	98
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	964	23.8	469	2	3	18	37	64	89	99+
B. *Operated*	43	33.4	504	5	7	35	52	99+	99+	99+
1. SINGLE DX	545	18.1	315	2	3	12	25	44	60	98
2. MULTIPLE DX	1007	24.2	474	2	3	18	38	66	91	99+
A. NOT OPERATED	1509	21.8	420	2	3	16	32	59	78	99+
B. OPERATED	43	33.4	504	5	7	35	52	99+	99+	99+
TOTAL 0-27 DYS										
1-11 MOS	13	22.3	700	3	3	17	24	57	91	99
1-5 YRS	3	35.0	27	32	32	32	39	41	41	41
6-12 YRS	108	33.4	640	3	5	28	54	89	99	99+
13-19 YRS	1428	21.2	398	2	3	15	31	58	76	99+
GRAND TOTAL	**1552**	**22.1**	**426**	**2**	**3**	**16**	**33**	**59**	**80**	**99+**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	16.3	72	8	8	16	23	25	25	25
1-5 YRS										
6-12 YRS	22	12.7	143	3	4	8	14	33	40	45
13-19 YRS	400	17.0	210	2	3	13	24	39	50	89
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	14.3	49	7	7	15	19	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	18.8	353	5	5	12	29	50	50	50
1-5 YRS										
6-12 YRS	27	23.1	468	4	5	17	42	51	92	99+
13-19 YRS	415	21.8	351	3	4	17	30	48	63	98
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	14	21.6	430	1	2	16	48	96	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	425	16.8	206	2	3	13	24	37	50	84
B. *Operated*	3	14.3	49	7	7	15	19	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	447	21.9	357	3	4	17	31	48	63	99
B. *Operated*	14	21.6	430	1	2	16	48	96	99+	99+
1. SINGLE DX	428	16.8	205	2	3	13	24	37	50	84
2. MULTIPLE DX	461	21.9	358	3	4	17	32	50	66	99+
A. NOT OPERATED	872	19.4	290	2	4	15	27	44	58	98
B. OPERATED	17	20.4	364	1	3	15	44	86	99+	99+
TOTAL 0-27 DYS										
1-11 MOS	8	17.9	224	5	5	14	23	42	50	50
1-5 YRS										
6-12 YRS	49	18.4	343	4	5	8	31	47	52	99+
13-19 YRS	832	19.5	289	2	3	15	27	44	59	99+
GRAND TOTAL	**889**	**19.4**	**291**	**2**	**4**	**15**	**27**	**44**	**59**	**99+**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	18	19.3	895	1	1	5	9	78	87	89
13-19 YRS	304	13.4	182	1	2	10	18	30	40	66
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	6.3	26	2	2	5	10	12	12	12
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	29	22.1	681	1	2	8	42	65	79	85
13-19 YRS	289	17.7	407	1	2	11	25	49	85	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	10	24.7	557	<1	3	15	44	62	74	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	324	13.6	221	1	2	9	18	31	45	81
B. *Operated*	3	3.7	14	1	1	2	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	323	17.9	428	1	2	10	25	53	80	99+
B. *Operated*	10	24.7	557	<1	3	15	44	62	74	74
1. SINGLE DX	327	13.5	220	1	2	9	18	31	45	80
2. MULTIPLE DX	333	18.1	431	1	2	10	25	53	79	99+
A. NOT OPERATED	647	15.8	328	1	2	10	20	41	63	99+
B. OPERATED	13	19.8	505	<1	1	11	28	55	70	74
TOTAL 0-27 DYS										
1-11 MOS	4	5.5	20	2	2	4	8	12	12	12
1-5 YRS	4	1.8		1	1	2	2	2	2	2
6-12 YRS	48	20.6	740	1	1	7	36	67	85	89
13-19 YRS	604	15.6	300	1	2	10	20	38	59	99+
GRAND TOTAL	**660**	**15.8**	**331**	**1**	**2**	**10**	**20**	**42**	**63**	**99+**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	1.5		1	1	1	2	2	2	2
6-12 YRS	30	4.4	105	<1	<1	2	4	5	8	58
13-19 YRS	199	5.1	62	<1	1	3	5	10	21	43
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	5.7	20	<1	<1	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	4.3	1	3	3	5	5	5	5	5
1-5 YRS	6	3.7	6	1	1	3	4	8	8	8
6-12 YRS	40	10.6	312	1	1	4	9	29	49	90
13-19 YRS	322	7.6	102	1	1	4	8	25	34	73
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	13	18.0	233	3	3	17	29	40	50	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	5.0	66	<1	1	2	4	9	18	44
B. *Operated*	3	5.7	20	<1	<1	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	372	7.8	122	1	1	4	8	25	34	83
B. *Operated*	16	14.8	234	1	1	7	23	36	47	52
1. SINGLE DX	237	5.0	65	<1	1	2	4	9	18	44
2. MULTIPLE DX	388	8.1	128	1	1	4	8	26	34	79
A. NOT OPERATED	606	6.7	102	<1	1	3	6	18	30	57
B. OPERATED	19	13.4	209	<1	1	7	18	35	45	52
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	3.8	2	2	2	4	5	5	5	5
1-5 YRS	13	2.4	4	1	1	2	3	5	7	8
6-12 YRS	70	7.9	230	1	1	3	5	22	43	84
13-19 YRS	537	6.9	94	<1	1	3	7	20	32	52
GRAND TOTAL	**625**	**6.9**	**107**	**<1**	**1**	**3**	**6**	**18**	**32**	**56**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	18.5	13	16	16	18	21	21	21	21
1-5 YRS	3	34.0	679	4	4	47	50	51	51	51
6-12 YRS	41	23.8	488	2	3	17	41	85	99+	99+
13-19 YRS	648	16.9	301	1	2	11	27	46	69	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	15.0	378	1	1	13	76	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	11.3	86	5	5	7	18	22	22	22
1-5 YRS	4	8.5	126	1	1	4	15	25	25	25
6-12 YRS	79	38.2	784	3	4	41	77	99+	99+	99+
13-19 YRS	1096	21.3	444	2	3	14	32	59	80	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	68.0	1058	45	45	91	98	99+	99+	99+
13-19 YRS	50	30.9	470	5	6	24	49	59	71	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	694	17.4	315	1	2	11	28	48	75	99+
B. *Operated*	6	15.0	378	1	1	13	76	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	1182	22.4	483	2	3	15	34	63	84	99+
B. *Operated*	52	32.3	525	5	6	25	49	67	85	99+
1. SINGLE DX	700	17.4	315	1	2	11	28	50	80	99+
2. MULTIPLE DX	1234	22.8	488	2	3	15	35	63	84	99+
A. NOT OPERATED	1876	20.5	426	1	2	14	32	59	83	99+
B. OPERATED	58	30.6	531	3	6	24	49	75	95	99+
TOTAL 0-27 DYS										
1-11 MOS	5	14.2	62	5	5	16	21	22	22	22
1-5 YRS	7	19.4	475	1	1	6	41	50	51	51
6-12 YRS	122	33.8	741	2	4	34	63	99+	99+	99+
13-19 YRS	1800	20.0	400	1	2	14	31	55	79	99+
GRAND TOTAL	**1934**	**20.8**	**432**	**1**	**2**	**14**	**33**	**59**	**84**	**99+**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	10	4.4	54	1	1	2	4	15	25	25
6-12 YRS	91	8.5	156	1	1	4	8	42	99+	99+
13-19 YRS	696	12.0	232	1	1	5	16	35	46	80
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	20	4.9	23	<1	1	3	6	9	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	9	12.3	77	2	3	12	18	24	28	28
1-5 YRS	8	20.5	1071	1	1	5	63	95	99+	99+
6-12 YRS	116	16.3	481	1	1	6	25	60	83	99+
13-19 YRS	1068	13.5	298	1	1	7	18	42	60	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS										
6-12 YRS	4	20.0	1203	2	2	3	38	72	72	72
13-19 YRS	47	17.9	436	1	2	9	39	54	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	798	11.5	222	1	1	5	15	36	46	99+
B. *Operated*	22	4.8	22	<1	1	3	6	9	14	22
2. MULTIPLE DX										
A. *Not Operated*	1202	13.8	318	1	1	7	18	43	65	99+
B. *Operated*	52	17.9	466	1	2	8	39	58	80	99+
1. SINGLE DX	820	11.3	218	1	1	5	15	35	46	99+
2. MULTIPLE DX	1254	14.0	325	1	1	7	18	43	67	99+
A. NOT OPERATED	2000	12.9	281	1	1	6	17	40	59	99+
B. OPERATED	74	14.0	368	<1	2	6	14	48	75	99+
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	11	11.5	66	2	3	10	18	23	28	28
1-5 YRS	19	11.0	513	<1	1	3	5	71	94	99+
6-12 YRS	212	13.0	362	1	1	5	18	52	83	99+
13-19 YRS	1831	13.0	275	1	1	6	17	39	56	99+
GRAND TOTAL	**2074**	**12.9**	**284**	**1**	**1**	**6**	**17**	**41**	**59**	**99+**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	5.7	30	2	2	3	10	12	12	12
1-11 MOS	9	13.4	85	3	4	10	24	25	25	25
1-5 YRS	5	6.6	69	1	1	4	10	21	21	21
6-12 YRS	8	1.6	1	<1	<1	1	2	3	3	3
13-19 YRS	811	15.2	181	<1	1	10	29	34	35	42
B. *Operated*										
0-27 DYS										
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS										
6-12 YRS										
13-19 YRS	10	13.2	353	<1	<1	1	18	46	51	51
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	17.0	127	5	5	21	26	28	28	28
1-11 MOS	18	8.9	106	<1	1	5	10	28	33	35
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	9	19.2	601	<1	<1	9	31	59	74	74
13-19 YRS	2112	21.2	231	1	1	23	33	40	44	59
B. *Operated*										
0-27 DYS	2	24.0	288	12	12	24	36	36	36	36
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	1	23.0		23	23	23	23	23	23	23
6-12 YRS										
13-19 YRS	77	30.5	317	<1	1	32	45	48	52	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	836	15.0	179	<1	1	10	28	34	35	42
B. *Operated*	11	13.5	318	<1	<1	1	17	46	51	51
2. MULTIPLE DX										
A. *Not Operated*	2145	21.1	232	1	1	23	33	40	44	59
B. *Operated*	81	30.0	312	<1	1	32	45	48	52	66
1. SINGLE DX	847	14.9	181	<1	1	10	28	34	35	42
2. MULTIPLE DX	2226	21.4	238	1	1	23	34	41	45	59
A. NOT OPERATED	2981	19.4	225	1	1	21	31	37	42	53
B. OPERATED	92	28.0	338	<1	1	30	45	48	52	65
TOTAL 0-27 DYS	10	15.0	144	2	2	12	26	32	36	36
1-11 MOS	29	10.6	94	1	1	7	16	25	31	35
1-5 YRS	7	8.1	93	1	1	4	17	23	23	23
6-12 YRS	17	10.9	383	<1	<1	2	11	35	61	74
13-19 YRS	3010	19.8	230	1	1	21	32	38	44	53
GRAND TOTAL	**3073**	**19.6**	**230**	**1**	**1**	**21**	**32**	**38**	**44**	**54**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	30	17.8	178	1	2	14	34	37	38	43
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	43	18.7	302	2	4	15	20	39	57	91
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	35.5	113	28	28	35	43	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	17.8	178	1	2	14	34	37	38	43
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	44	18.4	298	2	4	14	20	39	56	91
B. *Operated*	2	35.5	113	28	28	35	43	43	43	43
1. SINGLE DX	30	17.8	178	1	2	14	34	37	38	43
2. MULTIPLE DX	46	19.1	300	2	4	15	21	41	54	91
A. NOT OPERATED	74	18.1	247	2	4	14	21	37	43	85
B. OPERATED	2	35.5	113	28	28	35	43	43	43	43
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	75	18.8	251	2	4	15	23	38	43	85
GRAND TOTAL	**76**	**18.6**	**249**	**2**	**4**	**14**	**23**	**38**	**43**	**85**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	28.0		28	28	28	28	28	28	28
1-11 MOS	2	11.0	200	1	1	11	21	21	21	21
1-5 YRS										
6-12 YRS	1	28.0		28	28	28	28	28	28	28
13-19 YRS	218	16.7	268	1	1	10	29	38	45	65
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	12.0	242	<1	<1	11	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	13.7	254	3	3	6	25	32	32	32
1-5 YRS										
6-12 YRS	6	37.8	385	3	6	40	46	60	62	62
13-19 YRS	480	22.7	301	1	1	25	35	43	51	74
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	25	38.0	208	9	12	41	45	47	63	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	222	16.8	266	1	1	10	29	38	45	65
B. *Operated*	2	12.0	242	<1	<1	11	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	490	22.8	304	1	1	25	35	43	52	73
B. *Operated*	25	38.0	208	9	12	41	45	47	63	68
1. SINGLE DX	224	16.7	265	1	1	10	29	38	45	65
2. MULTIPLE DX	515	23.6	310	1	1	27	37	45	53	73
A. NOT OPERATED	712	21.0	300	1	1	21	34	42	49	71
B. OPERATED	27	36.0	249	3	11	41	45	47	63	68
TOTAL 0-27 DYS	2	17.0	242	6	6	17	28	28	28	28
1-11 MOS	5	12.6	179	1	1	6	24	32	32	32
1-5 YRS										
6-12 YRS	7	36.4	335	3	8	36	46	59	62	62
13-19 YRS	725	21.4	305	1	1	21	35	43	49	71
GRAND TOTAL	**739**	**21.5**	**305**	**1**	**1**	**22**	**35**	**43**	**49**	**71**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	12	1.5	1	<1	<1	1	2	3	5	5
6-12 YRS	61	1.2		<1	<1	1	1	2	2	3
13-19 YRS	793	1.6	8	<1	<1	1	1	2	3	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	2.9	6	1	1	2	4	7	8	8
6-12 YRS	28	2.9	56	<1	<1	1	2	2	8	41
13-19 YRS	674	3.8	62	<1	<1	1	2	7	20	42
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	34	4.0	45	<1	<1	1	3	14	16	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	867	1.6	8	<1	<1	1	1	2	3	14
B. *Operated*	4	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	709	3.7	62	<1	<1	1	2	7	20	42
B. *Operated*	34	4.0	45	<1	<1	1	3	14	16	34
1. SINGLE DX	871	1.6	8	<1	<1	1	1	2	3	14
2. MULTIPLE DX	743	3.8	61	<1	<1	1	2	7	18	41
A. NOT OPERATED	1576	2.5	33	<1	<1	1	2	3	8	32
B. OPERATED	38	3.7	41	<1	<1	1	2	12	16	34
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	19	2.0	3	<1	<1	1	2	5	7	8
6-12 YRS	91	1.7	18	<1	<1	1	2	2	2	26
13-19 YRS	1503	2.6	35	<1	<1	1	2	4	9	32
GRAND TOTAL	**1614**	**2.6**	**33**	**<1**	**<1**	**1**	**2**	**4**	**8**	**32**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	10	6.0	86	1	1	2	3	23	25	25
13-19 YRS	194	9.0	130	<1	1	3	13	30	34	43
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	30.0		30	30	30	30	30	30	30
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	6	16.5	348	1	1	13	18	49	52	52
13-19 YRS	465	19.3	386	1	1	11	30	48	61	79
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	14	24.3	388	3	3	25	35	48	64	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	8.8	126	<1	1	3	12	30	33	43
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	473	19.3	385	1	1	11	30	48	61	79
B. *Operated*	14	24.3	388	3	3	25	35	48	64	69
1. SINGLE DX	208	8.8	126	<1	1	3	12	30	33	43
2. MULTIPLE DX	487	19.4	385	1	1	12	30	48	61	79
A. NOT OPERATED	681	16.1	329	<1	1	7	28	42	54	76
B. OPERATED	14	24.3	388	3	3	25	35	48	64	69
TOTAL 0-27 DYS										
1-11 MOS	3	13.3	209	4	4	6	24	30	30	30
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	16	9.9	195	1	1	2	16	25	44	52
13-19 YRS	673	16.5	335	<1	1	8	29	42	55	77
GRAND TOTAL	**695**	**16.2**	**331**	**<1**	**1**	**7**	**28**	**42**	**54**	**76**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.3	10	2	2	3	7	8	8	8
1-5 YRS	14	2.8	4	<1	1	2	3	6	7	7
6-12 YRS	95	3.7	23	1	1	3	4	6	9	30
13-19 YRS	160	3.3	5	<1	1	3	4	6	7	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.0		4	4	4	4	4	4	4
6-12 YRS	8	4.0	13	1	1	3	5	10	12	12
13-19 YRS	12	5.2	13	1	1	4	7	10	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	2.8	2	2	2	2	3	5	5	5
1-11 MOS	7	4.0	7	1	1	3	5	8	9	9
1-5 YRS	17	3.2	6	1	1	3	4	7	8	9
6-12 YRS	85	7.3	190	1	1	3	5	9	49	92
13-19 YRS	213	5.1	47	1	1	3	6	8	12	42
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	12.5	1	12	12	12	13	13	13	13
6-12 YRS	7	7.7	205	1	1	2	5	33	40	40
13-19 YRS	20	9.3	185	1	2	5	10	18	41	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	3.5	11	1	1	3	4	6	8	14
B. *Operated*	22	4.6	11	1	1	4	7	10	12	13
2. MULTIPLE DX										
A. *Not Operated*	327	5.5	81	1	1	3	5	9	13	58
B. *Operated*	30	8.9	166	1	1	4	12	18	40	63
1. SINGLE DX	294	3.5	12	1	1	3	4	6	8	14
2. MULTIPLE DX	357	5.8	89	1	1	3	5	9	16	62
A. NOT OPERATED	599	4.6	51	1	1	3	5	8	10	48
B. OPERATED	52	7.1	104	1	1	4	7	13	19	63
TOTAL 0-27 DYS	5	2.8	2	2	2	2	3	5	5	5
1-11 MOS	11	4.1	6	1	1	3	5	8	9	9
1-5 YRS	35	3.6	9	1	1	3	5	7	11	13
6-12 YRS	195	5.4	103	1	1	3	5	8	25	68
13-19 YRS	405	4.6	38	1	1	3	5	8	12	37
GRAND TOTAL	**651**	**4.8**	**55**	**1**	**1**	**3**	**5**	**8**	**12**	**49**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	7.7	44	2	2	10	57	99+	99+	99+
1-5 YRS	18	6.6	214	<1	<1	2	4	11	44	64
6-12 YRS	189	15.1	320	1	2	8	24	45	72	99+
13-19 YRS	1660	11.6	181	1	1	7	15	29	41	65
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	12.3	42	6	6	12	17	19	19	19
13-19 YRS	19	8.1	156	1	1	3	6	26	41	50
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	9	5.0	13	2	2	3	7	11	12	12
1-5 YRS	25	11.6	216	2	3	6	15	30	48	63
6-12 YRS	220	18.3	423	2	2	9	32	62	99	99+
13-19 YRS	2081	13.6	275	1	1	7	18	36	52	90
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	13	1.0		<1	<1	<1	<1	1	1	1
6-12 YRS	6	30.0	1218	<1	<1	15	64	81	83	83
13-19 YRS	89	17.1	383	<1	1	10	26	50	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1871	11.9	197	1	1	7	16	30	43	80
B. *Operated*	22	8.7	140	1	1	4	7	24	37	50
2. MULTIPLE DX										
A. *Not Operated*	2336	14.0	289	1	1	7	18	38	57	99
B. *Operated*	108	15.9	411	<1	<1	7	22	50	78	99+
1. SINGLE DX	1893	11.8	196	1	1	7	16	30	43	80
2. MULTIPLE DX	2444	14.1	294	1	1	7	19	39	57	99+
A. NOT OPERATED	4207	13.1	249	1	1	7	17	35	50	91
B. OPERATED	130	14.7	371	<1	<1	6	21	46	67	99+
TOTAL 0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	12	5.7	19	2	2	5	10	32	87	99+
1-5 YRS	56	7.5	178	<1	<1	3	6	20	39	64
6-12 YRS	418	17.0	386	1	2	9	28	56	87	99+
13-19 YRS	3849	12.8	238	1	1	7	17	33	47	86
GRAND TOTAL	**4337**	**13.1**	**253**	**1**	**1**	**7**	**17**	**36**	**50**	**92**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	2.0	2	1	1	2	3	4	4	4
1-11 MOS	17	2.9	4	1	1	2	4	6	8	9
1-5 YRS	153	8.4	260	1	1	3	6	21	51	99+
6-12 YRS	615	17.4	451	1	2	7	31	61	98	99+
13-19 YRS	1845	19.2	442	1	2	11	30	56	70	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	3.8	5	1	1	4	5	6	6	6
6-12 YRS	16	4.1	11	<1	1	3	5	10	12	13
13-19 YRS	25	11.0	286	1	1	4	19	56	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	37	7.2	133	<1	1	3	7	13	34	60
1-5 YRS	220	8.3	174	1	1	4	8	27	52	99+
6-12 YRS	881	25.0	693	2	2	15	48	86	99+	99+
13-19 YRS	2551	21.0	465	2	2	13	33	60	79	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	20	19.8	780	<1	1	5	34	68	79	84
6-12 YRS	37	24.8	860	2	2	19	82	99+	99+	99+
13-19 YRS	105	29.8	738	2	3	28	58	98	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2635	18.0	438	1	2	9	29	56	73	99+
B. *Operated*	46	7.8	169	1	1	3	7	41	60	99+
2. MULTIPLE DX										
A. *Not Operated*	3690	21.0	514	2	2	12	35	65	88	99+
B. *Operated*	163	27.2	773	1	2	18	58	99	99+	99+
1. SINGLE DX	2681	17.8	435	1	2	9	29	56	73	99+
2. MULTIPLE DX	3853	21.3	526	2	2	12	36	67	90	99+
A. NOT OPERATED	6325	19.8	484	1	2	11	32	61	83	99+
B. OPERATED	209	23.0	704	1	2	10	52	97	99+	99+
TOTAL 0-27 DYS	6	3.0	7	1	1	2	4	8	8	8
1-11 MOS	56	5.7	93	1	1	3	6	11	19	59
1-5 YRS	397	8.9	240	1	1	3	7	28	56	99+
6-12 YRS	1549	21.7	610	2	2	11	42	80	99+	99+
13-19 YRS	4526	20.4	464	1	2	12	32	59	77	99+
GRAND TOTAL	**6534**	**19.9**	**491**	**1**	**2**	**11**	**33**	**62**	**84**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	5	4.0	32	<1	<1	2	5	14	14	14
6-12 YRS	4	2.5	4	1	1	3	29	99+	99+	99+
13-19 YRS	30	8.5	113	1	1	4	13	28	45	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	3	4.7	2	3	3	5	6	6	6	6
13-19 YRS	3	1.7		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	6.3	16	4	4	4	9	11	11	11
1-5 YRS	31	5.6	52	1	1	3	5	24	30	99+
6-12 YRS	46	11.3	308	1	2	5	11	42	93	99+
13-19 YRS	133	14.1	245	1	2	8	19	29	42	88
B. *Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS										
6-12 YRS	6	13.7	419	2	2	7	9	50	55	55
13-19 YRS	24	8.3	56	2	2	5	10	17	29	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	7.2	93	<1	1	4	9	28	67	99+
B. *Operated*	7	3.7	5	<1	<1	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	213	12.1	235	1	2	7	16	29	49	99+
B. *Operated*	31	9.4	118	2	2	6	10	20	31	55
1. SINGLE DX	47	6.7	81	<1	1	4	7	25	49	99+
2. MULTIPLE DX	244	11.8	220	1	2	6	15	29	44	99+
A. NOT OPERATED	253	11.4	215	1	1	6	16	29	50	99+
B. OPERATED	38	8.4	102	2	2	5	9	15	30	55
TOTAL 0-27 DYS										
1-11 MOS	5	6.8	19	3	3	4	11	12	12	12
1-5 YRS	37	5.4	47	<1	1	3	6	20	29	99+
6-12 YRS	59	10.6	283	1	2	5	9	47	95	99+
13-19 YRS	190	12.3	204	1	1	7	17	28	41	92
GRAND TOTAL	**291**	**11.0**	**201**	**1**	**1**	**6**	**15**	**28**	**45**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	88	12.6	32	3	4	12	16	21	23	25
1-11 MOS	593	10.6	20	2	5	11	12	15	16	23
1-5 YRS	638	11.1	16	4	6	11	13	15	17	24
6-12 YRS	144	7.2	26	1	2	7	10	13	15	23
13-19 YRS	115	7.1	31	1	2	6	11	13	14	28
B. *Operated*										
0-27 DYS	3	10.7		10	10	11	56	99+	99+	99+
1-11 MOS	55	12.3	37	4	6	12	14	16	17	47
1-5 YRS	68	13.8	33	8	9	12	15	20	27	34
6-12 YRS	10	12.5	149	2	2	10	14	33	39	39
13-19 YRS	22	14.0	158	2	2	9	20	38	39	40
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	66	13.6	48	2	3	14	17	22	24	33
1-11 MOS	704	12.0	31	3	5	11	14	17	20	31
1-5 YRS	586	11.0	21	2	5	11	13	16	18	25
6-12 YRS	111	9.1	53	2	2	9	12	15	24	42
13-19 YRS	84	7.9	31	2	2	7	11	14	16	76
B. *Operated*										
0-27 DYS	15	21.8	219	4	8	17	29	35	57	64
1-11 MOS	171	18.9	153	7	10	15	21	34	45	78
1-5 YRS	92	17.9	114	8	10	15	21	32	41	59
6-12 YRS	29	16.4	106	4	6	13	23	28	32	50
13-19 YRS	39	26.5	467	2	5	27	38	57	71	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1578	10.3	23	2	3	11	12	15	17	24
B. *Operated*	158	13.2	57	3	5	12	15	21	30	47
2. MULTIPLE DX										
A. *Not Operated*	1551	11.3	31	2	4	11	14	17	19	31
B. *Operated*	346	19.4	182	6	8	15	24	35	47	73
1. SINGLE DX	1736	10.6	27	2	3	11	13	16	18	28
2. MULTIPLE DX	1897	12.7	68	2	4	11	15	19	27	49
A. NOT OPERATED	3129	10.8	27	2	3	11	13	16	18	27
B. OPERATED	504	17.4	151	4	7	14	20	32	41	71
TOTAL 0-27 DYS	172	13.8	59	2	4	13	17	22	25	57
1-11 MOS	1523	12.3	47	3	5	11	14	17	22	45
1-5 YRS	1384	11.6	29	3	6	11	13	16	19	32
6-12 YRS	294	9.0	55	1	2	9	12	16	24	40
13-19 YRS	260	10.8	152	1	2	7	12	27	38	73
GRAND TOTAL	**3633**	**11.7**	**49**	**2**	**4**	**11**	**14**	**17**	**22**	**41**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	5.3	20	1	1	5	9	10	10	10
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3	10.7	30	5	5	11	15	16	16	16
B. *Operated*										
1. SINGLE DX	4	5.3	20	1	1	5	9	10	10	10
2. MULTIPLE DX	3	10.7	30	5	5	11	15	16	16	16
A. NOT OPERATED	7	7.6	28	1	1	8	11	15	16	16
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	3	6.3	70	1	1	2	12	16	16	16
6-12 YRS	2	9.5	5	8	8	9	11	11	11	11
13-19 YRS	2	7.5	13	5	5	7	10	10	10	10
GRAND TOTAL	**7**	**7.6**	**28**	**1**	**1**	**8**	**11**	**15**	**16**	**16**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	4.8	11	1	1	5	8	8	8	8
13-19 YRS	27	8.0	25	2	2	7	12	16	16	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	3	8.7	42	2	2	9	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	10.0	128	2	2	10	18	18	18	18
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	7.5	61	2	2	7	13	13	13	13
13-19 YRS	29	6.7	19	2	2	6	9	10	13	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	26.0		26	26	26	26	26	26	26
13-19 YRS	6	37.0	624	9	10	32	67	67	67	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	7.5	24	1	2	6	11	16	16	17
B. *Operated*	4	6.8	43	<1	<1	5	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	34	6.8	23	2	2	6	9	13	17	22
B. *Operated*	7	35.4	537	9	10	31	58	67	67	67
1. SINGLE DX	36	7.4	25	1	2	6	11	16	16	17
2. MULTIPLE DX	41	11.7	218	2	2	7	11	28	48	67
A. NOT OPERATED	66	7.2	23	2	2	6	10	14	16	21
B. OPERATED	11	25.0	545	<1	1	19	32	67	67	67
TOTAL 0-27 DYS										
1-11 MOS	2	10.0	128	2	2	10	18	18	18	18
1-5 YRS	2	2.0	2	<1	<1	1	3	3	3	3
6-12 YRS	8	8.1	68	1	1	6	11	22	26	26
13-19 YRS	65	10.1	144	2	2	7	11	16	31	67
GRAND TOTAL	**77**	**9.7**	**131**	**1**	**2**	**7**	**11**	**17**	**29**	**67**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	18	7.3	65	1	1	4	9	16	27	34
1-11 MOS	181	5.7	29	1	1	4	7	11	14	31
1-5 YRS	744	3.4	11	1	1	2	4	7	9	15
6-12 YRS	736	3.2	9	1	1	2	4	6	8	16
13-19 YRS	803	3.3	8	1	1	3	4	6	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.0	32	1	1	5	9	9	9	9
1-5 YRS	6	9.2	31	2	2	8	13	17	18	18
6-12 YRS	13	7.3	25	2	2	8	12	13	16	17
13-19 YRS	21	6.7	24	2	2	5	10	13	16	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	11.9	186	2	2	8	14	31	48	48
1-11 MOS	282	5.6	37	1	1	4	7	11	17	38
1-5 YRS	1099	4.2	16	1	1	3	5	8	11	21
6-12 YRS	724	4.1	15	1	1	3	5	8	11	21
13-19 YRS	810	5.2	28	1	1	4	6	11	15	27
B. *Operated*										
0-27 DYS										
1-11 MOS	17	14.2	84	2	3	16	18	28	31	32
1-5 YRS	54	8.0	46	1	2	6	10	20	25	96
6-12 YRS	21	10.5	352	1	2	5	9	22	52	88
13-19 YRS	40	13.4	191	2	2	10	15	29	44	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2482	3.5	12	1	1	3	4	7	9	17
B. *Operated*	42	7.1	24	2	2	6	12	13	17	19
2. MULTIPLE DX										
A. *Not Operated*	2925	4.6	23	1	1	3	6	9	13	24
B. *Operated*	132	10.8	146	2	2	7	15	22	31	90
1. SINGLE DX	2524	3.6	12	1	1	3	4	7	9	17
2. MULTIPLE DX	3057	4.9	30	1	1	3	6	10	15	27
A. NOT OPERATED	5407	4.1	18	1	1	3	5	8	11	21
B. OPERATED	174	9.9	119	2	2	7	13	21	28	64
TOTAL 0-27 DYS	28	9.0	108	1	2	5	13	16	35	48
1-11 MOS	482	5.9	36	1	1	4	7	12	18	34
1-5 YRS	1903	4.0	17	1	1	3	5	8	11	21
6-12 YRS	1494	3.8	18	1	1	3	4	8	11	20
13-19 YRS	1674	4.5	25	1	1	3	5	9	13	26
GRAND TOTAL	**9581**	**4.3**	**22**	**1**	**1**	**3**	**5**	**9**	**12**	**23**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	10	3.6	5	<1	<1	4	5	6	7	7
1-11 MOS	120	3.1	6	<1	1	2	4	5	8	13
1-5 YRS	316	3.3	22	<1	<1	2	4	6	9	28
6-12 YRS	236	4.1	34	1	1	3	4	7	10	35
13-19 YRS	324	4.4	20	1	1	3	5	10	12	25
B. *Operated*										
0-27 DYS	4	8.3	77	1	1	5	13	21	21	21
1-11 MOS	119	6.3	22	1	2	6	8	11	14	23
1-5 YRS	236	4.2	16	1	1	3	5	8	11	20
6-12 YRS	282	4.9	32	1	1	3	5	10	14	34
13-19 YRS	212	7.1	61	1	2	4	10	15	19	43
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	7.2	26	<1	1	7	11	14	16	16
1-11 MOS	230	5.2	42	1	1	3	6	11	17	34
1-5 YRS	556	5.0	43	<1	1	3	6	10	15	35
6-12 YRS	426	5.5	64	1	1	4	6	10	14	50
13-19 YRS	538	7.5	107	1	1	4	8	18	30	71
B. *Operated*										
0-27 DYS	11	14.0	58	4	5	15	21	24	26	26
1-11 MOS	143	14.3	270	2	3	8	16	38	57	99+
1-5 YRS	433	7.1	99	1	1	4	8	14	26	62
6-12 YRS	516	6.6	78	1	1	4	8	13	21	55
13-19 YRS	455	11.2	199	1	2	6	13	30	44	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1006	3.8	22	<1	1	3	4	7	11	25
B. *Operated*	853	5.5	35	1	1	4	7	11	16	35
2. MULTIPLE DX										
A. *Not Operated*	1759	5.9	69	1	1	4	7	12	19	46
B. *Operated*	1558	8.9	143	1	2	5	10	21	35	82
1. SINGLE DX	1859	4.6	29	1	1	3	5	10	13	27
2. MULTIPLE DX	3317	7.3	106	1	1	4	8	16	27	69
A. NOT OPERATED	2765	5.2	53	1	1	3	6	10	16	43
B. OPERATED	2411	7.7	108	1	1	4	8	16	27	67
TOTAL 0-27 DYS	34	8.5	50	<1	1	6	12	21	23	26
1-11 MOS	612	7.1	101	1	1	4	8	15	23	69
1-5 YRS	1541	5.1	52	<1	1	3	5	10	15	44
6-12 YRS	1460	5.5	59	1	1	3	6	11	16	43
13-19 YRS	1529	7.9	115	1	1	4	9	18	30	69
GRAND TOTAL	**5176**	**6.3**	**80**	**1**	**1**	**4**	**7**	**13**	**22**	**54**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	42	2.0	1	1	1	2	2	3	4	5
6-12 YRS	341	2.4	2	1	1	2	3	4	5	8
13-19 YRS	571	2.8	4	1	1	2	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	8	2.0		1	1	2	2	3	3	3
13-19 YRS	35	4.2	8	1	2	3	6	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS	23	3.7	7	<1	1	3	6	7	8	10
6-12 YRS	228	3.2	5	1	1	3	4	6	7	12
13-19 YRS	378	3.7	14	1	1	3	4	6	9	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.0	8	2	2	4	6	6	6	6
6-12 YRS	9	4.6	20	1	1	2	9	11	12	12
13-19 YRS	25	6.7	46	1	2	5	8	14	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	957	2.6	3	1	1	2	3	5	6	8
B. *Operated*	44	3.8	7	1	2	3	5	8	10	11
2. MULTIPLE DX										
A. *Not Operated*	633	3.5	10	1	1	3	4	6	8	15
B. *Operated*	36	6.0	38	1	1	4	8	13	15	33
1. SINGLE DX	1001	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX	669	3.6	12	1	1	3	4	6	9	15
A. NOT OPERATED	1590	3.0	6	1	1	2	4	6	7	11
B. OPERATED	80	4.8	22	1	2	3	6	10	13	28
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	6	2.3	1	1	1	2	3	3	3	3
1-5 YRS	68	2.6	4	1	1	2	3	6	7	10
6-12 YRS	586	2.7	4	1	1	2	3	5	6	10
13-19 YRS	1009	3.3	9	1	1	3	4	6	8	14
GRAND TOTAL	**1670**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	3.3		3	3	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.3	10	<1	<1	2	5	8	8	8
1-5 YRS	3	3.3		3	3	3	4	4	4	4
6-12 YRS	8	2.1	1	<1	<1	2	3	4	4	4
13-19 YRS	104	2.5	35	<1	<1	2	2	4	4	34
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	7	5.0	9	2	2	5	7	9	10	10
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	4	2.3		2	2	2	3	3	3	3
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	7	4.0	21	1	1	3	4	12	14	14
13-19 YRS	42	2.5	5	<1	1	2	3	4	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.3		3	3	3	4	4	4	4
B. *Operated*	119	2.5	31	<1	<1	2	2	4	4	26
2. MULTIPLE DX										
A. *Not Operated*	9	4.2	9	1	1	3	6	9	10	10
B. *Operated*	56	2.8	7	<1	1	2	3	4	8	14
1. SINGLE DX	122	2.6	30	<1	<1	2	2	4	4	25
2. MULTIPLE DX	65	3.0	7	<1	1	2	3	6	9	14
A. NOT OPERATED	12	4.0	7	1	1	3	5	8	10	10
B. OPERATED	175	2.6	23	<1	<1	2	3	4	5	14
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	8	2.8	5	<1	<1	2	3	6	8	8
1-5 YRS	6	2.7	1	1	1	3	3	4	4	4
6-12 YRS	16	2.9	10	<1	<1	2	3	4	11	14
13-19 YRS	156	2.7	25	<1	<1	2	3	4	5	14
GRAND TOTAL	**187**	**2.7**	**22**	**<1**	**<1**	**2**	**3**	**4**	**6**	**14**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	5.7		5	5	6	6	6	6	6
1-11 MOS	6	3.8	12	<1	<1	3	5	9	10	10
1-5 YRS	61	6.3	34	<1	1	5	8	13	19	28
6-12 YRS	103	5.2	32	1	1	3	7	11	15	31
13-19 YRS	170	6.1	[illegible]	1	2	4	7	11	20	48
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	3.8	17	1	1	2	5	11	11	11
1-5 YRS	14	4.1	6	1	2	3	6	8	8	8
6-12 YRS	66	5.1	90	1	1	3	4	8	15	64
13-19 YRS	343	3.4	9	1	1	3	4	6	8	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	15	5.5	6	2	3	5	7	9	10	11
1-5 YRS	48	8.0	217	1	1	4	7	15	24	92
6-12 YRS	54	7.5	78	1	1	4	10	15	23	47
13-19 YRS	136	9.0	125	1	2	5	10	23	28	58
B. *Operated*										
0-27 DYS										
1-11 MOS	9	7.1	79	2	2	3	7	23	29	29
1-5 YRS	23	4.2	17	<1	1	3	5	8	12	20
6-12 YRS	47	6.1	61	1	2	4	7	11	18	42
13-19 YRS	205	5.6	68	1	1	3	6	10	26	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	5.8	45	1	1	3	7	11	18	36
B. *Operated*	429	3.7	22	1	1	3	4	7	8	21
2. MULTIPLE DX										
A. *Not Operated*	253	8.3	125	1	1	5	9	19	26	55
B. *Operated*	284	5.6	63	1	1	3	6	11	23	85
1. SINGLE DX	772	4.6	33	1	1	3	5	9	12	30
2. MULTIPLE DX	537	6.9	94	1	1	4	7	15	26	61
A. NOT OPERATED	596	6.9	81	1	1	4	8	14	23	50
B. OPERATED	713	4.4	39	1	1	3	5	8	11	43
TOTAL 0-27 DYS	4	4.5	6	1	1	5	6	6	6	6
1-11 MOS	35	5.4	26	<1	2	4	6	11	13	29
1-5 YRS	146	6.3	90	1	1	4	7	12	18	54
6-12 YRS	270	5.8	61	1	1	3	7	12	17	41
13-19 YRS	854	5.3	55	1	1	3	6	10	19	51
GRAND TOTAL	**1309**	**5.5**	**59**	**1**	**1**	**3**	**6**	**11**	**19**	**48**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	3.5	19	1	1	2	6	10	10	10
6-12 YRS	4	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	4	1.5		1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.7	2	1	1	3	4	4	4	4
1-5 YRS	13	2.9	3	1	1	3	4	6	6	6
6-12 YRS	71	5.2	18	2	2	4	6	8	10	30
13-19 YRS	153	4.8	15	2	2	4	6	9	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	3.3	23	<1	<1	1	3	12	13	13
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	5	2.0	1	1	1	2	2	3	3	3
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	8	4.3	13	2	2	3	5	10	12	12
1-5 YRS	18	4.1	3	2	2	4	6	7	7	7
6-12 YRS	48	5.0	8	1	2	5	6	9	11	14
13-19 YRS	108	5.9	46	2	2	4	6	9	15	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.2	6	<1	<1	1	2	4	9	10
B. *Operated*	240	4.8	15	2	2	4	6	9	10	19
2. MULTIPLE DX										
A. *Not Operated*	14	2.4	10	<1	<1	1	2	4	11	13
B. *Operated*	183	5.4	31	2	2	4	6	9	13	34
1. SINGLE DX	253	4.7	15	1	2	4	6	8	10	17
2. MULTIPLE DX	197	5.2	30	1	2	4	6	9	13	33
A. NOT OPERATED	27	2.3	8	<1	<1	1	2	3	10	13
B. OPERATED	423	5.1	22	2	2	4	6	9	11	31
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	18	3.6	13	<1	<1	2	4	10	13	13
1-5 YRS	37	3.5	5	1	1	3	5	7	7	10
6-12 YRS	124	5.0	14	1	2	4	6	8	10	19
13-19 YRS	270	5.2	28	2	2	4	6	9	12	35
GRAND TOTAL	**450**	**4.9**	**22**	**1**	**2**	**4**	**6**	**9**	**11**	**29**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	10	1.0		1	1	1	1	1	1	1
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	7	1.9		1	1	2	2	3	3	3
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	7	2.7	4	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	2.8	12	1	1	1	4	9	9	9
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	5	1.4		1	1	1	2	2	2	2
6-12 YRS	5	2.6	1	2	2	2	3	4	4	4
13-19 YRS	5	2.8	2	2	2	2	3	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	1.2		1	1	1	1	2	3	3
B. *Operated*	17	2.4	2	1	1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	8	2.5	8	1	1	1	3	7	9	9
B. *Operated*	17	2.3	1	1	1	2	3	4	5	5
1. SINGLE DX	31	1.8	2	1	1	1	2	4	5	6
2. MULTIPLE DX	25	2.4	3	1	1	2	3	4	6	9
A. NOT OPERATED	22	1.7	3	1	1	1	1	3	6	9
B. OPERATED	34	2.3	2	1	1	2	3	4	5	6
TOTAL 0-27 DYS										
1-11 MOS	16	2.1	4	1	1	2	2	3	7	9
1-5 YRS	18	1.2		1	1	1	1	2	2	2
6-12 YRS	10	2.8	1	2	2	3	4	4	4	4
13-19 YRS	12	2.8	3	1	1	2	4	5	6	6
GRAND TOTAL	**56**	**2.1**	**2**	**1**	**1**	**2**	**2**	**4**	**5**	**9**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	3	3.0	3	2	2	2	4	5	5	5
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	5	2.0	1	1	1	2	3	3	3	3
6-12 YRS	12	2.3	2	1	1	2	3	5	5	5
13-19 YRS	16	2.8	2	1	1	2	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.0	4	<1	<1	1	3	5	5	5
1-5 YRS	4	1.0		1	1	1	1	1	1	1
6-12 YRS	7	5.0	22	1	1	2	8	12	13	13
13-19 YRS	6	3.5	8	1	1	3	6	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	7	3.4	4	1	1	3	5	7	7	7
6-12 YRS	7	3.6	11	2	2	2	3	9	11	11
13-19 YRS	22	3.3	9	<1	1	3	4	5	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.7	2	<1	<1	1	2	4	5	5
B. *Operated*	36	2.4	2	1	1	2	3	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	21	3.2	12	<1	<1	1	5	8	11	13
B. *Operated*	37	3.4	8	1	1	3	4	5	10	16
1. SINGLE DX	45	2.3	2	<1	1	2	3	5	5	6
2. MULTIPLE DX	58	3.3	9	<1	1	2	4	7	10	16
A. NOT OPERATED	30	2.8	9	<1	<1	1	5	7	9	13
B. OPERATED	73	2.9	5	1	1	2	3	5	6	15
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	2.0	2	<1	<1	1	3	4	5	5
1-5 YRS	19	2.2	3	1	1	1	3	4	6	7
6-12 YRS	28	3.2	10	1	1	2	3	8	11	13
13-19 YRS	47	3.1	6	1	1	2	4	5	6	16
GRAND TOTAL	**103**	**2.9**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility.

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	4	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	13	1.7		<1	<1	2	2	3	3	3
1-5 YRS	61	2.1	1	1	1	2	2	4	5	6
6-12 YRS	98	2.1	2	<1	1	2	2	3	4	10
13-19 YRS	94	2.1	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	7	1.1		<1	<1	1	1	2	2	2
6-12 YRS	4	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	3.2	5	2	2	2	4	7	7	7
1-5 YRS	31	2.3	2	<1	1	2	3	4	5	8
6-12 YRS	60	2.9	5	<1	1	2	3	5	8	11
13-19 YRS	63	3.1	10	1	1	2	4	5	7	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.0	2	<1	<1	1	3	4	5	5
B. *Operated*	267	2.1	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	15	1.2		<1	<1	1	1	2	2	2
B. *Operated*	160	2.9	6	<1	1	2	3	5	7	11
1. SINGLE DX	276	2.1	1	<1	1	2	2	3	4	6
2. MULTIPLE DX	175	2.7	6	<1	1	2	3	5	7	11
A. NOT OPERATED	24	1.5	1	<1	<1	1	2	3	4	5
B. OPERATED	427	2.4	3	1	1	2	3	4	5	10
TOTAL 0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	22	2.0	2	<1	<1	2	2	3	5	7
1-5 YRS	103	2.1	2	<1	1	2	2	4	5	7
6-12 YRS	164	2.4	3	<1	1	2	3	4	5	11
13-19 YRS	160	2.5	5	1	1	2	3	4	5	11
GRAND TOTAL	**451**	**2.3**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**10**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	1.3		<1	<1	1	2	2	2	2
1-5 YRS	47	1.6	2	<1	<1	1	2	3	4	8
6-12 YRS	19	3.1	10	<1	1	2	3	6	11	14
13-19 YRS	15	3.1	7	<1	1	2	4	7	9	9
B. *Operated*										
0-27 DYS	5	1.4		1	1	1	2	2	2	2
1-11 MOS	378	1.4	2	<1	<1	1	2	2	2	2
1-5 YRS	3054	1.5		<1	<1	1	2	2	2	3
6-12 YRS	1598	1.6		<1	<1	2	2	2	2	3
13-19 YRS	812	1.7	1	<1	1	2	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	29	1.7	2	<1	<1	1	2	3	6	7
1-5 YRS	153	1.2		<1	<1	1	1	2	3	5
6-12 YRS	44	1.7	4	<1	<1	1	1	3	6	11
13-19 YRS	34	2.9	12	<1	<1	2	4	5	10	18
B. *Operated*										
0-27 DYS										
1-11 MOS	69	1.8	4	<1	<1	1	2	2	4	14
1-5 YRS	761	1.5		<1	<1	1	2	2	2	4
6-12 YRS	403	1.7	1	<1	<1	2	2	2	2	4
13-19 YRS	230	1.7		<1	1	2	2	2	2	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	2.2	5	<1	<1	1	3	4	7	12
B. *Operated*	5847	1.5		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	260	1.6	3	<1	<1	1	1	3	4	10
B. *Operated*	1463	1.6	1	<1	<1	2	2	2	2	4
1. SINGLE DX	5936	1.5	1	<1	<1	1	2	2	2	3
2. MULTIPLE DX	1723	1.6	1	<1	<1	1	2	2	3	5
A. NOT OPERATED	349	1.7	3	<1	<1	1	2	3	4	11
B. OPERATED	7310	1.5	1	<1	<1	2	2	2	2	3
TOTAL 0-27 DYS	5	1.4		1	1	1	2	2	2	2
1-11 MOS	484	1.5	2	<1	<1	1	2	2	2	7
1-5 YRS	4015	1.5		<1	<1	1	2	2	2	3
6-12 YRS	2064	1.6	1	<1	<1	2	2	2	2	4
13-19 YRS	1091	1.8	1	<1	1	2	2	2	3	6
GRAND TOTAL	**7659**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**4**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	67	3.4	3	1	1	3	4	6	7	8
1-11 MOS	211	1.7	2	<1	<1	1	2	4	5	8
1-5 YRS	335	2.3	3	<1	<1	1	3	5	6	9
6-12 YRS	75	3.4	10	<1	1	3	4	6	7	18
13-19 YRS	53	4.1	14	<1	<1	3	5	8	13	18
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	31	2.4	5	<1	<1	1	3	6	8	10
1-5 YRS	313	1.6	1	<1	<1	1	2	2	3	7
6-12 YRS	228	1.7	2	<1	<1	1	2	3	4	9
13-19 YRS	252	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	68	3.8	4	1	2	3	5	7	8	11
1-11 MOS	174	3.5	6	<1	1	3	5	7	9	11
1-5 YRS	279	3.2	5	<1	1	3	4	6	8	10
6-12 YRS	95	3.8	8	1	1	3	6	7	10	14
13-19 YRS	65	3.4	5	1	1	3	5	6	7	11
B. *Operated*										
0-27 DYS	4	3.3	2	2	2	3	4	5	5	5
1-11 MOS	15	2.9	4	<1	<1	3	4	6	7	7
1-5 YRS	102	2.8	8	<1	<1	2	3	6	8	16
6-12 YRS	92	3.3	10	<1	<1	2	4	6	8	19
13-19 YRS	128	3.0	4	<1	1	2	4	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	741	2.4	5	<1	<1	1	3	5	6	11
B. *Operated*	825	1.8	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	682	3.4	5	<1	1	3	4	7	8	11
B. *Operated*	341	3.0	7	<1	<1	2	4	6	8	15
1. SINGLE DX	1566	2.1	4	<1	<1	1	2	4	6	10
2. MULTIPLE DX	1023	3.3	6	<1	1	3	4	6	8	12
A. NOT OPERATED	1423	2.9	5	<1	<1	2	4	6	7	11
B. OPERATED	1166	2.2	4	<1	<1	2	2	4	6	11
TOTAL 0-27 DYS	140	3.5	3	1	1	3	4	6	7	10
1-11 MOS	431	2.5	5	<1	<1	1	3	5	7	10
1-5 YRS	1029	2.3	4	<1	<1	2	3	5	6	10
6-12 YRS	490	2.7	7	<1	<1	2	3	6	7	14
13-19 YRS	499	2.8	5	<1	<1	2	3	5	7	12
GRAND TOTAL	**2589**	**2.6**	**5**	**<1**	**<1**	**2**	**3**	**5**	**7**	**11**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	24	3.3	2	1	2	3	4	5	7	7
1-11 MOS	254	3.8	6	1	2	3	5	7	8	11
1-5 YRS	609	3.5	4	1	1	3	4	6	7	11
6-12 YRS	272	3.8	6	1	1	3	5	7	9	12
13-19 YRS	188	4.1	9	1	2	4	5	7	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	28	2.7	4	<1	<1	2	3	6	7	7
1-5 YRS	67	3.6	16	<1	1	2	4	8	10	23
6-12 YRS	79	3.2	8	1	1	2	4	8	10	12
13-19 YRS	80	3.2	8	<1	1	2	3	7	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	26	3.7	2	2	2	4	4	5	6	7
1-11 MOS	262	4.6	7	1	2	4	6	9	10	13
1-5 YRS	594	4.3	7	1	2	4	5	8	9	14
6-12 YRS	243	4.7	11	1	2	4	6	8	10	16
13-19 YRS	152	4.7	8	1	2	4	6	8	11	13
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	49	6.4	88	1	2	4	6	17	40	99+
1-5 YRS	70	5.1	35	<1	1	3	6	11	18	31
6-12 YRS	73	5.6	28	1	2	3	7	12	20	25
13-19 YRS	99	6.2	40	1	2	4	7	13	22	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1347	3.7	5	1	2	3	5	6	8	11
B. *Operated*	254	3.3	10	<1	1	2	4	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	1277	4.5	8	1	2	4	5	8	10	14
B. *Operated*	292	5.8	43	1	1	4	6	13	21	37
1. SINGLE DX	1601	3.7	6	1	1	3	5	6	8	11
2. MULTIPLE DX	1569	4.7	15	1	2	4	6	8	11	22
A. NOT OPERATED	2624	4.1	7	1	2	4	5	7	9	13
B. OPERATED	546	4.6	29	1	1	3	6	10	14	32
TOTAL 0-27 DYS	51	3.5	2	2	2	3	4	5	7	7
1-11 MOS	593	4.3	14	1	2	4	5	7	10	17
1-5 YRS	1340	4.0	8	1	2	3	5	7	9	13
6-12 YRS	667	4.3	11	1	1	3	5	8	10	17
13-19 YRS	519	4.5	15	1	2	4	6	8	12	23
GRAND TOTAL	**3170**	**4.2**	**11**	**1**	**2**	**3**	**5**	**7**	**10**	**15**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	15	1.9	2	<1	<1	1	2	4	6	6
1-5 YRS	21	1.9	1	<1	<1	2	2	3	4	4
6-12 YRS	22	2.1	1	1	1	2	3	4	5	5
13-19 YRS	21	2.1	1	<1	<1	2	2	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	14	1.6		<1	<1	2	2	2	2	2
6-12 YRS	16	3.1	16	<1	<1	2	3	12	13	13
13-19 YRS	14	2.1	4	<1	<1	2	2	4	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	14	3.1	6	<1	<1	2	6	7	7	7
1-5 YRS	27	2.6	3	<1	<1	2	4	5	6	7
6-12 YRS	27	3.0	5	<1	1	2	4	7	8	9
13-19 YRS	43	4.2	11	<1	1	3	6	8	11	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	1.8	1	<1	<1	2	2	3	4	4
6-12 YRS	28	2.9	6	1	1	2	3	6	9	10
13-19 YRS	28	3.6	13	1	1	3	4	7	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.0	1	<1	<1	2	3	4	4	6
B. *Operated*	46	2.3	7	<1	<1	2	2	3	10	13
2. MULTIPLE DX										
A. *Not Operated*	111	3.4	7	<1	<1	2	5	7	8	13
B. *Operated*	67	3.0	8	<1	1	2	3	5	9	18
1. SINGLE DX	125	2.1	3	<1	<1	2	2	4	4	13
2. MULTIPLE DX	178	3.2	8	<1	1	2	4	7	8	15
A. NOT OPERATED	190	2.8	5	<1	<1	2	4	6	7	11
B. OPERATED	113	2.7	8	<1	1	2	3	5	9	15
TOTAL 0-27 DYS										
1-11 MOS	31	2.4	4	<1	<1	1	3	6	7	7
1-5 YRS	73	2.1	2	<1	<1	2	2	4	5	7
6-12 YRS	93	2.8	6	1	1	2	3	5	9	13
13-19 YRS	106	3.4	9	<1	1	2	4	7	9	18
GRAND TOTAL	**303**	**2.8**	**6**	**<1**	**1**	**2**	**3**	**6**	**7**	**13**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	161	3.3	3	1	2	3	4	5	6	10
1-11 MOS	1298	2.7	2	1	1	2	3	4	5	7
1-5 YRS	1256	2.8	8	<1	1	2	4	5	6	8
6-12 YRS	154	3.6	30	<1	<1	3	4	5	7	12
13-19 YRS	55	3.2	5	<1	<1	3	5	6	7	10
B. *Operated*										
0-27 DYS	11	4.9	20	<1	<1	3	9	12	12	12
1-11 MOS	1054	1.2	2	<1	<1	<1	1	1	2	6
1-5 YRS	7346	1.1	1	<1	<1	<1	1	1	2	2
6-12 YRS	3246	1.2	1	<1	<1	<1	1	2	2	3
13-19 YRS	860	1.7	1	<1	<1	2	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	160	4.0	5	2	2	3	5	7	9	12
1-11 MOS	3465	3.4	5	1	1	3	4	6	7	12
1-5 YRS	5170	3.2	4	1	1	3	4	6	7	10
6-12 YRS	707	3.4	5	<1	1	3	4	6	7	13
13-19 YRS	225	4.0	9	1	1	3	5	8	10	14
B. *Operated*										
0-27 DYS	16	4.3	16	1	1	3	5	6	14	18
1-11 MOS	469	2.8	16	<1	<1	1	4	6	9	16
1-5 YRS	5908	1.5	2	<1	<1	1	2	2	3	7
6-12 YRS	3383	1.6	2	<1	<1	1	2	2	3	5
13-19 YRS	908	2.1	2	<1	1	2	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2924	2.8	6	<1	1	3	4	5	6	8
B. *Operated*	12517	1.2	1	<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	9727	3.3	5	1	1	3	4	6	7	11
B. *Operated*	10684	1.6	3	<1	<1	1	2	2	3	8
1. SINGLE DX	15441	1.5	2	<1	<1	<1	1	3	4	6
2. MULTIPLE DX	20411	2.4	4	<1	<1	2	3	5	6	10
A. NOT OPERATED	12651	3.2	5	1	1	3	4	6	7	11
B. OPERATED	23201	1.4	2	<1	<1	1	1	2	3	6
TOTAL 0-27 DYS	348	3.7	5	1	2	3	4	6	8	12
1-11 MOS	6286	2.8	5	<1	<1	2	4	5	7	11
1-5 YRS	19680	1.9	4	<1	<1	1	2	4	5	8
6-12 YRS	7490	1.6	3	<1	<1	1	2	3	4	7
13-19 YRS	2048	2.2	3	<1	<1	2	2	4	5	10
GRAND TOTAL	**35852**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	3.2	1	2	2	4	4	4	4	4
1-11 MOS	66	2.9	4	1	1	2	3	5	7	11
1-5 YRS	115	3.7	9	1	1	3	5	7	9	16
6-12 YRS	111	3.8	6	1	1	3	5	6	8	13
13-19 YRS	87	3.5	6	1	1	3	5	6	9	14
B. *Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	69	2.0	7	<1	<1	1	1	5	8	15
1-5 YRS	593	1.5	4	<1	<1	<1	1	2	3	10
6-12 YRS	370	1.4	1	<1	<1	1	1	2	3	8
13-19 YRS	136	2.4	5	<1	<1	2	3	4	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	2.7	2	1	1	2	3	5	6	6
1-11 MOS	199	3.6	10	1	1	3	4	6	8	20
1-5 YRS	378	3.5	5	<1	1	3	4	6	8	11
6-12 YRS	183	4.2	12	1	1	3	5	7	10	21
13-19 YRS	157	4.9	16	1	2	4	6	8	10	15
B. *Operated*										
0-27 DYS	6	4.7	3	3	3	4	5	8	8	8
1-11 MOS	47	2.8	12	<1	<1	2	3	6	7	22
1-5 YRS	725	2.0	6	<1	<1	1	2	3	6	15
6-12 YRS	506	2.1	9	<1	<1	1	2	3	5	15
13-19 YRS	222	3.0	15	1	1	2	3	5	8	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	384	3.5	6	1	1	3	4	6	8	12
B. *Operated*	1170	1.6	4	<1	<1	1	1	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	929	3.9	10	1	1	3	5	7	9	14
B. *Operated*	1506	2.2	9	<1	<1	1	2	4	6	15
1. SINGLE DX	1554	2.1	5	<1	<1	1	2	4	6	11
2. MULTIPLE DX	2435	2.9	10	<1	<1	2	3	6	8	15
A. NOT OPERATED	1313	3.8	9	1	1	3	5	7	9	14
B. OPERATED	2676	1.9	6	<1	<1	1	2	3	6	12
TOTAL 0-27 DYS	25	3.3	2	1	2	3	4	5	6	8
1-11 MOS	381	3.1	9	<1	1	2	4	6	7	15
1-5 YRS	1811	2.2	6	<1	<1	1	2	5	7	12
6-12 YRS	1170	2.4	8	<1	<1	1	3	5	6	13
13-19 YRS	602	3.4	12	<1	1	3	4	7	8	15
GRAND TOTAL	**3989**	**2.6**	**8**	**<1**	**<1**	**2**	**3**	**5**	**7**	**13**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	15	2.7	2	1	1	3	3	4	6	6
6-12 YRS	23	2.9	3	1	1	3	4	5	6	8
13-19 YRS	73	3.1	5	1	1	3	4	6	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	29	2.8	4	1	1	2	3	5	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	4	8.5	122	2	2	3	14	25	25	25
1-5 YRS	15	3.3	5	<1	1	3	4	6	8	8
6-12 YRS	23	2.7	1	1	1	2	3	5	5	5
13-19 YRS	86	3.6	5	1	1	3	4	6	8	13
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS										
1-5 YRS	4	5.8	7	2	2	6	7	8	8	8
6-12 YRS	5	2.4	1	1	1	3	3	3	3	3
13-19 YRS	10	4.1	19	2	2	3	3	11	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	3.0	4	1	1	3	4	5	7	12
B. *Operated*	35	2.7	4	1	1	2	3	4	8	10
2. MULTIPLE DX										
A. *Not Operated*	130	3.5	8	1	1	3	4	6	8	16
B. *Operated*	20	4.6	19	1	2	3	6	12	16	16
1. SINGLE DX	146	2.9	4	1	1	2	4	5	7	12
2. MULTIPLE DX	150	3.7	9	1	1	3	4	6	8	16
A. NOT OPERATED	241	3.3	6	1	1	3	4	6	7	13
B. OPERATED	55	3.4	10	1	1	2	3	7	10	16
TOTAL 0-27 DYS	3	7.0	61	2	2	3	13	16	16	16
1-11 MOS	5	7.2	100	2	2	3	9	25	25	25
1-5 YRS	37	3.2	4	1	1	3	4	6	7	8
6-12 YRS	53	2.7	2	1	1	2	3	5	5	8
13-19 YRS	198	3.3	6	1	1	3	4	6	8	14
GRAND TOTAL	**296**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	22	2.2	1	1	1	2	3	4	4	5
13-19 YRS	73	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	4.0	2	3	3	4	5	5	5	5
6-12 YRS	5	2.6	1	1	1	3	3	3	3	3
13-19 YRS	21	2.7	1	1	1	3	3	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	96	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	3	1.3		1	1	1	2	2	2	2
B. Operated	29	2.8	1	1	1	3	3	4	5	5
1. SINGLE DX	97	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	32	2.7	1	1	1	3	3	4	5	5
A. NOT OPERATED	4	1.5		1	1	1	2	2	2	2
B. OPERATED	125	2.3	1	1	1	2	3	4	4	5
TOTAL 0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	3	3.0	4	1	1	3	4	5	5	5
6-12 YRS	29	2.2	1	1	1	2	3	3	4	5
13-19 YRS	95	2.3	1	1	1	2	3	4	4	5
GRAND TOTAL	**129**	**2.3**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**5**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	2.4	1	1	1	2	3	4	4	4
1-5 YRS	24	2.7	7	<1	<1	1	3	7	9	10
6-12 YRS	31	3.2	6	<1	<1	2	5	7	9	10
13-19 YRS	32	2.2	2	<1	<1	2	3	4	4	7
B. Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	19	2.5	27	<1	<1	1	2	3	15	24
1-5 YRS	390	1.5		<1	<1	1	2	2	3	4
6-12 YRS	1289	1.8	1	<1	<1	2	2	3	3	4
13-19 YRS	895	1.9	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	14	4.1	4	<1	2	4	5	7	8	8
1-5 YRS	42	3.3	12	<1	<1	2	4	8	9	19
6-12 YRS	49	2.6	7	<1	<1	1	3	6	9	12
13-19 YRS	44	2.4	5	<1	<1	1	3	4	5	14
B. Operated										
0-27 DYS										
1-11 MOS	8	5.0	95	<1	<1	1	3	21	29	29
1-5 YRS	280	1.7	2	<1	<1	1	2	3	3	8
6-12 YRS	948	1.8	1	<1	<1	2	2	3	3	6
13-19 YRS	757	2.1	2	1	1	2	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	2.7	5	<1	<1	2	3	6	8	10
B. Operated	2594	1.8	1	<1	<1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	149	2.9	8	<1	<1	2	3	6	8	14
B. Operated	1993	2.0	2	<1	1	2	2	3	3	7
1. SINGLE DX	2687	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	2142	2.0	2	<1	1	2	2	3	4	8
A. NOT OPERATED	242	2.8	7	<1	<1	2	3	6	8	12
B. OPERATED	4587	1.9	2	<1	<1	2	2	3	3	5
TOTAL 0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	46	3.4	28	<1	<1	2	3	6	11	29
1-5 YRS	736	1.7	2	<1	<1	1	2	3	3	8
6-12 YRS	2317	1.8	1	<1	<1	2	2	3	3	6
13-19 YRS	1728	2.0	2	1	1	2	2	3	4	6
GRAND TOTAL	**4829**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**3**	**3**	**7**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	21	4.4	5	1	2	4	6	8	8	9
6-12 YRS	95	6.6	16	2	3	6	8	12	15	19
13-19 YRS	66	6.8	25	2	3	6	8	12	14	33
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	12	5.2	13	2	2	4	6	10	14	15
6-12 YRS	59	9.9	191	1	2	6	10	18	31	86
13-19 YRS	41	9.9	137	2	2	6	11	24	34	62
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	3	12.0	76	2	2	16	17	18	18	18
13-19 YRS	5	13.6	65	2	2	14	20	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	182	6.4	18	2	3	5	8	12	14	20
B. *Operated*	2	7.0	50	2	2	7	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	112	9.4	153	2	2	6	10	18	30	72
B. *Operated*	9	12.7	53	2	2	14	18	21	22	22
1. SINGLE DX	184	6.4	18	2	3	5	8	12	14	20
2. MULTIPLE DX	121	9.7	146	2	2	6	11	19	29	70
A. NOT OPERATED	294	7.6	71	2	2	5	8	14	18	49
B. OPERATED	11	11.6	53	2	2	12	17	21	22	22
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	34	4.8	8	2	2	4	6	8	10	15
6-12 YRS	158	8.0	84	2	2	6	9	15	18	54
13-19 YRS	113	8.2	70	2	2	6	9	16	22	47
GRAND TOTAL	**305**	**7.7**	**71**	**2**	**2**	**6**	**9**	**14**	**19**	**47**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.7	2	2	2	4	5	5	5	5
13-19 YRS	15	3.7	3	1	1	4	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.5	13	2	2	4	7	7	7	7
1-5 YRS	3	4.3	24	1	1	2	8	10	10	10
6 12 YRS	2	6.0	32	2	2	6	10	10	10	10
13-19 YRS	16	6.1	21	<1	1	6	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	14	9.2	70	1	2	7	12	20	29	31
13-19 YRS	28	4.8	10	1	1	4	6	10	12	13
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	5.3	16	2	2	4	8	11	11	11
1-5 YRS	5	3.0	12	1	1	2	4	9	9	9
6-12 YRS	9	12.3	136	2	2	8	18	31	37	37
13-19 YRS	24	11.3	71	1	2	10	18	23	25	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.7	3	1	1	4	5	6	6	6
B. *Operated*	23	5.7	19	<1	1	2	10	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	45	6.0	32	1	1	4	8	12	16	31
B. *Operated*	43	9.7	78	1	2	8	14	22	26	37
1. SINGLE DX	41	4.8	12	1	1	4	7	10	11	12
2. MULTIPLE DX	88	7.8	57	1	2	5	11	20	23	35
A. NOT OPERATED	63	5.4	24	1	1	4	6	12	14	29
B. OPERATED	66	8.3	61	1	2	7	12	21	23	36
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	4.4	11	1	1	3	6	10	11	11
1-5 YRS	9	3.6	12	1	1	2	5	10	10	10
6-12 YRS	28	9.4	83	2	2	6	13	21	32	37
13-19 YRS	83	6.7	36	1	2	5	10	13	21	28
GRAND TOTAL	**129**	**6.9**	**45**	**1**	**1**	**4**	**10**	**15**	**21**	**32**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	14	2.9	3	1	1	3	3	6	7	7
1-5 YRS	7	2.1	1	<1	<1	3	3	3	3	3
6-12 YRS	35	2.9	3	1	1	3	4	5	7	8
13-19 YRS	123	3.5	8	1	1	3	4	7	11	16
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.5	25	2	2	5	9	9	9	9
1-5 YRS	3	7.7	12	4	4	8	10	11	11	11
6-12 YRS	7	8.3	134	2	2	3	8	29	34	34
13-19 YRS	38	2.5	2	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	20	6.9	57	1	1	5	8	18	27	28
1-5 YRS	21	4.4	9	1	1	3	6	9	10	11
6-12 YRS	51	4.7	18	1	2	4	6	8	12	28
13-19 YRS	184	3.9	8	1	1	3	5	7	9	16
B. *Operated*										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	6	11.8	181	2	2	5	23	33	34	34
6-12 YRS	14	9.4	68	2	2	7	14	19	28	31
13-19 YRS	38	5.3	26	1	1	3	7	12	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	3.3	7	1	1	3	4	6	8	14
B. *Operated*	50	3.7	24	1	1	2	4	8	9	34
2. MULTIPLE DX										
A. *Not Operated*	278	4.3	14	1	2	3	5	8	9	26
B. *Operated*	59	7.1	54	1	1	4	9	17	24	34
1. SINGLE DX	231	3.4	10	1	1	3	4	6	9	16
2. MULTIPLE DX	337	4.8	22	1	2	3	6	9	14	28
A. NOT OPERATED	459	3.9	11	1	1	3	5	7	9	18
B. OPERATED	109	5.6	43	1	1	3	6	13	18	34
TOTAL 0-27 DYS	4	5.3	4	3	3	5	7	7	7	7
1-11 MOS	37	5.5	38	1	1	3	7	10	22	28
1-5 YRS	37	5.4	41	1	1	3	6	10	19	34
6-12 YRS	107	5.0	30	1	1	3	6	9	15	32
13-19 YRS	383	3.8	10	1	1	3	4	7	9	17
GRAND TOTAL	**568**	**4.2**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**27**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS										
13-19 YRS	5	5.2	7	2	2	5	7	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	6.3	7	4	4	5	8	10	11	11
1-5 YRS	5	6.0	12	2	2	5	9	10	10	10
6-12 YRS	7	13.9	85	3	4	14	18	28	30	30
13-19 YRS	6	4.2	6	1	1	4	6	7	7	7
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	2	9.5	113	2	2	9	17	17	17	17
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	12.0	162	3	3	12	21	21	21	21
13-19 YRS	4	5.3	8	2	2	5	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.6	7	2	2	5	8	9	9	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	26	7.6	41	2	2	6	9	17	21	30
B. *Operated*	10	7.3	45	1	1	5	8	19	21	21
1. SINGLE DX	7	5.6	7	2	2	5	8	9	9	9
2. MULTIPLE DX	36	7.5	41	1	2	6	9	17	20	30
A. NOT OPERATED	33	7.2	34	2	2	6	9	15	19	30
B. OPERATED	10	7.3	45	1	1	5	8	19	21	21
TOTAL 0-27 DYS	2	5.0	18	2	2	5	8	8	8	8
1-11 MOS	10	6.7	20	2	3	5	8	14	17	17
1-5 YRS	7	5.7	13	1	1	5	9	10	10	10
6-12 YRS	9	13.4	85	3	3	14	19	26	30	30
13-19 YRS	15	4.8	6	1	2	5	7	8	9	9
GRAND TOTAL	**43**	**7.2**	**36**	**1**	**2**	**6**	**9**	**17**	**20**	**30**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	7	5.1	33	1	1	3	7	15	17	17
13-19 YRS	9	3.6	6	1	1	3	4	7	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	3	4.3	4	2	2	5	6	6	6	6
1-5 YRS										
6-12 YRS	9	4.0	7	1	1	3	6	8	8	8
13-19 YRS	17	6.4	28	1	1	4	8	15	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	6.0	17	1	1	6	8	12	13	13
1-5 YRS	5	4.4	16	1	1	3	8	10	10	10
6-12 YRS	18	8.6	59	1	2	6	11	20	27	30
13-19 YRS	36	5.1	19	1	1	4	7	11	13	20
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.3	8	2	2	7	7	7	7	7
1-5 YRS	5	29.6	716	2	2	20	46	72	72	72
6-12 YRS	17	13.1	340	1	2	4	18	39	61	70
13-19 YRS	41	10.4	163	1	1	6	15	21	28	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.3	18	1	1	3	4	10	15	17
B. *Operated*	29	5.4	20	1	1	4	8	11	16	19
2. MULTIPLE DX										
A. *Not Operated*	66	6.1	30	1	1	4	8	13	17	29
B. *Operated*	66	12.3	256	1	2	6	17	24	48	74
1. SINGLE DX	51	4.9	19	1	1	3	8	10	16	19
2. MULTIPLE DX	132	9.2	152	1	1	5	11	20	29	72
A. NOT OPERATED	88	5.6	28	1	1	4	7	13	16	27
B. OPERATED	95	10.2	193	1	2	5	14	20	36	73
TOTAL 0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	16	4.9	10	1	2	4	7	8	12	13
1-5 YRS	11	16.7	452	1	1	10	19	51	70	72
6-12 YRS	51	8.8	146	1	1	4	8	21	30	70
13-19 YRS	103	7.3	82	1	1	4	9	16	20	52
GRAND TOTAL	**183**	**8.0**	**118**	**1**	**1**	**4**	**9**	**18**	**23**	**71**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	3	10.3	14	6	6	12	13	13	13	13
1-5 YRS	2	11.5	145	3	3	11	20	20	20	20
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	6	7.5	16	3	3	8	10	13	13	13
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	5	5.2	27	1	1	2	9	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	9.8	2	8	8	10	11	11	11	11
1-11 MOS	20	15.3	177	3	4	11	17	31	46	60
1-5 YRS	9	12.3	49	5	5	11	14	24	28	28
6-12 YRS	9	10.6	34	2	4	10	12	19	23	23
13-19 YRS	17	11.2	38	4	5	11	12	18	26	30
B. *Operated*										
0-27 DYS	2	14.0	2	13	13	14	15	15	15	15
1-11 MOS	6	7.2	24	<1	<1	8	12	12	12	12
1-5 YRS	2	7.0	8	5	5	7	9	9	9	9
6-12 YRS	2	13.0	32	9	9	13	17	17	17	17
13-19 YRS	6	15.7	283	8	8	9	10	46	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	9.8	28	3	3	10	13	16	19	20
B. *Operated*	7	5.3	25	1	1	2	9	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	60	12.5	83	4	5	11	13	24	29	57
B. *Operated*	18	11.4	109	1	3	9	12	16	37	50
1. SINGLE DX	20	8.3	30	1	1	8	13	14	17	20
2. MULTIPLE DX	78	12.3	88	3	5	10	13	22	30	57
A. NOT OPERATED	73	12.0	74	3	5	11	13	21	29	54
B. OPERATED	25	9.7	91	1	1	9	12	15	25	50
TOTAL 0-27 DYS	9	11.3	6	8	8	11	13	15	15	15
1-11 MOS	29	13.1	137	2	3	10	14	27	34	60
1-5 YRS	14	10.6	53	1	3	9	13	21	26	28
6-12 YRS	12	11.3	29	2	5	10	14	19	22	23
13-19 YRS	34	10.4	78	2	3	9	12	14	28	50
GRAND TOTAL	**98**	**11.4**	**78**	**2**	**3**	**10**	**13**	**19**	**29**	**55**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	7.3	6	5	5	7	9	10	10	10
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	5	2.6	3	1	1	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	4.1	6	2	2	3	6	8	8	8
1-11 MOS	17	6.5	26	2	2	6	8	11	19	23
1-5 YRS	6	6.5	5	3	3	7	8	9	9	9
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	16	4.8	21	<1	1	4	6	8	16	20
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	7	5.0	27	2	2	2	6	14	16	16
1-5 YRS	2	5.0	18	2	2	5	8	8	8	8
6-12 YRS	4	4.0	16	2	2	2	6	10	10	10
13-19 YRS	6	3.3	5	2	2	2	5	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.1	7	1	1	3	5	8	10	10
B. *Operated*	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	48	5.5	18	2	2	4	7	9	13	23
B. *Operated*	20	4.4	14	2	2	2	7	9	13	16
1. SINGLE DX	13	3.8	6	1	1	3	5	8	10	10
2. MULTIPLE DX	68	5.2	17	2	2	4	7	9	12	22
A. NOT OPERATED	59	5.2	16	1	2	4	7	9	11	23
B. OPERATED	22	4.2	13	2	2	2	7	9	12	16
TOTAL 0-27 DYS	8	4.5	7	2	2	4	7	8	8	8
1-11 MOS	28	6.1	23	2	2	5	8	11	17	23
1-5 YRS	9	5.8	7	2	2	6	8	9	9	9
6-12 YRS	8	3.8	7	2	2	3	4	8	10	10
13-19 YRS	28	4.0	14	1	1	3	5	7	9	20
GRAND TOTAL	**81**	**4.9**	**15**	**1**	**2**	**4**	**7**	**9**	**11**	**22**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	13	6.3	22	2	2	5	8	13	18	19
1-5 YRS	8	7.6	21	2	3	6	10	15	16	16
6-12 YRS	6	8.0	21	1	1	8	9	14	15	15
13-19 YRS	8	6.3	11	2	2	6	9	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS	2	8.0	72	2	2	8	14	14	14	14
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3	21.3	134	8	8	27	28	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.2		3	3	3	4	4	4	4
B. *Operated*	3	7.3	46	2	2	5	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	37	6.6	18	2	2	6	9	12	16	19
B. *Operated*	6	13.8	139	2	2	11	27	29	29	29
1. SINGLE DX	8	4.8	18	2	2	3	4	12	15	15
2. MULTIPLE DX	43	7.6	39	2	2	6	10	15	22	29
A. NOT OPERATED	42	6.2	17	2	2	5	9	12	15	19
B. OPERATED	9	11.7	109	2	2	8	18	28	29	29
TOTAL 0-27 DYS	3	6.3	56	2	2	2	12	15	15	15
1-11 MOS	17	6.1	23	2	2	4	8	13	17	19
1-5 YRS	9	7.1	21	2	2	6	10	14	16	16
6-12 YRS	9	6.4	19	1	1	6	9	13	15	15
13-19 YRS	13	9.3	77	2	3	7	11	27	29	29
GRAND TOTAL	**51**	**7.2**	**36**	**2**	**2**	**5**	**9**	**15**	**19**	**29**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	4	5.0	7	3	3	4	7	9	9	9
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	4	5.8	56	2	2	2	10	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	8.0	9	5	5	8	10	11	11	11
1-11 MOS	16	6.4	54	1	1	5	8	14	25	30
1-5 YRS	12	7.6	141	1	1	4	7	22	41	44
6-12 YRS	8	9.6	20	4	4	9	14	15	15	15
13-19 YRS	8	8.0	17	3	3	7	11	14	15	15
B. *Operated*										
0-27 DYS	6	4.5	15	1	1	3	5	11	12	12
1-11 MOS	19	7.7	34	2	2	6	12	17	19	19
1-5 YRS	12	4.3	18	<1	<1	2	7	11	13	13
6-12 YRS	10	5.6	15	<1	<1	5	9	11	12	12
13-19 YRS	6	6.0	50	1	1	2	13	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	8.3	19	2	2	9	11	12	12	12
B. *Operated*	11	5.1	24	1	1	3	8	13	17	17
2. MULTIPLE DX										
A. *Not Operated*	47	7.6	59	1	1	6	9	15	18	44
B. *Operated*	53	6.0	27	<1	1	3	10	13	17	19
1. SINGLE DX	15	5.9	24	1	2	4	10	12	16	17
2. MULTIPLE DX	100	6.8	42	1	1	5	10	14	16	37
A. NOT OPERATED	51	7.7	55	1	1	6	10	14	15	44
B. OPERATED	64	5.8	26	1	1	3	10	13	17	19
TOTAL 0-27 DYS	10	6.3	17	1	2	5	11	12	12	12
1-11 MOS	40	7.0	38	1	1	6	10	14	19	30
1-5 YRS	27	5.5	72	<1	1	3	5	12	18	44
6-12 YRS	19	7.5	20	<1	1	7	11	14	15	15
13-19 YRS	19	7.0	32	1	1	6	12	16	17	17
GRAND TOTAL	**115**	**6.7**	**39**	**1**	**1**	**5**	**10**	**14**	**16**	**35**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	13.0	2	12	12	13	14	14	14	14
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	24	9.6	41	2	5	9	11	13	25	34
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	15.0	8	13	13	15	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	7.0		7	7	7	7	7	7	7
1-5 YRS	3	10.0	3	9	9	9	11	12	12	12
6-12 YRS	1	23.0		23	23	23	23	23	23	23
13-19 YRS	32	10.3	12	5	6	10	13	15	16	18
B. *Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	3	14.3	70	9	9	10	20	24	24	24
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	13	13.8	133	3	5	12	15	28	44	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	9.9	37	3	5	9	11	14	23	34
B. *Operated*	3	14.3	5	13	13	13	16	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	38	10.5	15	5	6	10	12	15	17	23
B. *Operated*	18	13.5	104	4	5	11	15	24	30	48
1. SINGLE DX	30	10.4	36	3	5	10	12	15	21	34
2. MULTIPLE DX	56	11.4	44	5	6	10	13	16	23	47
A. NOT OPERATED	65	10.2	24	4	5	10	12	15	19	32
B. OPERATED	21	13.6	89	4	6	12	15	23	35	48
TOTAL 0-27 DYS	2	12.5	1	12	12	12	13	13	13	13
1-11 MOS	5	11.4	51	7	7	9	13	24	24	24
1-5 YRS	5	11.2	5	9	9	12	13	14	14	14
6-12 YRS	3	14.3	57	9	9	11	20	23	23	23
13-19 YRS	71	10.9	44	3	5	10	12	16	21	45
GRAND TOTAL	**86**	**11.1**	**41**	**4**	**5**	**10**	**12**	**16**	**23**	**43**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	34.0		34	34	34	34	34	34	34
1-5 YRS	1	32.0		32	32	32	32	32	32	32
6-12 YRS	3	8.3	46	3	3	6	13	16	16	16
13-19 YRS	10	20.2	90	3	8	18	29	33	36	36
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	29.0		29	29	29	29	29	29	29
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	27.5	313	15	15	27	40	40	40	40
1-5 YRS	12	21.5	273	1	2	16	32	46	52	53
6-12 YRS	15	26.4	180	2	4	29	32	42	52	55
13-19 YRS	28	19.3	153	2	4	19	29	36	43	45
B. *Operated*										
0-27 DYS										
1-11 MOS	1	34.0		34	34	34	34	34	34	34
1-5 YRS	6	37.5	512	1	3	43	57	58	58	58
6-12 YRS	6	44.7	154	32	32	42	57	61	62	62
13-19 YRS	6	32.2	163	14	15	32	41	49	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	19.5	118	3	3	17	29	34	35	36
B. *Operated*	1	29.0		29	29	29	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	57	21.9	188	2	4	22	30	42	44	55
B. *Operated*	19	37.9	257	7	17	36	51	58	60	62
1. SINGLE DX	16	20.1	115	3	4	18	29	34	35	36
2. MULTIPLE DX	76	25.9	251	2	4	27	34	49	56	61
A. NOT OPERATED	72	21.4	172	2	4	21	30	39	43	55
B. OPERATED	20	37.5	248	7	18	35	50	58	60	62
TOTAL 0-27 DYS										
1-11 MOS	4	30.8	118	15	15	34	37	40	40	40
1-5 YRS	19	27.1	367	1	2	30	41	55	58	58
6-12 YRS	25	28.7	260	3	4	30	35	55	58	62
13-19 YRS	44	21.3	153	3	5	21	30	38	44	50
GRAND TOTAL	**92**	**24.9**	**230**	**2**	**4**	**25**	**34**	**44**	**55**	**60**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	24	3.9	5	<1	1	4	5	8	8	9
1-11 MOS	33	2.9	3	1	1	2	4	6	6	7
1-5 YRS	24	1.9	2	<1	<1	2	2	3	6	6
6-12 YRS	35	3.1	11	1	1	2	4	6	7	19
13-19 YRS	33	2.5	4	1	1	2	3	6	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	3.6	5	1	1	3	4	7	8	8
1-11 MOS	24	2.7	3	1	1	2	3	5	7	7
1-5 YRS	20	2.8	4	1	1	2	3	5	7	9
6-12 YRS	30	2.8	3	1	1	2	4	5	7	8
13-19 YRS	44	2.8	4	1	1	2	3	7	7	8
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	12.0	18	9	9	12	15	15	15	15
1-5 YRS										
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	4	7.5	52	2	2	5	12	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	2.8	5	<1	1	2	4	6	7	9
B. *Operated*	3	2.7	1	2	2	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	128	2.8	4	1	1	2	3	6	7	9
B. *Operated*	9	7.2	33	2	2	6	10	17	18	18
1. SINGLE DX	152	2.8	5	<1	1	2	4	6	7	9
2. MULTIPLE DX	137	3.1	7	1	1	2	4	7	8	15
A. NOT OPERATED	277	2.8	5	1	1	2	4	6	7	9
B. OPERATED	12	6.1	29	2	2	4	8	16	18	18
TOTAL 0-27 DYS	35	3.8	5	<1	1	3	5	8	8	9
1-11 MOS	59	3.1	6	1	1	2	4	6	7	14
1-5 YRS	44	2.3	3	<1	1	2	2	5	6	9
6-12 YRS	68	3.0	7	1	1	2	4	6	7	17
13-19 YRS	83	2.9	7	1	1	2	3	6	7	15
GRAND TOTAL	**289**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	3.0	5	<1	<1	3	5	6	6	6
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	6	2.2	1	1	1	2	3	3	3	3
13-19 YRS	17	2.1	1	<1	<1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS										
6-12 YRS										
13-19 YRS	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	2.3	2	<1	<1	2	3	4	4	4
1-11 MOS	13	7.2	14	1	2	8	11	12	13	13
1-5 YRS	11	4.3	5	<1	1	5	6	7	8	8
6-12 YRS	13	3.2	6	<1	<1	2	5	7	8	8
13-19 YRS	35	2.8	3	<1	1	2	4	5	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS	2	15.5	25	12	12	15	19	19	19	19
1-5 YRS	3	10.7	37	4	4	12	15	16	16	16
6-12 YRS	3	2.0	1	<1	<1	2	3	3	3	3
13-19 YRS	10	5.0	11	2	2	4	6	10	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.3	2	<1	1	2	3	4	6	6
B. *Operated*	2	10.5	13	8	8	10	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	75	3.8	8	<1	1	3	5	8	10	13
B. *Operated*	18	6.6	29	1	2	4	12	15	18	19
1. SINGLE DX	35	2.8	6	<1	1	2	3	6	8	13
2. MULTIPLE DX	93	4.4	13	<1	1	3	6	9	12	18
A. NOT OPERATED	108	3.4	7	<1	1	3	5	7	8	12
B. OPERATED	20	7.0	28	1	2	5	12	15	17	19
TOTAL 0-27 DYS	3	2.3	2	<1	<1	2	3	4	4	4
1-11 MOS	24	6.5	22	<1	1	6	10	12	15	19
1-5 YRS	16	5.3	16	<1	1	4	6	12	15	16
6-12 YRS	22	2.8	4	<1	<1	2	4	6	7	8
13-19 YRS	63	3.1	6	<1	1	2	4	6	8	13
GRAND TOTAL	**128**	**3.9**	**12**	**<1**	**1**	**3**	**5**	**8**	**12**	**17**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	31	5.7	43	1	1	4	6	12	24	31
1-11 MOS	49	3.7	7	1	1	3	5	7	9	11
1-5 YRS	40	3.2	7	<1	1	2	4	7	10	11
6-12 YRS	49	2.8	7	<1	1	2	3	5	7	16
13-19 YRS	126	3.6	10	1	1	3	4	8	10	16
B. *Operated*										
0-27 DYS	3	6.7	6	4	4	7	8	9	9	9
1-11 MOS	2	12.5	5	11	11	12	14	14	14	14
1-5 YRS	9	5.2	20	1	1	2	9	12	13	13
6-12 YRS	12	5.7	18	<1	<1	4	8	13	14	14
13-19 YRS	18	4.1	8	<1	1	3	5	8	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	27	6.1	22	1	2	5	9	14	15	17
1-11 MOS	98	6.3	59	1	1	4	7	18	22	41
1-5 YRS	73	4.8	29	1	1	3	5	14	17	25
6-12 YRS	73	3.6	11	1	1	3	4	7	9	19
13-19 YRS	272	4.4	24	1	1	3	5	8	11	24
B. *Operated*										
0-27 DYS	4	13.5	162	3	3	9	21	32	32	32
1-11 MOS	19	10.2	33	4	5	9	13	19	23	23
1-5 YRS	26	13.3	312	1	2	7	16	32	55	80
6-12 YRS	26	4.8	15	1	2	3	8	10	12	17
13-19 YRS	53	7.8	103	1	2	5	8	15	27	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	295	3.7	12	1	1	3	4	8	10	1[illegible]
B. *Operated*	44	5.3	15	<1	1	4	8	12	13	14
2. MULTIPLE DX										
A. *Not Operated*	543	4.8	29	1	1	3	6	9	15	28
B. *Operated*	128	8.9	124	1	2	6	10	17	29	68
1. SINGLE DX	339	3.9	13	1	1	3	5	8	11	16
2. MULTIPLE DX	671	5.6	50	1	1	3	7	11	17	37
A. NOT OPERATED	838	4.4	24	1	1	3	5	9	13	25
B. OPERATED	172	8.0	98	1	2	5	9	15	23	61
TOTAL 0-27 DYS	65	6.4	40	1	2	4	8	14	19	32
1-11 MOS	168	6.0	44	1	1	4	7	13	20	36
1-5 YRS	148	5.9	83	1	1	3	6	14	20	50
6-12 YRS	160	3.7	12	<1	1	3	4	8	11	17
13-19 YRS	469	4.6	29	1	1	3	6	9	11	28
GRAND TOTAL	**1010**	**5.0**	**38**	**1**	**1**	**3**	**6**	**10**	**15**	**31**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	26	5.1	20	1	[illegible]	4	7	9	13	23
1-5 YRS	12	7.2	62	1	2	5	6	19	28	30
6-12 YRS	5	5.6	3	4	4	5	7	8	8	8
13-19 YRS	7	7.3	35	1	1	5	12	15	16	16
B. *Operated*										
0-27 DYS										
1-11 MOS	2	8.5	25	5	5	8	12	12	12	12
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3	5.7	22	2	2	4	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	27	7.3	31	1	2	5	12	16	18	18
1-11 MOS	210	6.5	34	1	2	5	8	12	20	32
1-5 YRS	138	7.3	44	2	2	6	8	14	24	34
6-12 YRS	50	5.6	11	2	2	5	8	10	13	99
13-19 YRS	70	7.1	33	2	2	5	9	15	17	30
B. *Operated*										
0-27 DYS	4	20.0	375	9	9	11	30	49	49	49
1-11 MOS	36	16.1	225	1	2	9	25	41	50	53
1-5 YRS	32	11.7	79	2	3	9	14	25	33	38
6-12 YRS	10	6.4	20	2	2	5	10	13	16	16
13-19 YRS	22	16.6	416	1	2	8	24	48	69	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	5.9	30	1	2	4	7	12	16	30
B. *Operated*	7	5.4	19	1	1	4	9	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	495	6.7	34	1	2	5	8	13	18	33
B. *Operated*	104	14.1	210	2	2	9	19	33	49	69
1. SINGLE DX	57	5.9	28	1	2	4	7	12	15	30
2. MULTIPLE DX	599	8.0	72	1	2	6	9	16	25	49
A. NOT OPERATED	545	6.7	34	1	2	5	8	13	18	32
B. OPERATED	111	13.5	202	2	2	9	16	32	48	69
TOTAL 0-27 DYS	31	8.9	83	1	2	7	12	17	18	49
1-11 MOS	274	7.6	68	1	2	5	9	17	25	47
1-5 YRS	183	8.0	53	2	2	6	10	14	27	36
6-12 YRS	66	5.7	12	2	2	5	8	10	14	86
13-19 YRS	102	9.1	127	1	2	5	11	18	29	69
GRAND TOTAL	**656**	**7.8**	**68**	**1**	**2**	**5**	**9**	**16**	**25**	**48**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	5.7	6	3	3	6	7	8	8	8
1-11 MOS	15	4.1	7	1	1	4	5	8	9	10
1-5 YRS	27	4.2	15	<1	1	3	5	10	12	16
6-12 YRS	43	4.4	14	1	1	3	5	11	13	16
13-19 YRS	193	4.0	9	1	1	3	5	7	10	17
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	18	4.0	20	1	1	2	4	10	15	18
1-5 YRS	66	3.6	15	<1	1	2	7	8	10	20
6-12 YRS	89	4.4	15	1	1	2	7	10	11	16
13-19 YRS	88	4.3	24	1	1	2	4	12	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	8.3	15	4	4	7	12	14	14	14
1-11 MOS	60	7.7	44	1	2	5	11	17	21	31
1-5 YRS	76	5.8	32	1	2	4	7	15	19	26
6-12 YRS	84	6.0	36	1	1	4	8	13	17	32
13-19 YRS	333	6.1	57	2	2	4	7	10	15	47
B. *Operated*										
0-27 DYS										
1-11 MOS	37	11.8	311	1	2	5	11	56	65	99+
1-5 YRS	81	6.9	138	1	1	2	8	16	24	97
6-12 YRS	67	6.8	88	1	1	2	9	15	23	52
13-19 YRS	129	8.4	127	1	1	4	10	17	25	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	4.1	10	1	1	3	5	8	11	16
B. *Operated*	262	4.1	18	1	1	2	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	559	6.2	48	1	2	4	7	12	17	32
B. *Operated*	314	8.1	144	1	1	3	10	17	33	74
1. SINGLE DX	543	4.1	14	1	1	3	6	9	12	18
2. MULTIPLE DX	873	6.9	83	1	2	4	8	15	21	57
A. NOT OPERATED	840	5.5	37	1	2	4	6	11	15	30
B. OPERATED	576	6.3	90	1	1	2	8	14	21	62
TOTAL 0-27 DYS	10	6.8	15	1	2	6	8	13	14	14
1-11 MOS	130	7.9	118	1	1	4	10	17	28	72
1-5 YRS	250	5.4	61	1	1	3	7	12	19	42
6-12 YRS	283	5.4	39	1	1	3	8	12	16	32
13-19 YRS	743	5.7	55	1	1	4	7	11	15	46
GRAND TOTAL	**1416**	**5.8**	**58**	**1**	**1**	**3**	**7**	**12**	**17**	**47**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	9.7	6	7	7	10	11	12	12	12
1-5 YRS	3	5.3	10	3	3	4	8	9	9	9
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	2	6.0	2	5	5	6	7	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	10	6.8	8	3	3	6	9	11	12	12
B. *Operated*	3	5.3	12	2	2	5	8	9	9	9
1. SINGLE DX										
2. MULTIPLE DX	13	6.5	8	2	3	6	9	10	12	12
A. NOT OPERATED	10	6.8	8	3	3	6	9	11	12	12
B. OPERATED	3	5.3	12	2	2	5	8	9	9	9
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	5	7.2	16	2	2	7	10	12	12	12
1-5 YRS	3	5.3	10	3	3	4	8	9	9	9
6-12 YRS	2	7.5	5	6	6	7	9	9	9	9
13-19 YRS	2	6.0	2	5	5	6	7	7	7	7
GRAND TOTAL	**13**	**6.5**	**8**	**2**	**3**	**6**	**9**	**10**	**12**	**12**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	7.8	44	<1	<1	6	13	17	17	17
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	2.7	2	1	1	3	4	4	4	4
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	3	7.0	13	4	4	6	10	11	11	11
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	2	17.5	221	7	7	17	28	28	28	28
13-19 YRS	6	16.5	126	4	4	14	25	33	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	13.3	37	8	8	12	18	20	20	20
1-5 YRS	3	5.0	1	4	4	5	6	6	6	6
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	6	2.2	3	<1	<1	2	3	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	2	41.5	2113	9	9	41	74	74	74	74
1-5 YRS										
6-12 YRS	2	18.5	1	18	18	18	19	19	19	19
13-19 YRS	15	14.8	240	1	2	9	19	35	51	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	5.4	30	<1	<1	3	7	15	17	17
B. *Operated*	14	11.9	105	<1	2	8	16	29	33	34
2. MULTIPLE DX										
A. *Not Operated*	13	5.3	30	<1	<1	4	6	14	19	20
B. *Operated*	19	18.0	374	1	2	10	20	48	66	74
1. SINGLE DX	23	9.4	83	<1	1	6	12	26	30	34
2. MULTIPLE DX	32	12.8	269	<1	1	8	18	32	55	74
A. NOT OPERATED	22	5.4	29	<1	<1	4	6	14	18	20
B. OPERATED	33	15.4	262	1	2	9	19	34	54	74
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	13	14.1	353	<1	2	9	13	31	66	74
1-5 YRS	5	3.6	4	<1	<1	4	5	6	6	6
6-12 YRS	6	12.5	117	<1	<1	12	19	27	28	28
13-19 YRS	30	11.4	175	1	1	7	16	32	35	57
GRAND TOTAL	**55**	**11.4**	**191**	**<1**	**1**	**7**	**15**	**28**	**35**	**73**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS										
6-12 YRS										
13-19 YRS	1	21.0		21	21	21	21	21	21	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	33.0	8	31	31	33	35	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2	17.5	25	14	14	17	21	21	21	21
B. *Operated*	2	33.0	8	31	31	33	35	35	35	35
1. SINGLE DX										
2. MULTIPLE DX	4	25.3	91	14	14	26	33	35	35	35
A. NOT OPERATED	2	17.5	25	14	14	17	21	21	21	21
B. OPERATED	2	33.0	8	31	31	33	35	35	35	35
TOTAL 0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS										
6-12 YRS										
13-19 YRS	3	29.0	52	21	21	31	34	35	35	35
GRAND TOTAL	**4**	**25.3**	**91**	**14**	**14**	**26**	**33**	**35**	**35**	**35**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	7.0		7	7	7	7	7	7	7
1-11 MOS	4	11.8	15	8	8	11	15	16	16	16
1-5 YRS	3	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	5	5.0	16	<1	<1	5	9	9	9	9
B. *Operated*										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	9	14.4	538	1	1	7	12	52	75	75
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	6	9.5	112	2	2	6	11	28	30	30
13-19 YRS	12	8.7	42	2	2	7	14	17	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	11.9	68	3	3	10	19	24	24	24
1-11 MOS	13	8.1	39	<1	1	7	13	18	19	19
1-5 YRS	7	6.1	42	<1	<1	6	6	17	20	20
6-12 YRS	10	11.3	76	2	2	10	17	24	30	30
13-19 YRS	11	6.2	12	2	2	6	8	11	14	14
B. *Operated*										
0-27 DYS	5	24.4	278	10	10	19	33	52	52	52
1-11 MOS	18	19.4	111	9	10	15	24	32	44	51
1-5 YRS	9	9.8	7	4	6	10	12	13	13	13
6-12 YRS	11	19.0	382	2	4	15	27	80	97	99+
13-19 YRS	28	22.0	565	5	6	16	22	52	95	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	6.0	22	<1	<1	6	9	14	15	16
B. *Operated*	30	10.5	198	2	2	7	14	21	30	75
2. MULTIPLE DX										
A. *Not Operated*	48	8.6	47	1	2	7	12	19	22	30
B. *Operated*	71	19.5	333	5	6	14	23	40	71	99
1. SINGLE DX	46	9.0	140	<1	1	7	11	17	24	75
2. MULTIPLE DX	119	15.1	245	2	3	11	18	29	51	97
A. NOT OPERATED	64	7.9	41	<1	1	7	10	17	21	29
B. OPERATED	101	16.8	307	2	3	12	19	32	65	98
TOTAL 0-27 DYS	15	15.9	155	3	4	12	21	27	46	52
1-11 MOS	44	14.4	179	1	2	12	17	26	39	75
1-5 YRS	21	6.6	27	<1	<1	6	10	13	16	20
6-12 YRS	29	13.3	205	2	2	10	17	31	72	99+
13-19 YRS	56	14.5	347	2	2	9	16	27	52	96
GRAND TOTAL	**165**	**13.4**	**222**	**1**	**2**	**10**	**17**	**27**	**38**	**96**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	31.3	441	2	2	35	44	52	52	52
6-12 YRS	1	81.0		81	81	81	81	81	81	81
13-19 YRS	4	31.0	702	13	13	20	47	70	70	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	5	5.6	22	1	1	4	10	12	12	12
B. Operated	9	36.7	705	2	6	35	56	77	81	81
1. SINGLE DX										
2. MULTIPLE DX	14	25.6	679	1	2	14	36	71	79	81
A. NOT OPERATED	5	5.6	22	1	1	4	10	12	12	12
B. OPERATED	9	36.7	705	2	6	35	56	77	81	81
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	5	27.4	405	2	2	35	40	52	52	52
6-12 YRS	2	41.0	3200	1	1	41	81	81	81	81
13-19 YRS	5	25.2	695	2	2	16	36	70	70	70
GRAND TOTAL	**14**	**25.6**	**679**	**1**	**2**	**14**	**36**	**71**	**79**	**81**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS	3	4.0	12	2	2	2	7	8	8	8
1-5 YRS	2	5.5	41	1	1	5	10	10	10	10
6-12 YRS	2	6.0	50	1	1	6	11	11	11	11
13-19 YRS										
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS	4	18.5	447	2	2	11	32	49	49	49
1-11 MOS	4	8.3	10	5	5	8	11	11	11	11
1-5 YRS	2	7.0	8	5	5	7	9	9	9	9
6-12 YRS	3	7.0	52	1	1	5	12	15	15	15
13-19 YRS	3	3.7	2	2	2	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	5	1	1	2	4	4	4	4
B. Operated	7	5.0	20	1	1	2	9	11	11	11
2. MULTIPLE DX										
A. Not Operated	1	7.0		7	7	7	7	7	7	7
B. Operated	16	9.6	130	1	2	6	11	16	39	49
1. SINGLE DX	9	4.4	17	1	1	2	8	11	11	11
2. MULTIPLE DX	17	9.4	122	1	2	6	11	16	37	49
A. NOT OPERATED	3	4.0	9	1	1	4	6	7	7	7
B. OPERATED	23	8.2	99	1	1	5	10	15	28	49
TOTAL 0-27 DYS	4	18.5	447	2	2	11	32	49	49	49
1-11 MOS	8	6.5	12	2	2	6	9	11	11	11
1-5 YRS	4	6.3	17	1	1	7	9	10	10	10
6-12 YRS	7	5.4	31	1	1	4	9	14	15	15
13-19 YRS	3	3.7	2	2	2	4	5	5	5	5
GRAND TOTAL	**26**	**7.7**	**90**	**1**	**1**	**5**	**10**	**15**	**23**	**49**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	27.0		27	27	27	27	27	27	27
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	27.0		27	27	27	27	27	27	27
B. *Operated*	1	13.0		13	13	13	13	13	13	13
1. SINGLE DX										
2. MULTIPLE DX	2	20.0	98	13	13	20	27	27	27	27
A. NOT OPERATED	1	27.0		27	27	27	27	27	27	27
B. OPERATED	1	13.0		13	13	13	13	13	13	13
TOTAL 0-27 DYS										
1-11 MOS	1	27.0		27	27	27	27	27	27	27
1-5 YRS										
6-12 YRS										
13-19 YRS	1	13.0		13	13	13	13	13	13	13
GRAND TOTAL	**2**	**20.0**	**98**	**13**	**13**	**20**	**27**	**27**	**27**	**27**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	7.5	85	1	1	7	14	14	14	14
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	4	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.7	14	1	1	2	6	8	8	8
13-19 YRS	5	7.6	38	1	1	9	11	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	12.0	98	5	5	12	19	19	19	19
1-11 MOS	8	4.9	8	1	2	4	7	9	10	10
1-5 YRS	7	16.1	481	1	1	5	27	54	59	59
6-12 YRS	3	6.3	6	4	4	6	8	9	9	9
13-19 YRS	5	7.2	38	1	1	5	12	16	16	16
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS	2	12.0	200	2	2	12	22	22	22	22
6-12 YRS	2	6.5	25	3	3	6	10	10	10	10
13-19 YRS	6	23.3	188	10	10	20	33	44	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.7	14	1	1	2	4	9	14	14
B. *Operated*	8	6.1	30	1	1	5	9	14	16	16
2. MULTIPLE DX										
A. *Not Operated*	25	9.2	156	1	1	5	10	19	39	59
B. *Operated*	11	16.8	176	2	3	12	24	38	44	45
1. SINGLE DX	18	4.8	22	1	1	2	8	13	15	16
2. MULTIPLE DX	36	11.6	170	1	2	7	13	32	41	59
A. NOT OPERATED	35	7.7	121	1	1	4	9	16	29	59
B. OPERATED	19	12.3	139	1	1	10	16	30	40	45
TOTAL 0-27 DYS	4	8.5	55	2	2	6	13	19	19	19
1-11 MOS	10	5.4	17	1	1	4	8	12	14	14
1-5 YRS	11	12.9	338	1	1	3	19	43	58	59
6-12 YRS	9	5.0	11	1	1	4	8	10	10	10
13-19 YRS	20	11.4	133	1	1	9	15	29	39	45
GRAND TOTAL	**54**	**9.3**	**130**	**1**	**1**	**5**	**10**	**22**	**33**	**58**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	17.0	142	4	4	14	23	36	36	36
1-5 YRS	6	8.8	73	1	1	7	9	23	25	25
6-12 YRS	3	10.3	16	6	6	11	13	14	14	14
13-19 YRS	2	8.5	5	7	7	8	10	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	2	11.5	181	2	2	11	21	21	21	21
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	1	33.0		33	33	33	33	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	16	11.6	79	2	3	10	14	24	33	36
B. *Operated*	4	15.3	210	2	2	13	27	33	33	33
1. SINGLE DX										
2. MULTIPLE DX	20	12.4	98	1	2	10	17	29	34	36
A. NOT OPERATED	16	11.6	79	2	3	10	14	24	33	36
B. OPERATED	4	15.3	210	2	2	13	27	33	33	33
TOTAL 0-27 DYS										
1-11 MOS	7	15.4	132	2	2	14	20	33	36	36
1-5 YRS	7	8.3	63	1	1	6	9	22	25	25
6-12 YRS	3	10.3	16	6	6	11	13	14	14	14
13-19 YRS	3	16.7	202	7	7	10	27	33	33	33
GRAND TOTAL	**20**	**12.4**	**98**	**1**	**2**	**10**	**17**	**29**	**34**	**36**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	4.0	4	2	2	4	5	6	6	6
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	6	2.2	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	4.0	7	1	1	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	7.0	5	4	4	7	9	10	10	10
1-11 MOS	19	4.7	3	2	2	5	6	7	8	8
1-5 YRS	8	9.1	23	2	3	9	11	16	18	18
6-12 YRS	8	7.8	16	3	3	9	10	13	14	14
13-19 YRS	13	4.2	9	<1	1	4	5	9	11	12
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	7	6.1	4	4	4	5	7	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.0	2	<1	1	3	4	5	6	6
B. *Operated*	6	3.8	9	1	1	3	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	54	5.9	12	2	2	5	8	11	12	18
B. *Operated*	10	5.6	4	3	3	5	6	9	10	10
1. SINGLE DX	17	3.3	4	<1	1	3	5	6	7	8
2. MULTIPLE DX	64	5.9	11	2	2	5	8	10	12	17
A. NOT OPERATED	65	5.4	12	2	2	5	7	10	12	17
B. OPERATED	16	4.9	6	1	1	5	6	8	9	10
TOTAL 0-27 DYS	8	6.6	4	4	4	6	8	10	10	10
1-11 MOS	24	4.7	4	2	2	5	6	7	8	8
1-5 YRS	10	7.8	26	2	2	8	11	15	18	18
6-12 YRS	10	6.7	18	1	2	6	9	12	14	14
13-19 YRS	29	4.2	7	<1	1	4	5	8	10	12
GRAND TOTAL	**81**	**5.3**	**11**	**1**	**2**	**5**	**7**	**10**	**11**	**17**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.0	13	<1	<1	3	7	8	8	8
1-5 YRS	3	3.3	1	2	2	4	4	4	4	4
6-12 YRS	3	7.0	19	2	2	9	10	10	10	10
13-19 YRS	11	7.0	124	1	1	4	6	21	38	40
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.0	0	2	2	4	6	6	6	6
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	4.0	7	2	2	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	8.0	54	2	2	6	13	18	18	18
1-11 MOS	15	10.4	49	1	3	9	16	21	22	23
1-5 YRS	23	11.3	174	1	2	9	11	22	38	65
6-12 YRS	8	11.1	154	2	3	5	15	32	39	39
13-19 YRS	14	7.2	32	1	3	6	7	13	22	25
B. *Operated*										
0-27 DYS										
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	4	5.8	19	2	2	4	8	12	12	12
6-12 YRS	2	16.5	265	5	5	16	28	28	28	28
13-19 YRS	4	31.3	1155	5	5	20	55	79	79	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	6.0	71	<1	1	4	7	9	25	40
B. *Operated*	6	3.7	5	2	2	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	64	10.0	101	1	2	7	12	21	24	61
B. *Operated*	11	18.1	509	2	3	9	25	51	77	79
1. SINGLE DX	26	5.5	56	1	2	3	6	9	16	40
2. MULTIPLE DX	75	11.1	163	1	2	7	13	23	31	75
A. NOT OPERATED	84	9.0	96	1	2	6	10	19	24	56
B. OPERATED	17	13.0	370	2	2	5	13	31	63	79
TOTAL 0-27 DYS	4	8.0	54	2	2	6	13	18	18	18
1-11 MOS	19	9.8	49	<1	1	8	16	20	22	23
1-5 YRS	32	9.4	135	1	2	6	11	18	24	65
6-12 YRS	14	10.4	120	2	2	5	13	29	37	39
13-19 YRS	32	9.8	234	1	2	5	8	27	39	79
GRAND TOTAL	**101**	**9.7**	**141**	**1**	**2**	**6**	**11**	**21**	**30**	**72**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	22.8	541	1	1	16	37	60	60	60
1-5 YRS	5	9.8	15	5	5	10	13	14	14	14
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	5	13.0	212	1	1	10	18	38	38	38
B. *Operated*										
0-27 DYS										
1-11 MOS	1	35.0		35	35	35	35	35	35	35
1-5 YRS	2	16.5	221	6	6	16	27	27	27	27
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	17	13.8	237	1	1	10	14	36	52	60
B. *Operated*	5	15.2	221	1	1	7	29	35	35	35
1. SINGLE DX										
2. MULTIPLE DX	22	14.1	223	1	1	9	16	36	47	60
A. NOT OPERATED	17	13.8	237	1	1	10	14	36	52	60
B. OPERATED	5	15.2	221	1	1	7	29	35	35	35
TOTAL 0-27 DYS										
1-11 MOS	6	24.8	457	1	2	22	35	57	60	60
1-5 YRS	7	11.7	57	5	5	10	14	24	27	27
6-12 YRS	3	2.3	5	1	1	1	4	5	5	5
13-19 YRS	6	12.0	175	1	1	8	11	35	38	38
GRAND TOTAL	**22**	**14.1**	**223**	**1**	**1**	**9**	**16**	**36**	**47**	**60**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	7.0	17	1	1	8	10	11	11	11
1-5 YRS										
6-12 YRS	4	2.5		2	2	2	3	3	3	3
13-19 YRS	4	2.5	1	1	1	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	6.3	4	4	4	7	8	8	8	8
6-12 YRS	7	6.9	28	1	1	9	11	13	13	13
13-19 YRS	7	6.1	31	1	1	4	10	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	8.0	8	6	6	8	10	10	10	10
1-11 MOS	14	6.5	15	1	2	6	10	11	14	15
1-5 YRS	15	5.2	48	1	1	3	6	27	79	99+
6-12 YRS	8	5.1	22	1	1	4	8	12	13	13
13-19 YRS	18	11.4	399	1	2	7	10	13	60	90
B. *Operated*										
0-27 DYS										
1-11 MOS	1	28.0		28	28	28	28	28	28	28
1-5 YRS	7	7.0	23	2	2	7	13	74	99+	99+
6-12 YRS	7	12.1	44	2	3	14	18	20	20	20
13-19 YRS	12	7.8	8	2	4	8	9	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	4.2	11	1	1	3	6	10	11	11
B. *Operated*	18	6.2	23	1	1	5	11	12	15	16
2. MULTIPLE DX										
A. *Not Operated*	57	7.6	147	1	1	5	9	13	23	99
B. *Operated*	27	9.4	37	2	2	8	13	20	35	99+
1. SINGLE DX	31	5.4	18	1	1	3	9	11	13	16
2. MULTIPLE DX	84	8.2	112	1	2	6	10	15	28	99+
A. NOT OPERATED	70	6.9	123	1	1	5	9	12	15	98
B. OPERATED	45	8.2	33	1	2	8	11	16	22	99+
TOTAL 0-27 DYS	2	8.0	8	6	6	8	10	10	10	10
1-11 MOS	21	7.4	36	1	2	6	10	13	21	28
1-5 YRS	25	5.8	35	1	2	4	9	26	99+	99+
6-12 YRS	26	7.1	35	1	1	5	11	15	19	20
13-19 YRS	41	8.6	185	1	2	7	9	12	15	90
GRAND TOTAL	**115**	**7.4**	**88**	**1**	**1**	**5**	**10**	**14**	**20**	**99+**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.5	13	2	2	4	7	7	7	7
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	6	4.7	9	2	2	3	8	9	9	9
6-12 YRS										
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	4	12.5	110	2	2	10	19	27	27	27
6-12 YRS	2	10.0	128	2	2	10	18	18	18	18
13-19 YRS	3	6.7	10	3	3	8	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	9.0		9	9	9	9	9	9	9
B. *Operated*	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	10	4.6	9	1	1	4	8	9	9	9
B. *Operated*	11	10.2	67	2	2	9	16	22	27	27
1. SINGLE DX	3	6.0	13	2	2	7	8	9	9	9
2. MULTIPLE DX	21	7.5	46	1	2	5	9	18	23	27
A. NOT OPERATED	11	5.0	10	1	1	4	8	9	9	9
B. OPERATED	13	9.3	61	2	2	8	13	21	26	27
TOTAL 0-27 DYS	2	14.0	50	9	9	14	19	19	19	19
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	12	7.3	50	2	2	5	9	16	25	27
6-12 YRS	2	10.0	128	2	2	10	18	18	18	18
13-19 YRS	6	5.8	11	1	1	6	9	9	9	9
GRAND TOTAL	**24**	**7.3**	**41**	**1**	**2**	**6**	**9**	**18**	**21**	**27**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	5.0	18	2	2	5	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	19.0		19	19	19	19	19	19	19
13-19 YRS	2	8.5	13	6	6	8	11	11	11	11
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	7.0	19	2	2	9	10	10	10	10
1-5 YRS	3	32.3	394	15	15	28	47	54	54	54
6-12 YRS										
13-19 YRS	6	11.2	25	2	3	12	14	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	3	3.7	14	1	1	2	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	3	12.0	43	6	6	11	17	19	19	19
B. *Operated*	13	14.5	189	2	2	11	15	33	50	54
1. SINGLE DX	3	3.7	14	1	1	2	6	8	8	8
2. MULTIPLE DX	16	14.0	158	2	2	11	15	27	46	54
A. NOT OPERATED	3	12.0	43	6	6	11	17	19	19	19
B. OPERATED	16	12.4	172	1	2	10	15	27	46	54
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	7.0	19	2	2	9	10	10	10	10
1-5 YRS	3	32.3	394	15	15	28	47	54	54	54
6-12 YRS	2	10.0	162	1	1	10	19	19	19	19
13-19 YRS	10	9.4	24	2	2	10	14	15	16	16
GRAND TOTAL	**19**	**12.4**	**148**	**1**	**2**	**10**	**15**	**24**	**42**	**54**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	8	7.1	166	2	2	3	4	28	39	39
13-19 YRS	14	4.5	16	1	2	2	6	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.0	1	1	1	2	3	3	3	3
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	8	8.1	12	3	3	8	11	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*	23	5.3	65	1	2	2	4	12	23	39
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	12	6.2	16	1	2	5	9	12	13	13
1. SINGLE DX	25	5.0	60	1	2	2	4	11	20	39
2. MULTIPLE DX	13	6.0	15	1	2	4	9	12	13	13
A. NOT OPERATED	3	2.7	2	<1	<1	3	4	4	4	4
B. OPERATED	35	5.6	47	1	2	3	8	12	14	39
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.8	1	<1	<1	2	2	3	3	3
6-12 YRS	9	6.7	148	2	2	3	3	25	39	39
13-19 YRS	24	5.6	16	1	2	4	9	12	13	14
GRAND TOTAL	**38**	**5.4**	**44**	**1**	**2**	**3**	**7**	**12**	**14**	**39**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	6.0	32	2	2	6	10	10	10	10
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	5	5.8	3	4	4	5	7	8	8	8
B. *Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS										
1-5 YRS	2	3.5	5	2	2	3	5	5	5	5
6-12 YRS	2	6.0	50	1	1	6	11	11	11	11
13-19 YRS	13	7.8	25	1	2	7	11	15	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS	2	8.0	18	5	5	8	11	11	11	11
6-12 YRS										
13-19 YRS	4	7.8	11	4	4	8	10	11	11	11
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	12.4	153	3	3	5	19	33	36	36
1-5 YRS	2	8.5	41	4	4	8	13	13	13	13
6-12 YRS	4	18.5	694	4	4	6	32	58	58	58
13-19 YRS	16	11.4	45	2	3	10	15	22	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.8	6	2	3	5	7	9	10	10
B. *Operated*	18	7.4	25	1	1	6	11	15	16	17
2. MULTIPLE DX										
A. *Not Operated*	7	7.7	9	4	4	7	11	11	11	11
B. *Operated*	30	12.0	139	2	3	9	15	23	36	58
1. SINGLE DX	26	6.9	20	1	2	6	10	14	15	17
2. MULTIPLE DX	37	11.2	117	2	3	8	13	23	32	58
A. NOT OPERATED	15	6.7	8	2	4	6	9	11	11	11
B. OPERATED	48	10.3	100	1	2	8	13	21	25	58
TOTAL 0-27 DYS	3	7.3	42	1	1	7	12	14	14	14
1-11 MOS	9	11.0	127	2	2	5	14	30	36	36
1-5 YRS	6	6.7	19	2	2	5	11	13	13	13
6-12 YRS	7	13.0	403	1	2	6	10	49	58	58
13-19 YRS	38	9.0	32	2	3	8	12	17	22	23
GRAND TOTAL	**63**	**9.4**	**80**	**2**	**2**	**7**	**12**	**18**	**23**	**55**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	58	6.5	18	2	3	6	8	11	14	24
1-5 YRS	273	7.1	26	2	2	6	9	13	17	26
6-12 YRS	53	6.5	26	1	1	5	8	13	18	22
13-19 YRS	35	4.1	7	1	2	4	5	7	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	5	5.0	10	1	1	5	7	9	9	9
1-5 YRS	26	2.6	7	<1	1	2	2	7	8	13
6-12 YRS	20	4.3	21	<1	<1	2	6	10	15	19
13-19 YRS	39	5.2	21	1	2	3	8	11	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	48	9.5	40	2	2	9	13	17	20	31
1-5 YRS	170	7.9	34	2	2	7	10	15	19	28
6-12 YRS	62	7.1	44	1	1	5	10	16	19	34
13-19 YRS	45	6.1	35	1	2	4	8	12	17	31
B. *Operated*										
0-27 DYS	4	11.5	59	7	7	8	16	23	23	23
1-11 MOS	7	18.0	421	2	3	10	20	54	62	62
1-5 YRS	20	6.4	50	1	1	3	9	14	22	29
6-12 YRS	16	12.6	197	1	1	9	20	47	82	99+
13-19 YRS	39	10.3	167	1	2	6	11	28	44	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	420	6.7	24	2	2	5	9	13	16	23
B. *Operated*	90	4.2	17	<1	1	2	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	327	7.7	37	1	2	6	10	16	19	31
B. *Operated*	86	10.5	162	1	1	7	13	28	49	86
1. SINGLE DX	510	6.2	23	1	2	5	8	12	16	23
2. MULTIPLE DX	413	8.3	64	1	2	6	11	16	23	50
A. NOT OPERATED	747	7.1	30	1	2	6	9	14	18	28
B. OPERATED	176	7.3	97	1	1	3	9	16	28	60
TOTAL 0-27 DYS	7	7.9	50	2	2	7	8	20	23	23
1-11 MOS	118	8.3	55	2	2	7	10	16	20	41
1-5 YRS	489	7.1	30	1	2	6	9	14	17	28
6-12 YRS	151	7.1	54	1	1	5	9	16	21	49
13-19 YRS	158	6.5	62	1	2	4	8	13	21	50
GRAND TOTAL	**923**	**7.1**	**43**	**1**	**2**	**5**	**9**	**14**	**19**	**35**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	11.5	1	11	11	11	12	12	12	12
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	8	3.3	4	1	1	3	4	6	7	7
13-19 YRS	132	7.4	17	2	3	7	10	12	14	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	2	7.5	13	5	5	7	10	10	10	10
13-19 YRS	76	6.8	18	1	2	6	9	12	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	8	10.6	25	4	5	10	14	18	19	19
1-5 YRS	4	10.3	16	6	6	10	13	15	15	15
6-12 YRS	10	6.4	66	2	2	4	6	18	29	29
13-19 YRS	107	8.6	31	2	2	8	11	14	17	33
B. *Operated*										
0-27 DYS										
1-11 MOS	4	11.0	69	3	3	10	18	20	20	20
1-5 YRS	3	13.3	44	6	6	15	18	19	19	19
6-12 YRS	2	14.0	8	12	12	14	16	16	16	16
13-19 YRS	62	9.5	35	1	3	9	12	16	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	7.2	17	2	2	7	10	12	14	20
B. *Operated*	79	6.8	17	1	2	6	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	130	8.6	32	2	2	8	11	14	19	32
B. *Operated*	71	9.8	36	1	3	9	12	17	20	34
1. SINGLE DX	222	7.1	17	2	2	7	10	12	14	20
2. MULTIPLE DX	201	9.0	34	2	3	8	12	15	20	33
A. NOT OPERATED	273	7.9	25	2	2	7	11	13	16	28
B. OPERATED	150	8.3	28	1	2	8	11	15	19	21
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	14	10.9	29	3	4	11	16	19	20	20
1-5 YRS	9	10.6	24	5	5	9	15	17	19	19
6-12 YRS	22	6.0	40	1	2	4	7	13	21	29
13-19 YRS	377	8.0	25	2	2	7	11	13	16	24
GRAND TOTAL	**423**	**8.0**	**26**	**2**	**2**	**7**	**11**	**14**	**17**	**26**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	4.0	2	3	3	4	5	6	6	6
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	87	3.4	3	2	2	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	18	5.7	27	1	1	5	6	15	19	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	93	3.4	3	2	2	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	3	8.7	116	1	1	4	17	21	21	21
B. *Operated*	21	6.0	26	1	1	5	7	14	18	20
1. SINGLE DX	94	3.4	3	2	2	3	4	5	7	11
2. MULTIPLE DX	24	6.3	34	1	1	5	8	17	20	21
A. NOT OPERATED	4	7.3	86	1	1	3	12	21	21	21
B. OPERATED	114	3.9	8	2	2	3	5	6	9	18
TOTAL 0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	6	8.2	51	3	3	5	12	20	21	21
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	6.5	13	4	4	6	9	9	9	9
13-19 YRS	107	3.8	8	1	2	3	4	6	8	18
GRAND TOTAL	**118**	**4.0**	**11**	**1**	**2**	**3**	**5**	**7**	**10**	**20**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0	8	<1	<1	2	5	5	5	5
6-12 YRS	8	1.4	1	1	1	1	2	3	3	3
13-19 YRS	38	2.2	1	<1	1	2	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.7	8	<1	<1	<1	5	6	6	6
1-5 YRS	6	2.7	3	1	1	2	5	5	5	5
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	83	3.9	5	1	2	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	4	1.5		<1	<1	1	2	2	2	2
6-12 YRS	8	2.8	2	1	1	3	4	5	5	5
13-19 YRS	46	3.2	2	1	2	3	4	5	6	7
B. *Operated*										
0-27 DYS	4	6.0	6	4	4	6	8	9	9	9
1-11 MOS	4	3.8	10	1	1	6	30	99+	99+	99+
1-5 YRS	9	3.4	7	<1	<1	3	4	8	9	9
6-12 YRS	4	5.8	48	<1	<1	3	10	16	16	16
13-19 YRS	182	4.5	5	2	2	4	5	7	9	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	2.1	1	<1	1	2	3	4	5	5
B. *Operated*	93	3.8	5	<1	1	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	61	3.1	2	1	1	3	4	5	6	9
B. *Operated*	203	4.5	6	1	2	4	6	7	10	16
1. SINGLE DX	141	3.2	4	<1	1	3	4	6	7	10
2. MULTIPLE DX	264	4.2	6	1	2	4	5	7	9	15
A. NOT OPERATED	109	2.7	2	<1	1	2	4	5	5	8
B. OPERATED	296	4.3	6	1	2	4	5	7	9	15
TOTAL 0-27 DYS	5	6.6	6	4	4	7	9	9	9	9
1-11 MOS	9	3.2	6	<1	<1	3	6	53	99+	99+
1-5 YRS	21	2.8	5	<1	<1	2	4	6	7	9
6-12 YRS	21	2.7	11	<1	1	2	3	5	10	16
13-19 YRS	349	4.0	5	1	2	4	5	7	8	11
GRAND TOTAL	**405**	**3.9**	**5**	**1**	**1**	**4**	**5**	**7**	**9**	**13**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	5	8.0	93	2	2	4	11	25	25	25
1-5 YRS	17	2.8	3	<1	1	3	3	5	6	7
6-12 YRS	26	4.5	54	1	1	3	3	6	17	39
13-19 YRS	107	5.3	18	1	1	4	8	12	14	16
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	7.0	91	1	1	2	14	18	18	18
1-5 YRS	13	1.6	1	<1	<1	1	2	3	4	4
6-12 YRS	62	3.0	12	<1	1	2	3	5	7	22
13-19 YRS	447	2.9	8	1	1	2	3	4	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	6.0	31	1	1	5	10	12	12	12
1-11 MOS	13	8.6	50	1	2	7	13	20	22	23
1-5 YRS	33	5.6	25	<1	1	3	9	14	16	17
6-12 YRS	51	4.4	67	1	1	3	4	7	14	58
13-19 YRS	178	4.7	21	1	1	3	6	9	13	26
B. *Operated*										
0-27 DYS										
1-11 MOS	12	9.3	124	1	1	5	11	28	37	38
1-5 YRS	28	7.7	69	1	1	5	9	19	25	36
6-12 YRS	51	7.1	213	<1	1	3	7	13	18	90
13-19 YRS	212	5.7	38	1	1	3	7	13	16	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	5.0	25	1	1	3	6	12	14	24
B. *Operated*	526	2.9	9	1	1	2	3	4	8	18
2. MULTIPLE DX										
A. *Not Operated*	278	4.9	32	1	1	3	6	12	15	26
B. *Operated*	303	6.2	74	1	1	3	8	14	19	37
1. SINGLE DX	682	3.4	13	1	1	2	3	7	12	19
2. MULTIPLE DX	581	5.6	54	1	1	3	7	12	17	36
A. NOT OPERATED	434	5.0	29	1	1	3	6	12	14	25
B. OPERATED	829	4.1	35	1	1	2	4	9	14	27
TOTAL 0-27 DYS	5	6.8	25	1	1	5	12	12	12	12
1-11 MOS	33	8.6	79	1	2	6	11	23	25	38
1-5 YRS	91	5.1	35	<1	1	3	6	13	17	31
6-12 YRS	190	4.7	88	1	1	2	4	9	15	58
13-19 YRS	944	4.1	20	1	1	3	4	10	13	23
GRAND TOTAL	**1263**	**4.4**	**33**	**1**	**1**	**3**	**4**	**11**	**14**	**26**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	224	2.8	2	1	1	2	4	5	6	7
1-11 MOS	3645	2.9	3	1	1	2	4	5	6	9
1-5 YRS	9838	2.5	2	<1	1	2	3	4	5	8
6-12 YRS	1700	2.6	2	1	1	2	3	5	5	7
13-19 YRS	1175	3.1	3	1	1	3	4	5	6	9
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	41	5.1	24	1	1	3	7	14	15	16
1-5 YRS	423	2.5	9	<1	1	2	2	5	7	15
6-12 YRS	745	1.8	3	<1	1	2	2	2	3	6
13-19 YRS	954	1.9	1	1	1	2	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	309	3.7	6	1	1	3	4	6	8	14
1-11 MOS	5418	3.6	6	1	1	3	4	6	8	14
1-5 YRS	11706	3.2	4	1	1	3	4	6	7	10
6-12 YRS	3125	3.2	4	1	1	3	4	6	7	10
13-19 YRS	2596	3.7	6	1	2	3	5	6	7	11
B. *Operated*										
0-27 DYS	4	4.8	18	2	2	3	7	11	11	11
1-11 MOS	96	9.4	140	2	3	6	11	20	29	72
1-5 YRS	637	3.3	12	1	1	2	4	8	10	19
6-12 YRS	606	2.2	3	<1	1	2	2	4	6	10
13-19 YRS	428	3.3	11	1	1	2	4	6	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16582	2.6	3	1	1	2	3	5	6	8
B. *Operated*	2165	2.0	4	<1	1	2	2	3	4	11
2. MULTIPLE DX										
A. *Not Operated*	23154	3.4	5	1	1	3	4	6	7	11
B. *Operated*	1771	3.2	18	1	1	2	3	7	10	20
1. SINGLE DX	18747	2.5	3	1	1	2	3	5	6	8
2. MULTIPLE DX	24925	3.4	6	1	1	3	4	6	7	12
A. NOT OPERATED	39736	3.0	4	1	1	3	4	5	7	10
B. OPERATED	3936	2.6	11	<1	1	2	2	5	7	16
TOTAL 0-27 DYS	539	3.3	5	1	1	3	4	6	7	12
1-11 MOS	9200	3.4	7	1	1	3	4	6	8	13
1-5 YRS	22604	2.9	4	1	1	2	4	5	6	10
6-12 YRS	6176	2.8	4	1	1	2	3	5	6	9
13-19 YRS	5153	3.2	5	1	1	3	4	5	7	11
GRAND TOTAL	**43672**	**3.0**	**5**	**1**	**1**	**2**	**4**	**5**	**7**	**11**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	187	3.6	4	1	2	3	4	6	8	12
1-11 MOS	7442	3.8	5	1	2	3	5	7	8	11
1-5 YRS	6700	3.1	3	1	1	3	4	5	6	9
6-12 YRS	876	3.1	3	1	1	3	4	5	6	9
13-19 YRS	407	3.7	3	1	2	3	5	6	7	9
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	24	4.6	16	1	1	3	5	9	14	18
1-5 YRS	61	3.6	8	1	1	3	4	8	11	13
6-12 YRS	8	2.9	2	1	1	3	4	5	5	5
13-19 YRS	12	5.3	98	<1	<1	2	4	17	33	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	195	5.1	11	2	2	4	6	10	12	15
1-11 MOS	8032	4.6	8	2	2	4	6	8	10	14
1-5 YRS	6115	3.8	6	1	2	3	5	7	8	12
6-12 YRS	1101	3.9	6	1	2	3	5	7	8	13
13-19 YRS	769	5.1	13	2	2	4	6	9	12	21
B. *Operated*										
0-27 DYS	6	13.0	20	8	8	11	18	19	19	19
1-11 MOS	111	8.5	44	2	3	7	12	19	25	99+
1-5 YRS	89	6.5	18	2	2	6	8	12	14	20
6-12 YRS	14	5.1	12	2	2	4	5	10	14	15
13-19 YRS	27	6.4	27	1	1	4	8	14	18	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15612	3.5	4	1	1	3	4	6	7	10
B. *Operated*	106	3.9	19	1	1	3	4	8	12	26
2. MULTIPLE DX										
A. *Not Operated*	16212	4.3	7	1	2	4	5	7	9	14
B. *Operated*	247	7.5	32	2	2	6	10	15	20	43
1. SINGLE DX	15718	3.5	4	1	1	3	4	6	7	10
2. MULTIPLE DX	16459	4.4	8	1	2	4	5	8	9	14
A. NOT OPERATED	31824	3.9	6	1	2	3	5	7	8	12
B. OPERATED	353	6.4	31	1	2	5	8	13	18	35
TOTAL 0-27 DYS	389	4.5	9	1	2	4	5	8	10	17
1-11 MOS	15609	4.3	7	1	2	4	5	7	9	13
1-5 YRS	12965	3.5	5	1	1	3	4	6	7	11
6-12 YRS	1999	3.6	5	1	1	3	4	6	7	11
13-19 YRS	1215	4.7	11	1	2	4	5	8	10	19
GRAND TOTAL	**32177**	**3.9**	**6**	**1**	**2**	**3**	**5**	**7**	**8**	**13**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	2.4	1	2	2	2	3	4	4	4
1-5 YRS	10	1.5	1	1	1	1	2	3	4	4
6-12 YRS	96	1.9	1	1	1	2	2	3	4	5
13-19 YRS	2136	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	48	1.2	1	<1	<1	1	1	2	3	6
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	2.4	2	1	1	2	3	5	5	5
1-5 YRS	20	1.7		<1	1	2	2	2	2	2
6-12 YRS	207	1.9	1	<1	<1	2	2	3	4	6
13-19 YRS	3536	2.3	1	1	1	2	3	4	4	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*	2248	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	53	1.2	1	<1	<1	1	1	2	3	6
B. *Operated*	3771	2.3	1	1	1	2	3	4	4	5
1. SINGLE DX	2252	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	3824	2.3	1	1	1	2	3	4	4	5
A. NOT OPERATED	57	1.3	1	<1	<1	1	1	2	3	6
B. OPERATED	6019	2.3	1	1	1	2	3	3	4	5
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	12	2.4	1	1	1	2	3	4	5	5
1-5 YRS	33	1.6		<1	1	2	2	2	2	4
6-12 YRS	305	1.9	1	<1	1	2	2	3	4	5
13-19 YRS	5724	2.3	1	1	1	2	3	3	4	5
GRAND TOTAL	**6076**	**2.2**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	4	1.5		<1	<1	1	2	2	2	2
6-12 YRS	45	2.0	1	1	1	2	2	3	4	6
13-19 YRS	87	2.1	1	<1	1	2	2	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	2.5	3	1	1	2	4	5	5	5
6-12 YRS	77	2.5	4	<1	<1	2	3	4	5	14
13-19 YRS	169	2.8	8	1	1	2	3	5	5	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		1	1	1	2	2	2	2
B. *Operated*	137	2.0	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	5	2.4	2	<1	<1	2	4	4	4	4
B. *Operated*	252	2.7	7	1	1	2	3	4	5	15
1. SINGLE DX	140	2.0	1	<1	1	2	2	3	4	6
2. MULTIPLE DX	257	2.7	7	<1	1	2	3	4	5	15
A. NOT OPERATED	8	2.0	2	<1	<1	2	3	4	4	4
B. OPERATED	389	2.5	5	1	1	2	3	4	5	9
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	11	2.3	2	<1	<1	2	3	5	5	5
6-12 YRS	124	2.3	3	<1	1	2	3	4	5	11
13-19 YRS	260	2.6	6	1	1	2	3	4	5	9
GRAND TOTAL	**397**	**2.5**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.3	1	1	1	2	3	3	3	3
1-5 YRS	83	1.9	1	<1	<1	1	2	4	4	6
6-12 YRS	81	1.9	2	<1	<1	1	2	3	4	9
13-19 YRS	78	2.2	2	<1	<1	2	3	4	5	9
B. *Operated*										
0-27 DYS	9	1.9	1	1	1	2	2	3	3	3
1-11 MOS	30	1.3		<1	<1	1	2	2	2	2
1-5 YRS	12842	1.5		<1	<1	2	2	2	2	3
6-12 YRS	23248	1.6		<1	1	2	2	2	2	3
13-19 YRS	18386	1.7	1	1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	8	3.3	6	1	1	3	4	7	9	9
1-5 YRS	521	1.5	1	<1	<1	1	2	3	4	7
6-12 YRS	421	1.4	1	<1	<1	1	1	3	4	6
13-19 YRS	235	1.9	3	<1	<1	1	2	4	6	7
B. *Operated*										
0-27 DYS	10	1.5		1	1	1	2	2	2	2
1-11 MOS	71	2.4	11	<1	<1	2	2	4	7	22
1-5 YRS	16004	1.6	1	<1	<1	1	2	2	2	4
6-12 YRS	13657	1.6	1	<1	1	2	2	2	2	4
13-19 YRS	4485	1.9	1	1	1	2	2	3	3	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	2.0	2	<1	<1	2	2	4	5	6
B. *Operated*	54515	1.6	1	<1	1	2	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	1187	1.6	2	<1	<1	1	2	3	4	7
B. *Operated*	34227	1.6	1	<1	1	2	2	2	3	4
1. SINGLE DX	54761	1.6	1	<1	1	2	2	2	2	3
2. MULTIPLE DX	35414	1.6	1	<1	1	2	2	2	3	4
A. NOT OPERATED	1433	1.7	2	<1	<1	1	2	3	4	7
B. OPERATED	88742	1.6	1	<1	1	2	2	2	3	4
TOTAL 0-27 DYS	21	1.8	1	1	1	2	2	3	3	3
1-11 MOS	113	2.2	8	<1	<1	2	2	3	6	17
1-5 YRS	29450	1.6	1	<1	<1	1	2	2	2	4
6-12 YRS	37407	1.6	1	<1	1	2	2	2	2	3
13-19 YRS	23184	1.8	1	1	1	2	2	3	3	4
GRAND TOTAL	**90175**	**1.6**	**1**	**<1**	**1**	**2**	**2**	**2**	**3**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	22	2.3	2	<1	1	2	3	5	6	6
1-11 MOS	139	3.0	5	1	1	2	4	6	8	21
1-5 YRS	574	2.5	4	<1	1	2	3	5	6	10
6-12 YRS	426	3.0	3	<1	1	3	4	5	6	9
13-19 YRS	748	3.3	2	1	2	3	4	5	6	8
B. *Operated*										
0-27 DYS	2	10.5	181	1	1	10	20	20	20	20
1-11 MOS	59	4.8	95	1	1	2	4	10	22	62
1-5 YRS	282	2.5	4	<1	<1	2	3	5	7	9
6-12 YRS	544	2.2	3	<1	<1	2	2	4	5	10
13-19 YRS	1352	2.5	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	28	3.4	6	1	1	3	5	7	9	10
1-11 MOS	206	3.8	8	1	1	3	5	7	10	14
1-5 YRS	581	3.5	5	1	1	3	4	6	8	12
6-12 YRS	472	3.9	6	1	1	3	5	7	8	13
13-19 YRS	622	3.9	6	1	2	3	5	6	8	13
B. *Operated*										
0-27 DYS	3	16.0	144	4	4	16	25	28	28	28
1-11 MOS	73	9.8	148	<1	1	5	14	25	45	89
1-5 YRS	402	3.0	13	<1	<1	2	3	7	9	25
6-12 YRS	494	2.7	10	<1	1	2	3	5	8	13
13-19 YRS	1226	3.0	11	1	1	2	3	5	7	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1909	2.9	3	1	1	3	4	5	6	9
B. *Operated*	2239	2.5	6	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	1909	3.8	6	1	1	3	5	7	8	13
B. *Operated*	2198	3.2	18	<1	1	2	3	6	9	23
1. SINGLE DX	4148	2.7	5	<1	1	2	3	5	6	9
2. MULTIPLE DX	4107	3.4	12	1	1	3	4	6	8	18
A. NOT OPERATED	3818	3.3	5	1	1	3	4	6	7	11
B. OPERATED	4437	2.8	12	<1	1	2	3	5	7	17
TOTAL 0-27 DYS	55	3.9	24	1	1	2	4	7	14	28
1-11 MOS	477	4.6	44	1	1	3	5	10	15	48
1-5 YRS	1839	2.9	7	<1	1	2	4	6	7	13
6-12 YRS	1936	2.9	6	<1	1	2	4	6	7	11
13-19 YRS	3948	3.0	6	1	1	3	4	5	6	11
GRAND TOTAL	**8255**	**3.1**	**9**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	494	5.1	9	2	2	4	6	9	11	15
1-11 MOS	6898	4.4	7	2	2	4	5	7	9	1[illegible]
1-5 YRS	13417	4.0	5	1	2	4	5	7	8	12
6-12 YRS	4986	4.3	5	2	2	4	5	7	8	12
13-19 YRS	2654	4.8	9	2	2	4	6	8	9	12
B. *Operated*										
0-27 DYS	9	6.6	10	2	2	7	9	11	11	11
1-11 MOS	62	5.5	12	2	2	5	7	10	13	18
1-5 YRS	104	6.3	45	1	1	4	8	14	20	34
6-12 YRS	41	4.9	20	1	1	4	6	12	14	22
13-19 YRS	36	7.5	17	1	2	7	10	13	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	394	6.4	19	1	2	5	8	12	15	23
1-11 MOS	8967	5.3	15	2	2	4	7	9	11	19
1-5 YRS	16510	4.5	9	2	2	4	6	8	10	15
6-12 YRS	4835	5.0	10	2	2	4	6	9	11	16
13-19 YRS	2503	6.0	19	2	2	5	7	11	14	23
B. *Operated*										
0-27 DYS	25	10.3	38	4	5	8	11	20	24	31
1-11 MOS	261	11.8	123	2	3	9	15	22	29	74
1-5 YRS	360	10.5	127	2	3	7	13	20	29	62
6-12 YRS	155	12.4	141	3	3	8	15	26	37	54
13-19 YRS	163	14.0	114	3	4	11	18	30	41	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28449	4.2	6	2	2	4	5	7	9	12
B. *Operated*	252	6.0	28	1	2	4	8	12	15	26
2. MULTIPLE DX										
A. *Not Operated*	33209	4.9	12	2	2	4	6	9	11	17
B. *Operated*	964	11.7	125	2	3	8	15	24	32	62
1. SINGLE DX	28701	4.3	6	2	2	4	5	7	9	12
2. MULTIPLE DX	34173	5.1	16	2	2	4	6	9	11	20
A. NOT OPERATED	61658	4.6	9	2	2	4	6	8	10	15
B. OPERATED	1216	10.6	110	2	3	7	13	22	30	57
TOTAL 0-27 DYS	922	5.8	15	2	2	5	7	10	13	20
1-11 MOS	16188	5.0	14	2	2	4	6	9	11	18
1-5 YRS	30391	4.3	9	1	2	4	5	7	9	15
6-12 YRS	10017	4.8	11	2	2	4	6	8	10	16
13-19 YRS	5356	5.6	19	2	2	5	7	10	12	22
GRAND TOTAL	**62874**	**4.7**	**12**	**2**	**2**	**4**	**6**	**8**	**10**	**17**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	2.7	1	2	2	3	3	4	4	4
1-11 MOS	116	3.5	3	1	1	3	5	6	7	8
1-5 YRS	297	3.1	4	1	1	3	4	5	7	9
6-12 YRS	291	2.8	3	1	1	2	3	5	5	10
13-19 YRS	298	2.8	2	1	1	3	4	5	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	6.0	13	2	2	7	8	9	9	9
6-12 YRS										
13-19 YRS	3	3.3	5	2	2	[illegible]	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	3.4	3	2	2	3	4	6	7	7
1-11 MOS	200	4.0	8	1	1	3	5	8	10	14
1-5 YRS	672	3.4	4	1	1	3	4	6	7	12
6-12 YRS	457	3.3	4	1	1	3	4	5	7	11
13-19 YRS	482	3.5	4	1	1	3	4	6	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	3	15.0	103	4	4	17	22	24	24	24
1-5 YRS	10	6.6	6	3	3	7	8	10	11	11
6-12 YRS	6	6.2	54	2	2	4	4	19	21	21
13-19 YRS	12	11.8	697	<1	1	3	8	35	86	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1011	3.0	3	1	1	3	4	5	6	9
B. *Operated*	7	4.4	8	2	2	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1821	3.5	5	1	1	3	4	6	7	12
B. *Operated*	31	9.3	283	1	1	5	8	19	24	95
1. SINGLE DX	1018	3.0	3	1	1	3	4	5	6	9
2. MULTIPLE DX	1852	3.6	10	1	1	3	4	6	8	13
A. NOT OPERATED	2832	3.3	4	1	1	3	4	6	7	11
B. OPERATED	38	8.4	235	1	2	5	8	15	23	95
TOTAL 0-27 DYS	19	3.1	2	2	2	3	4	5	6	7
1-11 MOS	320	3.9	8	1	1	3	5	7	9	15
1-5 YRS	982	3.4	4	1	1	3	4	6	7	12
6-12 YRS	754	3.1	4	1	1	3	4	5	6	11
13-19 YRS	795	3.3	14	1	1	3	4	6	7	10
GRAND TOTAL	**2870**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	25	3.9	5	1	2	4	5	7	8	9
1-11 MOS	1122	3.6	5	1	1	3	5	7	8	11
1-5 YRS	2171	2.9	3	1	1	3	4	5	6	9
6-12 YRS	409	3.2	4	1	1	3	4	5	7	8
13-19 YRS	185	3.6	4	1	2	3	5	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	12	3.9	14	1	1	3	5	10	13	13
1-5 YRS	31	2.7	5	1	1	2	3	6	9	9
6-12 YRS	10	3.3	7	1	1	3	4	7	10	10
13-19 YRS	11	4.7	5	2	2	3	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	37	4.7	10	1	2	4	6	9	11	17
1-11 MOS	1401	4.4	7	1	2	4	5	8	9	14
1-5 YRS	2233	3.7	5	1	2	3	5	6	8	12
6-12 YRS	506	4.0	8	1	2	3	5	7	10	14
13-19 YRS	350	4.5	11	1	2	4	6	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS	29	7.0	23	1	2	5	10	14	15	20
1-5 YRS	53	5.7	22	<1	1	4	8	11	13	27
6-12 YRS	12	5.3	25	2	2	3	7	13	18	19
13-19 YRS	30	8.9	88	1	2	6	12	14	32	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3912	3.2	4	1	1	3	4	6	7	10
B. *Operated*	64	3.4	7	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	4527	4.0	7	1	2	3	5	7	8	14
B. *Operated*	124	6.7	39	1	2	5	9	13	15	36
1. SINGLE DX	3976	3.2	4	1	1	3	4	6	7	10
2. MULTIPLE DX	4651	4.1	8	1	2	3	5	7	9	14
A. NOT OPERATED	8439	3.6	6	1	1	3	5	6	8	12
B. OPERATED	188	5.6	31	1	1	4	8	12	14	30
TOTAL 0-27 DYS	62	4.4	8	1	2	4	6	7	10	16
1-11 MOS	2564	4.1	7	1	2	4	5	7	9	14
1-5 YRS	4488	3.3	4	1	1	3	4	6	7	11
6-12 YRS	937	3.7	6	1	1	3	4	6	8	14
13-19 YRS	576	4.5	14	1	2	4	5	7	10	15
GRAND TOTAL	**8627**	**3.7**	**6**	**1**	**1**	**3**	**5**	**6**	**8**	**13**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS										
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	2	7.0	2	6	6	7	8	8	8	8
B. *Operated*										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	2	5.5	5	4	4	5	7	7	7	7
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	3.5	13	1	1	3	6	6	6	6
13-19 YRS	3	3.7	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	7.6	22	2	2	7	9	15	15	15
1-5 YRS	5	5.6	10	3	3	4	7	11	11	11
6-12 YRS	5	3.4	5	1	1	4	5	6	6	6
13-19 YRS	8	17.0	804	2	3	5	15	65	86	86
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	8.0	8	6	6	8	10	10	10	10
13-19 YRS	13	11.7	47	5	5	10	14	23	27	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.0	8	1	1	4	6	8	8	8
B. *Operated*	9	5.9	31	1	1	4	6	15	20	20
2. MULTIPLE DX										
A. *Not Operated*	23	9.5	296	1	2	5	7	15	41	86
B. *Operated*	15	11.2	43	5	5	10	14	22	26	28
1. SINGLE DX	15	5.1	22	1	1	4	6	8	17	20
2. MULTIPLE DX	38	10.2	193	1	2	6	11	16	26	86
A. NOT OPERATED	29	8.4	239	1	1	5	7	14	20	86
B. OPERATED	24	9.2	44	2	3	7	12	20	24	28
TOTAL 0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	9	5.8	18	1	1	7	7	12	15	15
1-5 YRS	6	5.3	9	3	3	4	6	10	11	11
6-12 YRS	11	4.3	8	1	1	5	6	8	10	10
13-19 YRS	26	12.0	267	2	4	7	13	21	40	86
GRAND TOTAL	**53**	**8.8**	**148**	**1**	**2**	**6**	**10**	**16**	**22**	**84**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	10	4.8	20	<1	1	4	5	11	17	17
1-11 MOS	1672	4.2	6	1	2	4	5	7	9	12
1-5 YRS	12443	3.2	3	1	1	3	4	5	6	9
6-12 YRS	9339	3.3	4	1	1	3	4	5	6	9
13-19 YRS	5370	3.5	4	1	2	3	4	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	8	7.9	28	3	3	6	11	16	18	18
1-5 YRS	54	3.5	7	<1	1	3	5	7	9	13
6-12 YRS	35	3.9	6	<1	1	3	5	8	8	11
13-19 YRS	30	3.5	4	1	2	3	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	4.4	13	1	1	3	5	10	14	14
1-11 MOS	1854	5.0	10	2	2	4	6	9	11	16
1-5 YRS	8913	3.8	6	1	2	3	5	6	8	11
6-12 YRS	4286	3.9	7	1	2	3	5	6	8	12
13-19 YRS	2627	4.3	8	1	2	4	5	7	9	15
B. *Operated*										
0-27 DYS										
1-11 MOS	38	10.1	43	2	3	9	12	16	25	33
1-5 YRS	113	7.6	56	2	2	5	9	14	24	39
6-12 YRS	53	8.3	141	1	2	6	10	12	19	84
13-19 YRS	66	6.2	14	2	2	5	8	11	13	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28834	3.3	4	1	1	3	4	6	7	9
B. *Operated*	127	3.9	8	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	17691	4.0	7	1	2	3	5	7	8	13
B. *Operated*	270	7.7	61	2	2	6	10	13	18	37
1. SINGLE DX	28961	3.3	4	1	1	3	4	6	7	9
2. MULTIPLE DX	17961	4.1	8	1	2	3	5	7	9	13
A. NOT OPERATED	46525	3.6	5	1	2	3	4	6	7	11
B. OPERATED	397	6.5	47	1	2	5	8	12	15	35
TOTAL 0-27 DYS	21	4.6	16	1	1	3	5	10	15	17
1-11 MOS	3572	4.7	9	2	2	4	6	8	10	15
1-5 YRS	21523	3.4	5	1	1	3	4	6	7	10
6-12 YRS	13713	3.5	5	1	2	3	4	6	7	10
13-19 YRS	8093	3.8	6	1	2	3	5	6	8	12
GRAND TOTAL	**46922**	**3.6**	**5**	**1**	**2**	**3**	**4**	**6**	**7**	**11**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	16	4.2	3	2	2	4	5	7	7	7
1-5 YRS	17	4.5	12	1	1	4	5	11	13	13
6-12 YRS	16	4.6	18	1	2	3	5	14	15	15
13-19 YRS	18	4.6	10	1	1	3	6	10	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	9	7.4	85	1	1	4	8	22	31	31
13-19 YRS	11	6.9	72	1	1	3	9	19	29	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	4.9	4	2	2	5	7	8	8	8
1-11 MOS	41	7.7	112	1	2	5	9	12	19	68
1-5 YRS	51	5.8	32	1	2	4	8	11	18	33
6-12 YRS	36	8.0	62	2	3	5	10	13	30	36
13-19 YRS	41	10.0	58	2	2	8	14	20	28	33
B. *Operated*										
0-27 DYS										
1-11 MOS	5	11.8	119	1	1	9	18	29	29	29
1-5 YRS	14	6.4	37	1	1	4	10	16	18	19
6-12 YRS	11	9.0	161	1	1	5	11	26	43	45
13-19 YRS	19	9.8	64	1	1	9	15	23	26	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	4.5	10	1	2	4	5	9	13	15
B. *Operated*	24	6.3	64	1	1	3	8	14	30	31
2. MULTIPLE DX										
A. *Not Operated*	176	7.6	63	2	2	5	10	15	22	35
B. *Operated*	49	8.9	81	1	1	7	12	19	27	45
1. SINGLE DX	91	5.0	25	1	1	4	6	10	13	31
2. MULTIPLE DX	225	7.9	67	1	2	5	10	16	25	38
A. NOT OPERATED	243	6.8	51	1	2	4	9	13	18	34
B. OPERATED	73	8.0	76	1	1	4	11	19	29	42
TOTAL 0-27 DYS	7	4.9	4	2	2	5	7	8	8	8
1-11 MOS	63	7.1	85	1	2	4	7	12	19	63
1-5 YRS	85	5.5	28	1	1	4	7	12	16	28
6-12 YRS	72	7.3	69	1	2	4	9	14	30	43
13-19 YRS	89	8.5	55	1	2	7	11	17	27	32
GRAND TOTAL	**316**	**7.1**	**56**	**1**	**2**	**4**	**9**	**15**	**21**	**34**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	208	3.2	7	1	1	2	4	5	9	15
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	15.0	2	14	14	15	16	16	16	16
6-12 YRS	4	10.3	14	6	6	10	13	15	15	15
13-19 YRS	477	6.4	21	2	3	5	8	11	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	5.0	13	2	2	4	7	10	10	10
1-5 YRS	5	4.2	7	<1	<1	3	7	7	7	7
6-12 YRS	4	5.8	20	2	2	5	9	11	11	11
13-19 YRS	55	4.4	14	1	1	3	5	9	11	22
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	6	10.0	34	4	4	8	11	20	21	21
13-19 YRS	133	10.0	36	3	3	9	12	18	20	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	210	3.2	7	1	1	2	4	5	9	15
B. *Operated*	484	6.5	22	2	3	5	8	11	15	25
2. MULTIPLE DX										
A. *Not Operated*	69	4.5	13	1	1	3	6	9	11	21
B. *Operated*	142	10.0	35	3	4	9	12	18	21	30
1. SINGLE DX	694	5.5	19	1	2	4	7	10	14	24
2. MULTIPLE DX	211	8.2	34	2	2	7	11	17	20	29
A. NOT OPERATED	279	3.5	9	1	1	3	4	7	10	15
B. OPERATED	626	7.3	27	2	3	6	9	14	17	26
TOTAL 0-27 DYS	2	6.5	13	4	4	6	9	9	9	9
1-11 MOS	6	6.3	15	2	2	5	10	12	12	12
1-5 YRS	8	7.1	28	<1	1	6	11	15	16	16
6-12 YRS	16	8.0	27	1	2	8	10	15	19	21
13-19 YRS	873	6.0	24	1	2	5	8	12	16	25
GRAND TOTAL	**905**	**6.1**	**24**	**1**	**2**	**5**	**8**	**12**	**16**	**25**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	27	3.4	9	<1	<1	2	4	8	11	11
1-11 MOS	388	3.6	12	1	1	3	4	7	8	11
1-5 YRS	810	3.1	5	1	1	3	4	5	6	12
6-12 YRS	279	3.4	6	1	1	3	4	6	8	14
13-19 YRS	296	3.6	10	1	1	3	4	7	10	18
B. *Operated*										
0-27 DYS										
1-11 MOS	28	5.7	41	1	1	3	6	14	23	26
1-5 YRS	129	3.4	17	<1	1	2	3	8	12	23
6-12 YRS	52	6.2	38	1	1	4	9	14	16	31
13-19 YRS	81	5.8	26	1	1	4	8	13	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	53	5.2	13	2	2	4	7	9	10	19
1-11 MOS	810	5.4	33	1	2	4	6	10	13	27
1-5 YRS	1288	4.7	28	1	1	3	6	9	12	23
6-12 YRS	415	4.9	16	1	1	4	6	10	14	21
13-19 YRS	478	5.6	32	1	1	4	7	12	16	29
B. *Operated*										
0-27 DYS	7	8.1	69	2	2	6	9	23	26	26
1-11 MOS	109	15.1	261	2	2	10	20	34	70	99+
1-5 YRS	253	9.6	189	1	1	4	12	24	41	96
6-12 YRS	96	9.3	195	1	1	5	12	20	28	85
13-19 YRS	191	11.2	124	1	2	8	15	29	36	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1800	3.3	8	1	1	3	4	6	8	15
B. *Operated*	290	4.8	27	1	1	3	6	11	16	25
2. MULTIPLE DX										
A. *Not Operated*	3044	5.0	28	1	1	4	6	10	13	24
B. *Operated*	656	10.9	185	1	1	6	14	28	41	91
1. SINGLE DX	2090	3.5	11	1	1	3	4	6	9	18
2. MULTIPLE DX	3700	6.1	61	1	1	4	7	13	18	42
A. NOT OPERATED	4844	4.4	21	1	1	3	5	8	11	21
B. OPERATED	946	9.1	144	1	1	5	12	22	34	80
TOTAL 0-27 DYS	87	4.9	17	1	1	4	7	10	11	23
1-11 MOS	1335	5.7	54	1	1	4	6	11	17	38
1-5 YRS	2480	4.6	40	1	1	3	5	9	13	35
6-12 YRS	842	5.0	37	1	1	3	6	10	14	23
13-19 YRS	1046	6.1	49	1	1	4	7	14	19	36
GRAND TOTAL	**5790**	**5.2**	**44**	**1**	**1**	**3**	**6**	**10**	**15**	**35**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	12	2.6	4	<1	<1	2	3	5	8	8
1-5 YRS	51	3.0	3	<1	1	3	4	6	7	9
6-12 YRS	34	3.2	3	<1	1	3	4	6	7	9
13-19 YRS	50	3.4	12	<1	<1	3	4	6	10	21
B. *Operated*										
0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	14	2.4	6	<1	<1	1	3	5	9	10
1-5 YRS	884	1.2	1	<1	<1	1	1	2	2	5
6-12 YRS	485	1.7	2	<1	<1	1	2	3	4	8
13-19 YRS	5886	2.0	2	<1	<1	2	2	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.7	1	3	3	3	5	5	5	5
1-11 MOS	31	3.6	4	1	2	3	4	6	7	10
1-5 YRS	193	3.1	6	<1	<1	3	4	6	6	13
6-12 YRS	89	2.9	4	<1	<1	3	4	6	7	9
13-19 YRS	223	2.6	4	<1	<1	2	4	5	7	9
B. *Operated*										
0-27 DYS	3	3.0	3	2	2	2	4	5	5	5
1-11 MOS	10	2.8	3	1	1	3	4	5	5	5
1-5 YRS	795	1.6	3	<1	<1	1	2	2	4	9
6-12 YRS	630	1.9	2	<1	<1	2	2	3	5	8
13-19 YRS	3137	2.7	3	<1	1	2	4	5	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	3.2	6	<1	1	3	4	6	7	12
B. *Operated*	7271	1.9	2	<1	<1	2	2	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	539	2.9	5	<1	<1	2	4	6	7	10
B. *Operated*	4575	2.4	3	<1	<1	2	3	4	5	8
1. SINGLE DX	7418	1.9	2	<1	<1	2	2	4	4	6
2. MULTIPLE DX	5114	2.5	3	<1	<1	2	3	4	5	8
A. NOT OPERATED	686	2.9	5	<1	<1	2	4	6	7	10
B. OPERATED	11846	2.1	2	<1	<1	2	2	4	5	7
TOTAL 0-27 DYS	8	3.0	2	<1	1	3	4	5	5	5
1-11 MOS	67	3.0	4	<1	1	3	4	5	7	10
1-5 YRS	1923	1.6	3	<1	<1	1	2	3	4	7
6-12 YRS	1238	2.0	2	<1	<1	2	2	4	5	8
13-19 YRS	9296	2.3	2	<1	<1	2	3	4	5	7
GRAND TOTAL	**12532**	**2.1**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	4.0	9	1	1	3	6	8	8	8
1-11 MOS	48	3.2	2	1	2	3	4	5	6	7
1-5 YRS	199	3.7	5	1	1	3	5	6	8	11
6-12 YRS	76	3.4	3	<1	1	3	4	6	7	9
13-19 YRS	81	4.0	5	1	1	4	5	7	8	11
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	25	2.6	9	<1	<1	2	2	6	10	14
1-5 YRS	119	2.9	13	<1	<1	2	3	6	7	17
6-12 YRS	224	2.5	4	<1	<1	2	3	5	6	9
13-19 YRS	206	2.7	3	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	4.8	2	3	3	5	6	7	7	7
1-11 MOS	95	4.1	7	1	2	3	5	7	9	16
1-5 YRS	392	3.7	5	1	1	3	5	6	7	11
6-12 YRS	124	4.0	6	1	2	3	5	7	9	14
13-19 YRS	131	4.2	6	1	2	4	5	7	9	12
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	11	5.3	12	1	1	5	7	11	11	11
1-5 YRS	90	3.8	10	1	1	3	5	8	11	16
6-12 YRS	121	3.6	6	1	1	3	4	7	8	14
13-19 YRS	137	3.2	5	1	1	3	4	6	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	408	3.6	4	1	1	3	5	6	8	10
B. *Operated*	575	2.6	6	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	747	3.9	5	1	2	3	5	7	8	12
B. *Operated*	360	3.5	7	1	1	3	4	7	10	14
1. SINGLE DX	983	3.0	5	<1	1	3	4	6	7	10
2. MULTIPLE DX	1107	3.8	6	1	1	3	5	7	8	13
A. NOT OPERATED	1155	3.8	5	1	1	3	5	6	8	12
B. OPERATED	935	3.0	6	<1	1	2	4	6	8	11
TOTAL 0-27 DYS	11	4.4	5	<1	1	4	6	8	8	8
1-11 MOS	179	3.7	6	1	1	3	5	6	8	13
1-5 YRS	800	3.6	6	1	1	3	4	6	8	12
6-12 YRS	545	3.2	5	<1	1	3	4	6	7	11
13-19 YRS	555	3.3	5	<1	1	3	4	6	8	12
GRAND TOTAL	**2090**	**3.4**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	165	3.4	5	1	1	3	4	6	8	12
1-11 MOS	584	3.6	8	1	1	3	4	7	9	14
1-5 YRS	119	3.4	8	1	1	2	4	7	9	14
6-12 YRS	55	3.2	23	1	1	2	3	6	9	33
13-19 YRS	135	2.7	3	1	1	2	3	5	6	11
B. *Operated*										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	76	7.6	52	1	2	6	8	16	22	40
1-5 YRS	133	4.2	25	<1	<1	2	5	10	15	25
6-12 YRS	77	4.0	17	<1	<1	2	6	8	13	22
13-19 YRS	90	4.5	20	<1	<1	3	7	8	10	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	138	4.0	7	1	1	3	5	7	10	13
1-11 MOS	715	4.7	16	1	2	4	6	8	13	22
1-5 YRS	177	5.0	52	1	1	3	5	9	14	50
6-12 YRS	104	3.5	7	1	1	3	4	6	8	16
13-19 YRS	290	4.0	24	1	1	3	5	7	10	16
B. *Operated*										
0-27 DYS	11	15.4	139	2	3	14	26	31	35	35
1-11 MOS	158	13.4	123	2	3	10	19	31	36	64
1-5 YRS	251	10.0	156	<1	<1	7	13	24	35	67
6-12 YRS	125	9.0	78	1	1	7	12	21	27	43
13-19 YRS	172	7.9	110	1	2	5	9	14	21	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1058	3.4	8	1	1	3	4	7	9	13
B. *Operated*	378	4.9	29	<1	<1	3	7	10	15	28
2. MULTIPLE DX										
A. *Not Operated*	1424	4.5	21	1	1	3	5	8	11	21
B. *Operated*	717	10.2	128	<1	1	7	13	24	31	66
1. SINGLE DX	1436	3.8	14	1	1	3	5	8	10	20
2. MULTIPLE DX	2141	6.4	64	1	1	4	7	14	21	37
A. NOT OPERATED	2482	4.0	16	1	1	3	5	7	10	19
B. OPERATED	1095	8.3	100	<1	1	5	11	21	28	47
TOTAL 0-27 DYS	316	4.1	15	1	1	3	5	7	10	26
1-11 MOS	1533	5.3	34	1	1	4	6	11	16	32
1-5 YRS	680	6.4	85	<1	1	3	7	15	23	55
6-12 YRS	361	5.5	43	<1	1	3	6	13	19	32
13-19 YRS	687	4.8	44	1	1	3	5	9	12	26
GRAND TOTAL	**3577**	**5.3**	**45**	**1**	**1**	**3**	**6**	**11**	**17**	**35**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	4	2.0	1	1	1	2	3	3	3	3
6-12 YRS	15	4.0	5	2	2	3	6	7	9	9
13-19 YRS	51	4.1	5	1	2	4	5	7	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	2	8.5	5	7	7	8	10	10	10	10
6-12 YRS	4	6.3	16	3	3	6	9	11	11	11
13-19 YRS	14	5.1	9	2	2	5	7	8	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	4.4	11	2	2	4	6	10	10	10
1-5 YRS	10	4.4	2	3	3	4	5	7	8	8
6-12 YRS	22	4.2	5	1	2	4	6	7	9	10
13-19 YRS	70	4.4	6	1	1	4	6	8	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.0	50	1	1	6	11	11	11	11
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	4	6.3	45	1	1	4	10	16	16	16
13-19 YRS	26	6.7	16	2	3	5	9	11	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	3.9	5	1	2	3	5	7	8	13
B. *Operated*	21	6.1	13	2	2	5	8	12	13	14
2. MULTIPLE DX										
A. *Not Operated*	107	4.3	6	1	2	4	6	8	9	11
B. *Operated*	33	6.5	18	1	2	5	9	11	15	20
1. SINGLE DX	92	4.4	8	1	2	4	6	8	11	14
2. MULTIPLE DX	140	4.9	9	1	2	4	6	9	11	16
A. NOT OPERATED	178	4.2	5	1	2	4	6	7	9	12
B. OPERATED	54	6.4	16	2	2	5	9	11	14	20
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	6.0	24	1	1	4	10	13	14	14
1-5 YRS	17	4.4	6	1	2	4	6	8	9	10
6-12 YRS	45	4.5	9	1	2	4	6	8	10	16
13-19 YRS	161	4.7	8	1	2	4	6	8	10	13
GRAND TOTAL	**232**	**4.7**	**9**	**1**	**2**	**4**	**6**	**9**	**11**	**14**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	6	6.0	30	1	1	5	7	15	16	16
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	26	4.2	4	2	2	4	6	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.5	5	4	4	5	7	7	7	7
13-19 YRS	15	7.0	5	3	5	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	7.5	20	2	2	8	11	12	12	12
1-5 YRS	11	4.1	5	1	2	4	5	7	9	9
6-12 YRS	6	4.2	5	2	2	3	6	8	8	8
13-19 YRS	33	5.6	11	2	2	5	7	10	12	15
B. *Operated*										
0-27 DYS										
1-11 MOS	2	14.5	113	7	7	14	22	22	22	22
1-5 YRS	3	2.7	1	2	2	2	4	4	4	4
6-12 YRS	3	19.3	206	3	3	25	29	30	30	30
13-19 YRS	15	11.9	167	3	4	7	12	28	47	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	4.4	8	1	2	3	6	7	8	16
B. *Operated*	17	6.8	5	3	4	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	54	5.3	10	2	2	4	7	10	12	15
B. *Operated*	23	11.9	150	2	3	7	13	28	38	53
1. SINGLE DX	52	5.2	8	2	2	5	7	9	10	16
2. MULTIPLE DX	77	7.2	60	2	2	5	8	13	24	47
A. NOT OPERATED	89	4.9	9	2	2	4	6	9	12	16
B. OPERATED	40	9.7	93	2	3	7	10	23	29	53
TOTAL 0-27 DYS										
1-11 MOS	7	8.9	46	2	2	7	11	20	22	22
1-5 YRS	20	4.5	12	1	1	3	6	8	12	16
6-12 YRS	13	7.6	82	2	2	3	7	26	29	30
13-19 YRS	89	6.5	39	2	2	5	7	10	13	43
GRAND TOTAL	**129**	**6.4**	**40**	**2**	**2**	**5**	**7**	**11**	**15**	**35**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	3.7	6	<1	<1	4	5	6	6	6
1-5 YRS	5	5.0	11	1	1	5	6	10	10	10
6-12 YRS	92	3.3	5	1	1	3	4	6	7	12
13-19 YRS	378	3.5	8	1	1	3	4	6	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	21	6.8	20	1	1	7	9	12	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	8.3	62	4	4	5	12	20	20	20
1-5 YRS	10	6.4	21	1	1	5	8	14	14	14
6-12 YRS	75	4.5	8	1	2	4	6	8	11	13
13-19 YRS	358	4.5	8	1	2	4	6	8	10	13
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	6	7.2	21	3	3	6	7	15	16	16
13-19 YRS	43	8.5	31	2	2	7	11	16	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	479	3.5	8	1	1	3	4	6	8	11
B. *Operated*	23	6.7	19	1	2	6	9	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	447	4.6	9	1	2	4	6	8	10	14
B. *Operated*	52	8.2	28	2	3	7	10	16	17	29
1. SINGLE DX	502	3.7	9	1	1	3	4	7	8	12
2. MULTIPLE DX	499	4.9	12	1	2	4	6	9	12	18
A. NOT OPERATED	926	4.0	9	1	2	3	5	7	9	13
B. OPERATED	75	7.7	25	2	2	7	9	15	17	27
TOTAL 0-27 DYS	2	5.5	13	3	3	5	8	8	8	8
1-11 MOS	9	5.7	31	<1	1	4	5	14	20	20
1-5 YRS	16	5.9	16	1	1	5	7	13	14	14
6-12 YRS	174	4.0	7	1	1	3	5	7	10	14
13-19 YRS	800	4.3	11	1	2	3	5	8	10	16
GRAND TOTAL	**1001**	**4.3**	**11**	**1**	**2**	**4**	**5**	**8**	**10**	**16**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	15	4.2	4	1	2	4	5	7	8	8
13-19 YRS	112	4.3	7	1	2	4	6	7	8	16
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	4	3.5	4	2	2	3	5	6	6	6
13-19 YRS	41	7.6	6	4	4	7	9	12	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	4	5.3	21	2	2	3	8	12	12	12
1-5 YRS	6	4.0	6	1	1	4	5	8	8	8
6-12 YRS	18	4.2	5	1	2	4	5	8	9	9
13-19 YRS	92	4.7	6	2	2	4	6	8	10	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	2	10.5	5	9	9	10	12	12	12	12
6-12 YRS	7	6.3	9	2	2	8	8	10	10	10
13-19 YRS	26	9.6	23	2	4	9	12	18	20	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	4.2	6	1	2	4	5	7	8	15
B. *Operated*	47	7.3	7	3	4	7	8	11	12	13
2. MULTIPLE DX										
A. *Not Operated*	121	4.6	6	1	2	4	6	8	9	14
B. *Operated*	36	9.0	20	2	4	8	11	13	19	22
1. SINGLE DX	176	5.0	8	1	2	5	7	8	11	15
2. MULTIPLE DX	157	5.6	13	2	2	4	8	10	12	19
A. NOT OPERATED	250	4.4	6	1	2	4	5	8	9	15
B. OPERATED	83	8.0	13	2	4	8	10	12	13	21
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	7	5.7	14	2	2	4	8	11	12	12
1-5 YRS	10	5.6	11	1	2	5	8	10	12	12
6-12 YRS	44	4.5	5	1	2	4	6	8	9	10
13-19 YRS	271	5.4	11	2	2	5	7	10	12	18
GRAND TOTAL	**333**	**5.3**	**10**	**2**	**2**	**4**	**7**	**9**	**12**	**17**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	5	4.8	5	<1	<1	5	6	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	4	7.5	26	<1	<1	8	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	5	3.4	2	1	1	4	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	59.0		59	59	59	59	59	59	59
6-12 YRS	1	15.0		15	15	15	15	15	15	15
13-19 YRS	4	8.5	38	4	4	7	13	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.7	4	<1	1	5	6	7	7	7
B. *Operated*	6	6.3	19	<1	<1	5	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	9	5.6	11	1	2	5	7	11	12	12
B. *Operated*	6	18.0	433	4	4	12	17	55	59	59
1. SINGLE DX	13	5.5	10	<1	<1	5	6	11	12	12
2. MULTIPLE DX	15	10.5	201	1	3	5	11	17	48	59
A. NOT OPERATED	16	5.2	8	<1	1	5	6	9	11	12
B. OPERATED	12	12.2	242	<1	3	7	13	30	55	59
TOTAL 0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	4	4.8	2	4	4	4	6	7	7	7
1-5 YRS	2	34.0	1250	9	9	34	59	59	59	59
6-12 YRS	3	8.3	33	5	5	5	13	15	15	15
13-19 YRS	18	5.8	17	<1	<1	5	7	12	15	17
GRAND TOTAL	**28**	**8.2**	**115**	**<1**	**2**	**5**	**9**	**14**	**21**	**59**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	30	2.7	2	1	1	2	4	5	6	6
1-11 MOS	158	2.8	3	1	1	2	4	5	6	9
1-5 YRS	390	2.5	2	1	1	2	3	4	5	9
6-12 YRS	647	2.4	2	1	1	2	3	4	5	7
13-19 YRS	1152	2.9	4	1	1	2	4	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	3	3.0	1	2	2	3	4	4	4	4
6-12 YRS	13	3.5	6	<1	1	2	5	7	9	9
13-19 YRS	60	5.0	12	1	2	4	6	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	23	2.9	2	1	2	2	3	5	6	8
1-11 MOS	277	3.6	7	1	2	3	4	6	7	14
1-5 YRS	1049	2.8	3	1	1	2	3	5	6	9
6-12 YRS	1086	3.1	5	1	1	3	4	5	7	10
13-19 YRS	1729	3.6	6	1	1	3	4	6	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS	13	5.7	13	1	1	6	8	11	13	13
1-5 YRS	20	5.6	14	1	2	4	8	11	13	15
6-12 YRS	33	4.4	9	1	1	4	6	8	12	13
13-19 YRS	138	6.1	15	1	2	5	8	11	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2377	2.7	3	1	1	2	3	5	5	9
B. *Operated*	77	4.8	12	1	2	4	6	11	13	15
2. MULTIPLE DX										
A. *Not Operated*	4164	3.3	5	1	1	[illegible]	4	6	7	12
B. *Operated*	204	5.7	14	1	2	5	7	11	13	17
1. SINGLE DX	2454	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX	4368	3.4	6	1	1	3	4	6	8	13
A. NOT OPERATED	6541	3.1	4	1	1	3	4	5	7	11
B. OPERATED	281	5.5	13	1	2	5	7	11	13	16
TOTAL 0-27 DYS	53	2.8	2	1	1	2	4	5	6	8
1-11 MOS	449	3.4	6	1	1	3	4	6	7	13
1-5 YRS	1462	2.7	3	1	1	2	3	5	6	10
6-12 YRS	1779	2.9	4	1	1	2	4	5	6	9
13-19 YRS	3079	3.5	6	1	1	3	4	6	8	13
GRAND TOTAL	**6822**	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	20	2.2	1	1	1	2	3	4	4	4
1-11 MOS	63	3.5	8	1	1	2	4	8	11	12
1-5 YRS	38	3.1	4	1	1	2	4	6	7	10
6-12 YRS	149	3.0	3	1	1	3	4	5	6	7
13-19 YRS	263	3.2	4	1	1	3	4	6	7	11
B. *Operated*										
0-27 DYS	59	4.4	7	2	2	4	5	8	8	17
1-11 MOS	205	3.6	4	1	2	3	4	5	7	13
1-5 YRS	26	4.4	6	1	2	4	6	8	9	12
6-12 YRS	2	10.5	113	3	3	10	18	18	18	18
13-19 YRS	13	7.0	24	<1	1	7	11	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	19	3.4	5	1	1	3	5	7	8	8
1-11 MOS	87	3.8	9	1	1	3	4	8	10	15
1-5 YRS	123	3.4	7	1	1	3	4	7	9	14
6-12 YRS	182	3.5	11	1	1	3	4	6	7	12
13-19 YRS	397	4.1	12	1	1	3	5	7	9	18
B. *Operated*										
0-27 DYS	15	5.1	7	2	2	4	6	9	10	11
1-11 MOS	72	6.3	28	2	2	5	7	15	16	28
1-5 YRS	12	5.8	11	1	2	6	8	11	11	11
6-12 YRS	14	6.4	25	1	2	4	10	13	17	18
13-19 YRS	39	8.4	49	1	2	7	12	21	28	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	533	3.2	4	1	1	3	4	6	7	11
B. *Operated*	305	4.0	7	2	2	3	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	808	3.8	11	1	1	3	5	7	9	17
B. *Operated*	152	6.7	30	2	2	5	8	14	18	30
1. SINGLE DX	838	3.5	5	1	1	3	4	6	8	12
2. MULTIPLE DX	960	4.3	15	1	1	3	5	8	11	22
A. NOT OPERATED	1341	3.6	8	1	1	3	4	6	8	14
B. OPERATED	457	4.9	16	2	2	4	6	10	14	25
TOTAL 0-27 DYS	113	3.9	6	1	2	3	5	7	8	14
1-11 MOS	427	4.1	11	1	2	3	4	7	12	16
1-5 YRS	199	3.6	7	1	1	3	4	7	9	13
6-12 YRS	347	3.4	9	1	1	3	4	6	7	13
13-19 YRS	712	4.1	13	1	1	3	5	7	9	21
GRAND TOTAL	**1798**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	3.7	9	<1	<1	3	5	9	9	9
6-12 YRS	52	2.3	2	<1	<1	2	3	4	5	8
13-19 YRS	79	2.2	2	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS	6	4.0	3	2	2	4	4	7	7	7
1-11 MOS	17	3.4	2	1	2	3	4	5	6	7
1-5 YRS	468	3.8	4	2	2	3	4	7	8	10
6-12 YRS	6592	3.4	2	2	2	3	4	5	6	9
13-19 YRS	10686	3.6	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	3.4	5	1	1	3	4	7	8	8
6-12 YRS	44	2.7	3	<1	1	2	4	5	7	8
13-19 YRS	65	2.6	3	<1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	3.8		3	3	4	4	4	4	4
1-5 YRS	126	6.3	22	2	2	5	8	12	18	24
6-12 YRS	1063	4.8	9	2	2	4	5	9	11	16
13-19 YRS	1820	4.9	8	2	3	4	6	8	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	2.3	2	<1	1	2	3	4	5	8
B. *Operated*	17769	3.5	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	118	2.7	3	<1	1	2	3	5	7	8
B. *Operated*	3014	4.9	9	2	2	4	6	8	11	17
1. SINGLE DX	17906	3.5	2	2	2	3	4	5	6	9
2. MULTIPLE DX	3132	4.8	9	2	2	4	6	8	11	17
A. NOT OPERATED	255	2.5	3	<1	1	2	3	4	6	8
B. OPERATED	20783	3.7	4	2	2	3	4	6	7	11
TOTAL 0-27 DYS	7	3.9	2	2	2	4	4	6	7	7
1-11 MOS	21	3.5	1	1	2	3	4	5	6	7
1-5 YRS	608	4.3	9	2	2	4	5	7	9	18
6-12 YRS	7751	3.6	3	2	2	3	4	5	7	11
13-19 YRS	12651	3.8	3	2	2	3	4	6	7	11
GRAND TOTAL	**21038**	**3.7**	**4**	**2**	**2**	**3**	**4**	**6**	**7**	**11**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	13	10.5	16	5	6	9	13	16	19	20
6-12 YRS	24	5.3	7	2	3	5	7	9	10	11
13-19 YRS	24	8.8	9	4	4	9	11	12	14	16
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	7.7	30	4	4	5	12	14	14	14
1-5 YRS	428	7.7	13	3	4	7	9	12	14	19
6-12 YRS	1677	7.0	12	3	3	7	8	11	13	18
13-19 YRS	1668	6.8	11	3	3	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	7.4	20	1	2	7	9	14	15	15
6-12 YRS	7	10.7	34	1	2	12	15	17	17	17
13-19 YRS	19	8.2	20	2	3	7	10	15	19	20
B. *Operated*										
0-27 DYS										
1-11 MOS	5	10.2	29	5	5	7	16	16	16	16
1-5 YRS	251	10.7	43	4	5	9	13	18	23	41
6-12 YRS	835	10.0	37	4	5	8	12	17	21	30
13-19 YRS	850	9.8	37	4	5	8	11	17	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	7.8	14	3	3	8	10	12	14	20
B. *Operated*	3777	7.0	12	3	3	7	9	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	35	8.5	22	1	3	7	12	16	17	20
B. *Operated*	1941	10.0	37	4	5	8	12	17	22	32
1. SINGLE DX	3838	7.0	12	3	3	7	9	11	13	18
2. MULTIPLE DX	1976	10.0	37	4	5	8	12	17	22	32
A. NOT OPERATED	96	8.0	17	2	3	8	11	13	16	20
B. OPERATED	5718	8.0	23	3	4	7	9	13	17	26
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	8	9.3	27	4	4	7	15	16	16	16
1-5 YRS	701	8.8	26	3	4	8	10	14	18	28
6-12 YRS	2543	7.9	22	3	4	7	9	13	17	25
13-19 YRS	2561	7.8	22	3	4	7	9	12	16	26
GRAND TOTAL	**5814**	**8.0**	**22**	**3**	**4**	**7**	**9**	**13**	**16**	**26**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	3.5	27	1	1	2	3	11	18	18
6-12 YRS	116	2.1	2	1	1	2	2	4	5	9
13-19 YRS	172	2.1	3	<1	1	2	3	4	5	10
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.0	1	3	3	4	5	5	5	5
1-5 YRS	61	4.1	5	1	2	3	5	8	9	11
6-12 YRS	529	3.8	4	2	2	3	4	6	7	12
13-19 YRS	991	4.1	4	2	2	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	1.8		<1	<1	2	2	3	3	3
6-12 YRS	54	2.7	4	1	1	2	4	6	7	7
13-19 YRS	94	2.9	4	1	1	2	3	5	7	11
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS										
1-5 YRS	37	5.2	11	1	2	4	7	9	12	17
6-12 YRS	267	4.8	6	2	3	4	5	8	10	12
13-19 YRS	575	5.3	11	2	3	5	6	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	298	2.2	3	<1	1	2	2	4	6	10
B. *Operated*	1585	4.0	4	2	2	4	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	157	2.8	4	1	1	2	4	5	7	8
B. *Operated*	880	5.2	10	2	3	4	6	8	10	17
1. SINGLE DX	1883	3.7	5	1	2	3	4	6	8	11
2. MULTIPLE DX	1037	4.8	10	2	2	4	6	8	10	16
A. NOT OPERATED	455	2.4	4	1	1	2	3	4	6	10
B. OPERATED	2465	4.4	7	2	2	4	5	7	9	13
TOTAL 0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	4	4.0	1	3	3	4	5	5	5	5
1-5 YRS	117	4.2	9	1	1	3	5	8	9	17
6-12 YRS	986	3.8	5	1	2	3	5	6	8	12
13-19 YRS	1832	4.2	7	1	2	4	5	7	8	13
GRAND TOTAL	2920	4.1	7	1	2	4	5	7	8	13

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	40	1.2		<1	<1	1	1	2	2	3
1-5 YRS	33	1.1		<1	<1	1	1	1	2	3
6-12 YRS	17	1.5		<1	<1	1	2	2	3	3
13-19 YRS	24	2.0	3	<1	<1	1	2	3	9	9
B. *Operated*										
0-27 DYS	59	1.7	1	<1	<1	2	2	3	3	5
1-11 MOS	2473	1.6	1	<1	<1	1	2	2	3	4
1-5 YRS	4135	1.5	1	<1	<1	1	2	2	2	4
6-12 YRS	2259	1.7	1	<1	<1	2	2	3	3	4
13-19 YRS	3408	2.7	2	1	1	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	1.8	1	<1	<1	1	3	3	3	3
1-11 MOS	224	1.8	4	<1	<1	1	2	3	6	10
1-5 YRS	266	1.4	3	<1	<1	1	1	2	3	9
6-12 YRS	43	1.6	4	<1	<1	1	1	3	4	13
13-19 YRS	40	1.7	2	<1	<1	1	2	3	6	7
B. *Operated*										
0-27 DYS	50	1.9	2	<1	<1	2	2	4	5	7
1-11 MOS	1878	2.2	9	<1	<1	2	2	4	6	13
1-5 YRS	3107	1.7	2	<1	<1	1	2	3	3	7
6-12 YRS	1120	2.0	2	<1	<1	2	2	3	4	7
13-19 YRS	1009	3.1	7	1	1	3	4	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	1.4	1	<1	<1	1	1	2	3	6
B. *Operated*	12334	1.9	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	578	1.6	3	<1	<1	1	1	3	4	10
B. *Operated*	7164	2.1	5	<1	<1	2	2	4	5	9
1. SINGLE DX	12449	1.9	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX	7742	2.1	4	<1	<1	2	2	4	5	9
A. NOT OPERATED	693	1.5	3	<1	<1	1	1	3	4	9
B. OPERATED	19498	2.0	2	<1	<1	2	2	3	4	6
TOTAL 0-27 DYS	115	1.8	1	<1	<1	2	2	3	4	6
1-11 MOS	4615	1.8	5	<1	<1	1	2	3	4	9
1-5 YRS	7541	1.6	1	<1	<1	1	2	2	3	5
6-12 YRS	3439	1.8	1	<1	<1	2	2	3	3	5
13-19 YRS	4481	2.8	3	1	1	3	3	4	5	7
GRAND TOTAL	20191	1.9	2	<1	<1	2	2	3	4	7

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	21	1.1		<1	<1	1	1	2	2	2
1-5 YRS	24	1.2		<1	<1	1	1	2	2	2
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	9	1.3	1	<1	<1	1	1	3	4	4
B. *Operated*										
0-27 DYS	61	2.1	2	1	1	2	2	4	6	7
1-11 MOS	453	1.9	2	<1	1	2	2	3	5	7
1-5 YRS	387	1.6	1	<1	1	1	2	3	4	6
6-12 YRS	74	2.1	1	1	1	2	3	3	5	6
13-19 YRS	132	2.9	2	1	1	3	4	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	18	1.6	1	<1	<1	1	2	4	4	4
1-5 YRS	16	6.6	326	<1	<1	2	3	7	54	74
6-12 YRS										
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-27 DYS	42	5.0	211	1	1	3	3	6	8	96
1-11 MOS	370	2.7	10	<1	1	2	3	5	9	18
1-5 YRS	255	2.4	6	<1	1	2	3	4	7	15
6-12 YRS	32	2.4	2	<1	1	2	3	4	6	6
13-19 YRS	53	3.8	8	1	2	3	5	6	11	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	1.2		<1	<1	1	1	2	2	4
B. *Operated*	1107	2.0	2	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	38	3.7	139	<1	<1	1	2	4	6	74
B. *Operated*	752	2.8	20	<1	1	2	3	5	8	16
1. SINGLE DX	1164	1.9	2	<1	1	2	2	3	4	6
2. MULTIPLE DX	790	2.9	25	<1	1	2	3	5	8	17
A. NOT OPERATED	95	2.2	56	<1	<1	1	2	3	4	44
B. OPERATED	1859	2.3	9	<1	1	2	3	4	5	12
TOTAL 0-27 DYS	106	3.2	86	1	1	2	3	5	7	47
1-11 MOS	862	2.2	6	<1	1	2	2	4	6	14
1-5 YRS	682	2.0	11	<1	1	1	2	3	4	10
6-12 YRS	108	2.2	1	1	1	2	3	4	5	6
13-19 YRS	196	3.1	4	1	1	3	4	5	6	14
GRAND TOTAL	**1954**	**2.3**	**11**	**<1**	**1**	**2**	**3**	**4**	**5**	**12**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	7	1.3		<1	<1	<1	2	2	2	2
1-5 YRS	8	1.4		<1	<1	1	2	2	2	2
6-12 YRS	5	2.2	5	<1	<1	1	3	6	6	6
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	192	1.8	1	<1	<1	2	2	3	4	6
1-5 YRS	1057	1.8	2	<1	<1	2	2	3	3	5
6-12 YRS	427	1.9	1	<1	<1	2	2	3	3	5
13-19 YRS	196	2.6	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	25	1	1	4	8	8	8	8
1-11 MOS	23	1.7	2	<1	<1	1	2	4	6	7
1-5 YRS	58	1.4	1	<1	<1	1	1	2	4	6
6-12 YRS	5	1.4		<1	<1	1	2	2	2	2
13-19 YRS	10	2.8	6	<1	<1	2	5	7	8	8
B. *Operated*										
0-27 DYS	4	36.5	1324	7	7	46	88	99+	99+	99+
1-11 MOS	73	2.8	5	<1	1	2	3	5	7	14
1-5 YRS	249	2.7	15	<1	<1	2	3	5	6	14
6-12 YRS	91	2.4	2	<1	1	2	3	4	5	9
13-19 YRS	49	3.1	2	1	2	3	4	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	1.8	3	<1	<1	1	2	3	6	7
B. *Operated*	1874	1.9	2	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	98	1.7	2	<1	<1	1	2	3	5	8
B. *Operated*	466	3.0	28	<1	<1	2	3	5	6	20
1. SINGLE DX	1896	1.9	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX	564	2.8	23	<1	<1	2	3	5	6	14
A. NOT OPERATED	120	1.7	2	<1	<1	1	2	3	6	8
B. OPERATED	2340	2.1	7	<1	<1	2	2	3	4	8
TOTAL 0-27 DYS	9	18.4	796	1	1	8	46	92	99+	99+
1-11 MOS	295	2.1	3	<1	<1	2	2	4	5	10
1-5 YRS	1372	2.0	4	<1	<1	2	2	3	4	7
6-12 YRS	528	2.0	1	<1	<1	2	2	3	4	6
13-19 YRS	256	2.7	2	1	1	2	3	5	5	8
GRAND TOTAL	**2460**	**2.1**	**7**	**<1**	**<1**	**2**	**2**	**3**	**4**	**8**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	17	3.4	4	2	2	3	4	7	8	8
1-5 YRS	99	2.1	3	<1	<1	2	2	4	6	9
6-12 YRS	100	2.0	1	<1	<1	2	2	3	4	7
13-19 YRS	182	2.9	8	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.4	1	<1	<1	1	2	3	3	3
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	6	4.7	17	1	1	4	6	11	12	12
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	24	6.1	31	1	2	4	8	15	19	22
1-5 YRS	56	3.6	24	<1	<1	2	4	9	15	95
6-12 YRS	28	3.5	9	<1	1	3	4	8	10	13
13-19 YRS	60	4.6	7	1	2	4	6	8	10	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.7	1	<1	<1	1	2	4	4	4
B. *Operated*	399	2.5	5	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	12	3.0	11	<1	<1	1	4	8	11	12
B. *Operated*	169	4.3	17	<1	1	3	6	9	13	29
1. SINGLE DX	406	2.5	5	<1	<1	2	3	4	6	9
2. MULTIPLE DX	181	4.2	17	<1	1	3	5	9	12	28
A. NOT OPERATED	19	2.5	7	<1	<1	1	3	5	9	12
B. OPERATED	568	3.0	9	<1	1	2	3	6	8	16
TOTAL 0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	42	4.9	21	1	2	3	6	10	16	22
1-5 YRS	161	2.6	11	<1	<1	2	2	6	8	29
6-12 YRS	131	2.3	3	<1	<1	2	3	4	5	11
13-19 YRS	251	3.3	8	1	1	3	4	6	7	12
GRAND TOTAL	**587**	**3.0**	**9**	**<1**	**<1**	**2**	**3**	**6**	**8**	**16**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	8	4.0	6	1	1	3	6	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	10	6.0	5	2	3	6	7	9	11	11
1-5 YRS	9	6.6	96	<1	<1	2	7	23	31	31
6-12 YRS	2	4.0	18	<1	<1	3	7	7	7	7
13-19 YRS	9	7.2	17	2	2	8	9	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0	18	1	1	4	7	7	7	7
1-11 MOS	5	10.4	151	1	1	4	19	30	30	30
1-5 YRS	14	7.4	85	1	1	3	6	22	28	30
6-12 YRS	10	4.9	10	1	1	4	7	9	11	11
13-19 YRS	49	3.8	5	1	2	3	5	7	9	10
B. *Operated*										
0-27 DYS	3	15.0	64	7	7	15	21	23	23	23
1-11 MOS	10	7.0	9	2	3	8	9	11	12	12
1-5 YRS	17	12.0	61	3	4	10	18	24	26	27
6-12 YRS	9	13.9	106	6	6	9	15	31	39	39
13-19 YRS	27	10.6	119	2	3	8	10	25	31	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.4	5	1	1	3	4	7	8	8
B. *Operated*	30	6.4	34	<1	1	6	8	11	15	31
2. MULTIPLE DX										
A. *Not Operated*	80	5.0	30	1	1	3	6	9	17	30
B. *Operated*	66	11.1	84	3	4	8	14	23	27	52
1. SINGLE DX	42	5.5	27	<1	1	5	7	10	13	31
2. MULTIPLE DX	146	7.7	63	1	2	5	9	18	24	40
A. NOT OPERATED	92	4.8	27	1	1	3	6	9	15	30
B. OPERATED	96	9.6	72	1	2	7	11	21	27	48
TOTAL 0-27 DYS	5	10.6	73	1	1	7	17	23	23	23
1-11 MOS	26	7.1	33	2	2	6	8	12	18	30
1-5 YRS	41	9.0	78	1	1	6	15	23	28	31
6-12 YRS	23	8.1	67	1	2	7	9	15	26	39
13-19 YRS	93	6.2	48	1	2	4	8	10	15	43
GRAND TOTAL	**188**	**7.3**	**56**	**1**	**2**	**5**	**9**	**15**	**23**	**36**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	13	<1	<1	3	6	6	6	6
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.5	20	1	1	3	7	11	11	11
1-5 YRS	9	1.8		<1	<1	2	2	3	3	3
6-12 YRS	18	1.8	1	<1	<1	1	2	3	4	4
13-19 YRS	39	3.0	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	5	3.0	2	<1	<1	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	3.8	18	<1	<1	2	6	10	10	10
6-12 YRS	13	2.5	2	<1	1	2	4	5	6	6
13-19 YRS	14	4.1	2	2	2	4	5	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.3	5	<1	<1	3	5	6	6	6
B. *Operated*	70	2.6	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	9	2.1	2	<1	<1	1	3	4	4	4
B. *Operated*	31	3.4	4	<1	1	3	4	6	7	10
1. SINGLE DX	76	2.7	3	<1	1	2	3	5	6	10
2. MULTIPLE DX	40	3.1	4	<1	<1	3	4	6	7	10
A. NOT OPERATED	15	2.6	3	<1	<1	2	4	5	6	6
B. OPERATED	101	2.9	3	<1	1	2	4	5	6	10
TOTAL 0-27 DYS										
1-11 MOS	4	4.5	20	1	1	3	7	11	11	11
1-5 YRS	18	2.3	5	<1	<1	2	2	5	8	10
6-12 YRS	34	2.1	2	<1	<1	2	3	4	5	6
13-19 YRS	60	3.3	2	1	1	3	4	5	6	8
GRAND TOTAL	**116**	**2.8**	**3**	**<1**	**1**	**2**	**4**	**5**	**6**	**10**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	2	1.5	1	<1	<1	1	2	2	2	2
1-5 YRS	4	1.0		<1	<1	1	1	1	1	1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	31	3.1	11	<1	1	2	3	8	11	15
1-5 YRS	72	2.4	7	<1	<1	2	3	4	6	19
6-12 YRS	24	2.9	9	<1	<1	2	3	5	10	15
13-19 YRS	59	3.1	4	<1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	7	2.3	2	<1	<1	2	4	4	4	4
6-12 YRS	3	4.0	7	2	2	3	6	7	7	7
13-19 YRS										
B. *Operated*										
0-27 DYS	1	26.0		26	26	26	26	26	26	26
1-11 MOS	26	4.1	11	1	1	3	6	10	11	14
1-5 YRS	20	5.9	22	1	1	4	8	12	16	19
6-12 YRS	19	3.9	9	<1	1	2	6	9	10	10
13-19 YRS	25	7.2	61	1	2	4	11	15	25	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.1		<1	<1	1	1	2	2	2
B. *Operated*	188	2.8	7	<1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	12	2.6	3	<1	<1	[illegible]	3	5	7	7
B. *Operated*	91	5.5	32	1	1	3	7	11	15	32
1. SINGLE DX	195	2.8	7	<1	<1	2	3	5	7	15
2. MULTIPLE DX	103	5.2	30	1	1	3	7	11	15	31
A. NOT OPERATED	19	2.1	3	<1	<1	1	3	4	6	7
B. OPERATED	279	3.7	17	<1	1	2	4	8	11	22
TOTAL 0-27 DYS	4	8.5	139	<1	<1	3	15	26	26	26
1-11 MOS	61	3.4	11	<1	1	2	4	9	11	15
1-5 YRS	103	3.0	11	<1	<1	2	3	6	8	20
6-12 YRS	46	3.4	9	<1	<1	2	4	8	9	15
13-19 YRS	84	4.3	24	1	1	3	5	9	12	31
GRAND TOTAL	**298**	**3.6**	**16**	**<1**	**1**	**2**	**4**	**8**	**11**	**22**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	5	1.8	1	<1	<1	2	2	3	3	3
1-11 MOS	143	2.1	3	1	1	1	3	4	6	8
1-5 YRS	199	2.0	2	<1	1	1	2	4	5	6
6-12 YRS	89	3.5	5	1	1	3	4	7	9	10
13-19 YRS	154	3.6	4	1	1	3	5	7	7	9
B. Operated										
0-27 DYS	4	9.0	43	1	1	9	13	17	17	17
1-11 MOS	212	5.1	7	2	3	4	6	8	10	15
1-5 YRS	143	6.6	25	2	3	6	7	11	13	25
6-12 YRS	69	7.6	11	4	4	7	9	11	13	21
13-19 YRS	173	8.7	14	4	5	8	10	13	15	24
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	3.5	4	1	1	3	5	6	6	6
1-11 MOS	82	3.1	6	<1	1	2	4	6	9	12
1-5 YRS	145	3.5	10	1	1	3	4	7	9	16
6-12 YRS	96	4.6	19	1	1	3	5	8	14	24
13-19 YRS	147	4.7	29	1	1	3	6	8	11	27
B. Operated										
0-27 DYS	7	17.3	187	4	5	11	27	39	41	41
1-11 MOS	191	10.5	162	3	4	7	11	16	28	96
1-5 YRS	161	8.8	38	3	4	7	10	15	22	42
6-12 YRS	100	9.7	70	4	4	8	10	15	27	51
13-19 YRS	201	10.3	41	4	5	9	12	17	25	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	590	2.7	4	1	1	2	4	5	7	9
B. Operated	501	6.8	16	3	3	6	8	11	13	22
2. MULTIPLE DX										
A. Not Operated	474	4.0	17	1	1	3	5	8	10	22
B. Operated	660	10.0	82	4	4	8	11	17	27	60
1. SINGLE DX	1191	4.7	14	1	1	4	7	9	11	18
2. MULTIPLE DX	1134	7.5	63	1	2	6	9	14	19	42
A. NOT OPERATED	1064	3.3	10	1	1	2	4	6	8	15
B. OPERATED	1261	8.5	53	3	4	7	10	14	19	42
TOTAL 0-27 DYS	20	9.0	112	<1	1	5	11	24	36	41
1-11 MOS	628	5.8	64	1	1	4	7	10	13	45
1-5 YRS	648	5.0	25	1	1	4	6	10	14	29
6-12 YRS	354	6.3	34	1	2	5	8	11	14	29
13-19 YRS	675	7.1	31	1	2	6	9	13	16	30
GRAND TOTAL	**2325**	**6.1**	**40**	**1**	**1**	**5**	**8**	**11**	**14**	**31**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operatad										
0-27 DYS	441	3.4	4	1	1	3	4	6	7	11
1-11 MOS	4520	3.4	4	1	2	3	4	6	7	10
1-5 YRS	5910	2.9	3	1	1	3	4	5	6	9
6-12 YRS	3644	2.3	2	1	1	2	3	4	5	7
13-19 YRS	3831	2.4	3	1	1	2	3	4	5	8
B. Operated										
0-27 DYS	4	2.8	3	1	1	2	4	5	5	5
1-11 MOS	55	7.5	139	1	1	4	9	20	35	99
1-5 YRS	63	3.3	22	<1	1	3	4	5	8	33
6-12 YRS	99	5.1	94	1	1	3	5	7	10	65
13-19 YRS	235	4.5	15	1	2	4	5	8	9	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	585	4.7	13	1	2	4	5	8	11	16
1-11 MOS	9134	4.2	10	1	2	4	5	7	9	15
1-5 YRS	12602	3.4	5	1	2	3	4	6	7	11
6-12 YRS	4047	3.0	6	1	1	3	4	5	6	10
13-19 YRS	3401	3.1	4	1	1	3	4	5	7	11
B. Operated										
0-27 DYS	15	19.1	579	3	3	10	24	46	82	94
1-11 MOS	216	11.9	237	2	3	6	12	35	55	99+
1-5 YRS	227	7.6	88	2	2	5	8	14	23	44
6-12 YRS	84	6.8	41	1	2	5	8	14	19	36
13-19 YRS	221	6.0	27	1	2	5	8	11	15	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18346	2.8	3	1	1	2	4	5	6	9
B. Operated	456	4.8	49	1	1	3	5	8	11	39
2. MULTIPLE DX										
A. Not Operated	29769	3.6	7	1	2	3	4	6	7	13
B. Operated	763	8.5	123	2	2	5	9	17	31	66
1. SINGLE DX	18802	2.9	4	1	1	2	4	5	6	9
2. MULTIPLE DX	30532	3.7	10	1	2	3	4	6	8	14
A. NOT OPERATED	48115	3.3	6	1	1	3	4	6	7	11
B. OPERATED	1219	7.1	99	1	2	4	7	13	24	62
TOTAL 0-27 DYS	1045	4.4	20	1	2	3	5	7	10	16
1-11 MOS	13925	4.1	13	1	2	3	5	7	8	16
1-5 YRS	18802	3.3	6	1	1	3	4	5	7	11
6-12 YRS	7874	2.8	6	1	1	2	3	5	6	9
13-19 YRS	7688	2.9	5	1	1	2	4	5	7	11
GRAND TOTAL	**49334**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	6.3	6	4	4	6	8	9	9	9
1-5 YRS	2	4.0	18	1	1	4	7	7	7	7
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	8	3.8	6	<1	<1	3	5	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	6.5	13	4	4	6	9	9	9	9
6-12 YRS										
13-19 YRS	4	7.8	2	6	6	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	4.7	5	2	2	6	6	6	6	6
1-5 YRS	10	13.5	379	2	2	9	11	42	67	67
6-12 YRS	3	4.3	2	3	3	4	5	6	6	6
13-19 YRS	4	6.0	5	4	4	5	7	9	9	9
B. *Operated*										
0-27 DYS	2	13.0	8	11	11	13	15	15	15	15
1-11 MOS	5	7.2	52	1	1	4	11	19	19	19
1-5 YRS	1	18.0		18	18	18	18	18	18	18
6-12 YRS										
13-19 YRS	8	14.3	79	7	7	10	19	29	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.5	7	<1	1	5	6	8	9	9
B. *Operated*	7	7.0	4	4	4	7	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	21	9.2	190	2	2	6	9	14	40	67
B. *Operated*	16	12.1	64	2	3	10	17	22	29	32
1. SINGLE DX	21	5.3	7	1	1	6	7	9	9	9
2. MULTIPLE DX	37	10.5	135	2	2	7	11	19	28	67
A. NOT OPERATED	35	7.3	120	1	2	6	8	10	16	67
B. OPERATED	23	10.6	51	2	4	9	14	20	25	32
TOTAL 0-27 DYS	3	11.0	16	7	7	11	14	15	15	15
1-11 MOS	12	6.2	22	1	2	5	8	12	18	19
1-5 YRS	15	11.6	263	1	2	9	11	18	55	67
6-12 YRS	4	4.8	2	3	3	5	6	6	6	6
13-19 YRS	24	8.3	47	1	2	7	9	17	25	32
GRAND TOTAL	**58**	**8.6**	**94**	**1**	**2**	**6**	**9**	**18**	**21**	**64**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	14	2.9	3	1	1	3	4	6	6	6
1-11 MOS	19	2.0	2	<1	<1	2	3	4	5	5
1-5 YRS	17	2.5	4	<1	<1	1	4	6	6	6
6-12 YRS	16	3.3	10	1	1	3	3	6	12	14
13-19 YRS	38	2.9	4	<1	1	3	4	5	5	12
B. *Operated*										
0-27 DYS	4	3.3	7	<1	<1	2	5	7	7	7
1-11 MOS	132	1.9	2	<1	<1	1	2	4	5	7
1-5 YRS	62	2.5	3	<1	1	2	3	5	7	9
6-12 YRS	57	3.1	13	<1	1	2	4	5	6	26
13-19 YRS	327	3.5	7	1	1	3	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	4.4	12	1	1	4	6	10	12	12
1-11 MOS	34	3.7	10	1	1	2	5	8	10	16
1-5 YRS	29	4.0	11	1	1	3	5	8	9	17
6-12 YRS	22	2.6	2	1	1	3	3	4	5	7
13-19 YRS	58	4.5	19	1	2	3	5	9	13	26
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	42	3.1	7	<1	<1	2	4	7	9	11
1-5 YRS	45	3.4	11	<1	1	2	4	9	9	17
6-12 YRS	23	4.0	12	1	1	3	5	8	11	16
13-19 YRS	246	4.4	16	1	2	4	5	8	11	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	2.7	4	<1	1	2	4	5	6	13
B. *Operated*	582	3.0	6	<1	1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	152	4.0	13	1	1	3	5	7	11	17
B. *Operated*	357	4.1	14	1	1	3	5	8	9	19
1. SINGLE DX	686	3.0	6	<1	1	2	4	5	7	14
2. MULTIPLE DX	509	4.1	14	1	1	3	5	8	10	18
A. NOT OPERATED	256	3.5	10	1	1	3	4	6	8	17
B. OPERATED	939	3.4	10	<1	1	3	4	6	8	16
TOTAL 0-27 DYS	28	3.4	6	1	1	3	5	7	8	12
1-11 MOS	227	2.4	5	<1	<1	2	3	5	7	11
1-5 YRS	153	3.1	7	<1	1	2	4	7	8	17
6-12 YRS	118	3.2	10	1	1	3	4	6	8	20
13-19 YRS	669	3.9	11	1	1	3	5	7	9	19
GRAND TOTAL	**1195**	**3.4**	**10**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	26	2.2	2	<1	1	2	2	4	6	6
1-11 MOS	134	2.4	3	<1	1	2	3	4	6	10
1-5 YRS	506	2.6	5	<1	1	2	3	5	6	11
6-12 YRS	832	3.1	13	1	1	2	4	6	7	15
13-19 YRS	1475	4.2	14	1	1	3	5	7	10	18
B. *Operated*										
0-27 DYS	9	5.3	26	1	1	4	7	14	15	15
1-11 MOS	36	5.4	58	1	1	3	5	12	23	38
1-5 YRS	207	4.1	27	<1	<1	2	5	8	11	33
6-12 YRS	238	5.9	47	<1	1	4	7	13	20	40
13-19 YRS	516	7.3	44	1	1	5	9	15	20	34
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	34	3.1	5	1	1	3	4	6	8	10
1-11 MOS	156	4.1	14	1	1	3	5	8	10	22
1-5 YRS	501	3.7	11	1	1	3	5	7	10	15
6-12 YRS	812	3.9	18	1	1	3	4	7	10	20
13-19 YRS	1487	4.6	16	1	1	4	6	9	11	22
B. *Operated*										
0-27 DYS	7	10.0	97	1	1	10	12	26	30	30
1-11 MOS	86	11.7	217	1	2	8	13	25	50	97
1-5 YRS	179	8.1	117	1	1	5	9	16	34	47
6-12 YRS	271	9.2	93	1	2	7	11	21	30	49
13-19 YRS	783	10.5	99	2	2	8	13	23	33	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2973	3.5	12	1	1	3	4	6	9	17
B. *Operated*	1006	6.2	43	1	1	4	8	14	18	36
2. MULTIPLE DX										
A. *Not Operated*	2990	4.2	16	1	1	3	5	8	11	22
B. *Operated*	1326	10.0	108	1	2	7	12	22	32	50
1. SINGLE DX	3979	4.2	21	1	1	3	5	8	12	23
2. MULTIPLE DX	4316	6.0	51	1	1	4	7	12	19	40
A. NOT OPERATED	5963	3.9	14	1	1	3	5	7	10	18
B. OPERATED	2332	8.4	83	1	1	6	10	18	27	45
TOTAL 0-27 DYS	76	3.7	18	1	1	2	4	8	12	26
1-11 MOS	412	5.3	68	1	1	3	6	11	16	54
1-5 YRS	1393	3.9	28	<1	1	3	5	8	11	31
6-12 YRS	2153	4.5	33	1	1	3	5	9	14	31
13-19 YRS	4261	5.9	39	1	1	4	7	12	17	35
GRAND TOTAL	**8295**	**5.1**	**38**	**1**	**1**	**3**	**6**	**10**	**15**	**34**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.5	5	4	4	5	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	2	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	9.5	74	2	2	7	16	21	21	21
1-5 YRS	2	6.5	25	3	3	6	10	10	10	10
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	13	17.6	160	3	3	20	29	32	34	34
B. *Operated*										
0-27 DYS										
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS	1	23.0		23	23	23	23	23	23	23
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	5.3	2	4	4	5	6	7	7	7
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	20	14.3	141	2	3	9	28	31	33	34
B. *Operated*	3	15.3	64	7	7	16	21	23	23	23
1. SINGLE DX	4	5.3	2	4	4	5	6	7	7	7
2. MULTIPLE DX	23	14.4	128	2	3	10	27	30	33	34
A. NOT OPERATED	24	12.8	129	2	3	6	24	30	33	34
B. OPERATED	3	15.3	64	7	7	16	21	23	23	23
TOTAL 0-27 DYS										
1-11 MOS	7	9.3	50	2	2	7	15	20	21	21
1-5 YRS	3	12.0	103	3	3	10	20	23	23	23
6-12 YRS	2	6.5	1	6	6	6	7	7	7	7
13-19 YRS	15	15.9	164	3	3	9	29	32	33	34
GRAND TOTAL	**27**	**13.1**	**130**	**3**	**3**	**7**	**22**	**30**	**33**	**34**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	3.0	8	1	1	2	4	8	8	8
1-5 YRS	10	3.7	8	1	1	3	4	8	9	9
6-12 YRS	6	2.0	4	1	1	1	2	6	6	6
13-19 YRS	14	4.7	11	<1	1	4	7	9	11	12
B. *Operated*										
0-27 DYS										
1-11 MOS	9	5.9	17	1	1	7	9	11	13	13
1-5 YRS	17	2.2	2	<1	<1	2	3	4	5	5
6-12 YRS	12	2.6	4	1	1	2	3	5	8	8
13-19 YRS	34	5.9	107	1	1	2	4	12	35	44
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	9	6.0	20	<1	1	4	10	12	13	13
1-5 YRS	22	4.8	9	<1	1	4	7	9	10	11
6-12 YRS	17	4.6	15	1	1	3	6	10	14	16
13-19 YRS	36	8.0	60	2	2	6	10	16	18	44
B. *Operated*										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	10	10.3	101	1	1	8	11	28	30	30
1-5 YRS	18	7.3	55	1	1	5	9	18	27	30
6-12 YRS	21	4.8	13	1	1	3	6	11	12	13
13-19 YRS	46	9.6	236	1	1	4	12	24	31	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.7	9	1	1	3	5	8	9	12
B. *Operated*	72	4.4	56	1	1	2	4	8	13	42
2. MULTIPLE DX										
A. *Not Operated*	85	6.3	35	1	2	4	9	12	16	35
B. *Operated*	96	8.3	139	1	1	4	10	20	29	67
1. SINGLE DX	108	4.2	40	1	1	2	4	8	10	39
2. MULTIPLE DX	181	7.4	91	1	1	4	9	15	23	41
A. NOT OPERATED	121	5.5	28	1	1	4	8	11	14	26
B. OPERATED	168	6.6	106	1	1	3	8	13	27	43
TOTAL 0-27 DYS	2	14.5	41	10	10	14	19	19	19	19
1-11 MOS	34	6.7	44	1	1	4	9	13	23	30
1-5 YRS	67	4.6	22	1	1	3	6	9	10	29
6-12 YRS	56	3.9	12	1	1	3	6	9	12	16
13-19 YRS	130	7.7	130	1	1	4	9	17	30	55
GRAND TOTAL	**289**	**6.2**	**74**	**1**	**1**	**3**	**8**	**12**	**19**	**41**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	3.2	3	<1	<1	4	4	5	5	5
1-5 YRS	30	5.0	23	1	1	3	7	11	15	23
6-12 YRS	65	4.4	8	<1	1	4	6	8	9	15
13-19 YRS	137	5.2	12	2	2	4	6	9	12	20
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.3	5	1	1	1	4	5	5	5
1-5 YRS	8	6.3	37	1	1	4	10	16	17	17
6-12 YRS	8	5.1	87	1	1	2	3	21	28	28
13-19 YRS	18	7.3	50	1	1	6	9	18	22	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.0		3	3	3	3	3	3	3
1-11 MOS	19	6.6	46	1	1	4	7	20	23	24
1-5 YRS	43	6.2	20	1	2	5	10	13	14	19
6-12 YRS	76	5.1	16	1	2	4	7	10	13	20
13-19 YRS	119	5.9	16	1	2	5	8	11	15	20
B. *Operated*										
0-27 DYS										
1-11 MOS	7	15.3	235	3	3	10	25	40	43	43
1-5 YRS	12	8.4	106	1	1	5	10	22	36	38
6-12 YRS	22	9.0	95	1	1	5	14	26	30	34
13-19 YRS	37	13.1	173	2	2	9	16	25	38	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	237	4.9	12	1	2	4	6	8	12	20
B. *Operated*	37	6.2	50	1	1	3	7	18	23	28
2. MULTIPLE DX										
A. *Not Operated*	260	5.8	19	1	2	5	8	11	15	21
B. *Operated*	78	11.4	146	1	2	8	15	27	36	63
1. SINGLE DX	274	5.1	17	1	1	4	6	9	14	22
2. MULTIPLE DX	338	7.1	53	1	2	5	9	15	20	39
A. NOT OPERATED	497	5.3	16	1	2	4	7	10	13	21
B. OPERATED	115	9.7	120	1	1	6	14	25	29	53
TOTAL 0-27 DYS	3	3.0		3	3	3	3	3	3	3
1-11 MOS	34	7.5	87	1	1	4	7	21	29	43
1-5 YRS	93	6.1	33	1	1	4	8	13	15	32
6-12 YRS	171	5.3	27	1	1	4	7	10	16	28
13-19 YRS	311	6.5	40	2	2	5	8	12	18	26
GRAND TOTAL	**612**	**6.2**	**38**	**1**	**2**	**5**	**7**	**12**	**18**	**29**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.0	2	1	1	2	3	4	4	4
1-5 YRS	4	3.3	4	1	1	3	5	5	5	5
6-12 YRS	5	3.4	2	1	1	4	4	5	5	5
13-19 YRS	159	2.9	5	<1	1	2	4	6	7	9
B. *Operated*										
0-27 DYS	4	6.3	5	4	4	6	8	9	9	9
1-11 MOS	13	8.1	24	4	5	6	9	13	21	23
1-5 YRS	8	6.6	9	2	3	6	8	11	12	12
6-12 YRS	24	5.7	9	1	2	6	7	10	12	13
13-19 YRS	1016	6.3	6	4	4	6	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	5.8	13	1	1	7	8	10	10	10
1-5 YRS	5	9.6	64	1	1	7	17	19	19	19
6-12 YRS	8	3.4	4	1	1	3	4	6	7	7
13-19 YRS	182	3.8	6	1	1	3	5	7	8	13
B. *Operated*										
0-27 DYS	4	5.8	13	<1	<1	6	8	9	9	9
1-11 MOS	21	9.6	23	5	5	8	13	20	54	99+
1-5 YRS	20	10.4	49	1	2	9	13	20	25	28
6-12 YRS	32	9.9	54	2	4	8	12	18	30	34
13-19 YRS	663	8.6	16	4	5	7	10	14	17	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	2.9	4	<1	1	2	4	6	7	9
B. *Operated*	1065	6.4	6	4	4	6	7	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	201	4.0	8	1	1	3	5	7	9	16
B. *Operated*	740	8.7	19	4	5	8	10	14	17	24
1. SINGLE DX	1237	5.9	8	2	3	6	7	9	11	16
2. MULTIPLE DX	941	7.7	20	2	3	7	9	13	17	24
A. NOT OPERATED	373	3.5	7	1	1	3	5	7	8	15
B. OPERATED	1805	7.3	13	4	4	6	8	12	14	22
TOTAL 0-27 DYS	8	6.0	8	<1	1	6	8	9	9	9
1-11 MOS	44	8.0	24	1	2	7	10	16	23	99+
1-5 YRS	37	8.7	41	1	2	7	12	18	21	28
6-12 YRS	69	7.2	35	2	2	6	9	13	17	33
13-19 YRS	2020	6.6	12	2	3	6	8	11	13	19
GRAND TOTAL	**2178**	**6.7**	**14**	**2**	**3**	**6**	**8**	**11**	**13**	**21**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	11.0	271	1	1	2	23	30	30	30
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	5	2.2		2	2	2	3	3	3	3
13-19 YRS	135	3.6	5	1	1	3	5	7	8	10
B. *Operated*										
0-27 DYS	2	7.0	32	3	3	7	11	11	11	11
1-11 MOS	3	5.3	8	2	2	7	7	7	7	7
1-5 YRS										
6-12 YRS	4	6.5	3	5	5	6	8	9	9	9
13-19 YRS	96	7.2	9	4	4	7	9	10	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	4	7.8	68	2	2	4	12	20	20	20
6-12 YRS	7	6.3	30	2	2	4	7	16	18	18
13-19 YRS	139	4.0	5	1	2	3	5	8	9	12
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	7	11.6	141	1	2	7	15	32	36	36
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	5	8.2	1	7	7	8	9	10	10	10
13-19 YRS	101	8.8	20	4	4	7	11	15	18	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	3.7	9	1	1	3	5	7	8	13
B. *Operated*	105	7.1	9	3	4	7	9	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	152	4.3	8	1	2	3	5	8	9	18
B. *Operated*	115	8.9	26	4	4	7	11	15	18	2[illegible]
1. SINGLE DX	250	5.1	12	1	2	5	7	9	10	16
2. MULTIPLE DX	267	6.3	21	2	2	5	8	12	15	22
A. NOT OPERATED	297	4.0	9	1	1	3	5	8	9	15
B. OPERATED	220	8.0	18	4	4	7	10	13	16	22
TOTAL 0-27 DYS	5	7.4	10	3	3	7	10	11	11	11
1-11 MOS	14	10.0	115	1	1	7	10	31	35	36
1-5 YRS	6	6.0	49	1	1	4	5	18	20	20
6-12 YRS	21	5.8	15	2	2	5	8	9	14	18
13-19 YRS	471	5.6	13	1	2	5	7	10	13	19
GRAND TOTAL	**517**	**5.7**	**17**	**1**	**2**	**5**	**7**	**10**	**13**	**21**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	11	3.2	5	2	2	2	4	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	6	9.8	11	5	5	10	11	15	15	15
13-19 YRS	40	8.0	18	3	4	8	10	12	13	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	13	3.5	5	1	1	3	6	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	3	16.0	91	10	10	11	23	27	27	27
1-5 YRS	2	8.0	8	6	6	8	10	10	10	10
6-12 YRS	2	12.0	32	8	8	12	16	16	16	16
13-19 YRS	31	9.6	26	5	5	8	12	15	20	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.3	4	2	2	2	5	7	8	8
B. *Operated*	48	8.1	17	3	4	8	10	12	13	28
2. MULTIPLE DX										
A. *Not Operated*	15	3.9	7	1	1	3	6	8	9	9
B. *Operated*	38	10.1	31	5	6	8	12	16	24	29
1. SINGLE DX	60	7.1	18	2	2	7	9	11	13	27
2. MULTIPLE DX	53	8.4	32	1	3	7	11	15	19	29
A. NOT OPERATED	27	3.6	5	1	1	3	6	7	8	9
B. OPERATED	86	9.0	24	4	5	8	11	13	17	29
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	13.3	91	5	5	10	19	27	27	27
1-5 YRS	4	6.0	9	3	3	5	8	10	10	10
6-12 YRS	9	10.2	12	5	6	9	12	16	16	16
13-19 YRS	95	7.3	23	2	2	7	9	12	15	29
GRAND TOTAL	**113**	**7.7**	**25**	**2**	**2**	**7**	**10**	**12**	**16**	**28**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	7	8.0	2	6	6	8	9	10	10	10
1-5 YRS	8	7.4	8	6	6	6	7	12	14	14
6-12 YRS	4	7.5	12	4	4	7	10	11	11	11
13-19 YRS	10	3.4	6	1	1	3	4	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	4	12.8	11	9	9	12	15	17	17	17
6-12 YRS										
13-19 YRS	12	11.3	83	1	2	10	14	22	34	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	22	12.0	35	6	6	11	14	24	25	26
1-5 YRS	39	8.2	23	1	2	7	11	15	18	19
6-12 YRS	8	10.6	47	3	3	10	16	21	21	21
13-19 YRS	13	9.9	121	2	2	5	12	24	39	42
B. *Operated*										
0-27 DYS										
1-11 MOS	11	26.5	114	7	11	32	34	38	40	40
1-5 YRS	14	21.4	154	6	8	21	28	38	47	49
6-12 YRS	4	13.8	84	2	2	16	21	21	21	21
13-19 YRS	12	9.7	49	1	2	9	15	19	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	6.0	10	1	1	6	8	10	11	14
B. *Operated*	18	10.7	64	1	1	10	13	17	28	36
2. MULTIPLE DX										
A. *Not Operated*	82	9.7	45	2	2	9	12	19	22	37
B. *Operated*	41	18.6	145	2	4	18	27	35	38	49
1. SINGLE DX	48	7.8	35	1	1	7	10	14	16	36
2. MULTIPLE DX	123	12.7	95	2	3	11	17	26	34	44
A. NOT OPERATED	112	8.7	38	1	2	7	11	16	20	32
B. OPERATED	59	16.2	132	1	3	13	22	34	37	48
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	42	14.7	102	5	6	11	20	33	35	40
1-5 YRS	65	11.2	77	2	2	9	13	21	29	47
6-12 YRS	16	10.6	46	2	3	10	16	21	21	21
13-19 YRS	47	8.8	73	1	2	6	13	18	24	42
GRAND TOTAL	**171**	**11.3**	**83**	**1**	**2**	**9**	**14**	**23**	**33**	**42**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	4.8	7	1	1	5	6	7	7	7
1-5 YRS	13	6.0	19	2	2	5	6	12	17	18
6-12 YRS	48	4.4	7	1	1	4	6	8	9	11
13-19 YRS	251	5.0	10	1	2	4	6	9	11	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	13.3	91	1	2	12	19	28	30	30
6-12 YRS	9	9.2	23	1	2	10	12	15	17	17
13-19 YRS	28	12.1	149	1	2	8	15	30	38	51
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	5.3	5	4	4	4	7	8	8	8
1-11 MOS	10	5.3	8	2	2	5	6	9	12	12
1-5 YRS	12	9.3	77	1	2	6	12	22	31	33
6-12 YRS	49	5.6	17	1	2	4	8	10	12	22
13-19 YRS	246	6.0	17	1	2	5	8	10	12	23
B. *Operated*										
0-27 DYS										
1-11 MOS	4	10.8	47	3	3	10	16	19	19	19
1-5 YRS	12	26.7	696	2	2	19	38	66	89	93
6-12 YRS	6	21.3	298	9	9	14	29	51	53	53
13-19 YRS	68	13.6	152	2	3	11	16	27	38	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	5.0	10	1	2	4	6	9	11	17
B. *Operated*	44	11.7	113	1	2	9	15	27	33	51
2. MULTIPLE DX										
A. *Not Operated*	320	6.0	19	1	2	5	8	11	13	24
B. *Operated*	90	15.7	241	2	3	11	17	35	53	86
1. SINGLE DX	361	5.8	27	1	2	4	7	11	14	30
2. MULTIPLE DX	410	8.1	83	2	2	6	9	16	22	53
A. NOT OPERATED	637	5.5	15	1	2	5	7	10	12	21
B. OPERATED	134	14.4	202	2	2	11	17	30	42	78
TOTAL 0-27 DYS	4	4.8	5	3	3	4	6	8	8	8
1-11 MOS	18	6.4	20	1	2	5	7	13	17	19
1-5 YRS	44	13.7	286	2	2	7	17	33	46	93
6-12 YRS	112	6.2	40	1	2	4	8	11	16	38
13-19 YRS	593	6.7	44	1	2	5	8	12	17	36
GRAND TOTAL	**771**	**7.0**	**58**	**1**	**2**	**5**	**8**	**13**	**18**	**40**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	35	3.0	4	<1	1	3	4	6	8	10
1-11 MOS	65	2.1	2	<1	1	2	3	4	5	7
1-5 YRS	86	2.3	1	<1	1	2	3	4	5	6
6-12 YRS	76	3.0	3	1	1	2	4	6	7	8
13-19 YRS	118	3.1	4	<1	1	3	4	5	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	7	5.1	7	2	2	5	7	9	9	9
1-5 YRS										
6-12 YRS	10	7.0	39	1	1	5	11	16	21	21
13-19 YRS	16	5.8	21	1	2	4	6	13	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	30	3.9	5	1	1	3	6	7	9	9
1-11 MOS	96	3.5	5	1	2	3	5	6	8	11
1-5 YRS	127	3.4	5	1	1	3	4	7	8	12
6-12 YRS	119	3.2	4	1	1	3	4	6	7	10
13-19 YRS	306	3.5	6	1	1	3	4	7	8	12
B. *Operated*										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	11	9.6	32	1	3	10	12	18	21	21
1-5 YRS	13	11.8	118	2	2	7	19	30	36	37
6-12 YRS	19	7.7	113	1	2	5	8	13	34	49
13-19 YRS	42	7.4	91	2	2	5	8	11	23	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	380	2.7	3	<1	1	2	4	5	6	9
B. *Operated*	33	6.0	23	1	2	5	8	12	18	21
2. MULTIPLE DX										
A. *Not Operated*	678	3.5	5	1	1	3	4	7	8	12
B. *Operated*	87	8.3	90	2	2	5	10	16	29	53
1. SINGLE DX	413	3.0	5	1	1	2	4	5	7	12
2. MULTIPLE DX	765	4.0	17	1	1	3	5	7	10	18
A. NOT OPERATED	1058	3.2	4	1	1	3	4	6	7	11
B. OPERATED	120	7.7	72	1	2	5	9	14	21	51
TOTAL 0-27 DYS	67	3.4	5	1	1	3	5	6	8	10
1-11 MOS	179	3.5	8	1	1	3	4	7	10	15
1-5 YRS	226	3.5	14	1	1	3	4	6	8	21
6-12 YRS	224	3.7	16	1	1	3	5	7	8	17
13-19 YRS	482	3.9	14	1	1	3	5	7	9	15
GRAND TOTAL	**1178**	**3.7**	**13**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	54	2.9	7	1	1	2	3	4	7	15
1-11 MOS	132	4.5	15	1	2	3	5	8	11	20
1-5 YRS	50	3.4	5	<1	1	3	5	7	8	8
6-12 YRS	10	4.8	13	<1	<1	5	6	10	13	13
13-19 YRS	7	4.7	27	1	1	3	7	14	15	15
B. *Operated*										
0-27 DYS										
1-11 MOS	5	7.2	22	3	3	5	11	14	14	14
1-5 YRS	23	4.9	28	<1	1	3	7	11	18	22
6-12 YRS	11	9.5	164	<1	<1	6	10	30	43	44
13-19 YRS	7	3.3	7	<1	<1	2	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	66	4.2	7	1	2	4	5	9	11	13
1-11 MOS	214	5.6	22	1	2	4	7	11	15	23
1-5 YRS	90	7.2	130	1	2	4	7	17	33	99+
6-12 YRS	13	5.2	31	<1	<1	4	6	14	19	20
13-19 YRS	18	8.0	127	<1	1	4	7	22	36	45
B. *Operated*										
0-27 DYS	3	28.7	858	7	7	17	51	62	62	62
1-11 MOS	12	30.3	946	5	6	24	97	99+	99+	99+
1-5 YRS	22	14.5	211	1	2	11	22	41	75	99+
6-12 YRS	10	4.8	10	1	1	4	6	9	12	12
13-19 YRS	5	10.8	75	3	3	7	17	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253	4.0	12	1	1	3	5	8	10	19
B. *Operated*	46	6.0	58	<1	1	4	7	14	21	44
2. MULTIPLE DX										
A. *Not Operated*	401	5.8	49	1	2	4	6	12	17	45
B. *Operated*	52	16.8	418	1	3	11	24	91	99+	99+
1. SINGLE DX	299	4.3	19	1	1	3	5	8	12	22
2. MULTIPLE DX	453	7.1	103	1	2	4	7	15	24	99+
A. NOT OPERATED	654	5.1	35	1	2	4	6	9	15	34
B. OPERATED	98	11.7	275	1	1	6	15	48	96	99+
TOTAL 0-27 DYS	123	4.2	36	1	2	3	4	7	12	29
1-11 MOS	363	6.0	68	1	2	4	7	13	18	99
1-5 YRS	185	6.7	103	1	1	4	7	16	29	99+
6-12 YRS	44	6.1	56	<1	1	4	6	13	20	44
13-19 YRS	37	6.9	80	<1	1	4	7	18	24	45
GRAND TOTAL	**752**	**6.0**	**71**	**1**	**1**	**4**	**6**	**13**	**19**	**94**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	5.1	17	1	1	5	7	12	13	13
1-5 YRS	203	5.7	19	1	2	4	8	11	14	20
6-12 YRS	183	4.9	13	1	1	4	7	10	13	16
13-19 YRS	89	4.3	11	1	1	3	6	8	11	17
B. *Operated*										
0-27 DYS										
1-11 MOS	2	11.5	181	2	2	11	21	21	21	21
1-5 YRS	52	4.8	21	1	2	3	6	11	18	20
6-12 YRS	81	3.4	8	2	2	2	3	8	9	15
13-19 YRS	118	4.0	21	1	1	2	5	8	11	29
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	12	7.8	28	2	3	6	11	16	19	20
1-5 YRS	171	6.3	29	1	1	5	8	12	18	32
6-12 YRS	181	5.0	12	1	1	4	7	10	12	16
13-19 YRS	108	5.3	13	1	2	4	7	10	12	17
B. *Operated*										
0-27 DYS	2	39.5	2245	6	6	39	73	73	73	73
1-11 MOS	5	15.0	267	5	5	9	18	44	44	44
1-5 YRS	29	14.0	212	2	3	10	17	30	47	69
6-12 YRS	50	9.0	108	2	2	5	12	26	42	99+
13-19 YRS	100	6.3	51	2	2	4	9	14	16	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	484	5.1	15	1	1	4	7	10	13	19
B. *Operated*	253	4.1	18	1	2	2	4	8	12	21
2. MULTIPLE DX										
A. *Not Operated*	473	5.6	19	1	1	4	7	11	14	20
B. *Operated*	186	8.8	125	2	2	5	11	19	32	72
1. SINGLE DX	737	4.7	17	1	1	3	6	10	13	19
2. MULTIPLE DX	659	6.5	51	1	2	4	8	13	17	44
A. NOT OPERATED	957	5.4	17	1	1	4	7	11	14	19
B. OPERATED	439	6.1	69	1	2	3	7	13	20	48
TOTAL 0-27 DYS	3	27.3	1566	3	3	6	56	73	73	73
1-11 MOS	28	8.5	75	1	2	6	10	18	23	44
1-5 YRS	455	6.3	39	1	2	4	8	13	18	32
6-12 YRS	495	5.1	23	1	1	4	7	10	14	26
13-19 YRS	415	5.0	25	1	2	3	6	11	14	20
GRAND TOTAL	**1396**	**5.6**	**33**	**1**	**2**	**4**	**7**	**11**	**15**	**28**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	49	5.9	18	2	2	5	7	10	16	22
6-12 YRS	75	5.3	10	2	2	5	7	9	12	15
13-19 YRS	48	4.5	6	1	2	4	6	8	9	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	7	4.6	20	1	1	3	5	12	14	14
13-19 YRS	10	4.7	20	<1	<1	3	7	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	49	5.9	9	3	3	5	8	10	12	15
6-12 YRS	83	6.7	15	2	3	6	8	11	16	20
13-19 YRS	52	5.6	12	1	2	5	7	11	14	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	13.8	86	5	5	11	19	29	30	30
6-12 YRS	10	6.3	176	1	1	2	3	24	44	44
13-19 YRS	23	7.6	62	1	2	6	10	19	27	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	5.3	11	2	2	5	7	9	11	18
B. *Operated*	18	4.7	18	<1	1	3	6	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	185	6.1	13	2	3	5	8	11	14	18
B. *Operated*	39	8.2	95	1	1	5	10	23	31	44
1. SINGLE DX	190	5.2	12	2	2	4	7	9	13	18
2. MULTIPLE DX	224	6.5	27	1	2	5	8	12	15	31
A. NOT OPERATED	357	5.7	12	2	2	5	7	10	13	18
B. OPERATED	57	7.1	73	1	1	3	9	17	28	43
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	105	6.4	20	2	3	5	8	11	15	26
6-12 YRS	175	6.0	21	2	2	5	7	10	15	20
13-19 YRS	133	5.5	20	1	2	4	7	10	14	26
GRAND TOTAL	**414**	**5.9**	**21**	**1**	**2**	**5**	**7**	**11**	**15**	**23**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	10.4	27	6	6	9	13	19	19	19
1-5 YRS	8	6.1	46	1	1	4	6	18	22	22
6-12 YRS	28	3.1	12	<1	<1	2	4	9	10	16
13-19 YRS	21	4.2	11	<1	1	3	6	9	11	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	6	9.5	35	2	2	11	13	17	17	17
6-12 YRS	51	4.8	54	<1	<1	<1	4	14	22	38
13-19 YRS	67	8.6	56	2	2	6	10	20	27	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	22	7.4	50	1	1	5	12	19	23	25
1-5 YRS	53	6.8	46	1	1	4	8	17	23	31
6-12 YRS	75	5.2	45	<1	<1	3	6	17	25	81
13-19 YRS	92	4.6	25	<1	<1	3	5	11	14	26
B. *Operated*										
0-27 DYS										
1-11 MOS	8	23.8	681	1	4	16	22	68	86	86
1-5 YRS	25	17.2	116	2	3	15	28	33	55	99+
6-12 YRS	85	13.4	138	1	2	9	19	27	34	59
13-19 YRS	184	14.4	198	1	2	10	21	29	44	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	4.5	20	<1	1	3	6	9	15	22
B. *Operated*	125	7.0	57	<1	<1	4	9	18	25	34
2. MULTIPLE DX										
A. *Not Operated*	242	5.5	39	<1	<1	3	6	14	21	29
B. *Operated*	302	14.6	187	1	2	11	21	29	44	81
1. SINGLE DX	187	6.2	46	<1	<1	4	8	16	22	32
2. MULTIPLE DX	544	10.5	141	<1	1	6	15	25	30	65
A. NOT OPERATED	304	5.3	35	<1	<1	3	6	14	20	28
B. OPERATED	427	12.4	161	<1	1	8	19	27	34	68
TOTAL 0-27 DYS										
1-11 MOS	36	11.4	216	1	1	7	15	21	25	86
1-5 YRS	92	9.8	84	1	1	6	14	25	29	76
6-12 YRS	239	7.8	93	<1	<1	4	10	22	27	51
13-19 YRS	364	10.2	136	<1	1	6	13	25	30	58
GRAND TOTAL	**731**	**9.4**	**120**	**<1**	**<1**	**5**	**13**	**24**	**29**	**60**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	3	3.3		3	3	3	4	4	4	4
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	5	2.6	3	1	1	2	4	5	5	5
13-19 YRS	3	7.7	54	2	2	5	13	16	16	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	3	9.0	57	<1	<1	10	14	16	16	16
13-19 YRS	9	8.3	68	1	2	5	11	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	11.5	13	9	9	11	14	14	14	14
1-11 MOS	11	9.7	34	1	3	9	12	19	21	21
1-5 YRS	7	5.6	26	1	1	4	7	14	16	16
6-12 YRS	12	4.7	28	<1	1	3	6	11	19	20
13-19 YRS	13	7.1	19	<1	1	8	9	13	15	15
B. *Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	2	7.5	5	6	6	7	9	9	9	9
1-5 YRS	9	15.0	159	2	2	14	20	36	39	39
6-12 YRS	7	23.3	272	9	10	18	26	52	58	58
13-19 YRS	23	14.3	151	2	3	12	21	37	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.9	15	1	1	3	5	7	14	16
B. *Operated*	13	8.1	57	<1	1	5	11	22	23	23
2. MULTIPLE DX										
A. *Not Operated*	45	7.0	28	1	1	6	9	15	18	21
B. *Operated*	42	15.5	167	2	3	13	21	36	54	99+
1. SINGLE DX	27	5.9	38	1	1	4	6	16	22	23
2. MULTIPLE DX	87	11.1	112	1	2	8	15	26	35	84
A. NOT OPERATED	59	6.3	27	1	1	5	9	15	17	21
B. OPERATED	55	13.8	150	1	3	10	19	31	48	97
TOTAL 0-27 DYS	5	8.6	23	2	2	9	12	14	14	14
1-11 MOS	16	8.3	30	2	3	7	10	17	20	21
1-5 YRS	18	9.9	113	1	1	6	14	27	36	39
6-12 YRS	27	9.6	151	<1	1	5	14	22	32	58
13-19 YRS	48	10.8	101	1	2	8	16	25	36	99+
GRAND TOTAL	**114**	**9.9**	**99**	**1**	**1**	**7**	**14**	**22**	**30**	**73**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	7.0	2	6	6	7	8	8	8	8
1-11 MOS	29	4.0	2	2	2	4	5	6	7	8
1-5 YRS	194	4.2	4	2	2	4	5	6	8	11
6-12 YRS	235	3.9	3	2	2	4	5	6	7	9
13-19 YRS	693	4.1	4	2	2	4	5	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.5	1	6	6	6	7	7	7	7
1-5 YRS	11	5.4	16	1	2	5	6	11	16	16
6-12 YRS	21	5.0	6	1	1	5	7	8	9	10
13-19 YRS	27	5.0	3	2	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	5.7	5	2	2	6	8	8	8	8
1-11 MOS	35	4.7	4	2	2	5	5	8	9	10
1-5 YRS	193	4.6	8	2	2	4	6	8	10	17
6-12 YRS	216	4.3	5	2	2	4	5	7	9	14
13-19 YRS	883	4.7	5	2	2	4	6	7	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS	5	7.4	17	1	1	8	11	11	11	11
1-5 YRS	44	6.7	16	2	3	6	7	11	15	23
6-12 YRS	31	5.5	6	2	3	5	7	9	10	11
13-19 YRS	97	7.3	46	2	3	6	8	12	17	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1153	4.1	4	2	2	4	5	6	7	10
B. *Operated*	61	5.1	6	1	2	5	6	8	9	15
2. MULTIPLE DX										
A. *Not Operated*	1333	4.6	5	2	2	4	6	7	9	13
B. *Operated*	177	6.9	32	2	3	6	8	11	15	22
1. SINGLE DX	1214	4.1	4	2	2	4	5	6	7	10
2. MULTIPLE DX	1510	4.9	9	2	2	4	6	8	10	15
A. NOT OPERATED	2486	4.4	4	2	2	4	5	7	8	12
B. OPERATED	238	6.4	26	2	3	6	7	10	14	19
TOTAL 0-27 DYS	8	6.0	4	2	3	6	8	8	8	8
1-11 MOS	71	4.6	5	2	2	4	5	8	9	11
1-5 YRS	442	4.7	8	2	2	4	6	7	10	16
6-12 YRS	503	4.2	4	2	2	4	5	7	8	11
13-19 YRS	1700	4.6	7	2	2	4	5	7	8	14
GRAND TOTAL	**2724**	**4.6**	**7**	**2**	**2**	**4**	**5**	**7**	**8**	**13**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	34	5.1	38	1	1	3	5	10	19	32
1-5 YRS	180	4.1	5	1	2	4	5	7	8	14
6-12 YRS	284	3.9	4	1	2	3	5	6	8	11
13-19 YRS	693	4.0	4	1	2	4	5	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	24	4.4	10	<1	<1	4	6	9	11	11
6-12 YRS	31	4.8	17	1	1	4	6	8	10	22
13-19 YRS	57	5.5	21	1	2	4	6	10	14	29
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	7.8	7	4	5	7	10	11	12	12
1-11 MOS	54	5.8	13	2	2	5	7	11	13	19
1-5 YRS	231	5.1	9	2	2	4	6	9	11	16
6-12 YRS	268	4.4	6	2	2	4	5	8	9	13
13-19 YRS	788	4.6	12	2	2	4	6	7	9	13
B. *Operated*										
0-27 DYS	3	11.3	9	8	8	12	13	14	14	14
1-11 MOS	12	8.3	17	3	3	9	11	14	15	15
1-5 YRS	58	6.5	17	<1	1	6	9	11	14	21
6-12 YRS	71	6.4	43	1	1	5	7	14	19	38
13-19 YRS	153	7.0	36	2	2	5	8	13	16	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1192	4.0	5	1	2	4	5	6	8	12
B. *Operated*	115	5.0	17	1	1	4	6	9	11	25
2. MULTIPLE DX										
A. *Not Operated*	1349	4.7	10	2	2	4	6	8	10	14
B. *Operated*	297	6.8	33	1	2	5	9	13	16	34
1. SINGLE DX	1307	4.1	6	1	2	4	5	7	8	13
2. MULTIPLE DX	1646	5.1	15	2	2	4	6	9	11	18
A. NOT OPERATED	2541	4.4	8	2	2	4	5	7	9	14
B. OPERATED	412	6.3	29	1	2	5	8	12	15	29
TOTAL 0-27 DYS	12	8.8	9	4	5	9	11	13	14	14
1-11 MOS	103	5.8	22	1	2	4	8	11	14	26
1-5 YRS	493	4.9	9	1	2	4	6	9	11	16
6-12 YRS	654	4.4	10	1	2	4	5	7	9	18
13-19 YRS	1691	4.6	12	2	2	4	6	7	9	15
GRAND TOTAL	**2953**	**4.7**	**11**	**1**	**2**	**4**	**6**	**8**	**10**	**16**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	4	2.5	4	1	1	2	4	5	5	5
6-12 YRS	29	3.2	6	1	1	2	4	6	7	13
13-19 YRS	203	2.3	2	1	1	2	3	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	5.1	9	1	1	6	7	9	10	10
6-12 YRS	14	7.3	17	1	2	6	12	13	13	13
13-19 YRS	63	7.5	21	3	3	7	10	11	12	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	4.3	5	1	1	4	6	7	7	7
1-5 YRS	5	2.0	1	1	1	2	2	3	3	3
6-12 YRS	27	3.6	6	1	1	3	5	7	8	11
13-19 YRS	150	3.0	3	1	1	3	4	5	6	9
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	3	10.3	90	1	1	10	17	20	20	20
1-5 YRS	3	6.3	2	5	5	6	7	8	8	8
6-12 YRS	22	7.8	42	2	2	7	10	13	22	32
13-19 YRS	82	9.4	59	1	2	8	12	18	21	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	237	2.4	3	1	1	2	3	5	6	9
B. *Operated*	84	7.3	20	2	3	7	10	11	13	28
2. MULTIPLE DX										
A. *Not Operated*	188	3.1	4	1	1	3	4	6	7	10
B. *Operated*	111	9.0	54	1	2	8	11	17	20	41
1. SINGLE DX	321	3.7	12	1	1	2	5	9	11	13
2. MULTIPLE DX	299	5.3	30	1	1	4	7	11	15	31
A. NOT OPERATED	425	2.7	3	1	1	2	3	5	6	9
B. OPERATED	195	8.3	40	1	2	7	10	14	18	34
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	10	6.1	31	1	1	5	7	15	20	20
1-5 YRS	19	3.9	7	1	1	3	6	8	9	10
6-12 YRS	92	5.0	20	1	1	4	7	11	13	25
13-19 YRS	498	4.3	22	1	1	3	5	10	12	21
GRAND TOTAL	**620**	**4.5**	**22**	**1**	**1**	**3**	**6**	**10**	**12**	**21**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	12	1.7	1	<1	<1	1	2	3	4	4
1-5 YRS	4	2.5	2	1	1	2	3	4	4	4
6-12 YRS	63	2.3	2	1	1	2	3	4	4	7
13-19 YRS	597	2.2	2	1	1	2	3	4	5	6
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	7	6.6	7	2	2	7	9	9	9	9
6-12 YRS	32	5.6	13	1	2	5	7	11	13	14
13-19 YRS	372	5.0	9	1	2	4	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	5	2.4	2	<1	<1	3	3	4	4	4
6-12 YRS	23	3.0	4	<1	1	2	4	6	7	8
13-19 YRS	213	2.6	2	1	1	2	3	4	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	3	7.0	61	2	2	3	13	16	16	16
1-5 YRS	5	5.0	8	2	2	5	7	9	9	9
6-12 YRS	24	5.2	13	1	2	5	6	10	13	17
13-19 YRS	161	6.5	19	2	2	6	8	13	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	677	2.2	2	1	1	2	3	4	5	6
B. *Operated*	413	5.1	9	1	2	4	7	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	245	2.6	2	1	1	2	3	4	6	8
B. *Operated*	193	6.3	18	2	2	5	8	12	14	21
1. SINGLE DX	1090	3.3	7	1	1	3	4	7	9	13
2. MULTIPLE DX	438	4.2	13	1	1	3	6	9	12	18
A. NOT OPERATED	922	2.3	2	1	1	2	3	4	5	7
B. OPERATED	606	5.5	12	1	2	5	7	10	12	17
TOTAL 0-27 DYS	4	1.8	1	<1	<1	1	2	3	3	3
1-11 MOS	18	3.2	18	<1	1	2	3	10	15	16
1-5 YRS	21	4.4	8	<1	1	4	7	9	9	9
6-12 YRS	142	3.6	8	1	1	3	4	7	10	14
13-19 YRS	1343	3.6	8	1	1	3	4	7	9	14
GRAND TOTAL	**1528**	**3.6**	**8**	**1**	**1**	**3**	**4**	**7**	**9**	**14**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	5	<1	<1	2	4	4	4	4
1-11 MOS	34	3.9	10	1	1	3	6	9	10	14
1-5 YRS	50	2.1	5	<1	<1	1	2	4	7	14
6-12 YRS	48	2.4	4	<1	<1	2	3	4	5	12
13-19 YRS	56	3.4	7	1	1	3	4	6	10	14
B. *Operated*										
0-27 DYS	6	6.8	59	1	1	4	10	20	21	21
1-11 MOS	50	6.2	19	<1	1	5	8	12	15	17
1-5 YRS	520	5.8	13	<1	1	6	8	10	12	16
6-12 YRS	518	6.5	14	<1	1	6	9	11	13	17
13-19 YRS	232	7.5	20	1	2	7	10	13	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	7.9	21	2	2	9	10	14	15	15
1-11 MOS	66	5.6	22	1	1	4	8	13	15	21
1-5 YRS	95	3.8	11	<1	1	3	4	8	13	16
6-12 YRS	71	3.2	6	<1	1	2	4	6	8	14
13-19 YRS	93	3.5	8	<1	1	3	4	7	9	16
B. *Operated*										
0-27 DYS	7	10.1	12	6	6	11	13	15	15	15
1-11 MOS	120	8.3	50	<1	1	6	10	17	21	38
1-5 YRS	633	6.4	34	<1	1	6	9	12	15	21
6-12 YRS	540	6.9	26	<1	1	6	9	13	16	24
13-19 YRS	414	9.1	50	1	2	8	11	17	22	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	190	2.9	6	<1	1	2	3	6	8	14
B. *Operated*	1326	6.4	16	<1	1	6	9	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	332	4.0	13	<1	1	3	5	9	12	17
B. *Operated*	1714	7.3	38	<1	1	7	10	14	17	27
1. SINGLE DX	1516	5.9	16	<1	1	6	8	11	13	18
2. MULTIPLE DX	2046	6.8	35	<1	1	6	9	13	17	25
A. NOT OPERATED	522	3.6	11	<1	1	3	4	8	11	15
B. OPERATED	3040	6.9	28	<1	1	6	9	13	15	23
TOTAL 0-27 DYS	22	7.8	29	<1	1	8	11	15	18	21
1-11 MOS	270	6.7	34	1	1	5	9	14	17	26
1-5 YRS	1298	5.8	24	<1	1	5	8	11	13	19
6-12 YRS	1177	6.3	20	<1	1	6	9	12	15	21
13-19 YRS	795	7.6	37	1	1	7	10	14	18	30
GRAND TOTAL	**3562**	**6.4**	**27**	**<1**	**1**	**6**	**9**	**12**	**15**	**23**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	5	2.4	1	1	1	2	3	4	4	4
13-19 YRS	51	2.6	3	<1	1	2	3	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	6	7.2	73	1	1	4	8	22	24	24
13-19 YRS	19	4.0	7	<1	1	3	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	5	4.0	5	2	2	4	5	7	7	7
13-19 YRS	35	4.1	6	<1	1	4	6	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	5	3.6	13	<1	<1	2	5	10	10	10
6-12 YRS	10	5.1	22	1	2	4	4	13	17	17
13-19 YRS	28	4.5	11	1	1	3	7	8	11	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	2.6	3	<1	1	2	3	5	7	9
B. *Operated*	27	4.7	21	1	1	4	6	9	12	24
2. MULTIPLE DX										
A. *Not Operated*	41	4.0	6	<1	1	4	6	8	8	9
B. *Operated*	44	4.6	13	1	1	3	7	9	12	17
1. SINGLE DX	86	3.3	10	<1	1	2	4	7	8	19
2. MULTIPLE DX	85	4.3	10	1	1	3	6	8	9	16
A. NOT OPERATED	100	3.2	5	<1	1	3	4	7	8	9
B. OPERATED	71	4.6	16	1	1	3	6	9	11	23
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	5.5	5	4	4	5	7	7	7	7
1-5 YRS	9	2.9	9	<1	<1	2	3	8	10	10
6-12 YRS	26	4.8	26	1	1	3	4	9	18	24
13-19 YRS	133	3.6	7	1	1	3	5	8	9	12
GRAND TOTAL	**171**	**3.8**	**10**	**1**	**1**	**3**	**5**	**8**	**9**	**16**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	10	2.7	2	1	1	2	4	5	5	5
1-5 YRS	73	2.6	2	1	1	2	3	5	6	8
6-12 YRS	101	2.9	4	1	1	2	4	5	6	12
13-19 YRS	144	2.9	3	<1	1	2	4	5	7	8
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	70	2.2	3	<1	<1	2	3	5	6	8
6-12 YRS	124	2.1	4	<1	<1	2	2	4	5	11
13-19 YRS	184	2.5	4	<1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	19	4.2	2	2	2	4	5	7	7	7
1-5 YRS	94	3.6	4	1	1	3	5	7	8	8
6-12 YRS	125	3.4	4	1	1	3	4	6	7	11
13-19 YRS	234	3.9	10	1	1	3	5	7	8	11
B. *Operated*										
0-27 DYS	2	9.0	32	5	5	9	13	13	13	13
1-11 MOS	5	8.0	49	<1	<1	6	12	19	19	19
1-5 YRS	160	2.6	5	<1	<1	2	3	6	7	11
6-12 YRS	203	2.8	5	<1	<1	2	4	5	8	12
13-19 YRS	319	3.7	10	1	1	3	5	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	329	2.8	3	1	1	2	4	5	6	8
B. *Operated*	379	2.3	4	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	474	3.7	7	1	1	3	5	7	8	10
B. *Operated*	689	3.3	8	<1	1	2	4	7	9	13
1. SINGLE DX	708	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	1163	3.4	8	<1	1	3	4	7	8	12
A. NOT OPERATED	803	3.3	5	1	1	3	4	6	7	10
B. OPERATED	1068	2.9	7	<1	1	2	4	6	8	12
TOTAL 0-27 DYS	6	5.2	15	3	3	4	5	12	13	13
1-11 MOS	34	4.3	11	1	2	4	5	7	9	19
1-5 YRS	397	2.8	4	<1	1	2	4	6	7	9
6-12 YRS	553	2.8	5	<1	1	2	4	5	7	11
13-19 YRS	881	3.4	8	1	1	3	4	7	8	12
GRAND TOTAL	**1871**	**3.1**	**6**	**<1**	**1**	**2**	**4**	**6**	**8**	**12**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	3.3	8	<1	<1	2	5	7	7	7
1-5 YRS	13	1.6	1	<1	<1	1	2	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	8	1.9	2	<1	<1	1	2	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	18	1.6	1	<1	<1	1	2	2	4	5
1-5 YRS	852	1.4	1	<1	<1	1	2	2	3	5
6-12 YRS	718	1.6	2	<1	<1	1	2	3	4	7
13-19 YRS	321	2.7	8	<1	<1	2	3	5	7	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	23	1.3	1	<1	<1	1	1	2	3	4
6-12 YRS	18	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	5	4.2	2	3	3	4	5	6	6	6
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	17	3.8	26	<1	<1	2	3	10	17	20
1-5 YRS	724	1.8	2	<1	<1	1	2	3	4	7
6-12 YRS	778	2.1	6	<1	<1	1	2	4	5	12
13-19 YRS	386	3.1	6	<1	1	2	4	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.0	2	<1	<1	1	3	4	5	7
B. *Operated*	1909	1.7	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	47	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	1906	2.2	5	<1	<1	2	2	4	6	11
1. SINGLE DX	1935	1.7	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	1953	2.2	5	<1	<1	2	2	4	6	11
A. NOT OPERATED	73	1.8	2	<1	<1	1	2	3	5	7
B. OPERATED	3815	1.9	4	<1	<1	1	2	4	5	10
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	40	2.7	13	<1	<1	1	3	6	10	20
1-5 YRS	1612	1.6	2	<1	<1	1	2	3	4	6
6-12 YRS	1515	1.9	4	<1	<1	1	2	3	5	9
13-19 YRS	720	2.9	7	<1	<1	2	3	6	8	14
GRAND TOTAL	**3888**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	41	4.0	5	1	2	4	5	7	9	12
1-11 MOS	318	3.8	5	1	2	3	5	7	8	12
1-5 YRS	653	3.1	5	1	1	3	4	5	7	9
6-12 YRS	617	2.8	3	1	1	2	4	5	6	8
13-19 YRS	676	3.1	3	1	1	3	4	5	6	9
B. *Operated*										
0-27 DYS	5	8.0	19	3	3	7	10	15	15	15
1-11 MOS	34	3.7	7	<1	1	3	6	8	9	10
1-5 YRS	521	2.5	9	<1	<1	1	3	5	7	12
6-12 YRS	570	2.4	6	<1	<1	1	3	5	7	12
13-19 YRS	480	2.7	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	121	5.8	9	2	2	5	8	10	11	15
1-11 MOS	779	4.8	10	2	2	4	6	9	11	18
1-5 YRS	1307	4.0	7	1	1	3	5	7	9	13
6-12 YRS	921	3.7	8	1	1	3	5	7	9	15
13-19 YRS	1453	4.0	7	1	1	3	5	7	9	14
B. *Operated*										
0-27 DYS	20	10.0	98	3	4	7	10	15	34	49
1-11 MOS	113	6.0	30	<1	1	4	8	11	15	29
1-5 YRS	842	3.2	18	<1	<1	2	4	7	10	17
6-12 YRS	868	3.3	14	<1	<1	2	4	8	10	16
13-19 YRS	708	4.2	16	1	1	3	5	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2305	3.1	4	1	1	3	4	5	7	9
B. *Operated*	1610	2.5	7	<1	<1	2	3	5	8	12
2. MULTIPLE DX										
A. *Not Operated*	4581	4.1	8	1	1	3	5	7	9	14
B. *Operated*	2551	3.7	18	<1	<1	2	5	8	11	19
1. SINGLE DX	3915	2.9	5	<1	1	2	4	5	7	10
2. MULTIPLE DX	7132	4.0	11	1	1	3	5	8	10	16
A. NOT OPERATED	6886	3.8	7	1	1	3	5	7	8	13
B. OPERATED	4161	3.2	14	<1	<1	2	4	7	10	17
TOTAL 0-27 DYS	187	5.9	20	2	2	5	8	10	12	18
1-11 MOS	1244	4.6	11	1	2	4	6	8	10	18
1-5 YRS	3323	3.4	10	<1	1	3	4	7	8	13
6-12 YRS	2976	3.1	8	<1	1	2	4	6	8	14
13-19 YRS	3317	3.7	8	1	1	3	5	7	9	15
GRAND TOTAL	**11047**	**3.6**	**10**	**<1**	**1**	**3**	**5**	**7**	**9**	**14**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	5
1-11 MOS	9	4.7	8	<1	1	4	7	9	10	10
1-5 YRS	5	5.6	32	<1	<1	2	10	14	14	14
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	4	6.0	7	3	3	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	6	11.0	47	4	4	8	18	21	21	21
1-11 MOS	12	8.0	28	3	3	7	9	15	22	23
1-5 YRS	3	10.7	25	6	6	10	14	16	16	16
6-12 YRS	6	7.0	12	1	2	7	8	12	12	12
13-19 YRS	9	3.8	4	2	2	3	5	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	21	5.1	12	<1	1	5	7	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	36	7.5	26	2	2	7	9	16	20	23
1. SINGLE DX	21	5.1	12	<1	1	5	7	10	12	14
2. MULTIPLE DX	36	7.5	26	2	2	7	9	16	20	23
A. NOT OPERATED										
B. OPERATED	57	6.6	22	1	2	6	8	12	17	23
TOTAL 0-27 DYS	7	10.3	43	4	4	8	16	20	21	21
1-11 MOS	21	6.6	22	1	2	6	8	10	16	23
1-5 YRS	8	7.5	33	<1	1	7	12	15	16	16
6-12 YRS	8	6.1	12	1	1	7	8	11	12	12
13-19 YRS	13	4.5	6	2	2	4	6	8	9	9
GRAND TOTAL	**57**	**6.6**	**22**	**1**	**2**	**6**	**8**	**12**	**17**	**23**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	28	2.5	1	1	1	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	46	3.4	16	<1	<1	2	4	6	10	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	33	3.6	2	2	2	3	4	6	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.5	5	3	3	4	6	6	6	6
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	4	3.8	10	1	1	3	6	8	8	8
13-19 YRS	64	3.0	6	<1	1	2	4	7	9	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.5	1	1	1	3	3	4	4	5
B. *Operated*	48	3.4	15	<1	<1	2	4	6	9	24
2. MULTIPLE DX										
A. *Not Operated*	33	3.6	2	2	2	3	4	6	7	8
B. *Operated*	71	3.0	6	<1	1	2	4	7	9	10
1. SINGLE DX	79	3.0	10	<1	1	2	3	6	7	21
2. MULTIPLE DX	104	3.2	5	1	1	3	4	6	8	10
A. NOT OPERATED	64	3.1	2	1	1	3	4	5	6	8
B. OPERATED	119	3.2	9	<1	1	2	4	7	9	16
TOTAL 0-27 DYS										
1-11 MOS	3	4.3	2	3	3	4	5	6	6	6
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	8	2.8	6	1	1	2	3	7	8	8
13-19 YRS	171	3.1	7	<1	1	2	4	6	8	12
GRAND TOTAL	**183**	**3.1**	**7**	**<1**	**1**	**2**	**4**	**6**	**8**	**12**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	7	1.6	2	<1	<1	1	1	4	5	5
1-5 YRS	15	1.1		<1	<1	<1	1	1	2	2
6-12 YRS	5	1.4		<1	<1	1	2	2	2	2
13-19 YRS	5	2.2	1	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	126	1.9	23	<1	<1	1	2	2	3	18
1-5 YRS	498	1.6	1	<1	<1	1	2	2	3	4
6-12 YRS	155	1.9	1	<1	<1	2	2	3	3	4
13-19 YRS	330	2.8	3	1	1	3	3	5	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	24	2.3	5	<1	<1	2	3	4	7	11
1-5 YRS	55	1.3	1	<1	<1	1	1	2	3	5
6-12 YRS	12	1.4	1	<1	<1	1	2	3	4	4
13-19 YRS	5	1.8	2	1	1	1	2	4	4	4
B. *Operated*										
0-27 DYS	3	2.7	2	1	1	3	4	4	4	4
1-11 MOS	139	1.9	1	<1	<1	2	2	3	4	6
1-5 YRS	553	1.8	1	<1	<1	2	2	3	4	6
6-12 YRS	215	2.1	1	<1	1	2	3	3	4	6
13-19 YRS	165	3.0	2	1	1	3	4	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	1.4	1	<1	<1	1	1	2	3	5
B. *Operated*	1110	2.0	4	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	97	1.6	2	<1	<1	1	2	3	4	9
B. *Operated*	1075	2.1	1	<1	<1	2	3	3	4	6
1. SINGLE DX	1144	2.0	4	<1	<1	2	2	3	4	7
2. MULTIPLE DX	1172	2.0	2	<1	<1	2	3	3	4	6
A. NOT OPERATED	131	1.6	2	<1	<1	1	2	3	4	7
B. OPERATED	2185	2.1	3	<1	<1	2	2	3	4	6
TOTAL 0-27 DYS	7	3.3	16	<1	<1	1	4	10	12	12
1-11 MOS	296	1.9	11	<1	<1	1	2	3	4	6
1-5 YRS	1121	1.7	1	<1	<1	2	2	3	3	5
6-12 YRS	387	2.0	1	<1	<1	2	2	3	4	5
13-19 YRS	505	2.8	3	1	1	3	3	5	5	9
GRAND TOTAL	**2316**	**2.0**	**3**	**<1**	**<1**	**2**	**2**	**3**	**4**	**6**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.0	1	3	3	4	5	5	5	5
1-5 YRS	8	3.6	6	1	1	3	6	7	7	7
6-12 YRS	90	3.1	3	1	1	3	4	5	7	9
13-19 YRS	349	4.2	7	1	1	4	5	8	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	11	1.7	2	<1	<1	1	2	4	5	5
6-12 YRS	43	2.8	5	1	1	2	4	6	8	10
13-19 YRS	121	3.9	8	1	1	3	5	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	4.5	9	1	1	5	7	7	7	7
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	37	3.4	3	1	1	3	4	6	7	7
13-19 YRS	119	4.4	9	1	1	4	5	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS	6	7.0	28	2	2	5	10	15	16	16
1-5 YRS	4	5.3	30	1	1	3	9	13	13	13
6-12 YRS	21	3.0	7	1	1	2	3	7	10	11
13-19 YRS	71	5.2	14	1	1	4	6	11	14	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	450	4.0	7	1	1	4	5	7	9	12
B. *Operated*	177	3.5	7	1	1	3	4	7	10	13
2. MULTIPLE DX										
A. *Not Operated*	162	4.2	7	1	1	4	5	7	10	14
B. *Operated*	102	4.9	14	1	1	4	6	11	13	16
1. SINGLE DX	627	3.8	7	1	1	3	5	7	9	12
2. MULTIPLE DX	264	4.4	10	1	1	4	5	9	11	16
A. NOT OPERATED	612	4.0	7	1	1	4	5	7	9	13
B. OPERATED	279	4.0	10	1	1	3	5	9	11	14
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	15	4.9	16	1	1	4	7	10	14	16
1-5 YRS	24	3.1	8	<1	1	2	5	6	9	13
6-12 YRS	191	3.1	4	1	1	3	4	6	7	10
13-19 YRS	660	4.3	8	1	1	4	5	8	10	14
GRAND TOTAL	**891**	**4.0**	**8**	**1**	**1**	**3**	**5**	**8**	**10**	**14**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	18	1.2		<1	<1	1	1	2	2	2
1-11 MOS	114	1.2		<1	<1	1	1	2	2	3
1-5 YRS	732	1.4	1	<1	<1	1	2	2	2	4
6-12 YRS	320	1.5		<1	<1	1	2	2	2	4
13-19 YRS	220	1.8		<1	1	2	2	3	3	4
B. *Operated*										
0-27 DYS										
1-11 MOS	191	1.3		<1	<1	1	2	2	2	2
1-5 YRS	779	1.4		<1	<1	1	2	2	2	3
6-12 YRS	394	1.5		<1	<1	1	2	2	2	3
13-19 YRS	307	1.7		<1	<1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	44	1.3		<1	<1	1	1	2	3	3
1-5 YRS	193	1.4	1	<1	<1	1	2	2	3	7
6-12 YRS	58	1.7	1	<1	<1	2	2	2	3	6
13-19 YRS	45	2.0	1	<1	1	2	2	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS	49	1.7	2	<1	<1	1	2	3	4	8
1-5 YRS	291	1.7	1	<1	<1	1	2	3	4	5
6-12 YRS	145	1.7	1	<1	<1	2	2	3	3	5
13-19 YRS	109	2.4	3	<1	1	2	2	4	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1404	1.5	1	<1	<1	1	2	2	3	4
B. *Operated*	1671	1.5		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	340	1.5	1	<1	<1	1	2	2	3	5
B. *Operated*	594	1.8	2	<1	<1	2	2	3	4	7
1. SINGLE DX	3075	1.5		<1	<1	1	2	2	2	3
2. MULTIPLE DX	934	1.7	1	<1	<1	1	2	3	4	7
A. NOT OPERATED	1744	1.5	1	<1	<1	1	2	2	3	4
B. OPERATED	2265	1.6	1	<1	<1	1	2	2	3	4
TOTAL 0-27 DYS	18	1.2		<1	<1	1	1	2	2	2
1-11 MOS	398	1.3		<1	<1	1	2	2	2	4
1-5 YRS	1995	1.5	1	<1	<1	1	2	2	3	4
6-12 YRS	917	1.5	1	<1	<1	1	2	2	3	4
13-19 YRS	681	1.9	1	<1	<1	2	2	3	3	5
GRAND TOTAL	**4009**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**4**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	2.0	1	1	1	2	3	4	4	4
1-11 MOS	9	2.4	3	<1	<1	2	3	5	5	5
1-5 YRS	63	2.4	4	<1	<1	2	3	5	6	11
6-12 YRS	80	1.9	1	1	1	2	2	4	4	6
13-19 YRS	107	2.0	3	<1	<1	1	2	4	6	11
B. *Operated*										
0-27 DYS	4	3.8	10	1	1	3	6	8	8	8
1-11 MOS	35	1.6	1	<1	<1	1	2	3	4	4
1-5 YRS	240	1.8	2	<1	<1	1	2	3	4	8
6-12 YRS	710	1.7	1	<1	1	1	2	3	4	6
13-19 YRS	1444	2.2	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	3.8	6	1	2	3	5	8	9	9
1-11 MOS	15	3.5	9	1	1	2	5	9	9	9
1-5 YRS	73	2.5	4	<1	<1	2	3	5	7	10
6-12 YRS	49	2.3	4	<1	1	2	3	4	5	12
13-19 YRS	52	3.5	13	<1	1	2	4	7	10	23
B. *Operated*										
0-27 DYS	8	2.4	2	1	1	2	3	5	5	5
1-11 MOS	38	2.4	6	<1	1	2	3	5	9	13
1-5 YRS	182	2.4	5	<1	<1	2	3	5	7	13
6-12 YRS	286	2.2	3	<1	1	2	3	4	5	9
13-19 YRS	516	2.9	5	1	1	3	3	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	2.1	3	<1	1	2	2	4	5	10
B. *Operated*	2433	2.0	2	<1	1	2	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	203	2.9	7	<1	1	2	3	6	8	12
B. *Operated*	1030	2.6	4	1	1	2	3	5	6	12
1. SINGLE DX	2699	2.0	2	<1	1	2	2	4	5	7
2. MULTIPLE DX	1233	2.7	5	<1	1	2	3	5	7	12
A. NOT OPERATED	469	2.4	5	<1	1	2	3	5	6	12
B. OPERATED	3463	2.2	3	<1	1	2	3	4	5	9
TOTAL 0-27 DYS	33	3.1	5	1	1	3	4	6	8	9
1-11 MOS	97	2.3	5	<1	<1	2	3	5	8	12
1-5 YRS	558	2.1	3	<1	<1	2	2	4	6	9
6-12 YRS	1125	1.9	2	<1	1	2	2	3	4	7
13-19 YRS	2119	2.4	3	1	1	2	3	4	5	10
GRAND TOTAL	**3932**	**2.2**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	7	1.7	1	1	1	2	2	3	3	3
6-12 YRS	8	1.9	2	<1	<1	1	2	4	5	5
13-19 YRS	278	1.9	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	6	2.0	2	<1	<1	1	2	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	2	2.5	5	<1	<1	2	4	4	4	4
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	90	2.8	4	<1	1	2	3	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.3		<1	<1	1	2	2	2	2
B. *Operated*	299	1.9	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	8	1.9	2	<1	<1	1	2	4	5	5
B. *Operated*	95	2.9	4	<1	1	2	3	6	7	11
1. SINGLE DX	305	1.9	2	<1	<1	2	2	3	3	6
2. MULTIPLE DX	103	2.8	4	<1	1	2	3	6	7	11
A. NOT OPERATED	14	1.6	1	<1	<1	1	2	3	4	5
B. OPERATED	394	2.1	3	<1	<1	2	2	3	4	9
TOTAL 0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	6	1.7	1	<1	<1	1	2	3	3	3
1-5 YRS	9	1.9	1	<1	<1	2	2	4	4	4
6-12 YRS	11	2.2	3	<1	<1	2	2	5	6	6
13-19 YRS	380	2.1	3	<1	<1	2	2	3	4	9
GRAND TOTAL	**408**	**2.1**	**3**	**<1**	**<1**	**2**	**2**	**3**	**4**	**9**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	26	5.0	12	1	2	4	5	10	12	16
1-11 MOS	12	3.4	3	1	1	3	4	6	8	8
1-5 YRS	9	2.8	3	1	1	2	4	6	6	6
6-12 YRS	14	2.9	6	<1	1	2	3	6	9	10
13-19 YRS	52	3.6	5	1	1	3	5	7	8	10
B. *Operated*										
0-27 DYS	4	5.3	2	4	4	5	6	7	7	7
1-11 MOS	9	4.0	10	2	2	3	4	9	12	12
1-5 YRS	5	1.6		1	1	2	2	2	2	2
6-12 YRS	66	2.3	1	1	1	2	3	4	5	6
13-19 YRS	1383	2.8	2	1	1	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	3.9	2	2	2	4	5	5	5	5
1-11 MOS	8	2.5	2	1	1	2	3	4	5	5
1-5 YRS	8	2.9	2	<1	<1	3	4	5	5	5
6-12 YRS	8	3.0	3	<1	<1	3	4	5	5	5
13-19 YRS	48	2.8	6	<1	<1	2	3	6	8	11
B. *Operated*										
0-27 DYS	5	8.2	13	5	5	7	11	13	13	13
1-11 MOS	4	2.5	1	1	1	3	3	3	3	3
1-5 YRS	6	2.8	5	<1	<1	2	3	7	7	7
6-12 YRS	27	3.6	8	1	1	3	4	8	11	11
13-19 YRS	336	3.2	3	1	1	3	4	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	3.8	7	1	1	3	5	7	10	13
B. *Operated*	1467	2.7	2	1	1	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	80	2.9	4	<1	<1	2	4	5	7	11
B. *Operated*	378	3.3	4	1	1	3	4	5	7	11
1. SINGLE DX	1580	2.8	2	1	1	3	4	5	6	8
2. MULTIPLE DX	458	3.2	4	<1	1	3	4	5	7	11
A. NOT OPERATED	193	3.4	6	<1	1	3	4	6	8	11
B. OPERATED	1845	2.9	2	1	1	3	4	5	6	8
TOTAL 0-27 DYS	43	5.2	10	2	2	4	6	10	12	16
1-11 MOS	33	3.2	5	1	1	3	4	5	8	12
1-5 YRS	28	2.6	3	<1	<1	2	4	5	6	7
6-12 YRS	115	2.7	4	1	1	2	3	5	6	11
13-19 YRS	1819	2.9	2	1	1	3	4	5	6	8
GRAND TOTAL	**2038**	**2.9**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	2.0		2	2	2	2	2	2	2
6-12 YRS	67	2.6	2	1	1	2	3	4	6	7
13-19 YRS	1280	2.5	3	1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS	3	4.0	4	2	2	4	5	6	6	6
1-11 MOS	4	2.0	1	1	1	2	3	3	3	3
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	53	4.7	8	2	3	4	5	7	10	18
13-19 YRS	1601	4.2	6	1	1	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	43	3.6	4	1	1	3	4	7	8	8
13-19 YRS	876	3.1	5	1	1	3	4	5	7	11
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	4	6.5	14	4	4	5	9	12	12	12
1-5 YRS	3	6.3	9	3	3	7	8	9	9	9
6-12 YRS	34	4.9	21	1	2	4	6	7	12	27
13-19 YRS	1611	5.0	8	1	2	5	6	8	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1351	2.5	3	1	1	2	3	4	5	8
B. *Operated*	1663	4.2	6	1	1	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	919	3.1	5	1	1	3	4	5	7	11
B. *Operated*	1653	5.0	8	1	2	5	6	8	10	14
1. SINGLE DX	3014	3.4	5	1	1	3	5	6	7	11
2. MULTIPLE DX	2572	4.3	8	1	1	4	6	8	9	13
A. NOT OPERATED	2270	2.7	4	1	1	2	3	5	6	9
B. OPERATED	3316	4.6	7	1	2	4	6	8	9	13
TOTAL 0-27 DYS	4	4.5	4	2	2	5	6	6	6	6
1-11 MOS	9	4.1	11	1	1	3	5	9	12	12
1-5 YRS	8	3.8	7	2	2	3	5	8	9	9
6-12 YRS	197	3.8	8	1	1	3	5	7	7	16
13-19 YRS	5368	3.8	6	1	1	3	5	7	8	12
GRAND TOTAL	**5586**	**3.8**	**7**	**1**	**1**	**3**	**5**	**7**	**8**	**12**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	4.4	2	3	3	5	5	6	6	6
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	17	4.7	4	2	3	4	5	3	9	9
13-19 YRS	3085	4.2	5	1	2	4	5	7	8	11
B. *Operated*										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	4	3.5	3	1	1	4	5	5	5	5
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	9	8.6	48	1	1	8	11	19	24	24
13-19 YRS	730	5.2	13	1	1	5	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	6.3	9	3	3	7	8	9	9	9
1-5 YRS	2	5.5	1	5	5	5	6	6	6	6
6-12 YRS	9	7.6	26	3	3	5	11	16	16	16
13-19 YRS	2070	4.8	7	2	2	4	6	8	10	13
B. *Operated*										
0-27 DYS	3	8.3	56	<1	<1	8	14	16	16	16
1-11 MOS	3	7.3	30	2	2	7	11	13	13	13
1-5 YRS	3	4.0	1	3	3	4	5	5	5	5
6-12 YRS	24	9.0	46	1	2	8	12	13	21	35
13-19 YRS	1442	6.3	17	1	2	6	8	11	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3108	4.2	5	1	2	4	5	7	8	11
B. *Operated*	746	5.2	14	1	1	5	7	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	2084	4.9	7	2	2	4	6	8	10	14
B. *Operated*	1475	6.4	17	1	2	6	8	11	13	21
1. SINGLE DX	3854	4.4	7	1	2	4	5	7	9	12
2. MULTIPLE DX	3559	5.5	12	2	2	5	7	9	12	16
A. NOT OPERATED	5192	4.4	6	2	2	4	6	7	9	12
B. OPERATED	2221	6.0	16	1	2	5	8	11	13	20
TOTAL 0-27 DYS	5	5.4	44	<1	<1	1	10	16	16	16
1-11 MOS	15	5.1	9	1	2	5	7	9	12	13
1-5 YRS	7	4.4	1	3	3	5	5	6	6	6
6-12 YRS	59	7.5	33	2	2	6	9	13	16	34
13-19 YRS	7327	4.9	9	1	2	4	6	8	10	15
GRAND TOTAL	**7413**	**4.9**	**9**	**1**	**2**	**4**	**6**	**8**	**10**	**15**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	27	3.3	3	1	1	3	4	6	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.0	2	3	3	4	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	199	3.1	5	<1	1	2	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	30	3.9	10	1	1	3	5	9	11	13
B. *Operated*										
0-27 DYS	2	7.0	18	4	4	7	10	10	10	10
1-11 MOS	12	6.0	12	<1	<1	6	8	11	12	12
1-5 YRS										
6-12 YRS	2	7.0		7	7	7	7	7	7	7
13-19 YRS	247	4.2	8	1	1	4	6	8	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.3	3	1	1	3	4	6	6	7
B. *Operated*	201	3.1	5	<1	1	2	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*	31	3.9	10	1	1	3	5	9	11	13
B. *Operated*	263	4.3	9	1	1	4	6	8	10	15
1. SINGLE DX	228	3.2	5	<1	1	2	4	6	7	9
2. MULTIPLE DX	294	4.3	9	1	1	4	6	8	10	14
A. NOT OPERATED	58	3.6	6	1	1	3	5	7	9	13
B. OPERATED	464	3.8	8	<1	1	3	5	7	9	13
TOTAL 0-27 DYS	2	7.0	18	4	4	7	10	10	10	10
1-11 MOS	14	5.7	11	<1	<1	6	7	10	12	12
1-5 YRS										
6-12 YRS	3	6.0	3	4	4	7	7	7	7	7
13-19 YRS	503	3.7	7	<1	1	3	5	7	9	13
GRAND TOTAL	**522**	**3.8**	**7**	**<1**	**1**	**3**	**5**	**7**	**9**	**13**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0	2	<1	<1	1	3	3	3	3
6-12 YRS										
13-19 YRS	5	2.2	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	29	2.0	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	17	4.5	6	1	2	4	6	8	9	10
B. *Operated*										
0-27 DYS										
1-11 MOS	3	4.3	12	<1	<1	4	7	8	8	8
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	69	2.8	5	<1	1	2	3	5	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.1	1	<1	<1	2	3	3	3	3
B. *Operated*	29	2.0	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	20	4.3	6	1	2	4	6	8	9	10
B. *Operated*	75	2.8	6	<1	1	2	3	5	8	12
1. SINGLE DX	36	2.0	1	<1	<1	2	3	3	4	5
2. MULTIPLE DX	95	3.1	6	<1	1	2	4	7	8	12
A. NOT OPERATED	27	3.7	5	<1	1	3	5	7	8	10
B. OPERATED	104	2.6	4	<1	1	2	3	5	7	11
TOTAL 0-27 DYS										
1-11 MOS	3	4.3	12	<1	<1	4	7	8	8	8
1-5 YRS	6	2.8	1	<1	<1	3	4	4	4	4
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	120	2.8	5	<1	1	2	3	6	8	11
GRAND TOTAL	**131**	**2.8**	**5**	**<1**	**1**	**2**	**3**	**6**	**8**	**11**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	23	2.1	1	<1	<1	2	3	4	4	4
6-12 YRS	8	2.8	3	1	1	3	4	5	5	5
13-19 YRS	155	3.3	4	<1	1	3	4	6	7	11
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	10	1.6	2	<1	<1	<1	1	4	6	6
6-12 YRS	12	2.3	1	<1	1	2	3	4	4	4
13-19 YRS	282	2.3	2	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	3	6.7	30	3	3	4	11	13	13	13
1-5 YRS	26	3.7	7	1	2	3	4	7	9	14
6-12 YRS	28	2.9	3	<1	<1	3	4	6	6	7
13-19 YRS	211	4.1	6	1	2	4	5	7	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.0	7	2	2	6	7	7	7	7
1-5 YRS	9	3.9	5	1	1	4	6	7	7	7
6-12 YRS	20	4.0	22	<1	<1	2	4	11	16	18
13-19 YRS	208	3.6	9	<1	1	2	5	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	3.2	4	<1	1	3	4	6	7	11
B. *Operated*	307	2.3	2	<1	1	2	3	4	6	7
2. MULTIPLE DX										
A. *Not Operated*	270	4.0	6	1	2	4	5	7	7	14
B. *Operated*	240	3.6	10	<1	1	2	5	8	10	15
1. SINGLE DX	496	2.6	3	<1	1	2	3	5	6	8
2. MULTIPLE DX	510	3.8	8	1	1	3	5	7	9	15
A. NOT OPERATED	459	3.7	5	1	1	3	5	6	7	13
B. OPERATED	547	2.9	6	<1	1	2	3	6	7	14
TOTAL 0-27 DYS	3	3.3		3	3	3	4	4	4	4
1-11 MOS	11	4.3	12	1	1	3	6	9	13	13
1-5 YRS	68	2.9	5	<1	<1	2	4	6	7	13
6-12 YRS	68	3.1	8	<1	<1	2	4	5	7	17
13-19 YRS	856	3.3	6	1	1	3	4	6	7	13
GRAND TOTAL	**1006**	**3.2**	**6**	**<1**	**1**	**3**	**4**	**6**	**7**	**14**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS	2	7.5	1	7	7	7	8	8	8	8
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	4	2.5	6	1	1	2	4	6	6	6
13-19 YRS	8	4.5	5	2	2	4	5	8	9	9
2. MULTIPLE DX ·										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	9	7.4	7	5	5	7	8	12	14	14
1-5 YRS	5	9.0	19	5	5	8	11	16	16	16
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	15	6.5	14	2	3	6	7	9	16	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	4	1	1	2	3	5	5	5
B. *Operated*	17	3.8	7	<1	1	3	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*	31	7.1	13	2	4	6	8	12	16	18
1. SINGLE DX	21	3.5	6	<1	1	3	5	7	8	9
2. MULTIPLE DX	32	7.1	12	2	4	6	8	11	16	18
A. NOT OPERATED	5	3.2	7	1	1	2	5	7	7	7
B. OPERATED	48	5.9	13	1	2	6	8	9	14	18
TOTAL 0-27 DYS	4	7.0	2	5	5	7	8	8	8	8
1-11 MOS	11	6.8	10	1	3	7	8	11	14	14
1-5 YRS	8	6.1	27	<1	<1	5	9	14	16	16
6-12 YRS	5	2.4	4	1	1	2	3	6	6	6
13-19 YRS	25	5.4	12	1	2	5	6	9	11	18
GRAND TOTAL	**53**	**5.7**	**13**	**1**	**1**	**6**	**7**	**9**	**13**	**18**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	1.8	1	<1	<1	1	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	23	1.6	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	11	3.5	1	2	2	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	9.0	2	8	8	9	10	10	10	10
13-19 YRS	32	2.7	5	<1	1	2	3	5	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.8	1	<1	<1	1	3	4	4	4
B. *Operated*	23	1.6	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	11	3.5	1	2	2	3	4	5	5	5
B. *Operated*	34	3.1	7	<1	1	2	4	8	10	11
1. SINGLE DX	32	1.6	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX	45	3.2	5	<1	1	2	4	6	9	11
A. NOT OPERATED	20	2.7	2	<1	1	3	4	5	5	5
B. OPERATED	57	2.5	5	<1	<1	2	3	5	8	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	9.0	2	8	8	9	10	10	10	10
13-19 YRS	75	2.4	3	<1	<1	2	3	4	5	10
GRAND TOTAL	**77**	**2.5**	**4**	**<1**	**<1**	**2**	**3**	**5**	**7**	**11**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	24	2.7	2	1	1	2	3	5	6	7
13-19 YRS	331	2.0	2	<1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	15	1.9	2	<1	1	1	2	4	5	5
13-19 YRS	767	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	35	2.3	1	1	1	2	3	4	4	4
13-19 YRS	375	2.8	4	1	1	2	3	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	21	3.7	3	<1	1	4	5	6	7	7
13-19 YRS	794	2.9	4	<1	1	2	4	5	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	355	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	782	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	410	2.8	4	1	1	2	3	5	6	9
B. *Operated*	815	2.9	4	<1	1	2	4	5	7	11
1. SINGLE DX	1137	1.9	1	<1	1	2	2	3	4	6
2. MULTIPLE DX	1225	2.8	4	1	1	2	3	5	7	10
A. NOT OPERATED	765	2.4	3	<1	1	2	3	5	6	8
B. OPERATED	1597	2.4	3	<1	1	2	3	5	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	95	2.6	2	1	1	2	4	5	6	7
13-19 YRS	2267	2.4	3	<1	1	2	3	5	6	9
GRAND TOTAL	**2362**	**2.4**	**3**	**<1**	**1**	**2**	**3**	**5**	**6**	**9**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	4.8	1	4	4	5	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	4	4.8	1	4	4	5	5	6	6	6
B. *Operated*	1	2.0		2	2	2	2	2	2	2
1. SINGLE DX	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX	5	4.2	2	2	2	4	5	6	6	6
A. NOT OPERATED	4	4.8	1	4	4	5	5	6	6	6
B. OPERATED	3	1.7		<1	<1	2	2	2	2	2
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	3.4	3	<1	<1	4	5	6	6	6
GRAND TOTAL	**7**	**3.4**	**3**	**<1**	**<1**	**4**	**5**	**6**	**6**	**6**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	2	4.5	13	2	2	4	7	7	7	7
1-5 YRS	21	2.0	4	<1	<1	1	2	6	7	8
6-12 YRS	22	2.2	4	<1	<1	2	2	4	7	9
13-19 YRS	119	2.4	3	<1	<1	2	3	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS	7	2.9	5	<1	<1	2	5	6	6	6
1-5 YRS	11	2.7	5	1	1	1	5	6	6	6
6-12 YRS	28	3.5	11	1	1	3	4	6	9	18
13-19 YRS	404	2.7	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS										
1-5 YRS	13	3.7	16	<1	1	3	4	7	14	16
6-12 YRS	19	2.2	3	<1	1	1	3	5	6	7
13-19 YRS	123	3.2	7	<1	1	2	4	7	9	12
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	8	4.0	15	<1	<1	2	7	10	10	10
1-5 YRS	16	5.1	39	<1	<1	3	6	12	21	25
6-12 YRS	46	5.3	28	1	2	4	5	9	15	30
13-19 YRS	469	3.9	10	<1	1	3	5	7	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	167	2.3	3	<1	<1	2	3	5	7	9
B. *Operated*	450	2.7	4	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	158	3.1	7	<1	1	2	4	7	9	13
B. *Operated*	540	4.0	12	<1	1	3	5	7	9	22
1. SINGLE DX	617	2.6	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX	698	3.8	11	<1	1	3	5	7	9	18
A. NOT OPERATED	325	2.7	5	<1	1	2	3	5	7	11
B. OPERATED	990	3.4	9	<1	1	3	5	6	8	14
TOTAL 0-27 DYS	7	2.0	2	1	1	2	2	4	5	5
1-11 MOS	17	3.6	10	<1	<1	2	6	9	10	10
1-5 YRS	61	3.3	17	<1	<1	2	4	7	10	24
6-12 YRS	115	3.8	17	1	1	3	4	7	9	25
13-19 YRS	1115	3.2	7	<1	1	2	4	6	7	12
GRAND TOTAL	**1315**	**3.2**	**8**	**<1**	**1**	**2**	**4**	**6**	**8**	**13**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	67	2.0	1	<1	1	2	2	3	4	5
13-19 YRS	711	2.0	2	<1	1	2	2	3	4	7
B. *Operated*										
0-27 DYS	3	3.7	2	2	2	4	5	5	5	5
1-11 MOS	6	2.5	4	1	1	2	3	6	6	6
1-5 YRS	5	5.2	39	<1	<1	3	8	16	16	16
6-12 YRS	9	2.6	1	1	1	2	3	4	5	5
13-19 YRS	470	2.5	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	35	1.9	1	<1	1	2	2	4	4	5
13-19 YRS	557	2.5	3	<1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS	2	5.0	18	2	2	5	8	8	8	8
1-11 MOS	5	6.0	10	2	2	6	9	9	9	9
1-5 YRS	5	4.2	11	1	1	3	7	9	9	9
6-12 YRS	12	3.0	6	1	1	2	4	7	9	9
13-19 YRS	470	3.5	8	<1	1	2	5	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	780	2.0	2	<1	1	2	2	3	4	7
B. *Operated*	493	2.5	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	592	2.5	3	<1	1	2	3	5	6	9
B. *Operated*	494	3.5	8	<1	1	2	5	7	9	13
1. SINGLE DX	1273	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	1086	2.9	6	<1	1	2	4	6	7	11
A. NOT OPERATED	1372	2.2	2	<1	1	2	3	4	5	8
B. OPERATED	987	3.0	6	<1	1	2	4	6	8	12
TOTAL 0-27 DYS	5	4.2	6	2	2	4	6	8	8	8
1-11 MOS	12	3.8	9	1	1	3	6	9	9	9
1-5 YRS	11	4.4	21	<1	<1	3	6	12	16	16
6-12 YRS	123	2.1	2	<1	1	2	2	4	5	7
13-19 YRS	2208	2.5	4	<1	1	2	3	5	7	10
GRAND TOTAL	2359	2.5	4	<1	1	2	3	5	6	10

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	18	2.1	2	<1	<1	2	2	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	415	4.9	2	2	3	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	21	2.6	2	<1	1	2	3	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	394	5.4	5	3	3	5	6	8	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.1	2	<1	<1	2	2	5	6	6
B. *Operated*	416	4.9	2	2	3	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	21	2.6	2	<1	1	2	3	5	6	6
B. *Operated*	394	5.4	5	3	3	5	6	8	9	13
1. SINGLE DX	434	4.7	3	2	3	5	6	7	8	9
2. MULTIPLE DX	415	5.2	5	2	3	5	6	8	9	13
A. NOT OPERATED	39	2.4	2	<1	1	2	3	5	6	6
B. OPERATED	810	5.1	4	3	3	5	6	7	8	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	848	5.0	4	2	3	5	6	7	8	11
GRAND TOTAL	849	5.0	4	2	3	5	6	7	8	11

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	160	1.4	1	<1	1	1	1	2	3	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	29	1.6	2	<1	<1	1	2	3	5	6
13-19 YRS	5846	1.3		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	72	1.5	1	<1	<1	1	2	3	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.3	2	1	1	2	3	4	4	4
13-19 YRS	1520	1.7	3	<1	<1	<1	2	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	1.4	1	<1	1	1	1	2	3	7
B. *Operated*	5875	1.3		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	72	1.5	1	<1	<1	1	2	3	4	7
B. *Operated*	1524	1.7	3	<1	<1	<1	2	3	4	8
1. SINGLE DX	6035	1.3		<1	<1	1	1	2	2	4
2. MULTIPLE DX	1596	1.7	3	<1	<1	<1	2	3	4	8
A. NOT OPERATED	232	1.4	1	<1	<1	1	2	2	3	7
B. OPERATED	7399	1.4	1	<1	<1	1	1	2	3	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	33	1.7	2	<1	<1	1	2	3	5	6
13-19 YRS	7598	1.4	1	<1	<1	1	1	2	3	5
GRAND TOTAL	**7631**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	5	1.6	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	1	1.0		1	1	1	1	1	1	1
1. SINGLE DX	6	1.5	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX	1	1.0		1	1	1	1	1	1	1
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	6	1.5	1	<1	<1	1	2	3	3	3
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	1.4	1	<1	<1	1	2	3	3	3
GRAND TOTAL	**7**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**3**	**3**	**3**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	855	1.6	1	<1	<1	1	2	3	3	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	5678	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	174	2.1	3	<1	1	2	2	4	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	995	2.2	3	<1	1	2	3	4	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	855	1.6	1	<1	<1	1	2	3	3	5
B. *Operated*	5681	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	175	2.1	3	<1	1	2	2	4	6	10
B. *Operated*	995	2.2	3	<1	1	2	3	4	6	11
1. SINGLE DX	6536	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	1170	2.2	3	<1	1	2	3	4	6	11
A. NOT OPERATED	1030	1.7	1	<1	<1	1	2	3	4	6
B. OPERATED	6676	1.6	2	<1	<1	1	2	3	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.8	3	1	1	2	4	5	5	5
13-19 YRS	7702	1.6	2	<1	<1	1	2	3	4	6
GRAND TOTAL	**7706**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	244	2.9	4	1	1	3	4	5	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	616	2.0	2	<1	<1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	86	3.5	5	1	1	3	5	6	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	239	3.4	15	<1	1	2	4	6	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	2.9	4	1	1	3	4	5	7	10
B. *Operated*	616	2.0	2	<1	<1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	86	3.5	5	1	1	3	5	6	7	13
B. *Operated*	240	3.3	15	<1	1	2	4	6	9	15
1. SINGLE DX	860	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	326	3.4	13	<1	1	3	4	6	8	14
A. NOT OPERATED	330	3.0	4	1	1	3	4	6	7	10
B. OPERATED	856	2.3	6	<1	1	2	3	4	6	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1185	2.5	6	<1	1	2	3	5	6	11
GRAND TOTAL	**1186**	**2.5**	**6**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	801	2.1	2	<1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	28	2.1	2	<1	<1	2	3	4	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	219	3.0	5	<1	1	3	4	5	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	13	3.3	6	<1	1	3	5	7	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	801	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	28	2.1	2	<1	<1	2	3	4	6	6
2. MULTIPLE DX										
A. *Not Operated*	219	3.0	5	<1	1	3	4	5	7	13
B. *Operated*	13	3.3	6	<1	1	3	5	7	9	9
1. SINGLE DX	829	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	232	3.0	5	<1	1	3	4	5	7	13
A. NOT OPERATED	1020	2.3	3	<1	1	2	3	4	5	8
B. OPERATED	41	2.5	4	<1	<1	2	3	6	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1061	2.3	3	<1	1	2	3	4	5	8
GRAND TOTAL	**1061**	**2.3**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	46	2.0	1	<1	<1	2	3	3	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	21	3.0	2	<1	1	3	4	5	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	2.0	1	<1	<1	2	3	3	4	6
B. *Operated*	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	21	3.0	2	<1	1	3	4	5	6	7
B. *Operated*	2	1.0		<1	<1	<1	<1	<1	<1	<1
1. SINGLE DX	49	2.0	1	<1	<1	2	3	3	4	6
2. MULTIPLE DX	23	2.9	3	<1	<1	3	4	5	6	7
A. NOT OPERATED	67	2.3	2	<1	<1	2	3	4	5	7
B. OPERATED	5	1.6		<1	<1	2	2	2	2	2
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	72	2.3	2	<1	<1	2	3	4	5	7
GRAND TOTAL	**72**	**2.3**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	952	3.3	6	1	1	3	4	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	119	4.1	14	<1	1	3	5	7	8	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	277	3.4	10	1	1	3	4	6	9	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	57	4.1	9	<1	<1	3	6	8	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	953	3.3	6	1	1	3	4	6	7	12
B. *Operated*	119	4.1	14	<1	1	3	5	7	8	20
2. MULTIPLE DX										
A. *Not Operated*	277	3.4	10	1	1	3	4	6	9	18
B. *Operated*	57	4.1	9	<1	<1	3	6	8	9	16
1. SINGLE DX	1072	3.4	7	1	1	3	4	6	8	12
2. MULTIPLE DX	334	3.5	10	<1	1	3	4	7	9	17
A. NOT OPERATED	1230	3.3	7	1	1	3	4	6	8	13
B. OPERATED	176	4.1	12	<1	1	3	6	7	9	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	1405	3.4	7	1	1	3	4	6	8	13
GRAND TOTAL	**1406**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	1187	3.2	5	1	1	3	4	5	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	3.8	8	<1	<1	3	5	7	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	551	3.5	6	1	2	3	4	6	7	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	30	5.1	10	1	1	5	7	9	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1190	3.2	5	1	1	3	4	5	7	11
B. *Operated*	16	3.8	8	<1	<1	3	5	7	10	12
2. MULTIPLE DX										
A. *Not Operated*	551	3.5	6	1	2	3	4	6	7	14
B. *Operated*	30	5.1	10	1	1	5	7	9	10	15
1. SINGLE DX	1206	3.2	5	1	1	3	4	5	7	11
2. MULTIPLE DX	581	3.6	6	1	2	3	4	6	8	14
A. NOT OPERATED	1741	3.3	5	1	1	3	4	6	7	12
B. OPERATED	46	4.7	10	<1	1	4	6	9	10	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	1784	3.3	5	1	1	3	4	6	7	12
GRAND TOTAL	**1787**	**3.3**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	4992	1.1	1	<1	<1	<1	1	1	2	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	651	1.2	1	<1	<1	<1	1	1	2	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	554	1.6	2	<1	<1	1	2	3	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	108	2.0	5	<1	<1	1	2	4	5	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4993	1.1	1	<1	<1	<1	1	1	2	4
B. *Operated*	651	1.2	1	<1	<1	<1	1	1	2	6
2. MULTIPLE DX										
A. *Not Operated*	554	1.6	2	<1	<1	1	2	3	4	7
B. *Operated*	108	2.0	5	<1	<1	1	2	4	5	15
1. SINGLE DX	5644	1.2	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	662	1.7	2	<1	<1	1	2	3	4	7
A. NOT OPERATED	5547	1.2	1	<1	<1	1	1	2	2	4
B. OPERATED	759	1.3	2	<1	<1	1	1	2	3	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	6305	1.2	1	<1	<1	1	1	2	2	5
GRAND TOTAL	**6306**	**1.2**	**1**	**<1**	**<1**	**1**	**1**	**2**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	155	2.4	2	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	22	3.5	13	<1	<1	2	5	9	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	52	3.2	5	<1	1	3	4	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	6.1	67	1	1	3	5	20	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	2.4	2	1	1	2	3	4	5	7
B. *Operated*	22	3.5	13	<1	<1	2	5	9	12	15
2. MULTIPLE DX										
A. *Not Operated*	52	3.2	5	<1	1	3	4	6	7	12
B. *Operated*	8	6.1	67	1	1	3	5	20	26	26
1. SINGLE DX	177	2.5	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	60	3.6	13	<1	1	3	4	6	7	25
A. NOT OPERATED	207	2.6	3	1	1	2	3	5	6	7
B. OPERATED	30	4.2	27	<1	<1	3	5	9	15	25
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	237	2.8	6	<1	1	2	4	5	6	12
GRAND TOTAL	**237**	**2.8**	**6**	**<1**	**1**	**2**	**4**	**5**	**6**	**12**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	441	2.0	2	<1	<1	1	2	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	53	2.0	2	<1	<1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	164	2.2	3	<1	<1	2	3	4	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	29	3.7	20	<1	<1	2	3	13	15	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	441	2.0	2	<1	<1	1	2	4	5	7
B. *Operated*	53	2.0	2	<1	<1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	164	2.2	3	<1	<1	2	3	4	6	9
B. *Operated*	29	3.7	20	<1	<1	2	3	13	15	17
1. SINGLE DX	494	2.0	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX	193	2.4	6	<1	<1	2	3	5	7	15
A. NOT OPERATED	605	2.0	3	<1	<1	1	2	4	5	8
B. OPERATED	82	2.6	9	<1	<1	2	3	4	9	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	687	2.1	3	<1	<1	2	2	4	5	10
GRAND TOTAL	**687**	**2.1**	**3**	**<1**	**<1**	**2**	**2**	**4**	**5**	**10**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1068	3.2	4	<1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	152	1.9	3	<1	<1	<1	2	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1314	3.5	4	<1	1	3	5	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	112	3.2	9	<1	<1	2	4	7	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1068	3.2	4	<1	1	3	4	6	7	10
B. *Operated*	152	1.9	3	<1	<1	<1	2	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	1315	3.5	4	<1	1	3	5	6	7	9
B. *Operated*	112	3.2	9	<1	<1	2	4	7	10	15
1. SINGLE DX	1220	3.0	4	<1	<1	3	4	6	7	10
2. MULTIPLE DX	1427	3.5	4	<1	1	3	4	6	7	10
A. NOT OPERATED	2383	3.3	4	<1	1	3	4	6	7	10
B. OPERATED	264	2.4	6	<1	<1	1	3	6	7	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	2646	3.3	4	<1	<1	3	4	6	7	10
GRAND TOTAL	**2647**	**3.3**	**4**	**<1**	**<1**	**3**	**4**	**6**	**7**	**10**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	339	3.7	9	<1	1	3	5	8	10	16
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	32	3.6	7	<1	1	3	5	7	10	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	1031	3.6	13	<1	1	3	4	7	9	18
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	142	4.5	43	<1	<1	3	5	7	11	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	339	3.7	9	<1	1	3	5	8	10	16
B. Operated	32	3.6	7	<1	1	3	5	7	10	12
2. MULTIPLE DX										
A. Not Operated	1033	3.6	13	<1	1	3	4	7	9	18
B. Operated	142	4.5	43	<1	<1	3	5	7	11	40
1. SINGLE DX	371	3.7	9	<1	1	3	5	7	10	15
2. MULTIPLE DX	1175	3.8	17	<1	1	3	5	7	10	22
A. NOT OPERATED	1372	3.6	12	<1	1	3	5	7	9	18
B. OPERATED	174	4.4	37	<1	<1	3	5	7	11	37
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	1544	3.7	15	<1	1	3	5	7	10	18
GRAND TOTAL	**1546**	**3.7**	**15**	**<1**	**1**	**3**	**5**	**7**	**10**	**18**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	2868	2.2	7	<1	<1	1	3	4	6	12
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	896	2.4	7	<1	<1	1	3	5	6	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1366	2.9	10	<1	<1	2	4	6	8	15
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	470	3.5	16	<1	<1	2	4	7	10	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2870	2.2	7	<1	<1	1	3	4	6	12
B. Operated	897	2.4	7	<1	<1	1	3	5	6	14
2. MULTIPLE DX										
A. Not Operated	1366	2.9	10	<1	<1	2	4	6	8	15
B. Operated	470	3.5	16	<1	<1	2	4	7	10	21
1. SINGLE DX	3767	2.2	7	<1	<1	1	3	4	6	12
2. MULTIPLE DX	1836	3.1	12	<1	<1	2	4	6	8	17
A. NOT OPERATED	4236	2.4	8	<1	<1	1	3	5	6	13
B. OPERATED	1367	2.8	10	<1	<1	2	3	6	8	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	5600	2.5	9	<1	<1	1	3	5	7	14
GRAND TOTAL	**5603**	**2.5**	**9**	**<1**	**<1**	**1**	**3**	**5**	**7**	**14**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	385	2.8	1	1	2	3	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	213	3.5	8	1	2	3	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	540	3.2	3	2	2	3	4	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	575	4.7	16	2	2	4	5	8	11	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	2.8	1	1	2	3	3	4	5	7
B. *Operated*	213	3.5	8	1	2	3	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	542	3.2	3	2	2	3	4	4	5	9
B. *Operated*	576	4.7	16	2	2	4	5	8	11	24
1. SINGLE DX	598	3.0	4	1	2	3	3	4	5	8
2. MULTIPLE DX	1118	4.0	10	2	2	3	4	6	9	19
A. NOT OPERATED	927	3.0	2	1	2	3	3	4	5	8
B. OPERATED	789	4.4	14	2	2	3	5	7	10	22
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.7		3	3	4	4	4	4	4
13-19 YRS	1713	3.7	8	2	2	3	4	6	7	16
GRAND TOTAL	**1716**	**3.7**	**8**	**2**	**2**	**3**	**4**	**6**	**7**	**16**

270: Normal delivery (650)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	2.6	1	1	1	2	3	4	5	5
13-19 YRS	28979	2.6	1	1	1	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.7	2	1	1	3	4	4	4	4
13-19 YRS	6506	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1077	3.0	2	1	2	3	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	663	3.2	2	2	2	3	4	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28990	2.6	1	1	1	3	3	4	4	5
B. *Operated*	6509	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	1077	3.0	2	1	2	3	3	4	5	8
B. *Operated*	663	3.2	2	2	2	3	4	4	5	7
1. SINGLE DX	35499	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX	1740	3.1	2	1	2	3	4	4	5	8
A. NOT OPERATED	30067	2.7	1	1	1	3	3	4	4	5
B. OPERATED	7172	2.7	1	1	2	3	3	4	4	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	14	2.6	1	1	1	3	3	4	5	5
13-19 YRS	37225	2.7	1	1	1	3	3	4	4	5
GRAND TOTAL	**37239**	**2.7**	**1**	**1**	**1**	**3**	**3**	**4**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	2.6	1	1	1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	48	6.0	17	2	3	5	7	11	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	17	3.1	3	1	2	3	4	6	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	118	7.9	64	3	3	6	8	14	23	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.6	1	1	1	2	3	4	4	4
B. *Operated*	48	6.0	17	2	3	5	7	11	17	22
2. MULTIPLE DX										
A. *Not Operated*	17	3.1	3	1	2	3	4	6	7	8
B. *Operated*	118	7.9	64	3	3	6	8	14	23	47
1. SINGLE DX	57	5.4	16	2	2	4	6	10	15	22
2. MULTIPLE DX	135	7.3	58	2	3	5	8	12	21	44
A. NOT OPERATED	26	2.9	2	1	2	3	3	5	6	8
B. OPERATED	166	7.3	51	2	3	5	7	12	20	40
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	192	6.7	46	2	2	5	7	11	19	38
GRAND TOTAL	**192**	**6.7**	**46**	**2**	**2**	**5**	**7**	**11**	**19**	**38**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	134	2.4	1	1	1	2	3	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	139	3.8	3	1	2	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	123	2.9	2	1	1	3	3	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.5	41	1	1	5	10	10	10	10
13-19 YRS	399	5.2	22	2	2	4	6	8	12	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	2.4	1	1	1	2	3	3	4	5
B. *Operated*	139	3.8	3	1	2	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	123	2.9	2	1	1	3	3	5	6	9
B. *Operated*	401	5.2	22	2	2	4	6	8	12	25
1. SINGLE DX	273	3.1	2	1	1	3	4	5	6	7
2. MULTIPLE DX	524	4.7	19	1	2	4	5	7	10	22
A. NOT OPERATED	257	2.6	2	1	1	2	3	4	5	8
B. OPERATED	540	4.9	18	1	2	4	6	7	10	22
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.5	41	1	1	5	10	10	10	10
13-19 YRS	795	4.1	14	1	2	3	5	7	8	19
GRAND TOTAL	**797**	**4.2**	**14**	**1**	**2**	**3**	**5**	**7**	**8**	**19**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	25	2.6	1	<1	<1	3	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	296	2.6	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	14	2.8	1	2	2	3	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	169	3.0	2	1	1	3	3	4	5	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	2.6	1	<1	<1	3	3	4	4	4
B. *Operated*	296	2.6	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	14	2.8	1	2	2	3	3	4	5	5
B. *Operated*	169	3.0	2	1	1	3	3	4	5	11
1. SINGLE DX	321	2.6	1	1	1	3	3	4	4	6
2. MULTIPLE DX	183	2.9	2	1	2	3	3	4	5	10
A. NOT OPERATED	39	2.7	1	<1	1	3	3	4	4	5
B. OPERATED	465	2.7	2	1	1	3	3	4	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	504	2.7	2	1	1	3	3	4	5	7
GRAND TOTAL	**504**	**2.7**	**2**	**1**	**1**	**3**	**3**	**4**	**5**	**7**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	168	2.7	1	1	1	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	94	3.0	2	1	1	3	4	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	93	3.3	2	2	2	3	4	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	130	3.4	3	1	2	3	4	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	2.7	1	1	1	3	3	4	4	5
B. *Operated*	94	3.0	2	1	1	3	4	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	93	3.3	2	2	2	3	4	5	7	9
B. *Operated*	130	3.4	3	1	2	3	4	5	6	11
1. SINGLE DX	262	2.8	1	1	1	3	3	4	4	7
2. MULTIPLE DX	223	3.3	2	1	2	3	4	5	6	10
A. NOT OPERATED	261	2.9	1	1	2	3	3	4	5	7
B. OPERATED	224	3.2	2	1	2	3	4	5	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	485	3.0	2	1	2	3	4	4	5	8
GRAND TOTAL	**485**	**3.0**	**2**	**1**	**2**	**3**	**4**	**4**	**5**	**8**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	42	2.8	1	1	2	3	3	4	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	33	3.6	2	1	2	3	4	6	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	68	4.4	19	1	2	3	4	8	11	29
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	237	5.7	19	2	2	5	7	9	11	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.8	1	1	2	3	3	4	4	7
B. *Operated*	33	3.6	2	1	2	3	4	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	68	4.4	19	1	2	3	4	8	11	29
B. *Operated*	237	5.7	19	2	2	5	7	9	11	23
1. SINGLE DX	75	3.2	2	1	2	3	4	5	6	7
2. MULTIPLE DX	305	5.4	19	2	2	5	6	9	11	25
A. NOT OPERATED	110	3.8	13	1	2	3	4	6	8	21
B. OPERATED	270	5.4	18	2	2	5	6	9	10	22
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	380	5.0	17	2	2	4	6	8	10	22
GRAND TOTAL	**380**	**5.0**	**17**	**2**	**2**	**4**	**6**	**8**	**10**	**22**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	83	2.8	1	1	2	3	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	947	4.7	2	2	3	5	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	60	2.7	2	1	1	3	4	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1030	5.3	6	2	3	5	6	8	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	2.8	1	1	2	3	3	4	5	5
B. *Operated*	948	4.7	2	2	3	5	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	60	2.7	2	1	1	3	4	4	5	7
B. *Operated*	1031	5.3	6	2	3	5	6	8	9	14
1. SINGLE DX	1031	4.5	2	2	3	5	5	6	7	9
2. MULTIPLE DX	1091	5.2	6	2	3	5	6	8	9	14
A. NOT OPERATED	143	2.7	1	1	1	3	3	4	5	6
B. OPERATED	1979	5.0	4	2	3	5	6	7	8	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.5	13	2	2	4	7	7	7	7
13-19 YRS	2120	4.9	4	2	3	5	6	7	8	12
GRAND TOTAL	**2122**	**4.9**	**4**	**2**	**3**	**5**	**6**	**7**	**8**	**12**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	193	2.5	1	1	1	2	3	4	4	5
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	639	3.6	3	1	2	3	5	6	6	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	137	2.9	2	1	1	3	3	4	5	7
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1794	4.3	6	2	2	4	5	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	193	2.5	1	1	1	2	3	4	4	5
B. Operated	639	3.6	3	1	2	3	5	6	6	8
2. MULTIPLE DX										
A. Not Operated	137	2.9	2	1	1	3	3	4	5	7
B. Operated	1794	4.3	6	2	2	4	5	7	8	12
1. SINGLE DX	832	3.4	2	1	2	3	4	6	6	8
2. MULTIPLE DX	1931	4.2	6	2	2	4	5	6	8	12
A. NOT OPERATED	330	2.6	1	1	1	3	3	4	4	6
B. OPERATED	2433	4.1	5	2	2	4	5	6	7	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2763	4.0	5	2	2	4	5	6	7	11
GRAND TOTAL	**2763**	**4.0**	**5**	**2**	**2**	**4**	**5**	**6**	**7**	**11**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	3.7	4	2	2	3	4	6	9	11
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1577	5.2	2	3	4	5	6	7	8	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	25	4.0	6	1	2	3	6	7	9	12
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	7.0	4	5	5	7	8	9	9	9
13-19 YRS	3499	5.8	6	3	4	5	6	8	10	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	3.7	4	2	2	3	4	6	9	11
B. Operated	1577	5.2	2	3	4	5	6	7	8	10
2. MULTIPLE DX										
A. Not Operated	25	4.0	6	1	2	3	6	7	9	12
B. Operated	3502	5.8	6	3	4	5	6	8	10	14
1. SINGLE DX	1596	5.2	2	3	4	5	6	7	8	10
2. MULTIPLE DX	3527	5.8	6	3	4	5	6	8	10	14
A. NOT OPERATED	44	3.9	5	1	2	3	5	7	8	12
B. OPERATED	5079	5.6	5	3	4	5	6	8	9	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	7.0	4	5	5	7	8	9	9	9
13-19 YRS	5120	5.6	5	3	4	5	6	8	9	13
GRAND TOTAL	**5123**	**5.6**	**5**	**3**	**4**	**5**	**6**	**8**	**9**	**13**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	429	2.9	1	1	2	3	4	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	641	3.8	3	2	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	289	3.3	2	1	2	3	4	5	5	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1622	4.4	7	2	2	4	5	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	2.9	1	1	2	3	4	4	5	6
B. *Operated*	642	3.8	3	2	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	289	3.3	2	1	2	3	4	5	5	11
B. *Operated*	1622	4.4	7	2	2	4	5	7	8	12
1. SINGLE DX	1071	3.4	2	1	2	3	4	5	6	7
2. MULTIPLE DX	1911	4.2	7	2	2	4	5	7	8	12
A. NOT OPERATED	718	3.1	2	1	2	3	4	4	5	7
B. OPERATED	2264	4.2	6	2	2	4	5	7	8	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2981	3.9	5	2	2	4	5	6	7	11
GRAND TOTAL	**2982**	**3.9**	**5**	**2**	**2**	**4**	**5**	**6**	**7**	**11**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	95th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	55	2.6	1	1	1	3	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	194	4.1	2	2	2	4	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	46	4.7	35	1	2	3	4	8	19	30
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	434	5.2	6	2	3	5	6	8	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	2.6	1	1	1	3	3	4	5	5
B. *Operated*	194	4.1	2	2	2	4	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	46	4.7	35	1	2	3	4	8	19	30
B. *Operated*	434	5.2	6	2	3	5	6	8	9	13
1. SINGLE DX	249	3.8	2	1	2	4	5	6	6	7
2. MULTIPLE DX	480	5.2	9	2	3	5	6	8	9	17
A. NOT OPERATED	101	3.5	17	1	1	3	3	5	8	28
B. OPERATED	628	4.9	5	2	3	5	6	7	8	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	729	4.7	7	2	2	4	6	7	8	14
GRAND TOTAL	**729**	**4.7**	**7**	**2**	**2**	**4**	**6**	**7**	**8**	**14**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	33	3.0	2	1	2	3	3	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1359	5.2	2	3	4	5	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	10	3.5	4	2	2	3	4	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1156	5.5	5	3	4	5	6	7	9	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	3.0	2	1	2	3	3	5	6	8
B. *Operated*	1359	5.2	2	3	4	5	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	10	3.5	4	2	2	3	4	7	8	8
B. *Operated*	1156	5.5	5	3	4	5	6	7	9	12
1. SINGLE DX	1392	5.1	2	3	3	5	6	7	7	8
2. MULTIPLE DX	1166	5.5	5	3	4	5	6	7	9	12
A. NOT OPERATED	43	3.1	2	1	2	3	4	5	7	8
B. OPERATED	2515	5.3	3	3	4	5	6	7	8	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2558	5.3	3	3	4	5	6	7	8	11
GRAND TOTAL	**2558**	**5.3**	**3**	**3**	**4**	**5**	**6**	**7**	**8**	**11**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	720	3.1	2	2	2	3	4	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	637	3.3	3	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	585	3.6	6	1	2	3	4	6	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	1861	4.3	8	2	2	4	5	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	720	3.1	2	2	2	3	4	4	5	8
B. *Operated*	637	3.3	3	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	585	3.6	6	1	2	3	4	6	6	11
B. *Operated*	1863	4.3	8	2	2	4	5	7	8	14
1. SINGLE DX	1357	3.2	2	2	2	3	4	4	6	8
2. MULTIPLE DX	2448	4.1	7	2	2	4	5	6	8	13
A. NOT OPERATED	1305	3.3	4	1	2	3	4	5	6	9
B. OPERATED	2500	4.1	7	2	2	4	5	6	8	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	3803	3.8	6	2	2	3	4	6	7	11
GRAND TOTAL	**3805**	**3.8**	**6**	**2**	**2**	**3**	**4**	**6**	**7**	**11**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2301	2.7	1	1	2	3	3	4	4	5
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1315	2.7	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	601	2.8	1	1	2	3	3	4	5	7
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1362	3.2	3	1	2	3	4	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2302	2.7	1	1	2	3	3	4	4	5
B. Operated	1315	2.7	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	601	2.8	1	1	2	3	3	4	5	7
B. Operated	1363	3.2	3	1	2	3	4	5	6	8
1. SINGLE DX	3617	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX	1964	3.1	2	1	2	3	4	5	5	7
A. NOT OPERATED	2903	2.7	1	1	2	3	3	4	4	5
B. OPERATED	2678	3.0	2	1	2	3	3	4	5	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	5579	2.8	1	1	2	3	3	4	5	6
GRAND TOTAL	**5581**	**2.8**	**1**	**1**	**2**	**3**	**3**	**4**	**5**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	601	2.5	1	1	1	3	3	4	4	5
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	1.8	2	1	1	1	3	4	4	4
13-19 YRS	4113	2.5	2	1	1	3	3	4	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	184	3.0	3	1	2	3	3	4	6	12
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1951	2.9	4	1	2	3	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	601	2.5	1	1	1	3	3	4	4	5
B. Operated	4117	2.5	2	1	1	3	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	184	3.0	3	1	2	3	3	4	6	12
B. Operated	1952	2.9	4	1	2	3	3	4	5	7
1. SINGLE DX	4718	2.5	2	1	1	3	3	4	4	5
2. MULTIPLE DX	2136	2.9	4	1	2	3	3	4	5	8
A. NOT OPERATED	785	2.6	1	1	1	3	3	4	4	6
B. OPERATED	6069	2.7	2	1	1	3	3	4	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	1.8	2	1	1	1	2	4	4	4
13-19 YRS	6849	2.7	2	1	1	3	3	4	4	6
GRAND TOTAL	**6854**	**2.7**	**2**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	428	2.8	3	1	2	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.8		2	2	3	3	3	3	3
13-19 YRS	3990	2.8	2	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	149	3.2	2	2	2	3	4	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2782	3.1	2	2	2	3	4	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	2.8	3	1	2	3	3	4	4	5
B. *Operated*	3995	2.8	2	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	149	[illegible].2	2	2	2	3	4	5	6	9
B. *Operated*	2782	3.1	2	2	2	3	4	4	5	8
1. SINGLE DX	4424	2.8	2	1	2	3	3	4	4	5
2. MULTIPLE DX	2931	3.1	2	2	2	3	4	4	5	8
A. NOT OPERATED	576	2.9	2	1	2	3	3	4	4	6
B. OPERATED	6777	3.0	2	2	2	3	3	4	5	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	2.7		2	2	3	3	3	3	3
13-19 YRS	7349	3.0	2	2	2	3	3	4	5	6
GRAND TOTAL	**7355**	**3.0**	**2**	**2**	**2**	**3**	**3**	**4**	**5**	**6**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	302	2.6	2	1	1	3	3	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1604	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	123	3.4	23	1	2	3	3	4	6	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	1211	3.2	4	1	2	3	4	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	302	2.6	2	1	1	3	3	4	4	6
B. *Operated*	1604	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	123	3.4	23	1	2	3	3	4	6	21
B. *Operated*	1213	3.2	4	1	2	3	4	5	6	11
1. SINGLE DX	1906	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX	1336	3.2	5	1	2	3	4	5	6	11
A. NOT OPERATED	425	2.9	8	1	2	3	3	4	5	7
B. OPERATED	2817	2.9	2	1	2	3	3	4	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	3240	2.9	3	1	2	3	3	4	5	8
GRAND TOTAL	**3242**	**2.9**	**3**	**1**	**2**	**3**	**3**	**4**	**5**	**8**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.3	1	1	1	2	3	3	3	3
13-19 YRS	4670	2.9	4	1	1	3	3	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	3.2	1	2	2	3	4	4	4	4
13-19 YRS	9933	3.2	4	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	2979	3.4	12	1	1	3	4	5	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	8.9	83	2	2	6	10	25	30	30
13-19 YRS	12531	4.3	11	2	2	4	5	7	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4674	2.9	4	1	1	3	3	4	5	9
B. *Operated*	9938	3.2	4	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	2981	3.4	12	1	1	3	4	5	7	13
B. *Operated*	12539	4.3	11	2	2	4	5	7	9	17
1. SINGLE DX	14612	3.1	4	1	2	3	4	5	6	9
2. MULTIPLE DX	15520	4.2	11	1	2	3	5	7	9	16
A. NOT OPERATED	7655	3.1	7	1	1	3	4	5	6	11
B. OPERATED	22477	3.8	8	1	2	3	4	6	8	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	19	5.4	42	1	2	3	6	10	22	30
13-19 YRS	30113	3.7	8	1	2	3	4	6	7	13
GRAND TOTAL	**30132**	**3.7**	**8**	**1**	**2**	**3**	**4**	**6**	**7**	**13**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	204	3.8	6	1	2	3	4	6	7	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	4.3	16	<1	1	3	4	11	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	80	4.2	4	1	2	4	5	7	9	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	13	3.4	2	1	2	3	4	16	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	3.8	6	1	2	3	4	6	7	18
B. *Operated*	16	4.3	16	<1	1	3	4	11	15	16
2. MULTIPLE DX										
A. *Not Operated*	80	4.2	4	1	2	4	5	7	9	11
B. *Operated*	13	3.4	2	1	2	3	4	16	81	99+
1. SINGLE DX	220	3.8	7	1	2	3	4	6	7	17
2. MULTIPLE DX	93	4.1	4	1	2	4	5	7	9	61
A. NOT OPERATED	284	3.9	6	1	2	3	5	6	8	14
B. OPERATED	29	3.9	10	1	1	3	4	9	16	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	313	3.9	6	1	2	3	5	6	8	18
GRAND TOTAL	**313**	**3.9**	**6**	**1**	**2**	**3**	**5**	**6**	**8**	**18**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	67	1.6	1	<1	1	1	2	3	3	5
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	163	1.8	2	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	31	2.3	1	1	1	2	3	4	4	5
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	111	2.6	5	<1	1	2	3	5	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	1.6	1	<1	1	1	2	3	3	5
B. Operated	163	1.8	2	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	31	2.3	1	1	1	2	3	4	4	5
B. Operated	111	2.6	5	<1	1	2	3	5	7	11
1. SINGLE DX	230	1.8	2	<1	1	1	2	3	4	6
2. MULTIPLE DX	142	2.6	4	<1	1	2	3	5	6	9
A. NOT OPERATED	98	1.8	1	<1	1	2	2	3	4	5
B. OPERATED	274	2.2	4	<1	1	2	2	4	6	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	372	2.1	3	<1	1	2	2	4	5	8
GRAND TOTAL	**372**	**2.1**	**3**	**<1**	**1**	**2**	**2**	**4**	**5**	**8**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	65	4.5	14	1	2	3	5	10	13	19
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	129	3.1	6	1	1	3	3	6	7	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	56	4.5	12	1	2	4	5	8	12	21
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	97	3.9	19	1	2	3	4	6	9	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	4.5	14	1	2	3	5	10	13	19
B. Operated	130	3.1	6	1	1	3	3	6	7	13
2. MULTIPLE DX										
A. Not Operated	56	4.5	12	1	2	4	5	8	12	21
B. Operated	97	3.9	19	1	2	3	4	6	9	27
1. SINGLE DX	195	3.6	9	1	1	3	4	7	11	16
2. MULTIPLE DX	153	4.1	16	1	2	3	5	7	11	22
A. NOT OPERATED	121	4.5	13	1	2	3	5	8	12	21
B. OPERATED	227	3.4	12	1	1	3	4	6	9	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	347	3.8	12	1	1	3	5	7	11	16
GRAND TOTAL	**348**	**3.8**	**12**	**1**	**1**	**3**	**4**	**7**	**11**	**16**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	23	4.1	3	1	2	4	5	6	8	9
1-11 MOS	261	4.2	7	2	2	3	5	7	9	13
1-5 YRS	895	3.9	6	1	2	3	5	7	8	11
6-12 YRS	813	4.0	5	2	2	3	5	7	8	12
13-19 YRS	864	4.3	7	2	2	4	5	7	9	14
B. *Operated*										
0-27 DYS	6	4.3	4	2	2	4	6	7	7	7
1-11 MOS	118	4.9	11	1	1	4	7	9	11	15
1-5 YRS	453	4.1	11	<1	1	3	6	8	10	15
6-12 YRS	348	5.2	21	1	1	4	7	10	13	22
13-19 YRS	443	5.0	13	1	1	4	6	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	48	5.6	18	2	2	4	7	11	14	21
1-11 MOS	374	5.0	9	2	2	4	6	9	11	15
1-5 YRS	891	4.6	9	2	2	4	6	8	10	15
6-12 YRS	724	4.5	11	2	2	4	5	8	10	19
13-19 YRS	936	4.9	11	2	2	4	6	8	11	17
B. *Operated*										
0-27 DYS	6	8.5	103	2	2	5	6	27	29	29
1-11 MOS	120	7.0	49	1	2	5	8	12	15	45
1-5 YRS	319	5.8	22	1	2	5	7	11	13	28
6-12 YRS	298	7.6	82	1	2	5	8	14	23	48
13-19 YRS	419	7.2	52	2	2	5	8	13	18	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2856	4.1	6	1	2	4	5	7	8	12
B. *Operated*	1368	4.8	14	1	1	4	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	2973	4.7	10	2	2	4	6	8	10	17
B. *Operated*	1162	6.9	52	1	2	5	8	12	18	44
1. SINGLE DX	4224	4.3	9	1	2	4	5	8	10	15
2. MULTIPLE DX	4135	5.3	23	2	2	4	6	9	12	25
A. NOT OPERATED	5829	4.4	8	2	2	4	5	8	10	15
B. OPERATED	2530	5.7	33	1	1	4	7	11	14	31
TOTAL 0-27 DYS	83	5.3	19	2	2	4	6	9	12	26
1-11 MOS	873	5.0	15	1	2	4	6	9	11	17
1-5 YRS	2558	4.4	10	1	2	4	5	8	10	15
6-12 YRS	2183	4.9	21	1	2	4	6	8	11	24
13-19 YRS	2662	5.1	17	2	2	4	6	9	12	20
GRAND TOTAL	**8359**	**4.8**	**16**	**1**	**2**	**4**	**6**	**9**	**11**	**20**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	150	3.7	3	1	2	4	5	6	7	8
1-11 MOS	87	4.2	7	<1	1	3	6	8	10	12
1-5 YRS	397	4.3	8	1	2	4	5	7	9	15
6-12 YRS	185	4.3	13	1	2	4	5	7	9	18
13-19 YRS	220	4.2	9	1	2	3	5	8	10	17
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	43	5.6	18	<1	1	4	8	11	13	21
1-5 YRS	238	3.4	10	<1	<1	2	4	7	10	16
6-12 YRS	208	3.7	10	<1	1	3	5	9	10	16
13-19 YRS	210	4.4	34	<1	1	3	5	8	13	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	142	4.2	11	2	2	3	5	7	9	14
1-11 MOS	146	5.2	8	2	2	4	7	10	11	13
1-5 YRS	508	4.4	11	1	2	4	5	8	9	13
6-12 YRS	234	4.1	5	1	2	4	5	7	8	12
13-19 YRS	247	4.6	11	1	2	4	6	9	10	19
B. *Operated*										
0-27 DYS	4	6.5	10	4	4	5	8	11	11	11
1-11 MOS	82	6.8	23	1	2	6	9	12	16	24
1-5 YRS	171	5.4	29	1	1	4	7	10	13	31
6-12 YRS	115	4.8	16	1	1	4	6	8	12	22
13-19 YRS	216	6.0	29	1	1	4	8	12	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1039	4.2	9	1	2	4	5	7	9	14
B. *Operated*	700	3.9	18	<1	1	3	5	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	1277	4.5	10	1	2	4	6	8	10	14
B. *Operated*	588	5.7	26	1	1	4	7	11	15	25
1. SINGLE DX	1739	4.1	12	1	1	3	5	7	10	17
2. MULTIPLE DX	1865	4.9	15	1	2	4	6	9	11	21
A. NOT OPERATED	2316	4.3	9	1	2	4	5	8	9	14
B. OPERATED	1288	4.7	22	<1	1	3	6	10	13	22
TOTAL 0-27 DYS	297	4.0	7	2	2	4	5	7	7	12
1-11 MOS	358	5.4	13	1	2	4	7	10	12	20
1-5 YRS	1314	4.3	13	1	1	4	5	8	10	16
6-12 YRS	742	4.1	10	1	1	3	5	8	9	15
13-19 YRS	893	4.8	21	1	1	4	6	9	13	23
GRAND TOTAL	**3604**	**4.5**	**14**	**1**	**1**	**4**	**6**	**8**	**11**	**19**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	42	3.4	5	<1	1	3	5	6	8	9
B. Operated										
0-27 DYS	3	5.3	8	2	2	7	7	7	7	7
1-11 MOS	26	3.0	5	<1	<1	2	3	7	9	9
1-5 YRS	20	2.3	3	<1	<1	2	3	5	6	7
6-12 YRS	25	3.1	2	1	1	3	4	5	5	5
13-19 YRS	3036	3.5	5	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	2	4.0	2	3	3	4	5	5	5	5
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	32	2.3	6	<1	<1	1	2	7	8	11
B. Operated										
0-27 DYS										
1-11 MOS	7	4.3	6	1	1	4	6	8	8	8
1-5 YRS	8	5.1	25	2	2	3	6	14	16	16
6-12 YRS	6	3.8	11	1	1	3	5	9	10	10
13-19 YRS	357	4.5	11	1	2	4	5	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	3.3	5	1	1	3	5	6	8	9
B. Operated	3110	3.5	5	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. Not Operated	38	2.5	6	<1	<1	1	3	7	8	11
B. Operated	376	4.5	11	1	2	4	5	7	10	17
1. SINGLE DX	3157	3.5	5	1	1	3	4	6	7	11
2. MULTIPLE DX	416	4.3	11	1	1	4	5	7	10	17
A. NOT OPERATED	85	3.0	5	<1	<1	2	4	6	8	10
B. OPERATED	3488	3.6	6	1	2	3	4	6	7	12
TOTAL 0-27 DYS	6	4.3	6	1	1	4	7	7	7	7
1-11 MOS	37	3.2	5	<1	1	2	4	7	8	9
1-5 YRS	31	3.2	9	<1	<1	2	4	6	9	16
6-12 YRS	32	3.3	3	1	1	3	4	5	5	10
13-19 YRS	3467	3.6	6	1	2	3	4	6	7	11
GRAND TOTAL	**3573**	**3.6**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	5	2.8	5	<1	<1	2	4	6	6	6
13-19 YRS	3	3.3	16	<1	<1	1	6	8	8	8
B. Operated										
0-27 DYS										
1-11 MOS	56	1.6	1	<1	<1	1	2	3	4	5
1-5 YRS	225	1.4		<1	<1	1	2	2	2	4
6-12 YRS	120	1.5	1	<1	<1	1	2	2	2	6
13-19 YRS	185	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	3	3.7	14	<1	<1	2	6	8	8	8
1-5 YRS	7	1.1		<1	<1	<1	<1	2	2	2
6-12 YRS	5	1.0		1	1	1	1	1	1	1
13-19 YRS	4	2.3	2	1	1	2	3	4	4	4
B. Operated										
0-27 DYS										
1-11 MOS	2	5.5	25	2	2	5	9	9	9	9
1-5 YRS	36	2.2	3	<1	<1	2	2	5	7	8
6-12 YRS	29	2.4	12	<1	<1	1	2	4	7	19
13-19 YRS	59	2.3	2	<1	<1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	2.5	6	<1	<1	1	3	7	8	8
B. Operated	586	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	19	1.7	3	<1	<1	1	2	3	6	8
B. Operated	126	2.4	5	<1	<1	2	3	4	6	11
1. SINGLE DX	597	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	145	2.3	5	<1	<1	2	2	4	6	9
A. NOT OPERATED	30	2.0	4	<1	<1	1	2	5	8	8
B. OPERATED	712	1.7	2	<1	<1	1	2	3	4	6
TOTAL 0-27 DYS										
1-11 MOS	62	1.8	2	<1	<1	1	2	3	5	9
1-5 YRS	270	1.5	1	<1	<1	1	2	2	3	6
6-12 YRS	159	1.7	3	<1	<1	1	2	2	3	8
13-19 YRS	251	1.9	1	<1	<1	2	2	4	4	7
GRAND TOTAL	**742**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	50	3.2	3	1	1	3	4	5	7	7
1-11 MOS	167	3.3	5	1	1	3	4	6	7	11
1-5 YRS	621	3.0	4	1	1	3	4	6	7	10
6-12 YRS	331	4.0	16	1	1	3	5	8	12	22
13-19 YRS	433	4.5	25	1	1	3	5	9	14	26
B. *Operated*										
0-27 DYS	2	10.0	18	7	7	10	13	13	13	13
1-11 MOS	25	3.7	20	<1	<1	2	4	12	15	18
1-5 YRS	328	2.8	14	<1	<1	2	3	4	10	21
6-12 YRS	624	2.7	9	<1	<1	2	3	5	9	17
13-19 YRS	1280	2.9	18	<1	<1	2	3	5	9	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	51	4.8	10	2	2	4	6	7	13	19
1-11 MOS	301	4.4	9	1	2	4	5	8	10	16
1-5 YRS	664	4.0	11	1	1	3	5	7	9	16
6-12 YRS	457	4.7	24	1	1	3	6	9	12	23
13-19 YRS	564	5.8	44	1	1	4	7	12	16	33
B. *Operated*										
0-27 DYS	1	57.0		57	57	57	57	57	57	57
1-11 MOS	20	7.3	91	<1	<1	4	6	20	29	37
1-5 YRS	233	4.8	34	1	1	3	6	10	17	37
6-12 YRS	351	5.1	56	<1	1	2	6	12	17	51
13-19 YRS	814	7.6	143	<1	1	3	8	18	32	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1602	3.7	13	1	1	3	4	7	9	21
B. *Operated*	2259	2.8	15	<1	<1	2	3	5	9	19
2. MULTIPLE DX										
A. *Not Operated*	2037	4.7	23	1	1	4	6	9	12	23
B. *Operated*	1419	6.6	106	<1	1	3	7	15	25	59
1. SINGLE DX	3861	3.2	14	<1	<1	2	3	6	9	19
2. MULTIPLE DX	3456	5.5	58	1	1	3	6	11	17	43
A. NOT OPERATED	3639	4.3	19	1	1	3	5	8	11	22
B. OPERATED	3678	4.3	53	<1	<1	2	4	9	15	42
TOTAL 0-27 DYS	104	4.6	35	1	2	4	5	7	9	36
1-11 MOS	513	4.1	12	1	1	3	5	7	10	18
1-5 YRS	1846	3.5	13	<1	1	3	4	7	9	21
6-12 YRS	1763	4.0	25	<1	1	2	4	8	12	22
13-19 YRS	3091	4.9	60	<1	1	2	5	10	17	43
GRAND TOTAL	7317	4.3	36	<1	1	3	5	8	13	31

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	38	1.6	12	<1	<1	<1	<1	<1	2	22
6-12 YRS	45	6.2	41	1	1	4	8	11	18	39
13-19 YRS	125	5.9	39	1	2	4	6	14	17	35
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	4	6.8	48	1	1	6	12	15	15	15
6-12 YRS	22	7.5	89	1	2	3	11	17	27	42
13-19 YRS	36	6.5	104	1	2	3	7	13	19	60
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	7.5	85	<1	<1	7	14	14	14	14
1-5 YRS	12	4.9	12	1	1	4	7	10	11	11
6-12 YRS	43	9.5	72	2	2	6	12	24	28	38
13-19 YRS	190	7.5	55	1	2	6	9	14	16	50
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	14.9	318	1	1	9	17	46	53	53
6-12 YRS	22	14.0	469	1	1	6	13	43	73	87
13-19 YRS	93	16.1	267	2	3	10	21	32	57	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	5.2	37	<1	<1	3	6	12	16	35
B. *Operated*	63	6.7	92	1	1	3	9	15	19	58
2. MULTIPLE DX										
A. *Not Operated*	247	7.7	56	1	2	6	10	15	23	46
B. *Operated*	122	15.6	301	2	2	10	21	33	58	88
1. SINGLE DX	272	5.5	50	<1	<1	3	7	13	17	38
2. MULTIPLE DX	369	10.3	150	1	2	7	12	22	31	68
A. NOT OPERATED	456	6.5	49	<1	1	4	8	14	19	38
B. OPERATED	185	12.6	247	1	2	8	15	27	52	81
TOTAL 0-27 DYS										
1-11 MOS	4	5.0	38	<1	<1	2	9	14	14	14
1-5 YRS	61	4.1	62	<1	<1	<1	4	11	16	50
6-12 YRS	132	8.8	134	1	2	5	10	18	29	67
13-19 YRS	444	8.7	113	1	2	5	10	19	25	58
GRAND TOTAL	641	8.3	113	<1	1	5	10	17	25	58

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	8.2	6	5	5	8	11	11	11	11
1-5 YRS	148	5.7	30	1	2	4	6	11	16	34
6-12 YRS	166	6.1	28	2	2	4	8	11	15	31
13-19 YRS	126	7.0	28	2	2	5	10	14	19	23
B. *Operated*										
0-27 DYS										
1-11 MOS	2	7.5	61	2	2	7	13	13	13	13
1-5 YRS	25	6.9	75	<1	1	4	9	13	28	39
6-12 YRS	24	4.8	20	<1	1	3	7	10	15	19
13-19 YRS	51	10.3	166	1	1	5	12	36	45	52
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	12	7.3	25	<1	1	7	10	16	17	17
1-5 YRS	78	7.8	79	1	2	5	8	18	24	49
6-12 YRS	117	7.6	63	1	2	5	9	16	22	50
13-19 YRS	96	8.3	52	2	3	6	11	17	24	39
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	15	10.1	101	<1	1	6	15	27	28	28
6-12 YRS	20	10.4	41	2	3	10	15	20	22	23
13-19 YRS	49	10.6	143	2	2	6	13	24	37	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	447	6.2	29	2	2	4	7	12	17	27
B. *Operated*	102	8.1	110	1	1	4	10	17	38	49
2. MULTIPLE DX										
A. *Not Operated*	304	7.9	62	1	2	5	9	17	21	47
B. *Operated*	84	10.4	109	2	2	7	14	23	28	56
1. SINGLE DX	549	6.6	44	1	2	4	8	13	19	37
2. MULTIPLE DX	388	8.4	73	1	2	6	11	18	25	48
A. NOT OPERATED	751	6.9	43	1	2	5	8	14	20	35
B. OPERATED	186	9.2	111	1	2	5	12	22	35	50
TOTAL 0-27 DYS	2	6.5	25	3	3	6	10	10	10	10
1-11 MOS	20	7.6	19	1	2	7	11	14	16	17
1-5 YRS	266	6.7	53	1	2	4	7	15	22	39
6-12 YRS	327	6.8	42	1	2	5	8	14	19	33
13-19 YRS	322	8.4	76	2	2	5	11	18	24	46
GRAND TOTAL	**937**	**7.3**	**57**	**1**	**2**	**5**	**9**	**15**	**21**	**40**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	6	5.8	24	1	1	5	8	13	14	14
6-12 YRS	6	3.5	2	2	2	3	5	5	5	5
13-19 YRS	4	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	4	5.8	47	2	2	3	9	16	16	16
1-5 YRS	4	8.3	60	2	2	7	14	18	18	18
6-12 YRS	6	2.5	1	2	2	2	3	4	4	4
13-19 YRS	67	3.3	12	1	1	2	3	8	9	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	7.8	32	1	1	7	11	16	17	17
1-5 YRS	2	6.5	13	4	4	6	9	9	9	9
6-12 YRS										
13-19 YRS	9	4.9	21	<1	<1	3	9	12	12	12
B. *Operated*										
0-27 DYS	2	12.0	128	4	4	12	20	20	20	20
1-11 MOS	7	11.6	39	5	5	9	15	21	23	23
1-5 YRS										
6-12 YRS	9	10.4	147	2	3	8	9	29	42	42
13-19 YRS	45	6.0	95	1	1	3	7	12	16	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.9	11	<1	1	3	5	8	12	14
B. *Operated*	82	3.8	17	1	1	2	3	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	17	6.1	23	<1	<1	4	9	12	15	17
B. *Operated*	63	7.5	98	1	2	4	9	15	21	61
1. SINGLE DX	99	3.8	16	1	1	2	4	8	13	21
2. MULTIPLE DX	80	7.2	82	1	1	4	9	14	19	57
A. NOT OPERATED	34	5.0	18	<1	1	4	8	12	14	17
B. OPERATED	145	5.4	55	1	1	3	6	11	17	43
TOTAL 0-27 DYS	4	10.8	73	3	3	10	18	20	20	20
1-11 MOS	17	8.9	39	1	2	8	14	17	21	23
1-5 YRS	12	6.8	30	1	1	5	10	15	18	18
6-12 YRS	21	6.2	74	2	2	4	6	10	24	42
13-19 YRS	125	4.4	43	1	1	2	4	9	12	34
GRAND TOTAL	**179**	**5.3**	**48**	**1**	**1**	**3**	**7**	**12**	**16**	**37**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	33	9.3	28	1	3	10	13	15	18	23
1-5 YRS	162	8.2	43	1	2	6	11	19	22	29
6-12 YRS	128	7.3	37	2	2	5	10	17	20	25
13-19 YRS	126	6.5	21	2	2	5	8	12	16	23
B. *Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	34	14.3	60	5	7	14	15	23	30	43
1-5 YRS	92	14.1	48	3	5	14	19	23	27	31
6-12 YRS	68	14.3	101	2	5	11	20	30	35	40
13-19 YRS	110	7.0	43	1	1	5	10	18	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	8.5	1	8	8	8	9	9	9	9
1-11 MOS	49	13.9	55	5	5	13	17	27	28	31
1-5 YRS	117	9.6	54	2	2	7	14	21	23	33
6-12 YRS	99	9.3	59	2	2	6	13	21	24	36
13-19 YRS	135	7.9	40	2	2	5	11	15	21	27
B. *Operated*										
0-27 DYS	5	16.6	82	7	7	14	23	30	30	30
1-11 MOS	61	17.0	63	6	8	15	22	28	31	42
1-5 YRS	104	15.2	64	3	6	14	21	26	28	40
6-12 YRS	54	17.4	113	2	5	16	24	30	37	51
13-19 YRS	122	12.3	150	1	2	8	16	29	36	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	449	7.6	35	2	2	6	10	16	21	27
B. *Operated*	305	11.6	71	1	2	10	16	23	29	38
2. MULTIPLE DX										
A. *Not Operated*	402	9.5	53	2	2	7	14	20	24	31
B. *Operated*	346	14.8	105	2	3	14	21	28	32	51
1. SINGLE DX	754	9.2	53	2	2	7	13	20	23	31
2. MULTIPLE DX	748	12.0	84	2	3	10	16	24	29	42
A. NOT OPERATED	851	8.5	44	2	2	6	12	18	22	29
B. OPERATED	651	13.3	91	2	3	12	19	27	31	43
TOTAL 0-27 DYS	8	14.4	61	7	7	12	18	27	30	30
1-11 MOS	177	14.2	60	4	5	13	17	26	29	40
1-5 YRS	475	11.2	60	2	2	10	16	22	26	31
6-12 YRS	349	10.8	81	2	2	8	15	23	29	40
13-19 YRS	493	8.4	68	1	2	6	11	18	24	42
GRAND TOTAL	**1502**	**10.6**	**70**	**2**	**2**	**8**	**15**	**22**	**27**	**38**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	15	3.3	4	1	1	3	5	6	7	7
13-19 YRS	52	2.6	4	<1	<1	2	3	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	6	3.0	5	1	1	2	4	7	7	7
1-5 YRS	7	4.9	5	1	1	6	7	7	7	7
6-12 YRS	126	2.6	8	<1	1	2	3	4	5	14
13-19 YRS	3134	2.5	3	<1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	7.8	89	<1	<1	4	14	21	21	21
6-12 YRS	10	2.1	1	<1	<1	2	3	4	4	4
13-19 YRS	87	1.6	3	<1	<1	1	1	3	4	12
B. *Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	7	3.0	1	2	2	3	4	5	5	5
1-5 YRS	3	2.3		2	2	2	3	3	3	3
6-12 YRS	73	2.6	3	<1	1	2	3	4	5	10
13-19 YRS	2135	2.8	4	1	1	2	4	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	2.7	4	<1	<1	2	4	5	7	9
B. *Operated*	3273	2.5	3	<1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	101	1.9	7	<1	<1	1	2	3	5	17
B. *Operated*	2220	2.8	4	1	1	2	4	5	6	10
1. SINGLE DX	3342	2.6	3	<1	1	2	3	5	6	8
2. MULTIPLE DX	2321	2.8	4	<1	1	2	4	5	6	10
A. NOT OPERATED	170	2.2	6	<1	<1	1	3	5	6	13
B. OPERATED	5493	2.7	4	<1	1	2	3	5	6	9
TOTAL 0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	13	3.0	3	1	1	2	4	5	7	7
1-5 YRS	16	4.7	25	<1	<1	3	6	8	17	21
6-12 YRS	224	2.6	6	<1	1	2	3	4	6	10
13-19 YRS	5408	2.6	3	<1	1	2	3	5	6	9
GRAND TOTAL	**5663**	**2.6**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**9**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	3.2	8	1	1	3	4	7	11	11
1-5 YRS	216	3.5	6	1	1	3	5	6	8	13
6-12 YRS	241	3.8	3	1	1	3	5	7	9	16
13-19 YRS	179	3.6	10	<1	<1	2	5	8	10	17
B. *Operated*										
0-27 DYS										
1-11 MOS	11	2.3	1	<1	<1	2	3	4	4	4
1-5 YRS	72	2.4	2	<1	1	2	3	4	5	9
6-12 YRS	273	3.1	8	<1	1	2	4	6	8	16
13-19 YRS	3994	3.1	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	4.8	20	<1	<1	3	7	11	15	15
1-5 YRS	162	3.2	7	<1	1	3	4	6	9	13
6-12 YRS	242	5.0	25	1	1	4	6	11	14	24
13-19 YRS	251	4.1	35	<1	1	3	5	9	11	19
B. *Operated*										
0-27 DYS										
1-11 MOS	11	3.4	3	1	1	3	5	6	7	7
1-5 YRS	188	4.8	19	1	2	4	5	8	11	25
6-12 YRS	320	5.5	37	1	1	4	6	10	16	32
13-19 YRS	1631	4.0	18	1	1	3	5	7	10	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	647	3.6	8	1	1	3	5	7	9	14
B. *Operated*	4350	3.1	4	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	665	4.2	25	<1	1	3	5	9	12	19
B. *Operated*	2150	4.3	21	1	1	3	5	7	11	30
1. SINGLE DX	4997	3.2	5	1	1	3	4	5	7	11
2. MULTIPLE DX	2815	4.2	22	1	1	3	5	8	11	27
A. NOT OPERATED	1312	3.9	17	<1	1	3	5	8	11	17
B. OPERATED	6500	3.5	10	1	1	3	4	6	7	16
TOTAL 0-27 DYS										
1-11 MOS	43	3.4	8	<1	1	2	4	7	9	15
1-5 YRS	638	3.7	10	1	1	3	5	7	9	15
6-12 YRS	1076	4.4	22	1	1	3	5	8	12	26
13-19 YRS	6055	3.4	10	1	1	3	4	6	7	14
GRAND TOTAL	**7812**	**3.6**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS										
13-19 YRS	9	9.4	55	1	1	7	13	21	25	25
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	5	10.2	47	3	3	8	14	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	11.0	214	2	2	6	14	37	37	37
13-19 YRS	4	15.0	58	7	7	14	20	25	25	25
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	8.4	49	1	2	7	12	19	24	25
B. *Operated*	6	8.8	49	2	2	7	12	20	21	21
2. MULTIPLE DX										
A. *Not Operated*	9	12.8	133	2	3	7	18	32	37	37
B. *Operated*	1	2.0		2	2	2	2	2	2	2
1. SINGLE DX	17	8.5	46	1	2	7	12	20	24	25
2. MULTIPLE DX	10	11.7	130	2	2	7	16	31	37	37
A. NOT OPERATED	20	10.4	87	1	2	7	14	25	31	37
B. OPERATED	7	7.9	47	2	2	7	11	19	21	21
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	7	8.4	162	2	2	4	6	31	37	37
13-19 YRS	18	10.9	52	1	2	8	15	24	25	25
GRAND TOTAL	**27**	**9.7**	**76**	**2**	**2**	**7**	**13**	**24**	**27**	**37**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	6.3	9	3	3	7	8	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	15	6.3	14	1	1	7	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	3	7.0	13	3	3	9	55	99+	99+	99+
1-5 YRS	3	3.7	6	1	1	4	5	6	6	6
6-12 YRS	6	4.5	3	2	2	4	5	7	7	7
13-19 YRS	6	5.3	17	<1	<1	5	9	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.0	2	8	8	9	10	10	10	10
1-5 YRS										
6-12 YRS	1	21.0		21	21	21	21	21	21	21
13-19 YRS	12	8.0	22	3	3	7	11	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	5.2	8	2	2	5	7	9	9	9
B. *Operated*	16	6.3	13	1	1	7	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	19	5.3	10	<1	1	5	9	10	55	99+
B. *Operated*	15	9.0	29	3	3	8	12	17	20	21
1. SINGLE DX	21	6.0	12	1	1	7	8	11	11	11
2. MULTIPLE DX	34	6.9	21	1	2	7	10	15	20	99+
A. NOT OPERATED	24	5.3	9	1	2	5	8	10	33	99+
B. OPERATED	31	7.6	22	1	2	8	10	13	17	21
TOTAL 0-27 DYS	1	10.0	-	10	10	10	10	10	10	10
1-11 MOS	6	7.3	8	3	3	8	10	82	99+	99+
1-5 YRS	3	3.7	6	1	1	4	5	6	6	6
6-12 YRS	9	6.3	34	2	2	5	7	15	21	21
13-19 YRS	36	6.7	17	1	1	7	9	11	14	17
GRAND TOTAL	**55**	**6.6**	**17**	**1**	**2**	**7**	**9**	**11**	**16**	**95**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	12	5.7	13	1	2	5	8	11	13	13
6-12 YRS	9	3.1	9	1	1	2	4	8	10	10
13-19 YRS	148	7.5	44	1	2	7	10	12	15	49
B. *Operated*										
0-27 DYS	3	8.3	37	3	3	7	13	15	15	15
1-11 MOS	14	10.9	114	1	2	8	12	26	38	42
1-5 YRS	3	4.0	9	<1	<1	4	6	7	7	7
6-12 YRS	14	11.5	60	3	4	10	21	23	24	25
13-19 YRS	538	6.3	22	1	2	5	8	12	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	8.7	20	4	4	9	12	13	13	13
1-5 YRS	5	10.6	75	6	6	7	12	26	26	26
6-12 YRS	1	45.0		45	45	45	45	45	45	45
13-19 YRS	66	7.5	17	1	1	7	11	14	15	16
B. *Operated*										
0-27 DYS	2	10.0	18	7	7	10	13	13	13	13
1-11 MOS	6	12.8	86	1	1	13	20	24	25	25
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	5	8.2	23	1	1	8	12	13	13	13
13-19 YRS	122	8.1	52	1	2	6	10	17	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	7.1	40	1	1	6	10	12	15	43
B. *Operated*	572	6.5	26	1	2	5	9	13	17	25
2. MULTIPLE DX										
A. *Not Operated*	75	8.2	39	1	2	7	11	14	16	40
B. *Operated*	137	8.3	52	1	2	6	11	18	23	40
1. SINGLE DX	744	6.7	30	1	2	6	9	12	16	25
2. MULTIPLE DX	212	8.3	47	1	2	7	11	16	20	41
A. NOT OPERATED	247	7.4	40	1	1	7	10	13	15	45
B. OPERATED	709	6.9	32	1	2	6	9	14	19	26
TOTAL 0-27 DYS	6	8.3	22	3	3	7	13	15	15	15
1-11 MOS	25	10.4	90	1	1	8	13	24	29	42
1-5 YRS	22	6.3	29	1	1	6	7	11	18	26
6-12 YRS	29	9.5	94	1	1	7	11	22	26	45
13-19 YRS	874	6.9	30	1	2	6	9	13	17	25
GRAND TOTAL	**956**	**7.0**	**34**	**1**	**2**	**6**	**9**	**13**	**18**	**26**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.0	2	3	3	4	5	5	5	5
1-5 YRS	8	4.4	7	1	1	4	6	8	8	8
6-12 YRS	8	3.9	5	1	1	4	6	7	7	7
13-19 YRS	36	5.3	20	1	2	4	7	10	15	23
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	7.5	5	6	6	7	9	9	9	9
1-5 YRS										
6-12 YRS	6	4.0	10	1	1	3	6	9	9	9
13-19 YRS	34	6.7	30	1	1	6	9	14	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.0	3	3	3	3	5	6	6	6
6-12 YRS	4	10.8	53	4	4	10	17	18	18	18
13-19 YRS	12	6.8	18	3	3	5	9	13	16	17
B. *Operated*										
0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	3	14.7	342	3	3	5	28	36	36	36
1-5 YRS	3	10.0	127	3	3	4	18	23	23	23
6-12 YRS	3	5.7	12	2	2	6	8	9	9	9
13-19 YRS	13	7.5	24	2	2	8	11	14	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	4.9	15	1	1	4	6	8	12	23
B. *Operated*	43	6.3	26	1	1	5	9	13	18	23
2. MULTIPLE DX										
A. *Not Operated*	19	7.2	25	3	3	5	9	17	18	18
B. *Operated*	23	9.3	74	2	2	6	12	23	28	36
1. SINGLE DX	97	5.5	20	1	1	5	7	10	15	23
2. MULTIPLE DX	42	8.3	52	2	3	5	11	17	23	36
A. NOT OPERATED	73	5.5	18	1	2	4	7	10	17	22
B. OPERATED	66	7.3	44	1	2	5	9	16	23	34
TOTAL 0-27 DYS	2	13.5	221	3	3	13	24	24	24	24
1-11 MOS	7	9.6	140	3	3	5	8	31	36	36
1-5 YRS	14	5.5	30	1	1	4	6	10	20	23
6-12 YRS	21	5.5	21	1	1	5	6	12	17	18
13-19 YRS	95	6.3	24	1	2	5	8	13	17	23
GRAND TOTAL	**139**	**6.4**	**31**	**1**	**2**	**5**	**8**	**13**	**18**	**25**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	4	5.5	20	2	2	4	8	12	12	12
13-19 YRS	24	7.5	77	1	2	4	11	14	25	43
B. *Operated*										
0-27 DYS										
1-11 MOS	1	33.0		33	33	33	33	33	33	33
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS	13	5.0	18	1	1	4	7	10	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	6.5	61	<1	<1	6	12	12	12	12
1-5 YRS	3	5.0	9	2	2	5	7	8	8	8
6-12 YRS	4	5.5	18	1	1	5	8	11	11	11
13-19 YRS	44	6.1	23	1	2	5	7	11	15	28
B. *Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS										
6-12 YRS										
13-19 YRS	16	7.2	51	1	1	6	9	12	25	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	6.8	66	1	1	4	11	13	17	43
B. *Operated*	15	7.0	67	1	1	5	8	16	29	33
2. MULTIPLE DX										
A. *Not Operated*	53	6.0	22	1	1	5	8	11	15	28
B. *Operated*	17	7.4	48	1	1	7	10	12	24	30
1. SINGLE DX	45	6.9	65	1	1	4	8	14	21	43
2. MULTIPLE DX	70	6.3	28	1	1	5	8	12	15	30
A. NOT OPERATED	83	6.3	37	1	1	5	8	12	15	38
B. OPERATED	32	7.2	55	1	1	5	9	13	29	33
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	11.8	166	<1	<1	11	17	33	33	33
1-5 YRS	4	5.5	7	2	2	6	7	8	8	8
6-12 YRS	8	5.5	16	1	1	4	8	12	12	12
13-19 YRS	97	6.5	40	1	1	5	8	12	16	37
GRAND TOTAL	**115**	**6.5**	**42**	**1**	**1**	**5**	**8**	**12**	**16**	**36**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	9.0	3	8	8	8	10	11	11	11
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	17	6.1	15	2	2	4	10	12	13	14
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	17	4.6	35	1	1	2	4	11	20	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	19	7.2	14	2	2	7	10	13	15	15
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS	2	9.0	50	4	4	9	14	14	14	14
13-19 YRS	8	11.0	70	1	2	9	19	22	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	6.5	14	2	2	6	10	12	13	14
B. *Operated*	22	4.5	27	1	1	3	5	8	17	25
2. MULTIPLE DX										
A. *Not Operated*	20	7.2	13	2	2	7	9	12	14	15
B. *Operated*	11	10.5	55	1	3	9	16	22	23	23
1. SINGLE DX	43	5.5	21	1	2	4	7	11	13	25
2. MULTIPLE DX	31	8.3	29	2	3	7	10	16	21	23
A. NOT OPERATED	41	6.8	13	2	2	7	10	12	14	15
B. OPERATED	33	6.5	43	1	2	4	8	18	23	25
TOTAL 0-27 DYS										
1-11 MOS	6	7.3	9	2	2	8	9	11	11	11
1-5 YRS	2	5.0	2	4	4	5	6	6	6	6
6-12 YRS	5	6.4	19	3	3	5	8	14	14	14
13-19 YRS	61	6.7	30	1	2	5	10	14	19	25
GRAND TOTAL	74	6.7	26	2	2	5	9	14	17	25

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	2.6	5	<1	<1	1	6	6	7	7
1-5 YRS	47	2.1	2	<1	<1	1	3	4	5	6
6-12 YRS	93	3.4	9	<1	1	2	4	9	10	14
13-19 YRS	302	4.8	14	1	1	4	6	9	12	20
B. *Operated*										
0-27 DYS	1	33.0		33	33	33	33	33	33	33
1-11 MOS	6	2.8	1	2	2	3	3	4	4	4
1-5 YRS	8	3.3	5	<1	<1	3	5	7	7	7
6-12 YRS	27	4.0	8	1	1	3	5	9	10	12
13-19 YRS	228	4.0	15	1	1	3	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	16.7	94	6	6	19	23	25	25	25
1-11 MOS	13	4.4	13	<1	1	4	5	10	13	14
1-5 YRS	35	3.7	22	<1	1	2	4	8	12	26
6-12 YRS	75	3.8	9	1	1	3	4	7	11	15
13-19 YRS	366	4.8	10	<1	1	4	6	10	12	25
B. *Operated*										
0-27 DYS										
1-11 MOS	7	4.6	29	1	1	2	5	14	16	16
1-5 YRS	9	6.0	12	2	2	5	8	11	11	11
6-12 YRS	16	7.2	39	1	2	5	9	19	20	20
13-19 YRS	171	5.7	32	1	1	4	7	11	15	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	531	4.3	13	1	1	3	5	9	11	19
B. *Operated*	270	4.1	17	1	1	3	5	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	492	4.6	18	<1	1	4	6	10	12	25
B. *Operated*	203	5.8	31	1	1	4	8	11	16	29
1. SINGLE DX	801	4.2	14	1	1	3	5	9	11	18
2. MULTIPLE DX	695	5.0	22	1	1	4	6	10	13	26
A. NOT OPERATED	1023	4.4	15	1	1	3	6	9	11	20
B. OPERATED	473	4.8	24	1	1	3	6	10	13	27
TOTAL 0-27 DYS	4	20.8	130	6	6	22	29	33	33	33
1-11 MOS	35	3.7	12	<1	1	3	4	7	13	16
1-5 YRS	99	3.1	12	<1	1	2	4	7	9	20
6-12 YRS	211	3.9	12	1	1	3	5	9	11	17
13-19 YRS	1147	4.8	18	1	1	4	6	10	12	23
GRAND TOTAL	1496	4.6	18	1	1	3	6	9	12	23

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	2.5	2	1	1	2	3	5	6	6
1-5 YRS	370	3.3	7	1	1	3	4	6	8	12
6-12 YRS	242	4.3	11	1	2	4	5	7	9	18
13-19 YRS	121	4.0	7	1	1	3	5	8	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	8	5.5	93	<1	<1	2	4	22	29	29
1-5 YRS	124	1.8	3	<1	<1	1	2	3	6	9
6-12 YRS	166	2.9	9	<1	<1	2	3	6	8	18
13-19 YRS	875	2.5	4	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	2.7	11	<1	<1	1	3	9	10	10
1-5 YRS	118	3.5	7	1	1	3	4	7	10	13
6-12 YRS	98	5.2	28	1	2	4	6	9	15	31
13-19 YRS	94	4.8	13	<1	1	4	6	9	12	18
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	7	3.9	11	<1	<1	2	7	9	9	9
1-5 YRS	24	4.8	17	<1	<1	4	6	10	16	17
6-12 YRS	52	4.1	17	<1	1	2	5	11	13	18
13-19 YRS	370	3.3	14	1	1	2	3	6	9	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	744	3.7	9	1	1	3	5	7	9	13
B. *Operated*	1173	2.5	5	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	318	4.4	16	1	1	3	5	8	12	21
B. *Operated*	454	3.5	15	<1	1	2	4	7	10	20
1. SINGLE DX	1917	3.0	7	<1	1	2	4	6	7	12
2. MULTIPLE DX	772	3.9	15	1	1	3	4	8	10	21
A. NOT OPERATED	1062	3.9	11	1	1	3	5	7	9	16
B. OPERATED	1627	2.8	8	<1	1	2	3	5	7	14
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	33	3.5	27	<1	<1	2	3	8	10	29
1-5 YRS	636	3.1	7	<1	1	2	4	6	8	13
6-12 YRS	558	4.0	15	<1	1	3	5	8	10	21
13-19 YRS	1460	3.0	8	<1	1	2	3	5	8	13
GRAND TOTAL	**2689**	**3.2**	**9**	**<1**	**1**	**2**	**4**	**6**	**8**	**15**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	10	1.8		<1	<1	2	2	3	3	3
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	3.0	1	2	2	3	4	4	4	4
1-5 YRS	7	2.0		1	1	2	2	3	3	3
6-12 YRS	96	3.2	4	1	1	3	4	5	6	12
13-19 YRS	973	3.2	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	23	1.6	2	<1	<1	1	1	3	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	6	4.7	8	2	2	4	5	9	10	10
1-5 YRS	14	4.1	23	<1	1	3	5	9	17	19
6-12 YRS	79	3.6	4	1	2	3	4	6	7	10
13-19 YRS	863	3.6	4	1	2	3	4	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.7		<1	<1	2	2	3	3	3
B. *Operated*	1081	3.2	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	24	1.5	2	<1	<1	1	1	3	6	7
B. *Operated*	962	3.7	4	1	2	3	4	6	7	10
1. SINGLE DX	1093	3.2	2	1	1	3	4	5	6	8
2. MULTIPLE DX	986	3.6	4	1	2	3	4	6	7	10
A. NOT OPERATED	36	1.6	2	<1	<1	1	2	2	4	7
B. OPERATED	2043	3.4	3	1	2	3	4	5	6	9
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	10	4.0	5	2	2	3	4	7	10	10
1-5 YRS	21	3.4	16	<1	1	2	3	7	13	19
6-12 YRS	178	3.3	4	1	1	3	4	5	7	10
13-19 YRS	1869	3.4	3	1	1	3	4	5	6	9
GRAND TOTAL	**2079**	**3.4**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.7		<1	<1	2	2	2	2	2
6-12 YRS	8	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	6	1.2		<1	<1	1	1	2	2	2
B. *Operated*										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	14	1.3		<1	<1	1	1	2	3	3
1-5 YRS	243	1.7	1	<1	<1	2	2	3	3	4
6-12 YRS	464	1.7	1	<1	<1	2	2	3	3	5
13-19 YRS	923	1.7	1	<1	<1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	7	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	8	1.1		<1	<1	<1	1	2	2	2
13-19 YRS	19	1.2		<1	<1	1	1	2	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	23	1.9	1	<1	<1	2	2	3	3	3
6-12 YRS	44	2.0	1	<1	1	2	2	3	4	7
13-19 YRS	137	2.2	2	<1	<1	2	3	3	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.4		<1	<1	1	2	2	3	3
B. *Operated*	1646	1.7	1	<1	<1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	35	1.1		<1	<1	1	1	1	2	3
B. *Operated*	204	2.1	2	<1	<1	2	3	3	4	7
1. SINGLE DX	1663	1.7	1	<1	<1	2	2	3	3	4
2. MULTIPLE DX	239	1.9	2	<1	<1	2	2	3	4	7
A. NOT OPERATED	52	1.2		<1	<1	1	1	2	2	3
B. OPERATED	1850	1.7	1	<1	<1	2	2	3	3	5
TOTAL 0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	15	1.3		<1	<1	1	1	2	3	3
1-5 YRS	276	1.7	1	<1	<1	2	2	3	3	4
6-12 YRS	524	1.7	1	<1	<1	2	2	3	3	5
13-19 YRS	1085	1.7	1	<1	<1	2	2	3	3	5
GRAND TOTAL	1902	1.7	1	<1	<1	2	2	3	3	5

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	15.0	182	6	6	9	23	35	35	35
1-11 MOS	25	15.2	44	4	6	15	21	24	26	28
1-5 YRS	102	12.5	87	1	2	10	20	26	29	36
6-12 YRS	152	13.2	82	2	4	12	18	26	29	40
13-19 YRS	98	14.3	111	1	3	11	21	29	31	50
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	15	17.6	64	6	8	17	23	31	32	32
1-5 YRS	73	18.3	149	2	4	15	26	37	42	51
6-12 YRS	129	17.6	157	3	4	15	24	38	42	50
13-19 YRS	194	14.9	165	2	3	11	21	29	44	54
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	19.3	25	14	14	20	23	24	24	24
1-11 MOS	24	20.0	119	7	8	20	27	31	40	51
1-5 YRS	80	16.7	101	3	4	14	22	30	37	42
6-12 YRS	113	15.9	127	2	4	13	22	30	42	48
13-19 YRS	90	14.9	135	1	2	12	24	31	41	79
B. *Operated*										
0-27 DYS	2	24.5	25	21	21	24	28	28	28	28
1-11 MOS	28	24.6	177	6	7	24	30	45	48	51
1-5 YRS	60	23.4	254	3	5	21	34	45	48	75
6-12 YRS	141	22.6	163	4	7	21	31	42	45	61
13-19 YRS	182	19.6	208	3	4	16	29	42	48	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	381	13.4	89	1	3	11	19	27	30	41
B. *Operated*	412	16.4	157	2	3	14	23	34	42	53
2. MULTIPLE DX										
A. *Not Operated*	310	16.2	121	2	3	14	23	30	40	50
B. *Operated*	413	21.6	198	3	5	20	30	43	47	78
1. SINGLE DX	793	15.0	126	2	3	13	21	29	38	51
2. MULTIPLE DX	723	19.3	172	3	4	17	28	40	45	61
A. NOT OPERATED	691	14.7	105	2	3	13	21	28	33	46
B. OPERATED	825	19.0	184	3	4	16	28	41	45	60
TOTAL 0-27 DYS	10	17.2	101	5	5	17	24	31	35	35
1-11 MOS	92	19.7	118	6	8	19	26	31	44	51
1-5 YRS	315	17.0	150	2	3	14	24	34	42	50
6-12 YRS	535	17.3	143	3	4	15	24	35	42	51
13-19 YRS	564	16.3	169	2	3	13	24	33	44	62
GRAND TOTAL	1516	17.0	153	2	3	14	24	34	43	54

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	1.8	1	1	1	2	2	3	3	3
1-11 MOS	5	5.0	27	1	1	3	6	14	14	14
1-5 YRS	129	5.7	17	1	1	5	7	12	14	18
6-12 YRS	212	6.2	37	1	1	4	9	14	19	26
13-19 YRS	188	3.2	8	1	1	2	4	7	9	15
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	9.8	88	2	2	7	10	26	28	28
1-5 YRS	160	3.9	15	<1	1	3	5	9	12	20
6-12 YRS	958	5.5	27	1	1	4	7	11	16	24
13-19 YRS	2452	4.1	15	1	1	3	5	8	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	6.0	61	1	1	2	12	15	15	15
1-11 MOS	6	6.8	48	1	1	4	11	18	19	19
1-5 YRS	54	7.5	53	<1	1	6	9	16	25	36
6-12 YRS	124	7.9	87	<1	1	4	11	19	28	44
13-19 YRS	199	5.2	42	<1	1	3	6	12	17	40
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.0	3	4	4	4	6	7	7	7
1-5 YRS	59	5.6	40	1	1	4	6	10	22	31
6-12 YRS	317	6.8	60	1	1	4	8	14	20	46
13-19 YRS	964	4.9	41	1	1	3	5	10	14	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	539	5.0	23	1	1	3	7	11	14	23
B. *Operated*	3577	4.4	18	1	1	3	5	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	386	6.4	59	<1	1	4	7	16	22	42
B. *Operated*	1343	5.4	46	1	1	3	6	11	16	40
1. SINGLE DX	4116	4.5	19	1	1	3	5	9	13	22
2. MULTIPLE DX	1729	5.6	49	1	1	3	6	12	18	42
A. NOT OPERATED	925	5.6	39	1	1	3	7	13	18	32
B. OPERATED	4920	4.7	26	1	1	3	5	9	13	25
TOTAL 0-27 DYS	9	3.4	20	1	1	2	3	11	15	15
1-11 MOS	20	7.0	46	1	1	4	9	16	23	28
1-5 YRS	402	5.2	25	1	1	4	7	11	14	28
6-12 YRS	1611	6.0	40	1	1	4	7	13	18	32
13-19 YRS	3803	4.3	23	1	1	3	5	8	12	25
GRAND TOTAL	**5845**	**4.8**	**28**	**1**	**1**	**3**	**6**	**10**	**14**	**27**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	6	2.2	1	1	1	2	3	4	4	4
6-12 YRS	10	3.4	24	<1	<1	1	4	11	17	17
13-19 YRS	8	6.1	59	2	2	2	10	19	20	20
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	15	2.5	2	<1	1	2	4	4	4	4
1-5 YRS	91	3.5	4	1	2	3	4	6	8	10
6-12 YRS	269	4.6	25	1	2	4	5	7	9	29
13-19 YRS	471	4.0	16	<1	1	3	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	33	3.4	39	<1	<1	1	2	6	20	30
6-12 YRS	24	4.8	45	<1	<1	1	5	14	24	25
13-19 YRS	29	4.4	31	<1	<1	3	5	11	15	27
B. *Operated*										
0-27 DYS	3	4.3	4	2	2	5	6	6	6	6
1-11 MOS	9	5.0	17	2	2	4	6	12	15	15
1-5 YRS	170	4.0	8	1	2	3	5	7	10	15
6-12 YRS	401	5.1	38	1	2	4	6	9	12	31
13-19 YRS	493	6.1	62	1	2	4	6	10	15	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	3.8	29	<1	<1	2	3	15	18	20
B. *Operated*	847	4.1	18	<1	1	3	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	88	4.1	37	<1	<1	1	4	11	22	29
B. *Operated*	1076	5.4	44	1	2	4	6	9	13	35
1. SINGLE DX	873	4.1	18	<1	1	3	5	7	8	17
2. MULTIPLE DX	1164	5.3	44	1	1	4	6	9	14	34
A. NOT OPERATED	114	4.0	35	<1	<1	2	4	12	19	28
B. OPERATED	1923	4.8	33	1	2	4	5	8	11	28
TOTAL 0-27 DYS	4	3.8	4	2	2	4	5	6	6	6
1-11 MOS	28	3.1	8	<1	<1	2	4	5	8	15
1-5 YRS	300	3.7	10	1	1	3	4	6	9	15
6-12 YRS	704	4.9	33	1	2	4	5	8	11	29
13-19 YRS	1001	5.0	40	1	1	4	6	9	12	30
GRAND TOTAL	**2037**	**4.8**	**33**	**1**	**1**	**4**	**5**	**8**	**11**	**28**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	8	4.4	7	1	1	4	6	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	2.3	1	1	1	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS	8	3.3	2	2	2	3	4	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	7.2	27	3	3	5	11	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.1	6	1	1	4	6	8	9	9
B. *Operated*	3	2.3	1	1	1	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	11	3.4	3	1	1	3	4	6	6	6
B. *Operated*	5	7.2	27	3	3	5	11	15	15	15
1. SINGLE DX	14	3.7	5	1	1	3	5	7	9	9
2. MULTIPLE DX	16	4.6	12	1	2	4	5	10	13	15
A. NOT OPERATED	22	3.7	4	1	1	3	5	7	8	9
B. OPERATED	8	5.4	22	1	1	3	7	13	15	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	4	3.5	4	2	2	3	5	6	6	6
13-19 YRS	24	4.3	10	1	2	3	5	9	11	15
GRAND TOTAL	**30**	**4.2**	**9**	**1**	**1**	**3**	**5**	**8**	**10**	**15**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	2.6	13	1	1	1	3	9	9	9
1-11 MOS	15	3.2	14	1	1	2	3	8	13	15
1-5 YRS	82	2.2	4	<1	<1	1	3	5	8	10
6-12 YRS	260	2.8	7	1	1	2	4	6	9	14
13-19 YRS	432	3.5	12	1	1	2	5	9	11	15
B. *Operated*										
0-27 DYS	3	7.3	17	4	4	6	10	12	12	12
1-11 MOS	13	2.6	5	<1	<1	2	3	7	7	7
1-5 YRS	189	2.8	5	<1	1	2	3	6	8	13
6-12 YRS	439	5.7	45	1	1	3	9	12	16	36
13-19 YRS	1613	4.9	23	<1	1	3	8	12	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	5.0	37	<1	<1	2	9	12	12	12
1-11 MOS	22	3.9	10	1	1	3	7	9	11	12
1-5 YRS	100	3.0	11	<1	<1	2	4	7	10	17
6-12 YRS	224	3.7	14	<1	1	3	5	8	9	18
13-19 YRS	447	4.6	19	1	1	3	6	10	14	20
B. *Operated*										
0-27 DYS										
1-11 MOS	26	2.8	4	<1	1	2	4	6	7	9
1-5 YRS	278	4.4	25	1	1	3	5	8	13	27
6-12 YRS	465	6.6	69	1	1	4	7	15	22	43
13-19 YRS	1432	5.4	54	1	1	3	6	12	16	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	794	3.1	10	<1	1	2	4	7	10	14
B. *Operated*	2257	4.9	26	<1	1	3	8	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	796	4.1	17	<1	1	3	5	9	12	19
B. *Operated*	2201	5.5	53	1	1	3	6	12	17	40
1. SINGLE DX	3051	4.4	22	<1	1	2	6	11	13	19
2. MULTIPLE DX	2997	5.1	44	1	1	3	5	11	16	34
A. NOT OPERATED	1590	3.6	13	<1	1	2	5	8	11	17
B. OPERATED	4458	5.2	40	1	1	3	7	12	15	31
TOTAL 0-27 DYS	11	4.5	20	<1	<1	2	8	12	12	12
1-11 MOS	76	3.2	8	1	1	2	4	7	9	14
1-5 YRS	649	3.4	15	<1	1	2	4	7	10	18
6-12 YRS	1388	5.1	43	1	1	3	6	11	15	36
13-19 YRS	3924	4.9	33	1	1	3	7	11	15	26
GRAND TOTAL	**6048**	**4.8**	**33**	**1**	**1**	**3**	**6**	**11**	**14**	**28**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	7	5.0	9	2	2	4	8	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	5	3.8	5	2	2	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS	4	3.0	3	1	1	3	4	5	5	5
13-19 YRS	24	6.0	14	2	3	5	8	11	14	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	2	4.0	2	3	3	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.2	8	2	2	3	7	8	9	9
B. *Operated*	6	3.5	4	2	2	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	29	5.6	13	2	2	4	7	10	12	18
B. *Operated*	5	3.2	2	2	2	3	4	5	5	5
1. SINGLE DX	16	3.9	6	2	2	3	6	8	9	9
2. MULTIPLE DX	34	5.2	12	2	2	4	7	9	12	18
A. NOT OPERATED	39	5.2	12	2	2	4	7	9	12	18
B. OPERATED	11	3.4	3	2	2	3	5	6	7	7
TOTAL 0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	9	2.8	2	1	1	2	4	5	5	5
13-19 YRS	38	5.4	11	2	2	4	7	9	12	18
GRAND TOTAL	**50**	**4.8**	**10**	**2**	**2**	**4**	**7**	**9**	**11**	**18**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	22	4.4	16	1	1	3	7	10	13	16
1-11 MOS	59	2.9	7	<1	1	2	4	7	9	13
1-5 YRS	89	2.3	6	<1	<1	1	3	5	6	14
6-12 YRS	25	2.9	13	<1	1	2	3	4	11	18
13-19 YRS	25	2.6	3	1	1	2	4	5	6	7
B. *Operated*										
0-27 DYS	54	7.8	24	2	2	7	11	15	18	19
1-11 MOS	157	7.1	28	2	3	6	8	11	17	32
1-5 YRS	74	6.9	34	2	2	6	8	12	25	82
6-12 YRS	54	6.6	27	2	2	6	8	11	15	32
13-19 YRS	37	7.4	33	2	2	7	9	15	16	29
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	22	9.7	139	1	2	6	11	23	38	53
1-11 MOS	177	4.4	26	1	1	3	5	9	13	22
1-5 YRS	211	4.8	67	<1	1	2	5	9	15	67
6-12 YRS	99	4.8	40	1	1	3	6	11	14	37
13-19 YRS	64	5.3	22	1	2	4	6	13	16	23
B. *Operated*										
0-27 DYS	38	18.8	223	4	4	15	25	37	45	78
1-11 MOS	162	12.2	162	2	3	9	14	26	41	90
1-5 YRS	205	9.0	129	2	2	5	10	21	41	99+
6-12 YRS	169	9.5	121	1	2	5	11	22	32	58
13-19 YRS	89	12.1	180	2	2	8	15	33	49	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	2.8	8	<1	<1	2	4	6	8	17
B. *Operated*	376	7.1	29	2	2	6	9	13	18	31
2. MULTIPLE DX										
A. *Not Operated*	573	4.9	48	<1	1	3	6	10	15	43
B. *Operated*	663	10.9	152	2	2	7	13	25	40	77
1. SINGLE DX	596	5.5	25	1	1	4	7	11	15	29
2. MULTIPLE DX	1236	8.1	113	1	1	4	9	19	29	64
A. NOT OPERATED	793	4.3	38	<1	1	3	5	9	14	28
B. OPERATED	1039	9.5	111	2	2	7	11	21	32	66
TOTAL 0-27 DYS	136	10.6	123	1	2	7	14	22	32	56
1-11 MOS	555	7.3	76	1	1	5	9	15	21	46
1-5 YRS	579	6.2	81	<1	1	4	7	13	23	80
6-12 YRS	347	7.2	81	1	1	4	8	17	23	52
13-19 YRS	215	8.2	99	1	2	5	9	19	31	58
GRAND TOTAL	**1832**	**7.3**	**86**	**1**	**1**	**4**	**8**	**16**	**24**	**58**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	1.9	1	<1	<1	1	3	3	3	3
1-11 MOS	179	1.4	7	<1	<1	1	1	1	2	12
1-5 YRS	204	1.2		<1	<1	1	1	2	2	5
6-12 YRS	14	1.9	3	<1	<1	1	3	4	6	7
13-19 YRS	10	1.4		<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS	24	5.4	213	<1	<1	2	3	5	31	73
1-11 MOS	257	2.3	4	<1	1	2	3	4	6	15
1-5 YRS	760	2.0	2	<1	<1	2	2	3	5	7
6-12 YRS	691	2.0	2	<1	1	2	2	3	4	8
13-19 YRS	401	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	2.4	4	<1	<1	2	3	6	7	7
1-11 MOS	83	1.9	4	<1	<1	1	2	4	6	12
1-5 YRS	84	1.9	6	<1	<1	1	2	4	5	16
6-12 YRS	19	1.5	2	<1	<1	1	1	4	5	5
13-19 YRS	12	2.5	3	<1	<1	2	4	5	5	5
B. *Operated*										
0-27 DYS	10	8.1	83	1	1	5	15	22	28	28
1-11 MOS	125	3.5	25	<1	1	2	4	6	10	33
1-5 YRS	271	2.3	3	<1	1	2	2	4	5	10
6-12 YRS	194	2.5	3	<1	1	2	3	5	6	9
13-19 YRS	128	3.1	6	1	1	2	3	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	414	1.3	3	<1	<1	1	1	2	2	7
B. *Operated*	2133	2.2	5	<1	1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	207	1.9	5	<1	<1	1	2	4	5	13
B. *Operated*	728	2.8	9	<1	1	2	3	5	7	14
1. SINGLE DX	2547	2.0	5	<1	<1	2	2	3	5	8
2. MULTIPLE DX	935	2.6	8	<1	<1	2	3	5	7	14
A. NOT OPERATED	621	1.5	4	<1	<1	1	1	2	4	10
B. OPERATED	2861	2.3	6	<1	1	2	2	4	5	11
TOTAL 0-27 DYS	50	4.9	121	<1	<1	2	4	10	17	73
1-11 MOS	644	2.2	10	<1	<1	1	2	4	6	15
1-5 YRS	1319	1.9	2	<1	<1	2	2	3	5	8
6-12 YRS	918	2.1	2	<1	1	2	2	3	5	8
13-19 YRS	551	2.5	4	<1	1	2	3	4	6	11
GRAND TOTAL	**3482**	**2.2**	**6**	**<1**	**<1**	**2**	**2**	**4**	**5**	**11**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	36	4.3	13	<1	1	3	6	8	14	15
1-11 MOS	65	3.2	11	<1	1	2	4	8	10	17
1-5 YRS	69	3.3	12	<1	<1	2	5	7	9	18
6-12 YRS	17	2.1	4	<1	<1	1	2	6	7	7
13-19 YRS	27	2.8	9	<1	1	2	3	5	8	16
B. *Operated*										
0-27 DYS	43	8.0	45	2	2	6	11	18	22	33
1-11 MOS	549	5.4	24	1	1	4	8	11	15	22
1-5 YRS	1573	4.7	20	1	1	3	7	9	11	17
6-12 YRS	579	4.4	15	1	1	2	7	9	11	18
13-19 YRS	362	4.7	18	1	1	2	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	117	6.1	50	<1	1	4	7	13	22	42
1-11 MOS	443	5.1	40	<1	1	3	6	11	17	32
1-5 YRS	357	3.6	40	<1	<1	2	4	7	11	31
6-12 YRS	109	3.6	38	<1	<1	2	3	7	9	35
13-19 YRS	113	4.7	37	<1	1	3	5	9	17	37
B. *Operated*										
0-27 DYS	182	12.6	196	1	2	8	16	28	47	98
1-11 MOS	1506	9.0	119	1	1	7	12	20	31	76
1-5 YRS	1994	6.5	60	1	1	3	9	13	19	42
6-12 YRS	724	5.9	52	1	1	2	9	12	17	40
13-19 YRS	470	6.0	55	1	1	3	8	12	16	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	3.3	11	<1	1	2	4	7	10	17
B. *Operated*	3106	4.8	20	1	1	3	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	1139	4.6	41	<1	1	3	5	9	15	32
B. *Operated*	4876	7.4	84	1	1	4	10	16	23	54
1. SINGLE DX	3320	4.7	20	1	1	2	7	10	12	19
2. MULTIPLE DX	6015	6.8	77	1	1	3	9	15	22	49
A. NOT OPERATED	1353	4.4	37	<1	1	3	5	9	14	31
B. OPERATED	7982	6.4	61	1	1	4	9	13	18	42
TOTAL 0-27 DYS	378	9.2	127	1	1	6	11	21	31	67
1-11 MOS	2563	7.4	86	1	1	4	10	17	23	58
1-5 YRS	3993	5.5	43	1	1	3	8	11	15	32
6-12 YRS	1429	5.1	36	1	1	2	8	11	13	27
13-19 YRS	972	5.3	38	1	1	3	8	11	14	29
GRAND TOTAL	**9335**	**6.1**	**58**	**1**	**1**	**3**	**8**	**13**	**18**	**41**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	3.5	4	1	1	4	5	5	5	5
1-11 MOS	8	2.1	2	<1	<1	2	3	4	5	5
1-5 YRS	10	1.7	2	<1	<1	1	2	4	5	5
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	32	5.0	16	1	1	5	7	8	8	21
1-11 MOS	754	4.3	5	2	2	4	6	7	8	10
1-5 YRS	701	3.9	3	2	2	4	5	6	7	10
6-12 YRS	181	3.0	2	1	1	3	4	5	6	9
13-19 YRS	164	3.3	5	1	2	3	4	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	15	3.6	10	1	1	3	5	9	11	12
1-11 MOS	51	3.7	24	<1	<1	1	5	11	16	23
1-5 YRS	92	1.5	4	<1	<1	1	1	2	4	13
6-12 YRS	13	1.2		<1	<1	1	1	2	2	2
13-19 YRS	6	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-27 DYS	11	7.1	108	1	1	2	8	23	35	36
1-11 MOS	425	4.6	6	2	2	4	6	7	8	13
1-5 YRS	672	4.3	14	2	2	4	5	7	8	13
6-12 YRS	193	3.3	5	1	2	3	4	5	6	12
13-19 YRS	230	3.2	2	1	2	3	4	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.2	2	<1	<1	1	3	5	5	5
B. *Operated*	1832	3.9	5	1	2	3	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	177	2.3	11	<1	<1	1	2	5	9	18
B. *Operated*	1531	4.1	10	2	2	4	5	7	8	13
1. SINGLE DX	1854	3.9	5	1	2	3	5	7	8	10
2. MULTIPLE DX	1708	3.9	10	1	1	3	5	7	8	14
A. NOT OPERATED	199	2.3	10	<1	<1	1	2	5	8	18
B. OPERATED	3363	4.0	7	2	2	3	5	7	8	12
TOTAL 0-27 DYS	62	4.9	30	1	1	3	7	8	13	34
1-11 MOS	1238	4.4	6	1	2	4	6	7	8	13
1-5 YRS	1475	3.9	9	1	2	3	5	6	7	11
6-12 YRS	387	3.1	4	1	1	3	4	5	6	10
13-19 YRS	400	3.2	3	1	2	3	4	5	6	10
GRAND TOTAL	**3562**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**8**	**12**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	26	2.4	1	1	1	2	3	4	5	5
1-11 MOS	53	2.5	2	<1	1	2	3	4	5	6
1-5 YRS	16	2.3	2	<1	1	2	3	3	6	7
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	533	3.7	3	2	2	3	4	6	7	9
1-11 MOS	1127	3.6	3	2	2	3	4	5	6	10
1-5 YRS	122	4.5	5	2	2	4	5	7	9	14
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	4.1	4	1	2	4	5	6	8	8
1-11 MOS	45	3.5	5	<1	1	3	4	7	9	10
1-5 YRS	11	3.5	8	1	1	3	6	8	8	8
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	130	5.0	8	2	2	4	6	9	10	17
1-11 MOS	304	4.8	8	2	2	4	6	8	10	16
1-5 YRS	27	6.1	9	2	3	6	8	10	13	14
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	2.5	2	1	1	2	3	4	5	7
B. *Operated*	1782	3.7	3	2	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	67	3.6	5	1	1	3	5	7	8	10
B. *Operated*	461	4.9	8	2	2	4	6	8	10	16
1. SINGLE DX	1877	3.6	3	2	2	3	4	6	7	10
2. MULTIPLE DX	528	4.8	8	2	2	4	6	8	10	16
A. NOT OPERATED	162	2.9	3	1	1	2	4	5	7	9
B. OPERATED	2243	3.9	5	2	2	4	5	6	7	12
TOTAL 0-27 DYS	700	3.9	4	2	2	4	5	6	8	10
1-11 MOS	1529	3.8	5	2	2	3	4	6	7	12
1-5 YRS	176	4.5	6	1	2	4	5	7	10	14
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**2405**	**3.9**	**5**	**2**	**2**	**3**	**5**	**6**	**7**	**12**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	23	4.5	37	<1	1	2	4	13	22	23
1-11 MOS	136	3.2	13	<1	1	2	4	6	10	22
1-5 YRS	147	2.2	7	<1	<1	1	2	4	6	14
6-12 YRS	33	2.7	5	<1	<1	2	3	5	8	9
13-19 YRS	19	2.5	2	1	1	3	3	5	5	5
B. *Operated*										
0-27 DYS	62	9.8	143	1	2	7	12	19	24	77
1-11 MOS	339	7.3	38	1	1	6	10	16	19	26
1-5 YRS	393	4.7	40	<1	<1	3	7	11	12	24
6-12 YRS	204	4.7	27	<1	1	3	6	8	11	29
13-19 YRS	221	3.7	14	1	1	2	5	8	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	36	3.9	27	1	1	2	3	7	11	31
1-11 MOS	210	5.9	46	1	1	4	7	12	17	38
1-5 YRS	203	5.0	27	<1	1	3	7	11	16	25
6-12 YRS	50	4.7	10	<1	1	4	8	9	9	13
13-19 YRS	37	4.2	13	1	1	3	5	11	13	14
B. *Operated*										
0-27 DYS	91	14.4	144	2	3	11	20	29	39	85
1-11 MOS	333	12.2	157	1	2	9	16	30	44	99+
1-5 YRS	426	9.1	123	1	1	6	10	19	29	64
6-12 YRS	203	6.0	32	1	1	5	8	12	15	39
13-19 YRS	223	4.8	21	1	1	3	6	9	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	358	2.8	11	<1	<1	2	3	6	9	21
B. *Operated*	1219	5.5	40	<1	1	3	8	12	16	27
2. MULTIPLE DX										
A. *Not Operated*	536	5.2	32	<1	1	3	7	11	15	29
B. *Operated*	1276	9.1	110	1	2	6	11	20	31	79
1. SINGLE DX	1577	4.9	35	<1	<1	3	6	11	15	26
2. MULTIPLE DX	1812	7.9	90	1	1	5	10	18	27	64
A. NOT OPERATED	894	4.2	26	<1	<1	2	5	9	13	23
B. OPERATED	2495	7.3	79	1	1	5	9	16	24	57
TOTAL 0-27 DYS	212	10.2	129	1	1	6	14	23	31	71
1-11 MOS	1018	8.1	85	1	1	5	10	18	26	66
1-5 YRS	1169	6.0	70	<1	<1	3	8	13	19	45
6-12 YRS	490	5.1	27	<1	1	4	7	10	13	30
13-19 YRS	500	4.2	17	1	1	3	5	8	12	20
GRAND TOTAL	**3389**	**6.5**	**67**	**<1**	**1**	**4**	**8**	**14**	**21**	**47**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS										
1-5 YRS	16	1.5		<1	<1	1	2	2	2	2
6-12 YRS	13	1.4	1	<1	<1	1	1	3	4	4
13-19 YRS	5	1.8	1	<1	<1	2	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	33	1.7	1	<1	<1	2	2	3	3	5
1-5 YRS	1253	2.1	1	<1	<1	2	3	3	4	7
6-12 YRS	1105	2.3	2	<1	1	2	3	4	5	7
13-19 YRS	351	2.7	2	1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	1.0		<1	<1	1	1	1	1	1
1-5 YRS	96	1.2	1	<1	<1	1	1	2	3	5
6-12 YRS	38	1.2		<1	<1	1	1	2	3	4
13-19 YRS	9	1.7	1	<1	<1	1	2	4	4	4
B. *Operated*										
0-27 DYS	6	3.2	15	1	1	2	2	10	11	11
1-11 MOS	69	2.0	5	<1	<1	2	2	3	3	16
1-5 YRS	1234	2.2	2	<1	<1	2	3	4	5	7
6-12 YRS	870	2.6	2	<1	1	2	3	4	6	9
13-19 YRS	261	3.0	3	1	1	3	4	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	1.5	1	<1	<1	1	2	2	3	4
B. *Operated*	2742	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	148	1.2	1	<1	<1	1	1	2	3	5
B. *Operated*	2440	2.4	2	<1	1	2	3	4	5	8
1. SINGLE DX	2777	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	2588	2.4	2	<1	<1	2	3	4	5	8
A. NOT OPERATED	183	1.3	1	<1	<1	1	1	2	3	5
B. OPERATED	5182	2.3	2	<1	1	2	3	4	5	7
TOTAL 0-27 DYS	7	2.9	13	<1	<1	2	2	9	11	11
1-11 MOS	107	1.9	3	<1	<1	2	2	3	3	11
1-5 YRS	2599	2.1	2	<1	<1	2	3	4	4	7
6-12 YRS	2026	2.4	2	<1	1	2	3	4	5	8
13-19 YRS	626	2.8	3	1	1	3	3	5	6	9
GRAND TOTAL	**5365**	**2.3**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**7**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	2.2	3	<1	<1	2	3	5	6	6
1-11 MOS	16	2.4	3	1	1	2	3	4	7	8
1-5 YRS	40	3.1	27	<1	<1	1	3	5	14	27
6-12 YRS	20	1.9	1	<1	<1	2	2	3	3	4
13-19 YRS	25	2.5	4	<1	<1	2	3	5	7	10
B. *Operated*										
0-27 DYS	38	6.6	26	2	2	5	7	16	19	20
1-11 MOS	157	5.2	25	<1	<1	3	8	9	15	27
1-5 YRS	1514	4.9	14	<1	1	4	8	10	12	15
6-12 YRS	457	4.9	15	<1	1	4	8	10	13	16
13-19 YRS	424	4.5	13	<1	1	3	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	4.8	7	2	2	4	7	9	9	9
1-11 MOS	43	4.7	20	<1	<1	3	6	10	12	24
1-5 YRS	115	2.7	18	<1	<1	1	2	7	11	26
6-12 YRS	25	2.2	2	<1	<1	2	3	4	5	5
13-19 YRS	43	4.1	27	<1	1	3	4	8	17	25
B. *Operated*										
0-27 DYS	26	10.3	66	2	2	7	16	21	29	30
1-11 MOS	183	7.5	57	1	1	6	10	15	19	56
1-5 YRS	984	6.0	28	<1	1	5	8	13	16	23
6-12 YRS	393	5.5	48	<1	1	4	9	11	15	26
13-19 YRS	390	5.9	34	1	1	4	8	12	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	2.6	11	<1	<1	2	3	4	6	23
B. *Operated*	2590	4.9	15	<1	1	4	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	234	3.4	18	<1	<1	2	4	8	11	25
B. *Operated*	1976	6.1	37	<1	1	5	8	13	16	27
1. SINGLE DX	2702	4.8	15	<1	1	4	7	10	12	17
2. MULTIPLE DX	2210	5.8	35	<1	1	4	8	13	16	27
A. NOT OPERATED	346	3.1	16	<1	<1	2	3	7	10	25
B. OPERATED	4566	5.4	24	<1	1	4	8	11	14	22
TOTAL 0-27 DYS	83	7.0	40	1	2	5	8	17	20	30
1-11 MOS	399	6.1	40	<1	1	4	8	13	16	32
1-5 YRS	2653	5.2	20	<1	1	4	8	11	13	20
6-12 YRS	895	5.0	29	<1	1	3	8	11	13	18
13-19 YRS	882	5.0	23	<1	1	4	6	10	14	25
GRAND TOTAL	**4912**	**5.3**	**24**	**<1**	**1**	**4**	**8**	**11**	**14**	**22**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	21	4.0	39	<1	<1	1	3	14	21	24
1-5 YRS	16	1.7	3	<1	<1	1	2	3	6	7
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	3	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	556	3.0	3	1	1	3	4	5	5	14
1-5 YRS	558	3.4	3	1	2	3	4	5	7	10
6-12 YRS	271	3.8	3	2	2	4	4	6	7	10
13-19 YRS	173	4.1	4	2	2	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	48	1.6	9	<1	<1	1	1	2	3	21
1-5 YRS	71	1.7	16	<1	<1	1	1	2	4	28
6-12 YRS	13	1.5	4	<1	<1	1	1	3	7	8
13-19 YRS	5	1.4		1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	146	3.7	5	1	2	3	4	6	8	12
1-5 YRS	272	3.6	5	1	1	3	4	6	8	12
6-12 YRS	214	4.4	24	1	2	3	5	6	9	22
13-19 YRS	305	4.7	10	2	2	4	6	8	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	3.0	21	<1	<1	1	3	6	13	24
B. *Operated*	1558	3.4	3	1	2	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	138	1.7	12	<1	<1	1	1	2	5	23
B. *Operated*	937	4.1	11	1	2	3	5	7	9	16
1. SINGLE DX	1602	3.4	4	1	1	3	4	5	7	11
2. MULTIPLE DX	1075	3.8	12	<1	1	3	5	7	8	17
A. NOT OPERATED	182	2.0	14	<1	<1	1	1	3	6	23
B. OPERATED	2495	3.7	6	1	2	3	4	6	8	13
TOTAL 0-27 DYS	3	5.3	10	3	3	4	8	9	9	9
1-11 MOS	771	3.1	5	<1	1	3	4	5	6	15
1-5 YRS	917	3.3	5	1	1	3	4	6	7	11
6-12 YRS	500	4.0	12	1	2	3	5	6	8	16
13-19 YRS	486	4.4	8	2	2	4	5	7	9	15
GRAND TOTAL	**2677**	**3.6**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	26	4.2	13	1	1	2	6	10	12	14
1-11 MOS	285	2.8	11	<1	<1	2	3	6	11	16
1-5 YRS	252	2.3	7	<1	<1	1	2	4	7	16
6-12 YRS	82	4.1	24	1	1	3	4	9	12	29
13-19 YRS	94	3.7	14	1	1	2	5	8	9	21
B. *Operated*										
0-27 DYS	30	5.4	20	1	1	4	7	10	15	22
1-11 MOS	860	5.8	29	1	1	4	8	12	17	26
1-5 YRS	1674	3.9	22	<1	1	2	5	7	11	24
6-12 YRS	1238	4.1	24	1	1	3	5	7	9	18
13-19 YRS	1616	4.1	15	1	1	3	5	8	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	64	8.2	106	1	1	4	9	17	33	50
1-11 MOS	343	5.9	85	<1	1	3	7	14	20	55
1-5 YRS	374	3.7	24	<1	<1	2	4	8	12	22
6-12 YRS	154	3.4	17	<1	1	2	4	7	11	25
13-19 YRS	167	4.3	18	<1	<1	3	6	9	14	21
B. *Operated*										
0-27 DYS	23	12.7	137	2	3	9	17	25	37	55
1-11 MOS	377	8.7	88	1	1	5	12	22	28	90
1-5 YRS	865	5.8	54	1	1	4	6	12	19	36
6-12 YRS	631	6.6	65	1	2	4	7	13	20	42
13-19 YRS	826	5.7	41	1	2	4	7	11	17	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	739	2.9	12	<1	<1	2	3	7	10	16
B. *Operated*	5418	4.3	22	1	1	3	5	8	12	23
2. MULTIPLE DX										
A. *Not Operated*	1102	4.7	48	<1	1	3	5	10	15	36
B. *Operated*	2722	6.4	59	1	1	4	7	14	21	40
1. SINGLE DX	6157	4.1	21	1	1	3	5	8	11	22
2. MULTIPLE DX	3824	5.9	57	1	1	4	7	13	20	39
A. NOT OPERATED	1841	4.0	34	<1	<1	2	4	9	13	26
B. OPERATED	8140	5.0	35	1	1	3	6	10	15	30
TOTAL 0-27 DYS	143	7.6	82	1	1	5	9	15	25	51
1-11 MOS	1865	5.9	52	<1	1	4	8	14	20	38
1-5 YRS	3165	4.3	31	<1	1	2	5	9	13	29
6-12 YRS	2105	4.8	37	1	1	3	6	9	12	32
13-19 YRS	2703	4.6	24	1	1	3	5	9	12	25
GRAND TOTAL	**9981**	**4.8**	**35**	**1**	**1**	**3**	**6**	**10**	**14**	**30**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6839	3.1	12	1	1	2	3	5	8	21
1-11 MOS	651	4.2	26	1	1	3	5	9	13	25
1-5 YRS	650	5.4	40	1	1	3	6	12	19	32
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	131	4.3	23	1	2	3	5	8	14	48
1-11 MOS	62	6.5	57	<1	1	3	10	15	24	34
1-5 YRS	31	7.6	85	1	1	4	9	21	28	41
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3394	8.0	112	1	2	4	9	21	29	55
1-11 MOS	1075	9.5	142	1	1	5	11	24	36	70
1-5 YRS	743	12.4	194	2	2	7	16	30	41	78
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	333	19.8	465	2	3	12	30	71	98	99+
1-11 MOS	175	17.3	394	1	1	10	27	56	93	99+
1-5 YRS	105	21.9	555	1	2	15	44	95	99+	99+
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8140	3.4	16	1	1	2	3	6	10	23
B. *Operated*	224	5.4	42	1	1	3	6	12	22	38
2. MULTIPLE DX										
A. *Not Operated*	5212	9.0	132	1	2	5	10	23	32	63
B. *Operated*	613	19.5	461	1	2	12	30	71	99+	99+
1. SINGLE DX	8364	3.4	17	1	1	2	3	6	10	23
2. MULTIPLE DX	5825	10.1	177	1	2	5	12	26	40	90
A. NOT OPERATED	13352	5.6	69	1	1	3	5	13	22	44
B. OPERATED	837	15.7	388	1	2	9	22	58	91	99+
TOTAL 0-27 DYS	10697	5.2	70	1	1	3	4	11	21	49
1-11 MOS	1963	8.3	137	1	1	4	9	22	34	75
1-5 YRS	1529	10.0	172	1	2	5	12	25	40	92
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**14189**	**6.2**	**93**	**1**	**1**	**3**	**6**	**15**	**25**	**60**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	113	4.4	23	1	1	3	5	9	11	27
1-11 MOS	861	3.2	7	1	1	2	4	6	8	14
1-5 YRS	3050	2.6	4	1	1	2	3	5	6	11
6-12 YRS	1420	2.8	6	1	1	2	3	5	6	11
13-19 YRS	1459	3.2	7	1	1	3	4	6	7	13
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	10	3.1	5	1	1	2	5	7	8	8
1-5 YRS	25	3.9	17	<1	1	3	4	7	11	21
6-12 YRS	16	3.0	5	1	1	3	4	5	8	10
13-19 YRS	36	4.3	8	2	2	4	6	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	56	6.3	25	1	2	5	7	13	18	22
1-11 MOS	1431	3.9	16	1	1	3	5	7	10	19
1-5 YRS	5715	3.1	7	1	1	3	4	6	7	13
6-12 YRS	1178	3.7	14	1	1	3	4	7	10	19
13-19 YRS	1165	4.7	28	1	1	3	5	9	13	28
B. *Operated*										
0-27 DYS	2	26.5	925	5	5	26	48	48	48	48
1-11 MOS	41	10.0	123	1	2	7	12	26	50	99+
1-5 YRS	137	6.6	69	1	1	4	8	14	23	39
6-12 YRS	39	9.1	137	1	1	5	9	28	40	50
13-19 YRS	68	8.1	67	1	2	6	9	17	22	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6903	2.9	6	1	1	2	4	5	7	12
B. *Operated*	88	3.9	10	1	1	3	5	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	9545	3.5	12	1	1	3	4	6	9	17
B. *Operated*	287	7.9	91	1	2	5	9	18	28	54
1. SINGLE DX	6991	2.9	6	1	1	2	4	5	7	12
2. MULTIPLE DX	9832	3.7	15	1	1	3	4	7	9	19
A. NOT OPERATED	16448	3.2	10	1	1	2	4	6	8	15
B. OPERATED	375	7.0	75	1	2	4	8	15	25	52
TOTAL 0-27 DYS	172	5.3	35	1	1	4	6	11	14	39
1-11 MOS	2343	3.8	16	1	1	3	4	7	10	19
1-5 YRS	8927	3.0	7	1	1	2	4	5	7	13
6-12 YRS	2653	3.3	12	1	1	2	4	6	8	16
13-19 YRS	2728	4.0	18	1	1	3	5	7	10	22
GRAND TOTAL	**16823**	**3.3**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	238	3.2	4	1	1	3	4	5	6	9
1-11 MOS	765	2.9	3	1	1	3	4	5	6	9
1-5 YRS	789	2.7	3	1	1	2	3	5	6	8
6-12 YRS	321	3.4	5	1	1	3	4	6	7	11
13-19 YRS	212	3.6	5	1	1	3	4	6	7	11
B. *Operated*										
0-27 DYS	5	3.4	3	<1	<1	3	4	6	6	6
1-11 MOS	11	4.1	15	<1	1	4	4	9	14	15
1-5 YRS	16	5.6	29	<1	<1	4	7	11	18	21
6-12 YRS	12	5.6	19	2	2	4	7	12	16	17
13-19 YRS	10	8.6	32	<1	1	8	10	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	216	3.7	5	1	2	3	4	6	8	12
1-11 MOS	1137	3.2	5	1	1	3	4	5	6	11
1-5 YRS	1618	3.4	13	1	1	3	4	6	7	14
6-12 YRS	655	3.6	8	1	1	3	4	6	8	12
13-19 YRS	435	4.3	18	1	2	3	5	7	10	20
B. *Operated*										
0-27 DYS	10	3.6	1	2	2	4	5	5	5	5
1-11 MOS	30	6.3	71	1	1	3	7	15	25	41
1-5 YRS	50	7.7	65	1	1	6	9	13	27	41
6-12 YRS	48	7.4	36	2	2	6	9	12	18	35
13-19 YRS	40	12.2	171	1	2	7	18	30	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2325	3.0	4	1	1	3	4	5	6	10
B. *Operated*	54	5.6	23	<1	1	4	8	12	17	21
2. MULTIPLE DX										
A. *Not Operated*	4061	3.5	10	1	1	3	4	6	8	13
B. *Operated*	178	8.2	83	1	2	5	9	19	28	62
1. SINGLE DX	2379	3.1	4	1	1	3	4	5	6	11
2. MULTIPLE DX	4239	3.7	14	1	1	3	4	6	8	17
A. NOT OPERATED	6386	3.3	8	1	1	3	4	6	7	12
B. OPERATED	232	7.6	70	1	2	5	9	17	25	46
TOTAL 0-27 DYS	469	3.4	4	1	1	3	4	5	7	11
1-11 MOS	1943	3.1	6	1	1	3	4	5	6	11
1-5 YRS	2473	3.3	11	1	1	3	4	6	7	13
6-12 YRS	1036	3.8	9	1	1	3	5	7	9	14
13-19 YRS	697	4.6	27	1	2	3	5	8	11	28
GRAND TOTAL	**6618**	**3.5**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	43	2.2	3	<1	1	2	3	4	6	8
6-12 YRS	279	2.5	3	1	1	2	3	4	5	10
13-19 YRS	603	3.0	5	1	1	2	4	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	10	2.4	1	1	1	2	3	4	4	4
13-19 YRS	35	3.7	7	1	1	2	6	9	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	52	3.0	15	1	1	2	3	5	8	27
6-12 YRS	335	3.0	4	1	1	3	4	5	6	8
13-19 YRS	705	3.7	9	1	1	3	4	6	8	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.3	16	<1	<1	1	6	8	8	8
6-12 YRS	13	3.0	2	2	2	3	4	5	6	6
13-19 YRS	40	5.3	25	1	1	4	6	11	14	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	926	2.8	4	1	1	2	3	5	7	12
B. *Operated*	46	3.5	6	1	1	3	4	7	9	10
2. MULTIPLE DX										
A. *Not Operated*	1093	3.4	8	1	1	3	4	6	8	16
B. *Operated*	56	4.7	20	1	1	3	6	10	12	26
1. SINGLE DX	972	2.9	4	1	1	2	3	5	7	12
2. MULTIPLE DX	1149	3.5	8	1	1	3	4	6	8	17
A. NOT OPERATED	2019	3.2	6	1	1	3	4	6	7	13
B. OPERATED	102	4.1	14	1	1	3	5	8	10	22
TOTAL 0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	99	2.7	9	<1	1	2	3	5	7	19
6-12 YRS	637	2.8	3	1	1	2	3	5	6	9
13-19 YRS	1383	3.4	8	1	1	3	4	6	8	15
GRAND TOTAL	**2121**	**3.2**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	33	1.7	1	<1	<1	1	2	3	3	4
6-12 YRS	34	2.4	3	<1	<1	2	3	5	6	6
13-19 YRS	58	2.9	4	<1	1	2	4	6	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	40	1.5	7	<1	<1	<1	1	1	2	18
6-12 YRS	47	2.0	3	<1	<1	1	2	5	6	9
13-19 YRS	41	2.7	4	<1	<1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	5	5.4	44	1	1	2	8	17	17	17
1-5 YRS	79	2.6	6	1	1	2	3	5	7	13
6-12 YRS	72	2.6	3	1	1	2	3	5	6	10
13-19 YRS	67	3.1	5	<1	1	3	4	6	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	21	2.4	3	1	1	2	3	5	6	7
6-12 YRS	31	3.1	5	<1	1	2	5	6	7	9
13-19 YRS	33	3.9	11	1	1	3	6	9	12	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	2.4	3	<1	1	2	3	5	6	8
B. *Operated*	128	2.1	5	<1	<1	1	2	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	224	2.9	6	<1	1	2	4	6	8	12
B. *Operated*	86	3.3	7	1	1	2	4	7	8	13
1. SINGLE DX	257	2.3	4	<1	<1	1	3	5	6	8
2. MULTIPLE DX	310	3.0	6	1	1	2	4	6	8	13
A. NOT OPERATED	353	2.7	5	<1	1	2	3	5	7	11
B. OPERATED	214	2.6	6	<1	<1	2	3	6	7	13
TOTAL 0-27 DYS	3	6.3	20	2	2	6	10	11	11	11
1-11 MOS	8	4.6	29	1	1	2	6	14	17	17
1-5 YRS	173	2.1	5	<1	<1	1	2	4	6	13
6-12 YRS	184	2.5	3	<1	<1	2	3	5	6	9
13-19 YRS	199	3.1	5	<1	1	2	4	6	8	12
GRAND TOTAL	**567**	**2.7**	**5**	**<1**	**<1**	**2**	**3**	**6**	**7**	**12**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	5	3.4	7	1	1	3	5	7	7	7
1-11 MOS	9	3.8	11	1	1	2	5	10	10	10
1-5 YRS	47	3.4	4	1	1	3	5	7	7	8
6-12 YRS	53	3.2	4	1	1	2	5	7	7	8
13-19 YRS	57	3.2	4	<1	1	3	4	6	8	10
B. Operated										
0-27 DYS										
1-11 MOS	10	2.9	17	<1	<1	1	1	10	13	13
1-5 YRS	151	1.7	1	<1	<1	1	2	3	3	7
6-12 YRS	219	2.1	3	<1	<1	2	2	4	5	12
13-19 YRS	351	2.3	3	<1	<1	2	2	4	6	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	6	13.8	188	3	3	8	22	36	38	38
1-11 MOS	33	3.9	30	<1	1	3	4	8	11	31
1-5 YRS	85	4.2	13	<1	1	4	5	7	9	23
6-12 YRS	64	4.0	9	1	1	3	6	9	10	13
13-19 YRS	108	3.7	12	1	1	3	5	7	9	22
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	12	15.3	342	<1	1	11	22	38	63	67
1-5 YRS	52	5.1	56	<1	1	3	7	11	12	50
6-12 YRS	70	3.3	9	<1	<1	2	4	7	9	17
13-19 YRS	110	4.3	19	<1	1	3	5	11	14	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	171	3.3	5	1	1	3	5	7	8	10
B. Operated	731	2.1	3	<1	<1	2	2	3	5	11
2. MULTIPLE DX										
A. Not Operated	296	4.1	18	<1	1	3	5	8	10	28
B. Operated	245	4.7	44	<1	1	3	5	11	14	29
1. SINGLE DX	902	2.4	3	<1	<1	2	3	5	7	11
2. MULTIPLE DX	541	4.4	30	<1	1	3	5	9	12	28
A. NOT OPERATED	467	3.8	14	1	1	3	5	7	9	21
B. OPERATED	976	2.8	15	<1	<1	2	3	5	9	15
TOTAL 0-27 DYS	12	8.7	117	1	1	5	8	27	36	38
1-11 MOS	64	5.9	100	<1	<1	3	6	13	24	62
1-5 YRS	335	3.1	15	<1	<1	2	4	7	8	13
6-12 YRS	406	2.8	6	<1	<1	2	3	6	8	12
13-19 YRS	626	3.0	8	<1	1	2	3	6	8	14
GRAND TOTAL	**1443**	**3.1**	**15**	**<1**	**<1**	**2**	**3**	**6**	**9**	**15**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	2	5.0	32	1	1	5	9	9	9	9
B. Operated										
0-27 DYS										
1-11 MOS	2	11.5	181	2	2	11	21	21	21	21
1-5 YRS	17	4.3	36	<1	<1	2	4	10	20	25
6-12 YRS	9	4.2	13	<1	<1	2	8	10	10	10
13-19 YRS	31	6.3	86	<1	<1	3	8	12	13	52
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	2	15.0	98	8	8	15	22	22	22	22
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	3	3.3	16	1	1	1	6	8	8	8
B. Operated										
0-27 DYS										
1-11 MOS	2	10.5	85	4	4	10	17	17	17	17
1-5 YRS	18	14.7	253	<1	2	8	19	43	52	56
6-12 YRS	17	5.5	37	1	1	4	7	12	21	25
13-19 YRS	34	8.0	65	1	2	5	12	21	24	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.3	15	1	1	2	5	9	9	9
B. Operated	59	5.6	62	<1	<1	3	7	12	17	50
2. MULTIPLE DX										
A. Not Operated	7	7.1	51	1	1	6	8	19	22	22
B. Operated	71	9.2	114	1	1	5	12	22	34	54
1. SINGLE DX	63	5.4	59	<1	<1	3	7	11	16	48
2. MULTIPLE DX	78	9.0	108	1	1	5	11	22	30	53
A. NOT OPERATED	11	5.7	39	1	1	4	8	14	21	22
B. OPERATED	130	7.5	93	<1	1	4	10	18	25	53
TOTAL 0-27 DYS										
1-11 MOS	7	10.9	79	2	2	8	20	22	22	22
1-5 YRS	37	9.2	164	<1	1	4	10	24	42	56
6-12 YRS	27	5.1	28	<1	1	3	8	10	15	25
13-19 YRS	70	7.0	71	<1	1	4	10	15	22	48
GRAND TOTAL	**141**	**7.4**	**88**	**<1**	**1**	**4**	**9**	**18**	**24**	**52**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	7	2.1	1	1	1	2	3	4	4	4
1-5 YRS	9	1.9	2	1	1	1	3	4	4	4
6-12 YRS	66	2.6	4	<1	1	2	3	5	6	11
13-19 YRS	214	2.9	8	<1	1	2	3	5	6	7
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	3.0	1	2	2	3	4	4	4	4
1-5 YRS										
6-12 YRS	6	3.0	9	1	1	2	3	8	9	9
13-19 YRS	11	2.7	6	<1	<1	2	3	6	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	4.0	5	1	1	4	5	6	6	6
1-11 MOS	19	3.9	9	1	1	3	4	8	11	13
1-5 YRS	19	3.2	5	1	1	3	5	7	8	8
6-12 YRS	84	3.1	4	1	1	3	4	6	7	9
13-19 YRS	355	3.3	5	1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	6	6.5	22	2	2	5	10	14	14	14
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	21	3.1	6	1	1	2	4	6	9	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	299	2.8	7	<1	1	2	3	5	6	8
B. *Operated*	21	2.8	6	<1	1	2	3	6	9	10
2. MULTIPLE DX										
A. *Not Operated*	481	3.3	5	1	1	3	4	6	7	10
B. *Operated*	30	3.9	11	1	1	2	5	9	11	14
1. SINGLE DX	320	2.8	7	<1	1	2	3	5	6	9
2. MULTIPLE DX	511	3.4	5	1	1	3	4	6	8	11
A. NOT OPERATED	780	3.1	6	1	1	3	4	6	7	10
B. OPERATED	51	3.4	9	1	1	2	4	9	10	14
TOTAL 0-27 DYS	8	2.8	4	1	1	2	4	6	6	6
1-11 MOS	35	3.9	10	1	1	3	4	9	12	14
1-5 YRS	29	3.0	6	1	1	2	4	7	8	9
6-12 YRS	158	2.9	4	1	1	2	4	6	7	10
13-19 YRS	601	3.2	6	1	1	3	4	6	7	10
GRAND TOTAL	831	3.1	6	1	1	2	4	6	7	10

336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	225	4.0	14	1	1	3	5	8	10	21
1-11 MOS	1037	3.3	7	1	1	2	4	7	8	13
1-5 YRS	324	2.8	6	1	1	2	3	5	7	14
6-12 YRS	69	2.0	1	1	1	2	3	4	4	7
13-19 YRS	72	2.5	3	<1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	32	4.2	16	1	1	3	5	9	10	21
1-5 YRS	31	2.0	2	<1	<1	2	2	3	6	8
6-12 YRS	27	3.1	6	1	1	2	4	5	9	12
13-19 YRS	34	3.7	10	1	1	3	5	6	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	144	4.6	14	1	1	4	6	9	11	19
1-11 MOS	1056	4.6	18	1	1	3	6	9	13	21
1-5 YRS	511	3.7	21	1	1	3	4	7	10	20
6-12 YRS	155	3.6	17	1	1	3	4	6	8	20
13-19 YRS	189	3.8	18	<1	1	3	4	7	11	26
B. *Operated*										
0-27 DYS	7	4.7	15	<1	<1	3	7	11	12	12
1-11 MOS	69	10.8	162	1	1	8	14	25	33	97
1-5 YRS	77	4.8	23	<1	1	3	6	10	20	79
6-12 YRS	35	5.7	110	1	1	2	5	12	36	48
13-19 YRS	41	7.6	108	<1	1	4	9	15	23	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1727	3.2	7	1	1	2	4	6	8	14
B. *Operated*	125	3.3	9	1	1	2	4	6	9	18
2. MULTIPLE DX										
A. *Not Operated*	2055	4.2	19	1	1	3	5	8	12	21
B. *Operated*	229	7.2	98	1	1	4	9	18	25	89
1. SINGLE DX	1852	3.2	8	1	1	2	4	6	8	14
2. MULTIPLE DX	2284	4.5	28	1	1	3	5	9	13	25
A. NOT OPERATED	3782	3.8	14	1	1	3	5	7	10	18
B. OPERATED	354	5.8	70	1	1	3	7	14	21	59
TOTAL 0-27 DYS	377	4.2	14	1	1	3	6	8	11	20
1-11 MOS	2194	4.1	19	1	1	3	5	8	11	21
1-5 YRS	943	3.4	16	1	1	2	4	7	9	20
6-12 YRS	286	3.5	25	1	1	2	4	6	8	34
13-19 YRS	336	4.0	27	<1	1	3	4	8	12	32
GRAND TOTAL	4136	3.9	19	1	1	3	5	8	11	21

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	61	2.0	1	<1	1	2	3	4	4	7
6-12 YRS	77	2.1	2	1	1	2	3	4	5	6
13-19 YRS	161	2.2	2	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	94	1.9	2	<1	<1	1	2	3	6	9
6-12 YRS	195	1.7	2	<1	<1	1	2	3	4	9
13-19 YRS	101	2.7	5	<1	<1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.0	8	4	4	6	8	8	8	8
1-11 MOS	7	3.1	3	1	1	3	5	6	6	6
1-5 YRS	68	2.6	3	1	1	2	3	5	6	10
6-12 YRS	92	3.1	5	<1	1	3	4	7	8	62
13-19 YRS	148	3.3	5	1	1	3	4	6	8	12
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	5	6.4	14	1	1	7	9	11	11	11
1-5 YRS	151	2.3	7	<1	<1	1	2	5	7	14
6-12 YRS	240	2.7	16	<1	<1	2	3	5	8	24
13-19 YRS	123	4.8	23	<1	1	3	6	11	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	304	2.1	2	1	1	2	3	4	5	7
B. *Operated*	390	2.0	3	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	317	3.1	5	1	1	3	4	6	8	11
B. *Operated*	520	3.2	16	<1	<1	2	3	7	11	22
1. SINGLE DX	694	2.1	3	<1	<1	2	2	4	5	8
2. MULTIPLE DX	837	3.1	12	<1	1	2	4	7	10	19
A. NOT OPERATED	621	2.6	3	1	1	2	3	5	6	10
B. OPERATED	910	2.7	11	<1	<1	2	3	6	8	18
TOTAL 0-27 DYS	5	5.8	23	1	1	4	9	13	13	13
1-11 MOS	15	3.9	9	1	1	3	6	8	10	11
1-5 YRS	374	2.2	4	<1	<1	2	2	4	6	11
6-12 YRS	604	2.4	8	<1	<1	2	3	5	7	13
13-19 YRS	533	3.2	9	<1	1	2	4	7	9	16
GRAND TOTAL	**1531**	**2.7**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	32	2.7	3	<1	1	2	4	6	6	6
1-11 MOS	143	2.4	3	<1	1	2	3	4	6	8
1-5 YRS	515	1.8	1	<1	1	1	2	3	4	6
6-12 YRS	2752	2.2	2	<1	1	2	3	4	5	8
13-19 YRS	4594	2.4	3	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	25	3.5	3	1	1	3	4	6	7	7
6-12 YRS	212	3.5	4	1	2	3	4	5	7	12
13-19 YRS	743	3.8	5	1	2	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	19	3.0	8	<1	1	2	4	6	10	13
1-11 MOS	121	2.9	3	1	1	3	4	5	6	8
1-5 YRS	382	2.5	3	1	1	2	3	5	6	9
6-12 YRS	1674	2.7	4	1	1	2	3	5	6	10
13-19 YRS	3282	3.0	5	1	1	2	4	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	3	4.3	16	2	2	2	7	9	9	9
1-5 YRS	31	3.8	3	1	2	4	5	6	6	9
6-12 YRS	169	4.7	8	1	2	4	6	9	11	14
13-19 YRS	594	4.6	9	1	1	4	6	9	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8036	2.3	3	<1	1	2	3	4	5	8
B. *Operated*	981	3.7	5	1	2	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	5478	2.9	5	1	1	2	4	5	7	11
B. *Operated*	797	4.6	9	1	2	4	6	9	11	15
1. SINGLE DX	9017	2.5	3	1	1	2	3	5	6	9
2. MULTIPLE DX	6275	3.1	5	1	1	3	4	6	8	11
A. NOT OPERATED	13514	2.5	4	1	1	2	3	5	6	9
B. OPERATED	1778	4.1	7	1	2	4	5	7	9	14
TOTAL 0-27 DYS	51	2.8	5	<1	1	2	4	6	6	13
1-11 MOS	268	2.7	3	1	1	2	4	5	6	8
1-5 YRS	953	2.2	2	<1	1	2	3	4	5	7
6-12 YRS	4807	2.5	3	1	1	2	3	5	6	9
13-19 YRS	9213	2.9	5	1	1	2	4	5	7	11
GRAND TOTAL	**15292**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**7**	**10**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	67	2.1	1	<1	1	2	3	4	5	5
1-11 MOS	198	2.7	4	1	1	2	3	5	6	12
1-5 YRS	227	2.7	4	<1	1	2	4	5	7	10
6-12 YRS	235	3.3	10	1	1	2	4	7	9	14
13-19 YRS	154	2.6	3	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS	10	4.4	11	1	1	3	6	10	12	12
1-5 YRS	19	3.7	10	<1	1	3	5	9	11	12
6-12 YRS	32	4.2	9	1	1	3	5	9	11	11
13-19 YRS	23	3.5	7	<1	1	2	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	82	3.8	10	1	1	3	5	7	10	19
1-11 MOS	442	3.4	6	1	1	3	4	6	8	13
1-5 YRS	719	2.9	6	1	1	2	4	5	6	11
6-12 YRS	494	3.3	6	1	1	3	4	7	8	13
13-19 YRS	397	3.4	12	1	1	2	4	7	10	15
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	24	8.5	48	1	2	6	11	21	24	28
1-5 YRS	55	6.4	32	1	1	5	8	13	18	29
6-12 YRS	44	5.6	34	1	1	4	7	14	19	27
13-19 YRS	74	7.4	100	1	1	5	9	14	18	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	881	2.8	6	1	1	2	4	5	7	11
B. *Operated*	84	3.9	9	1	1	3	6	9	10	12
2. MULTIPLE DX										
A. *Not Operated*	2134	3.2	7	1	1	2	4	6	8	13
B. *Operated*	198	6.8	60	1	1	5	8	14	19	29
1. SINGLE DX	965	2.9	6	1	1	2	4	6	7	12
2. MULTIPLE DX	2332	3.5	13	1	1	3	4	7	9	17
A. NOT OPERATED	3015	3.1	7	1	1	2	4	6	8	12
B. OPERATED	282	6.0	46	1	1	4	8	12	17	28
TOTAL 0-27 DYS	150	3.0	7	1	1	2	4	6	7	12
1-11 MOS	674	3.4	8	1	1	3	4	6	8	15
1-5 YRS	1020	3.1	8	1	1	2	4	6	7	14
6-12 YRS	805	3.5	9	1	1	3	4	7	9	14
13-19 YRS	648	3.7	21	1	1	3	4	8	10	16
GRAND TOTAL	**3297**	**3.3**	**11**	**1**	**1**	**2**	**4**	**6**	**9**	**15**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	603	3.2	10	1	1	3	4	5	6	15
1-11 MOS	1501	4.6	20	1	1	3	6	8	12	20
1-5 YRS	1252	3.5	17	1	1	3	4	7	10	19
6-12 YRS	829	2.6	6	1	1	2	3	5	6	13
13-19 YRS	1432	3.3	18	1	1	2	4	5	7	18
B. *Operated*										
0-27 DYS	19	2.5	1	1	1	2	3	4	5	5
1-11 MOS	54	7.2	91	<1	1	3	8	21	31	44
1-5 YRS	138	2.9	10	<1	<1	2	3	7	9	16
6-12 YRS	113	2.5	5	<1	<1	2	3	5	8	11
13-19 YRS	191	2.6	5	<1	1	2	3	5	6	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	499	5.0	25	1	2	4	6	10	14	23
1-11 MOS	2267	6.4	42	1	2	5	8	13	18	35
1-5 YRS	1800	4.7	27	1	1	3	5	9	13	25
6-12 YRS	993	3.4	15	1	1	3	4	6	8	13
13-19 YRS	1836	3.8	18	1	1	3	4	7	9	22
B. *Operated*										
0-27 DYS	20	8.4	63	2	2	5	10	20	29	31
1-11 MOS	159	14.9	244	2	2	9	19	38	52	78
1-5 YRS	173	7.9	100	1	2	4	9	21	28	93
6-12 YRS	94	6.3	149	1	1	3	6	14	18	79
13-19 YRS	208	5.7	69	1	1	3	6	11	21	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5617	3.6	16	1	1	3	4	7	9	18
B. *Operated*	515	3.2	17	<1	1	2	3	6	9	23
2. MULTIPLE DX										
A. *Not Operated*	7395	4.8	29	1	1	3	6	9	13	28
B. *Operated*	654	8.7	143	1	1	5	10	23	36	73
1. SINGLE DX	6132	3.5	16	1	1	3	4	7	9	19
2. MULTIPLE DX	8049	5.2	39	1	1	3	6	10	15	35
A. NOT OPERATED	13012	4.3	24	1	1	3	5	8	12	24
B. OPERATED	1169	6.3	95	<1	1	3	7	14	25	60
TOTAL 0-27 DYS	1141	4.1	18	1	1	3	5	8	11	21
1-11 MOS	3981	6.1	47	1	2	4	7	12	17	37
1-5 YRS	3363	4.3	27	1	1	3	5	9	13	25
6-12 YRS	2029	3.2	18	1	1	2	4	6	7	14
13-19 YRS	3667	3.6	20	1	1	3	4	6	9	22
GRAND TOTAL	**14181**	**4.5**	**30**	**1**	**1**	**3**	**5**	**8**	**12**	**28**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	59	2.4	2	1	1	2	3	4	6	7
1-11 MOS	610	1.8	2	1	1	1	2	3	4	7
1-5 YRS	547	2.0	2	1	1	2	2	4	5	10
6-12 YRS	206	2.4	3	1	1	2	3	5	6	8
13-19 YRS	105	4.0	12	1	1	3	5	8	11	18
B. *Operated*										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	36	3.9	9	1	1	3	5	8	9	16
1-5 YRS	95	5.3	10	2	2	5	7	9	11	19
6-12 YRS	102	5.0	7	1	2	5	7	8	10	12
13-19 YRS	49	6.3	15	2	2	6	8	11	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	18	3.4	5	1	1	3	5	7	8	8
1-11 MOS	359	3.3	13	1	1	2	4	7	11	18
1-5 YRS	410	3.2	20	1	1	2	3	6	8	25
6-12 YRS	260	4.0	20	1	1	3	5	8	13	24
13-19 YRS	184	6.5	74	1	1	4	7	14	21	49
B. *Operated*										
0-27 DYS										
1-11 MOS	22	8.4	56	1	1	7	11	22	24	25
1-5 YRS	100	7.5	61	1	1	5	9	17	22	43
6-12 YRS	116	9.3	88	1	2	6	11	25	35	99+
13-19 YRS	168	13.9	240	1	2	9	19	44	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1527	2.1	3	1	1	2	3	4	5	10
B. *Operated*	285	5.2	10	1	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	1231	3.9	27	1	1	2	4	8	12	27
B. *Operated*	406	10.7	149	1	2	7	13	27	45	99+
1. SINGLE DX	1812	2.6	5	1	1	2	3	5	7	12
2. MULTIPLE DX	1637	5.6	66	1	1	3	6	13	21	57
A. NOT OPERATED	2758	2.9	15	1	1	2	3	6	8	19
B. OPERATED	691	8.4	99	1	2	6	9	20	32	99+
TOTAL 0-27 DYS	80	2.6	3	1	1	2	3	5	6	8
1-11 MOS	1027	2.5	8	1	1	2	3	5	7	15
1-5 YRS	1152	3.2	17	1	1	2	3	6	9	22
6-12 YRS	684	4.6	29	1	1	3	6	9	13	35
13-19 YRS	506	8.4	126	1	1	5	10	20	38	99+
GRAND TOTAL	**3449**	**4.0**	**36**	**1**	**1**	**2**	**4**	**8**	**13**	**38**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	1.8	1	1	1	2	2	3	3	3
1-11 MOS	83	1.6	1	<1	1	1	2	3	4	6
1-5 YRS	280	1.9	2	1	1	1	2	3	5	9
6-12 YRS	179	2.6	5	<1	1	2	3	5	6	12
13-19 YRS	141	3.6	8	1	1	3	5	7	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	5	4.8	1	4	4	5	5	6	6	6
1-5 YRS	12	6.5	34	1	2	4	9	14	21	22
6-12 YRS	26	5.9	25	1	2	4	7	11	15	25
13-19 YRS	49	7.3	158	1	1	5	8	12	17	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	67	3.1	10	1	1	2	4	8	11	15
1-5 YRS	200	3.0	9	1	1	2	3	6	8	19
6-12 YRS	204	4.6	25	1	1	3	5	9	13	32
13-19 YRS	263	6.5	69	1	2	4	8	13	20	36
B. *Operated*										
0-27 DYS										
1-11 MOS	4	5.3	5	2	2	6	7	7	7	7
1-5 YRS	33	15.3	319	1	1	10	20	39	65	72
6-12 YRS	74	10.1	113	2	2	7	12	28	37	90
13-19 YRS	172	17.9	368	2	3	11	22	45	73	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	687	2.4	4	1	1	2	3	5	6	10
B. *Operated*	92	6.7	95	1	2	5	8	11	17	96
2. MULTIPLE DX										
A. *Not Operated*	735	4.7	37	1	1	3	5	10	14	29
B. *Operated*	283	15.4	301	2	2	9	19	39	61	99
1. SINGLE DX	779	2.9	17	1	1	2	4	6	8	15
2. MULTIPLE DX	1018	7.7	133	1	1	4	8	18	29	75
A. NOT OPERATED	1422	3.6	23	1	1	2	4	7	10	22
B. OPERATED	375	13.2	264	1	2	8	15	34	53	99
TOTAL 0-27 DYS	5	1.8	1	1	1	2	2	3	3	3
1-11 MOS	159	2.4	6	1	1	1	3	5	7	13
1-5 YRS	525	3.3	35	1	1	2	3	6	10	23
6-12 YRS	483	4.8	37	1	1	3	5	10	15	35
13-19 YRS	625	9.0	175	1	1	5	9	20	36	90
GRAND TOTAL	**1797**	**5.6**	**88**	**1**	**1**	**3**	**6**	**12**	**20**	**62**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	17	1.8	1	<1	<1	2	2	2	4	5
6-12 YRS	45	1.6	1	<1	<1	1	2	3	3	5
13-19 YRS	115	1.9	2	<1	<1	1	2	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	101	1.8	1	<1	<1	1	2	3	5	6
6-12 YRS	614	1.8	2	<1	<1	1	2	3	4	8
13-19 YRS	2399	2.1	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	25	2.2	5	<1	1	1	2	5	8	10
6-12 YRS	101	2.6	6	<1	1	2	3	5	6	16
13-19 YRS	267	2.2	3	<1	1	2	3	4	6	8
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	7	3.7	5	1	1	4	6	7	7	7
1-5 YRS	104	3.9	27	<1	1	2	5	7	11	35
6-12 YRS	459	3.3	11	<1	1	2	4	6	8	20
13-19 YRS	2153	4.0	22	1	1	3	5	8	11	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	1.8	2	<1	<1	1	2	3	5	8
B. *Operated*	3114	2.0	2	<1	<1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	395	2.3	4	<1	1	2	3	5	6	10
B. *Operated*	2724	3.9	20	1	1	3	4	7	10	23
1. SINGLE DX	3292	2.0	2	<1	<1	2	2	4	5	8
2. MULTIPLE DX	3119	3.7	18	1	1	3	4	7	10	22
A. NOT OPERATED	573	2.2	3	<1	<1	2	2	4	6	9
B. OPERATED	5838	2.9	11	<1	1	2	3	5	8	16
TOTAL 0-27 DYS	2	8.0	18	5	5	8	11	11	11	11
1-11 MOS	9	3.4	5	1	1	4	5	7	7	7
1-5 YRS	247	2.7	14	<1	<1	2	3	6	7	16
6-12 YRS	1219	2.4	6	<1	<1	2	3	5	6	13
13-19 YRS	4934	2.9	12	<1	1	2	3	6	8	16
GRAND TOTAL	**6411**	**2.8**	**11**	**<1**	**<1**	**2**	**3**	**5**	**7**	**16**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	6.8	31	3	3	4	10	15	15	15
1-5 YRS	19	4.2	10	1	1	2	7	9	10	11
6-12 YRS	132	3.6	13	1	1	3	4	7	9	20
13-19 YRS	685	4.8	20	1	1	4	6	9	12	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	10.0	36	5	5	9	15	17	17	17
6-12 YRS	8	8.1	38	1	1	6	14	16	17	17
13-19 YRS	113	11.5	89	2	3	9	14	20	27	55
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	8	12.4	99	4	5	9	15	30	34	34
1-5 YRS	12	4.8	30	<1	1	3	6	11	20	21
6-12 YRS	80	4.4	10	1	1	4	6	9	9	16
13-19 YRS	592	5.7	33	1	2	4	7	11	14	28
B. *Operated*										
0-27 DYS										
1-11 MOS	1	26.0		26	26	26	26	26	26	26
1-5 YRS	3	17.3	214	4	4	15	28	33	33	33
6-12 YRS	14	12.0	132	1	1	8	17	25	40	44
13-19 YRS	298	15.3	221	2	3	11	21	34	52	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	840	4.6	19	1	1	4	6	9	11	21
B. *Operated*	125	11.3	84	2	3	9	14	20	27	54
2. MULTIPLE DX										
A. *Not Operated*	693	5.6	31	1	1	4	7	11	14	28
B. *Operated*	316	15.2	216	2	3	11	21	33	49	91
1. SINGLE DX	965	5.5	33	1	1	4	6	11	15	28
2. MULTIPLE DX	1009	8.6	109	1	2	5	10	20	28	68
A. NOT OPERATED	1533	5.1	25	1	1	4	6	9	13	27
B. OPERATED	441	14.1	182	2	3	10	18	29	45	80
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	13	11.7	91	3	4	9	16	28	33	34
1-5 YRS	38	6.0	43	1	1	4	7	14	19	33
6-12 YRS	234	4.5	24	1	1	3	6	9	13	25
13-19 YRS	1688	7.4	80	1	2	5	8	15	23	55
GRAND TOTAL	**1974**	**7.1**	**74**	**1**	**1**	**5**	**8**	**15**	**22**	**51**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	6	3.3	4	1	1	3	5	6	6	6
13-19 YRS	20	7.6	67	1	2	6	8	14	28	38
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	13.0	32	9	9	13	17	17	17	17
13-19 YRS	25	23.1	346	3	6	17	30	57	86	99+
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	1	22.0		22	22	22	22	22	22	22
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	3	3.3	4	1	1	4	5	5	5	5
13-19 YRS	17	8.7	212	1	1	3	5	28	48	57
B. Operated										
0-27 DYS										
1-11 MOS	1	22.0		22	22	22	22	22	22	22
1-5 YRS	1	78.0		78	78	89	99+	99+	99+	99+
6-12 YRS	3	39.7	592	18	18	35	58	66	66	66
13-19 YRS	56	32.4	374	7	10	35	55	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	6.7	53	1	1	5	8	11	21	38
B. Operated	27	22.4	328	3	7	17	28	55	84	99+
2. MULTIPLE DX										
A. Not Operated	22	8.3	176	1	1	4	5	25	41	57
B. Operated	61	33.3	401	8	11	35	62	99+	99+	99+
1. SINGLE DX	54	14.6	249	1	2	10	18	38	56	99
2. MULTIPLE DX	83	26.7	462	1	3	28	45	99+	99+	99+
A. NOT OPERATED	49	7.4	107	1	1	4	7	18	31	57
B. OPERATED	88	30.0	400	6	9	28	49	99+	99+	99+
TOTAL 0-27 DYS										
1-11 MOS	2	22.0		22	22	22	22	22	22	22
1-5 YRS	3	30.7	1696	3	3	44	89	99+	99+	99+
6-12 YRS	14	12.5	324	1	1	5	17	38	60	66
13-19 YRS	118	22.8	400	2	3	20	40	73	99+	99+
GRAND TOTAL	**137**	**21.9**	**411**	**1**	**3**	**18**	**37**	**73**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	5	1.6		<1	<1	2	2	2	2	2
1-5 YRS	4	2.3	2	<1	<1	2	3	4	4	4
6-12 YRS	14	1.8	1	1	1	1	2	4	4	4
13-19 YRS	76	2.1	1	1	1	2	3	3	5	6
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.0	4	1	1	3	4	5	5	5
13-19 YRS	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	13	5.6	16	2	2	4	8	13	14	14
1-5 YRS	17	4.6	7	2	2	4	6	9	10	11
6-12 YRS	39	3.3	6	1	1	2	4	7	9	11
13-19 YRS	218	3.8	8	1	1	3	5	7	10	14
B. Operated										
0-27 DYS										
1-11 MOS	2	8.0	8	6	6	8	10	10	10	10
1-5 YRS	5	2.8	3	1	1	2	4	5	5	5
6-12 YRS	22	6.5	13	1	2	6	10	11	12	12
13-19 YRS	105	7.6	36	2	2	6	9	17	20	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	99	2.0	1	<1	1	2	3	4	4	6
B. Operated	4	3.8	5	1	1	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	288	3.9	8	1	1	3	5	7	10	14
B. Operated	134	7.2	31	2	2	6	9	13	19	31
1. SINGLE DX	103	2.1	2	<1	1	2	3	4	5	6
2. MULTIPLE DX	422	4.9	18	1	1	4	6	10	12	21
A. NOT OPERATED	387	3.4	7	1	1	3	4	6	9	13
B. OPERATED	138	7.1	31	2	2	6	9	12	19	31
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	20	4.9	15	<1	1	3	7	11	13	14
1-5 YRS	26	3.9	6	1	2	4	5	7	9	11
6-12 YRS	78	3.9	10	1	1	3	6	10	11	12
13-19 YRS	400	4.5	18	1	1	3	6	9	11	21
GRAND TOTAL	**525**	**4.4**	**16**	**1**	**1**	**3**	**6**	**9**	**11**	**20**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	27	3.0	4	1	1	2	3	7	8	9
6-12 YRS	66	5.1	17	1	1	4	6	11	15	18
13-19 YRS	282	6.0	31	1	2	4	7	12	16	31
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	5	10.6	169	2	2	3	18	32	32	32
13-19 YRS	30	16.1	279	2	2	6	25	44	54	57
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	28.0	242	17	17	28	39	39	39	39
1-11 MOS	5	23.4	429	4	4	22	33	57	57	57
1-5 YRS	54	6.9	41	1	2	5	8	15	20	35
6-12 YRS	90	7.1	54	1	2	5	8	15	21	40
13-19 YRS	401	9.1	70	2	2	7	11	17	25	45
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	14	11.0	74	3	4	8	15	26	30	31
6-12 YRS	28	11.6	81	1	4	10	13	20	38	40
13-19 YRS	210	20.1	269	3	5	14	28	44	50	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	376	5.6	27	1	2	4	7	11	15	30
B. *Operated*	37	14.7	255	2	2	6	23	41	51	57
2. MULTIPLE DX										
A. *Not Operated*	552	8.8	71	2	2	6	11	17	25	45
B. *Operated*	252	18.7	247	3	5	12	26	42	49	80
1. SINGLE DX	413	6.4	54	1	2	4	7	13	20	42
2. MULTIPLE DX	804	11.9	147	2	3	8	14	27	40	58
A. NOT OPERATED	928	7.5	56	1	2	5	9	15	21	43
B. OPERATED	289	18.2	249	2	4	12	26	42	49	79
TOTAL 0-27 DYS	2	28.0	242	17	17	28	39	39	39	39
1-11 MOS	7	17.6	385	3	3	9	24	51	57	57
1-5 YRS	96	6.4	41	1	2	4	7	15	20	33
6-12 YRS	189	7.2	51	1	2	5	9	15	19	39
13-19 YRS	923	10.9	139	2	2	7	13	26	39	56
GRAND TOTAL	**1217**	**10.0**	**122**	**2**	**2**	**6**	**12**	**23**	**36**	**53**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	2.7	1	2	2	2	4	4	4	4
1-11 MOS	33	2.0	3	<1	<1	1	3	4	5	8
1-5 YRS	232	2.9	16	<1	<1	1	3	8	13	21
6-12 YRS	276	3.3	25	<1	1	1	3	10	16	22
13-19 YRS	128	3.2	25	<1	<1	2	3	5	14	26
B. *Operated*										
0-27 DYS										
1-11 MOS	14	2.4	2	1	1	2	4	4	5	5
1-5 YRS	1061	3.9	22	1	1	2	4	11	15	21
6-12 YRS	1873	3.9	26	1	1	2	4	11	17	24
13-19 YRS	943	3.8	24	1	1	2	4	7	13	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	34	5.8	17	1	1	5	9	12	13	17
1-5 YRS	81	4.0	20	<1	1	2	5	9	13	24
6-12 YRS	80	4.5	35	1	1	3	4	12	23	24
13-19 YRS	98	5.7	112	<1	1	3	5	12	20	62
B. *Operated*										
0-27 DYS										
1-11 MOS	8	4.6	13	1	1	3	8	9	10	10
1-5 YRS	223	5.6	32	1	1	3	7	14	19	25
6-12 YRS	520	6.5	61	1	1	3	8	18	21	34
13-19 YRS	405	7.1	88	1	1	4	8	16	23	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	672	3.1	21	<1	1	1	3	8	14	22
B. *Operated*	3891	3.9	24	1	1	2	4	10	16	24
2. MULTIPLE DX										
A. *Not Operated*	295	4.9	54	1	1	3	5	10	17	42
B. *Operated*	1156	6.5	65	1	1	4	8	16	21	35
1. SINGLE DX	4563	3.8	24	1	1	2	4	9	15	24
2. MULTIPLE DX	1451	6.2	63	1	1	3	7	15	21	35
A. NOT OPERATED	967	3.7	32	<1	1	2	4	9	15	24
B. OPERATED	5047	4.5	35	1	1	2	4	12	17	27
TOTAL 0-27 DYS	5	3.2	3	2	2	2	4	6	6	6
1-11 MOS	89	3.8	12	<1	1	3	5	9	10	15
1-5 YRS	1597	4.0	23	1	1	2	4	11	15	22
6-12 YRS	2749	4.4	34	1	1	2	4	13	18	26
13-19 YRS	1574	4.7	48	1	1	3	5	10	17	33
GRAND TOTAL	**6014**	**4.4**	**34**	**1**	**1**	**2**	**4**	**11**	**17**	**27**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	1.3	1	<1	<1	1	2	3	3	3
1-5 YRS	73	1.4	1	<1	<1	1	1	2	3	5
6-12 YRS	192	1.6	1	<1	<1	1	2	3	4	7
13-19 YRS	110	1.9	1	<1	<1	1	2	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS	9	2.3	11	<1	<1	1	2	7	11	11
1-5 YRS	1070	1.4	1	<1	<1	1	2	2	3	4
6-12 YRS	4504	1.6	2	<1	1	1	2	3	4	6
13-19 YRS	2323	2.3	5	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	5.6	36	<1	<1	3	7	16	19	19
1-5 YRS	53	3.1	19	<1	1	2	3	6	8	24
6-12 YRS	94	2.6	12	1	1	2	2	4	8	22
13-19 YRS	139	2.7	12	<1	<1	2	3	5	8	15
B. *Operated*										
0-27 DYS	4	5.5	20	1	1	5	9	11	11	11
1-11 MOS	4	10.0	51	4	4	8	15	20	20	20
1-5 YRS	116	3.4	18	<1	1	2	3	7	14	21
6-12 YRS	723	2.9	15	1	1	2	3	6	9	22
13-19 YRS	875	5.2	39	1	1	3	6	11	18	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	384	1.6	1	<1	<1	1	2	3	4	6
B. *Operated*	7906	1.8	3	<1	1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	295	2.8	14	<1	1	2	3	6	8	22
B. *Operated*	1722	4.1	29	1	1	2	5	9	15	28
1. SINGLE DX	8290	1.8	3	<1	1	1	2	3	4	7
2. MULTIPLE DX	2017	3.9	27	1	1	2	4	9	14	27
A. NOT OPERATED	679	2.2	7	<1	<1	1	2	4	6	14
B. OPERATED	9628	2.2	8	<1	1	1	2	4	6	15
TOTAL 0-27 DYS	4	5.5	20	1	1	5	9	11	11	11
1-11 MOS	31	4.0	26	<1	<1	2	5	11	19	20
1-5 YRS	1312	1.6	4	<1	<1	1	2	3	4	10
6-12 YRS	5513	1.8	4	<1	1	1	2	3	4	9
13-19 YRS	3447	3.0	15	<1	1	2	3	6	9	21
GRAND TOTAL	**10307**	**2.2**	**8**	**<1**	**1**	**1**	**2**	**4**	**6**	**15**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	14	2.9	4	<1	1	2	4	6	7	7
6-12 YRS	29	1.9	3	<1	<1	1	2	5	6	7
13-19 YRS	77	1.9	7	<1	<1	1	2	4	5	8
B. *Operated*										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	3	1.7		1	1	2	2	2	2	2
1-5 YRS	100	1.9	2	<1	<1	1	2	4	5	7
6-12 YRS	470	1.6	2	<1	<1	1	2	2	3	6
13-19 YRS	1684	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	14	3.0	12	<1	1	2	4	6	12	14
6-12 YRS	43	2.7	8	<1	1	2	3	7	9	14
13-19 YRS	83	2.5	5	<1	<1	1	3	5	8	10
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	2.2	3	1	1	2	3	5	5	5
1-5 YRS	68	2.1	2	1	1	2	3	4	5	7
6-12 YRS	143	2.8	9	1	1	2	3	6	8	16
13-19 YRS	661	3.5	23	<1	1	2	4	7	9	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	2.0	3	<1	<1	1	2	4	6	8
B. *Operated*	2259	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	140	2.6	7	<1	<1	2	3	6	9	14
B. *Operated*	878	3.3	19	<1	1	2	4	6	9	28
1. SINGLE DX	2380	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1018	3.2	18	<1	1	2	4	6	9	22
A. NOT OPERATED	261	2.3	5	<1	<1	1	3	5	7	10
B. OPERATED	3137	2.2	7	<1	<1	1	2	4	6	12
TOTAL 0-27 DYS	3	2.7	8	1	1	1	5	6	6	6
1-11 MOS	9	2.0	2	1	1	2	2	4	5	5
1-5 YRS	196	2.1	3	<1	1	1	2	4	6	8
6-12 YRS	685	1.9	4	<1	<1	1	2	3	5	11
13-19 YRS	2505	2.3	8	<1	<1	2	2	4	6	13
GRAND TOTAL	**3398**	**2.2**	**7**	**<1**	**<1**	**1**	**2**	**4**	**6**	**12**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	15	8.1	57	1	1	6	12	19	26	28
1-5 YRS	60	15.9	94	2	3	17	22	27	31	45
6-12 YRS	52	18.7	188	2	2	20	28	36	39	51
13-19 YRS	46	10.7	258	1	1	4	10	42	49	64
B. *Operated*										
0-27 DYS	2	22.0		22	22	22	22	22	22	22
1-11 MOS	13	14.2	69	1	3	13	22	25	27	28
1-5 YRS	57	12.2	106	1	2	10	21	27	29	41
6-12 YRS	167	11.8	110	3	4	9	14	25	39	49
13-19 YRS	190	10.0	90	2	3	7	11	21	26	50
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	8.4	63	1	2	6	11	20	28	28
1-5 YRS	29	17.4	125	1	2	18	23	32	37	45
6-12 YRS	30	23.1	227	1	3	26	31	40	47	62
13-19 YRS	27	15.4	310	1	1	7	36	44	46	48
B. *Operated*										
0-27 DYS	3	14.3	14	10	10	16	17	17	17	17
1-11 MOS	17	14.8	53	4	6	14	17	23	31	35
1-5 YRS	43	18.1	170	3	4	16	26	36	44	56
6-12 YRS	74	18.3	366	4	4	11	24	42	62	93
13-19 YRS	174	18.3	258	4	5	13	24	38	54	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	14.6	173	1	2	11	23	32	39	52
B. *Operated*	429	11.2	100	2	3	8	14	24	29	48
2. MULTIPLE DX										
A. *Not Operated*	96	17.7	217	1	2	14	28	40	45	56
B. *Operated*	311	18.1	257	4	5	13	23	38	51	88
1. SINGLE DX	603	12.2	123	2	2	8	17	27	36	50
2. MULTIPLE DX	407	18.0	247	3	4	13	25	40	47	78
A. NOT OPERATED	270	15.7	190	1	2	13	25	36	43	52
B. OPERATED	740	14.1	177	2	4	10	17	29	42	66
TOTAL 0-27 DYS	6	14.7	65	<1	1	16	22	22	22	22
1-11 MOS	55	11.7	66	1	2	11	16	24	28	35
1-5 YRS	189	15.5	123	2	2	15	23	29	34	47
6-12 YRS	323	15.5	206	2	4	10	22	36	44	66
13-19 YRS	437	13.7	202	1	3	9	16	31	45	66
GRAND TOTAL	**1010**	**14.5**	**181**	**2**	**3**	**10**	**20**	**31**	**42**	**64**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	7.3	21	1	1	7	10	14	14	14
1-11 MOS	150	8.7	50	1	1	7	14	18	22	27
1-5 YRS	781	14.6	96	1	1	16	21	26	30	38
6-12 YRS	480	23.7	151	2	4	23	30	40	44	57
13-19 YRS	177	26.3	415	1	2	26	41	53	62	86
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	46	7.8	71	<1	1	5	12	18	27	37
1-5 YRS	473	12.0	103	1	1	9	20	25	29	36
6-12 YRS	504	19.2	222	2	2	20	29	39	46	61
13-19 YRS	736	12.7	146	2	2	9	16	28	41	55
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	13.4	77	2	2	17	19	24	24	24
1-11 MOS	87	11.1	72	1	2	9	17	21	24	37
1-5 YRS	306	16.5	121	1	2	18	24	30	33	41
6-12 YRS	252	24.0	210	2	3	24	32	41	52	69
13-19 YRS	126	25.9	453	2	2	25	42	54	75	99+
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	19	11.6	64	1	2	11	19	21	24	26
1-5 YRS	226	16.5	124	2	3	17	24	29	38	52
6-12 YRS	385	25.5	251	3	4	25	33	46	55	73
13-19 YRS	990	22.7	313	3	5	17	32	50	60	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1594	18.1	175	1	2	18	25	34	43	61
B. *Operated*	1760	14.2	165	1	2	11	22	32	39	55
2. MULTIPLE DX										
A. *Not Operated*	776	19.8	222	1	2	19	28	38	48	76
B. *Operated*	1621	22.4	278	3	4	19	31	47	56	86
1. SINGLE DX	3354	16.0	173	1	2	14	23	33	41	56
2. MULTIPLE DX	2397	21.5	261	2	3	19	29	44	54	83
A. NOT OPERATED	2370	18.6	191	1	2	19	26	36	44	63
B. OPERATED	3381	18.1	235	2	2	15	26	39	50	69
TOTAL 0-27 DYS	13	8.9	51	1	2	7	15	19	23	24
1-11 MOS	302	9.4	62	1	1	7	15	20	23	34
1-5 YRS	1786	14.5	108	1	1	15	22	27	31	43
6-12 YRS	1621	22.8	212	2	3	23	31	41	49	63
13-19 YRS	2029	19.6	298	2	3	14	28	47	55	85
GRAND TOTAL	**5751**	**18.3**	**217**	**1**	**2**	**17**	**26**	**38**	**48**	**67**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	12	1.9	2	1	1	2	2	4	6	6
1-5 YRS	196	2.0	6	<1	1	1	2	3	4	15
6-12 YRS	475	2.5	4	1	1	2	3	5	6	10
13-19 YRS	488	2.9	5	1	1	2	4	5	7	11
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	3.6	16	<1	<1	2	4	11	12	12
1-5 YRS	298	2.5	8	<1	1	2	3	5	8	17
6-12 YRS	1041	3.3	7	1	1	3	4	6	9	14
13-19 YRS	1687	4.5	23	1	1	3	5	9	11	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	4.5	12	<1	1	3	8	10	11	11
1-5 YRS	80	2.8	6	1	1	2	4	5	7	14
6-12 YRS	119	5.0	24	1	1	3	6	9	15	27
13-19 YRS	219	4.7	21	1	1	3	6	9	12	26
B. *Operated*										
0-27 DYS										
1-11 MOS	5	4.6	3	2	2	5	6	7	7	7
1-5 YRS	94	6.4	63	1	1	3	8	17	18	46
6-12 YRS	341	7.6	101	1	1	4	9	17	25	48
13-19 YRS	1047	10.5	132	2	2	7	12	23	33	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1172	2.6	5	1	1	2	3	5	6	10
B. *Operated*	3034	3.9	17	1	1	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	429	4.4	19	1	1	3	5	9	11	25
B. *Operated*	1487	9.5	122	1	2	6	11	21	31	64
1. SINGLE DX	4206	3.5	14	1	1	3	4	7	9	16
2. MULTIPLE DX	1916	8.4	104	1	2	5	10	18	27	53
A. NOT OPERATED	1601	3.1	9	1	1	2	4	6	8	17
B. OPERATED	4521	5.8	58	1	1	4	6	12	17	44
TOTAL 0-27 DYS	2	5.5	25	2	2	5	9	9	9	9
1-11 MOS	35	3.4	9	<1	1	2	5	9	11	12
1-5 YRS	668	2.9	17	1	1	2	3	6	9	21
6-12 YRS	1976	3.9	27	1	1	3	4	8	11	25
13-19 YRS	3441	6.1	62	1	1	4	7	12	18	46
GRAND TOTAL	**6122**	**5.1**	**47**	**1**	**1**	**3**	**6**	**10**	**15**	**37**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.0	2	1	1	2	3	4	4	4
1-5 YRS	60	2.3	9	<1	<1	2	3	4	6	21
6-12 YRS	199	2.6	6	<1	1	2	3	5	8	13
13-19 YRS	314	2.6	5	<1	<1	2	4	5	7	11
B. *Operated*										
0-27 DYS	3	2.3	5	1	1	1	4	5	5	5
1-11 MOS	4	2.5	1	2	2	2	3	4	4	4
1-5 YRS	74	2.6	4	<1	1	2	3	5	8	9
6-12 YRS	727	3.0	7	1	1	2	4	5	7	12
13-19 YRS	2698	3.6	8	1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	10.8	88	1	1	7	22	23	23	23
1-5 YRS	16	2.7	3	<1	1	2	3	6	7	7
6-12 YRS	81	4.2	29	1	1	3	5	7	11	34
13-19 YRS	219	3.4	8	<1	1	3	5	7	10	14
B. *Operated*										
0-27 DYS										
1-11 MOS	5	16.8	352	1	1	9	24	49	49	49
1-5 YRS	57	5.8	34	1	1	4	7	16	18	26
6-12 YRS	246	6.1	60	1	1	4	7	12	22	39
13-19 YRS	1508	5.5	36	1	2	4	6	10	13	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	577	2.6	5	<1	1	2	3	5	7	11
B. *Operated*	3506	3.5	7	1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	322	3.7	16	<1	1	3	5	7	10	22
B. *Operated*	1816	5.6	40	1	2	4	6	11	15	37
1. SINGLE DX	4083	3.3	7	1	1	3	4	6	8	14
2. MULTIPLE DX	2138	5.3	37	1	1	4	6	10	14	35
A. NOT OPERATED	899	3.0	9	<1	1	2	4	6	8	15
B. OPERATED	5322	4.2	20	1	1	3	5	8	11	22
TOTAL 0-27 DYS	3	2.3	5	1	1	1	4	5	5	5
1-11 MOS	19	8.8	142	1	1	4	9	23	37	49
1-5 YRS	207	3.4	16	<1	1	2	4	8	12	20
6-12 YRS	1253	3.6	20	1	1	3	4	7	9	26
13-19 YRS	4739	4.1	17	1	1	3	5	7	10	18
GRAND TOTAL	**6221**	**4.0**	**18**	**1**	**1**	**3**	**5**	**7**	**10**	**21**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	15	2.7	16	<1	<1	1	3	3	14	17
6-12 YRS	26	1.3		<1	<1	1	2	2	3	3
13-19 YRS	90	2.1	9	<1	<1	1	2	4	4	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	20	1.9	1	<1	<1	2	2	3	4	4
13-19 YRS	162	2.7	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	5	7.0	91	2	2	3	8	24	24	24
1-5 YRS	39	3.2	9	1	1	2	4	7	9	16
6-12 YRS	73	2.5	3	1	1	2	3	5	6	8
13-19 YRS	274	2.9	10	<1	1	2	3	6	9	16
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	8	3.6	8	<1	<1	3	5	8	9	9
6-12 YRS	23	4.6	36	1	1	2	5	13	19	26
13-19 YRS	143	5.3	41	1	1	3	6	10	19	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	2.0	8	<1	<1	1	2	3	4	19
B. *Operated*	183	2.6	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	393	2.9	9	<1	1	2	3	6	8	17
B. *Operated*	175	5.1	39	1	1	3	6	10	18	37
1. SINGLE DX	315	2.4	5	<1	1	2	3	4	5	9
2. MULTIPLE DX	568	3.6	19	1	1	2	4	7	10	26
A. NOT OPERATED	525	2.7	9	<1	1	2	3	5	8	17
B. OPERATED	358	3.8	22	1	1	3	4	7	10	28
TOTAL 0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	7	6.1	65	1	1	3	6	21	24	24
1-5 YRS	63	3.1	10	<1	1	2	4	6	9	17
6-12 YRS	142	2.6	8	<1	1	2	3	5	7	16
13-19 YRS	669	3.3	16	<1	1	2	4	6	9	21
GRAND TOTAL	**883**	**3.2**	**15**	**<1**	**1**	**2**	**3**	**6**	**9**	**21**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	19	1.7	1	1	1	1	2	4	4	4
1-5 YRS	18	2.2	2	1	1	2	3	4	5	6
6-12 YRS	9	3.8	5	1	1	4	5	7	8	8
13-19 YRS	11	3.4	7	1	1	2	6	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	3.5	6	1	1	3	5	7	7	7
6-12 YRS	7	4.3	6	1	1	6	6	7	7	7
13-19 YRS	5	9.0	49	2	2	6	16	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	3.9	9	1	1	3	6	8	9	9
1-5 YRS	14	7.3	77	1	1	3	7	23	27	28
6-12 YRS	17	5.3	75	1	1	3	4	9	28	38
13-19 YRS	8	4.6	15	<1	<1	3	7	11	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	5	30.8	1501	<1	<1	9	55	94	94	94
6-12 YRS	10	21.7	261	2	2	21	38	40	41	41
13-19 YRS	26	27.3	695	3	4	23	35	84	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	2.5	4	1	1	2	3	5	7	8
B. *Operated*	16	5.6	23	1	1	5	7	15	17	17
2. MULTIPLE DX										
A. *Not Operated*	47	5.5	53	1	1	3	6	11	24	38
B. *Operated*	43	25.3	645	1	3	19	37	79	95	99+
1. SINGLE DX	73	3.2	9	1	1	2	4	7	8	17
2. MULTIPLE DX	90	15.0	431	1	1	6	23	40	77	99
A. NOT OPERATED	104	3.9	28	1	1	2	4	7	10	33
B. OPERATED	59	19.9	552	1	2	9	29	55	89	99+
TOTAL 0-27 DYS										
1-11 MOS	29	2.4	4	1	1	2	3	5	7	9
1-5 YRS	41	7.5	259	1	1	3	6	19	34	94
6-12 YRS	43	8.6	140	1	1	4	7	35	39	41
13-19 YRS	50	16.6	492	1	1	7	24	55	85	99+
GRAND TOTAL	**163**	**9.7**	**275**	**1**	**1**	**4**	**8**	**29**	**41**	**97**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	4	1.8	2	<1	<1	1	2	4	4	4
13-19 YRS	22	1.3	1	<1	<1	1	1	2	3	4
B. *Operated*										
0-27 DYS										
1-11 MOS	4	1.3		1	1	1	2	2	2	2
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	11	1.7	1	<1	<1	1	3	3	3	3
13-19 YRS	450	2.7	2	1	1	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	1.0		1	1	1	1	1	1	1
13-19 YRS	38	2.5	4	<1	<1	2	3	6	6	9
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	2	2.5	5	<1	<1	2	4	4	4	4
6-12 YRS	6	2.7	2	1	1	3	3	5	5	5
13-19 YRS	93	3.2	4	1	1	3	4	6	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	1.4	1	<1	<1	1	1	2	4	4
B. *Operated*	468	2.6	2	1	1	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	42	2.4	4	<1	<1	2	3	5	6	9
B. *Operated*	104	3.1	4	<1	1	3	4	6	7	9
1. SINGLE DX	496	2.6	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	146	2.9	4	<1	1	3	4	6	7	9
A. NOT OPERATED	70	2.0	3	<1	<1	1	2	4	6	8
B. OPERATED	572	2.7	2	1	1	3	3	5	6	8
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	1.8	1	1	1	2	2	4	4	4
1-5 YRS	8	1.6	1	<1	<1	1	2	3	4	4
6-12 YRS	24	1.9	1	<1	<1	1	3	3	4	5
13-19 YRS	603	2.7	3	<1	1	3	3	5	6	8
GRAND TOTAL	**642**	**2.6**	**2**	**<1**	**1**	**2**	**3**	**5**	**6**	**8**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	2.3	5	1	1	1	3	6	7	7
13-19 YRS	67	2.1	2	<1	<1	2	2	4	5	6
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	1	2.0		2	2	51	99+	99+	99+	99+
1-5 YRS	4	5.5	12	2	2	5	8	10	10	10
6-12 YRS	118	3.0	3	<1	1	3	4	5	6	8
13-19 YRS	2958	2.7	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	2.7	4	<1	<1	2	4	6	6	6
13-19 YRS	74	2.1	6	<1	<1	1	3	4	7	16
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	9	2.4	2	1	1	2	4	4	4	4
1-5 YRS	2	12.0	242	1	1	12	23	23	23	23
6-12 YRS	50	3.5	9	1	1	3	4	7	9	18
13-19 YRS	1915	3.2	9	<1	1	2	4	6	7	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	2.1	2	<1	<1	2	2	4	5	7
B. *Operated*	3082	2.7	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	80	2.2	6	<1	<1	1	3	4	6	15
B. *Operated*	1977	3.2	10	<1	1	2	4	6	7	13
1. SINGLE DX	3157	2.7	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	2057	3.2	9	<1	1	2	4	6	7	13
A. NOT OPERATED	155	2.1	4	<1	<1	1	3	4	6	9
B. OPERATED	5059	2.9	6	<1	1	2	4	5	6	11
TOTAL 0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	10	2.4	1	1	1	2	4	43	95	99+
1-5 YRS	6	7.7	57	1	1	5	10	22	23	23
6-12 YRS	182	3.1	5	<1	1	3	4	5	7	10
13-19 YRS	5014	2.9	6	<1	1	2	4	5	6	10
GRAND TOTAL	**5214**	**2.9**	**6**	**<1**	**1**	**2**	**4**	**5**	**6**	**11**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	1.6	2	<1	<1	1	2	4	4	4
1-5 YRS	24	3.1	18	<1	<1	2	4	6	11	21
6-12 YRS	48	3.3	21	<1	1	2	3	7	12	27
13-19 YRS	69	4.3	21	<1	1	3	6	11	13	22
B. *Operated*										
0-27 DYS										
1-11 MOS	6	16.7	496	<1	<1	8	22	55	59	59
1-5 YRS	73	3.1	10	<1	<1	2	4	7	11	14
6-12 YRS	251	2.5	8	<1	1	1	3	5	8	14
13-19 YRS	479	3.2	16	<1	1	2	4	6	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	4.6	20	<1	<1	3	5	12	14	14
1-5 YRS	21	3.2	5	1	1	3	4	7	8	9
6-12 YRS	37	5.1	30	<1	1	3	6	11	20	22
13-19 YRS	61	5.4	62	1	1	3	6	10	20	51
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.7	1	2	2	2	4	4	4	4
1-5 YRS	41	5.5	28	1	1	5	6	11	19	24
6-12 YRS	115	4.3	24	1	1	2	5	10	13	26
13-19 YRS	314	7.5	71	1	1	5	10	17	21	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	3.7	20	<1	<1	2	4	9	12	22
B. *Operated*	809	3.1	17	<1	1	2	3	6	10	21
2. MULTIPLE DX										
A. *Not Operated*	128	4.9	40	1	1	3	6	10	19	30
B. *Operated*	473	6.5	57	1	1	4	8	16	20	37
1. SINGLE DX	955	3.2	18	<1	1	2	4	7	11	21
2. MULTIPLE DX	601	6.2	54	1	1	4	8	15	20	37
A. NOT OPERATED	274	4.3	30	<1	1	3	5	10	14	23
B. OPERATED	1282	4.4	35	1	1	2	5	10	15	27
TOTAL 0-27 DYS										
1-11 MOS	23	6.8	158	<1	<1	3	4	16	35	59
1-5 YRS	159	3.7	16	<1	<1	2	5	8	11	22
6-12 YRS	451	3.3	16	1	1	2	4	7	11	21
13-19 YRS	923	4.9	42	1	1	3	6	11	17	30
GRAND TOTAL	**1556**	**4.3**	**34**	**<1**	**1**	**2**	**5**	**10**	**15**	**26**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	14	3.8	9	<1	1	3	6	7	10	11
6-12 YRS	35	2.5	3	<1	1	2	3	4	6	9
13-19 YRS	147	2.2	2	<1	<1	2	3	5	5	8
B. *Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	72	2.9	5	<1	1	2	4	5	5	14
13-19 YRS	1538	3.2	4	<1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.5	25	1	1	4	8	8	8	8
1-5 YRS	10	3.5	5	1	1	3	5	7	7	7
6-12 YRS	29	3.6	9	1	1	3	5	7	11	11
13-19 YRS	95	3.0	12	<1	<1	2	4	6	9	21
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	40	3.6	6	1	1	3	5	6	8	12
13-19 YRS	1458	4.2	8	1	1	4	5	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	2.4	3	<1	<1	2	3	5	6	9
B. *Operated*	1613	3.1	4	<1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	136	3.2	11	<1	1	2	4	7	9	14
B. *Operated*	1501	4.2	8	1	1	4	5	7	9	15
1. SINGLE DX	1810	3.1	4	<1	1	3	4	6	7	9
2. MULTIPLE DX	1637	4.1	8	1	1	4	5	7	9	14
A. NOT OPERATED	333	2.7	6	<1	<1	2	3	5	7	11
B. OPERATED	3114	3.7	6	1	1	3	5	6	8	12
TOTAL 0-27 DYS	3	4.0	4	2	2	4	5	5	6	6
1-11 MOS	4	3.8	10	1	1	3	6	8	8	8
1-5 YRS	26	3.6	7	<1	1	3	5	7	8	11
6-12 YRS	176	3.1	5	<1	1	3	4	5	7	12
13-19 YRS	3238	3.6	6	<1	1	3	5	6	8	12
GRAND TOTAL	**3447**	**3.6**	**6**	**<1**	**1**	**3**	**5**	**6**	**8**	**12**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS										
6-12 YRS	27	3.3	7	<1	1	3	4	8	9	10
13-19 YRS	368	4.8	10	1	1	4	7	8	11	14
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	26	6.9	33	1	2	5	9	13	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	2.7	2	1	1	3	4	4	4	4
1-11 MOS	6	7.5	27	1	1	6	12	15	15	15
1-5 YRS	4	11.8	115	2	2	9	18	27	27	27
6-12 YRS	24	4.7	17	1	1	4	5	10	15	18
13-19 YRS	343	5.6	14	1	2	5	7	11	12	19
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.5	3	2	2	5	6	6	6	6
1-5 YRS										
6-12 YRS										
13-19 YRS	23	8.3	72	<1	1	6	11	20	28	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	398	4.7	10	1	1	4	7	8	11	14
B. *Operated*	27	6.9	31	1	2	6	9	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	380	5.6	16	1	2	5	7	11	13	19
B. *Operated*	27	7.7	63	<1	1	6	9	19	26	34
1. SINGLE DX	425	4.8	12	1	1	4	7	9	11	16
2. MULTIPLE DX	407	5.7	19	1	2	5	7	11	14	20
A. NOT OPERATED	778	5.1	13	1	1	4	7	10	12	18
B. OPERATED	54	7.3	47	1	1	6	9	16	24	34
TOTAL 0-27 DYS	5	3.6	7	1	1	3	5	8	8	8
1-11 MOS	12	6.0	15	1	2	5	7	13	15	15
1-5 YRS	4	11.8	115	2	2	9	18	27	27	27
6-12 YRS	51	3.9	12	1	1	3	5	9	10	18
13-19 YRS	760	5.3	15	1	1	4	7	10	12	20
GRAND TOTAL	**832**	**5.3**	**15**	**1**	**1**	**4**	**7**	**10**	**12**	**20**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	3	3.0	1	2	2	3	4	4	4	4
1-5 YRS	46	1.6	1	<1	<1	1	2	2	3	4
6-12 YRS	158	2.0	3	<1	1	1	2	4	5	11
13-19 YRS	597	3.3	9	<1	1	2	4	7	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	6.7	96	1	1	1	14	18	18	18
13-19 YRS	37	4.5	12	1	2	3	5	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.7	6	1	1	4	5	6	6	6
1-11 MOS	9	5.4	4	3	3	5	6	9	9	9
1-5 YRS	24	3.3	7	1	1	3	5	6	8	11
6-12 YRS	113	3.4	5	<1	1	3	5	7	7	10
13-19 YRS	1004	4.2	10	1	1	4	5	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	4.1	10	1	1	3	6	9	10	10
13-19 YRS	59	5.5	23	1	1	4	8	14	16	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	805	3.0	8	<1	1	2	4	6	8	14
B. *Operated*	40	4.7	16	1	1	3	5	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	1153	4.1	10	1	1	4	5	8	9	14
B. *Operated*	66	5.4	22	1	1	4	8	13	16	19
1. SINGLE DX	845	3.0	9	<1	1	2	4	6	9	14
2. MULTIPLE DX	1219	4.2	11	1	1	4	5	8	10	16
A. NOT OPERATED	1958	3.6	10	<1	1	3	5	7	9	14
B. OPERATED	106	5.1	19	1	1	3	7	12	16	19
TOTAL 0-27 DYS	4	7.8	71	1	1	5	13	20	20	20
1-11 MOS	12	4.8	4	2	3	5	5	8	9	9
1-5 YRS	70	2.2	3	<1	1	2	2	4	6	10
6-12 YRS	281	2.6	6	<1	1	2	3	6	7	12
13-19 YRS	1697	3.9	11	1	1	3	5	8	10	15
GRAND TOTAL	**2064**	**3.7**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	33	2.2	2	<1	<1	2	3	4	4	5
6-12 YRS	67	2.4	4	<1	<1	2	3	5	6	10
13-19 YRS	240	2.3	4	<1	<1	2	3	5	6	10
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	18	1.6		<1	<1	2	2	2	3	3
6-12 YRS	61	2.8	8	<1	1	2	3	5	7	19
13-19 YRS	673	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	5.0	23	2	2	3	8	12	12	12
1-5 YRS	17	2.9	5	<1	1	3	4	5	8	10
6-12 YRS	45	3.2	10	<1	<1	2	4	7	9	16
13-19 YRS	180	3.1	9	<1	1	2	4	6	8	15
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS	5	2.8	9	<1	<1	2	4	8	8	8
6-12 YRS	25	3.5	15	1	1	2	3	11	34	99+
13-19 YRS	257	3.2	5	1	1	3	4	6	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	2.3	4	<1	<1	2	3	5	6	10
B. *Operated*	755	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	246	3.2	9	<1	1	2	4	6	9	16
B. *Operated*	288	3.2	6	1	1	3	4	6	8	15
1. SINGLE DX	1095	2.4	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	534	3.2	7	<1	1	2	4	6	8	16
A. NOT OPERATED	586	2.7	6	<1	<1	2	3	5	7	13
B. OPERATED	1043	2.6	3	1	1	2	3	4	6	10
TOTAL 0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	6	4.3	15	2	2	3	4	11	12	12
1-5 YRS	73	2.3	3	<1	<1	2	3	4	5	10
6-12 YRS	198	2.8	8	<1	<1	2	3	6	8	19
13-19 YRS	1350	2.6	4	<1	1	2	3	5	6	11
GRAND TOTAL	**1629**	**2.6**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**12**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	160	1.4	1	<1	1	1	2	2	3	6
1-5 YRS	1772	1.3		<1	1	1	1	2	2	4
6-12 YRS	3292	1.4	1	1	1	1	2	2	3	4
13-19 YRS	3185	1.6	1	<1	1	1	2	3	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	2.9	16	<1	<1	2	3	9	14	14
6-12 YRS	13	1.3		1	1	1	2	2	3	3
13-19 YRS	19	3.1	25	<1	<1	1	2	8	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	144	2.3	4	1	1	2	3	5	6	8
1-5 YRS	1266	1.9	4	1	1	1	2	3	5	9
6-12 YRS	2668	2.0	5	1	1	1	2	3	5	9
13-19 YRS	4956	2.4	6	<1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS	4	1.8	1	1	1	2	2	3	3	3
1-5 YRS	137	2.5	5	1	1	1	3	6	8	11
6-12 YRS	409	3.2	24	1	1	2	3	6	8	31
13-19 YRS	1485	3.9	41	<1	1	2	4	7	12	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8411	1.5	1	<1	1	1	2	2	3	5
B. *Operated*	42	2.5	15	<1	<1	1	2	3	13	21
2. MULTIPLE DX										
A. *Not Operated*	9035	2.2	5	1	1	2	2	4	5	10
B. *Operated*	2035	3.7	35	1	1	2	4	7	11	34
1. SINGLE DX	8453	1.5	1	<1	1	1	2	2	3	5
2. MULTIPLE DX	11070	2.5	11	1	1	2	3	5	6	14
A. NOT OPERATED	17446	1.8	3	<1	1	1	2	3	4	8
B. OPERATED	2077	3.6	35	1	1	2	4	7	11	34
TOTAL 0-27 DYS	3	2.3	2	1	1	2	3	4	4	4
1-11 MOS	308	1.8	2	<1	1	1	2	4	5	7
1-5 YRS	3185	1.6	2	<1	1	1	2	3	4	8
6-12 YRS	6382	1.8	4	1	1	1	2	3	4	8
13-19 YRS	9645	2.4	10	<1	1	2	3	4	6	13
GRAND TOTAL	**19523**	**2.0**	**7**	**<1**	**1**	**1**	**2**	**4**	**5**	**10**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	10	1.8	1	<1	<1	2	2	3	4	4
1-11 MOS	250	1.6	2	<1	1	1	2	3	4	7
1-5 YRS	1031	1.5	1	<1	<1	1	2	2	4	7
6-12 YRS	1101	1.6	3	<1	1	1	2	3	4	8
13-19 YRS	942	2.3	12	<1	1	1	2	4	7	19
B. *Operated*										
0-27 DYS										
1-11 MOS	11	13.4	117	3	3	12	17	33	35	35
1-5 YRS	45	8.2	112	1	1	5	10	16	26	63
6-12 YRS	46	4.8	16	1	1	4	7	9	11	23
13-19 YRS	71	10.4	155	1	2	7	10	25	47	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	4.3	12	1	1	3	8	9	9	9
1-11 MOS	236	3.1	20	<1	1	2	3	6	10	27
1-5 YRS	919	2.6	18	1	1	1	3	5	8	20
6-12 YRS	1162	2.7	26	1	1	1	2	5	7	29
13-19 YRS	1527	3.7	44	<1	1	2	3	7	13	31
B. *Operated*										
0-27 DYS										
1-11 MOS	34	17.2	213	1	2	13	24	46	52	99+
1-5 YRS	157	10.0	241	1	1	4	11	28	58	98
6-12 YRS	206	14.7	365	1	1	5	25	50	71	99+
13-19 YRS	604	14.6	396	1	1	7	21	58	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3334	1.8	5	<1	1	1	2	3	4	11
B. *Operated*	173	8.5	109	1	1	6	10	19	30	97
2. MULTIPLE DX										
A. *Not Operated*	3850	3.1	31	<1	1	2	3	6	10	29
B. *Operated*	1001	14.0	361	1	1	6	21	50	77	99+
1. SINGLE DX	3507	2.1	12	<1	1	1	2	4	6	17
2. MULTIPLE DX	4851	5.3	119	1	1	2	4	13	27	81
A. NOT OPERATED	7184	2.5	20	<1	1	1	2	4	7	21
B. OPERATED	1174	13.2	328	1	1	6	18	46	75	99+
TOTAL 0-27 DYS	16	2.8	6	<1	<1	2	3	8	9	9
1-11 MOS	531	3.5	41	<1	1	1	3	7	15	38
1-5 YRS	2152	2.7	33	<1	1	1	2	5	8	27
6-12 YRS	2515	3.2	55	1	1	1	2	5	10	49
13-19 YRS	3144	5.5	126	<1	1	2	5	13	27	89
GRAND TOTAL	**8358**	**4.0**	**77**	**<1**	**1**	**1**	**3**	**8**	**17**	**64**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	9	2.7	4	1	1	2	3	6	7	7
6-12 YRS	11	1.8	1	1	1	1	3	3	3	3
13-19 YRS	88	3.3	9	1	1	2	4	7	10	16
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS	5	5.0	4	3	3	5	6	8	8	8
6-12 YRS	6	6.5	6	3	3	6	8	10	10	10
13-19 YRS	117	5.6	12	2	2	5	7	11	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.7	2	1	1	3	4	4	4	4
1-5 YRS	31	3.7	19	1	1	3	4	5	7	26
6-12 YRS	32	3.6	6	1	1	3	4	8	9	10
13-19 YRS	179	4.0	8	1	1	3	5	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	13.6	219	1	2	7	20	38	46	46
6-12 YRS	38	8.8	43	4	4	7	10	16	26	33
13-19 YRS	351	9.6	112	2	3	7	11	18	29	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	3.0	8	1	1	2	4	6	8	15
B. *Operated*	129	5.6	12	2	2	5	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	245	3.9	9	1	1	3	5	8	9	15
B. *Operated*	398	9.7	108	2	3	7	11	18	29	78
1. SINGLE DX	239	4.4	11	1	1	4	6	9	12	17
2. MULTIPLE DX	643	7.4	78	1	2	5	9	15	21	57
A. NOT OPERATED	355	3.6	9	1	1	3	4	7	9	15
B. OPERATED	527	8.7	87	2	3	6	10	17	23	67
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	5	2.2	2	1	1	2	3	4	4	4
1-5 YRS	54	5.3	59	1	1	3	5	8	24	45
6-12 YRS	87	5.9	29	1	1	5	8	10	13	32
13-19 YRS	735	6.8	66	1	2	5	8	13	18	53
GRAND TOTAL	**882**	**6.6**	**62**	**1**	**2**	**5**	**8**	**13**	**18**	**44**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	71	2.9	6	<1	1	2	4	6	7	11
6-12 YRS	329	3.9	13	1	1	3	5	9	10	19
13-19 YRS	536	3.5	7	<1	1	3	5	7	9	12
B. Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	12.0	63	6	6	9	18	21	21	21
1-5 YRS	47	7.8	63	1	1	6	8	14	24	45
6-12 YRS	113	6.6	15	1	2	6	8	11	13	24
13-19 YRS	276	6.7	15	2	3	6	8	10	12	23
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	5.8	25	2	2	4	9	14	14	14
1-5 YRS	94	4.7	26	1	1	3	6	9	18	25
6-12 YRS	295	3.7	12	1	1	2	4	9	10	16
13-19 YRS	620	3.9	12	1	1	3	5	8	10	16
B. Operated										
0-27 DYS	2	22.0	50	17	17	22	27	27	27	27
1-11 MOS	4	8.5	15	4	4	8	11	13	13	13
1-5 YRS	95	11.1	72	2	3	8	14	24	29	37
6-12 YRS	249	10.4	70	3	4	8	11	21	29	42
13-19 YRS	877	12.1	135	3	5	9	13	24	34	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	939	3.6	9	<1	1	3	5	8	10	13
B. Operated	440	6.9	20	2	3	6	8	11	13	26
2. MULTIPLE DX										
A. Not Operated	1015	4.0	13	1	1	3	5	8	10	19
B. Operated	1227	11.7	117	3	4	8	13	23	33	61
1. SINGLE DX	1379	4.6	15	1	1	4	6	9	11	19
2. MULTIPLE DX	2242	8.2	85	1	1	6	10	16	25	48
A. NOT OPERATED	1954	3.8	11	1	1	3	5	8	10	17
B. OPERATED	1667	10.4	96	2	4	8	11	19	29	53
TOTAL 0-27 DYS	4	13.3	120	3	3	11	22	27	27	27
1-11 MOS	15	6.8	34	<1	1	6	10	14	19	21
1-5 YRS	307	6.8	51	1	1	5	8	17	23	35
6-12 YRS	986	5.8	35	1	1	4	8	11	16	31
13-19 YRS	2309	7.3	73	1	1	6	9	13	20	48
GRAND TOTAL	**3621**	**6.8**	**61**	**1**	**1**	**5**	**8**	**13**	**19**	**41**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	24	2.6	4	<1	1	2	4	5	6	8
6-12 YRS	19	3.6	8	<1	1	3	5	7	10	11
13-19 YRS	27	3.1	5	<1	1	3	4	7	9	9
B. Operated										
0-27 DYS										
1-11 MOS	10	2.3	4	1	1	1	4	5	6	6
1-5 YRS	287	2.4	5	<1	1	1	3	5	6	13
6-12 YRS	271	3.1	6	1	1	2	4	6	8	11
13-19 YRS	237	2.8	5	<1	1	2	4	5	6	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	19	3.1	4	<1	<1	3	5	6	7	7
6-12 YRS	28	3.1	3	1	1	3	4	6	7	7
13-19 YRS	63	3.0	5	<1	1	2	5	6	8	9
B. Operated										
0-27 DYS										
1-11 MOS	9	3.9	11	1	1	2	6	9	10	10
1-5 YRS	225	3.0	6	<1	1	2	4	6	8	11
6-12 YRS	233	3.7	9	1	1	3	5	7	8	17
13-19 YRS	291	4.5	16	1	1	3	6	9	12	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	3.0	5	<1	1	2	4	6	8	11
B. Operated	805	2.7	6	<1	1	2	4	6	7	12
2. MULTIPLE DX										
A. Not Operated	111	3.1	5	<1	1	2	5	6	7	9
B. Operated	758	3.8	11	1	1	3	5	7	9	17
1. SINGLE DX	877	2.8	6	<1	1	2	4	6	7	12
2. MULTIPLE DX	869	3.7	10	1	1	3	5	7	9	17
A. NOT OPERATED	183	3.1	5	<1	1	2	4	6	8	9
B. OPERATED	1563	3.2	9	<1	1	2	4	6	8	14
TOTAL 0-27 DYS										
1-11 MOS	22	3.0	7	1	1	2	5	7	9	10
1-5 YRS	555	2.7	6	<1	1	2	4	6	7	11
6-12 YRS	551	3.3	7	1	1	3	5	7	8	12
13-19 YRS	618	3.6	11	<1	1	3	5	7	9	16
GRAND TOTAL	**1746**	**3.2**	**8**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	15	1.9	2	1	1	2	2	3	6	7
1-5 YRS	121	2.3	6	<1	<1	1	3	4	6	15
6-12 YRS	88	2.0	2	<1	<1	1	3	4	5	7
13-19 YRS	125	2.2	3	<1	<1	2	3	4	5	8
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	28	1.5	1	<1	<1	1	1	4	4	5
1-5 YRS	732	1.5	1	<1	<1	1	2	3	4	6
6-12 YRS	316	1.9	3	<1	<1	1	2	3	4	8
13-19 YRS	358	2.4	6	<1	<1	2	3	5	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	21	2.8	4	<1	<1	2	4	5	7	8
1-5 YRS	198	2.7	5	<1	1	2	3	6	7	12
6-12 YRS	157	2.9	13	1	1	2	3	5	8	23
13-19 YRS	437	2.5	12	<1	<1	2	3	5	7	10
B. *Operated*										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	22	2.4	6	<1	<1	1	2	6	8	9
1-5 YRS	515	2.7	9	<1	1	2	3	5	8	15
6-12 YRS	486	2.7	11	<1	1	2	3	5	7	15
13-19 YRS	1300	3.5	31	<1	1	2	4	7	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	351	2.2	3	<1	<1	2	3	4	5	8
B. *Operated*	1436	1.8	3	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	815	2.6	10	<1	1	2	3	5	7	12
B. *Operated*	2325	3.1	22	<1	1	2	4	6	9	17
1. SINGLE DX	1787	1.9	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX	3140	3.0	19	<1	1	2	3	6	8	16
A. NOT OPERATED	1166	2.5	8	<1	<1	2	3	5	7	12
B. OPERATED	3761	2.6	15	<1	<1	2	3	5	7	15
TOTAL 0-27 DYS	8	2.8	5	1	1	2	5	6	6	6
1-11 MOS	86	2.1	3	<1	<1	1	2	5	6	9
1-5 YRS	1566	2.1	5	<1	<1	1	2	4	6	11
6-12 YRS	1047	2.4	8	<1	1	2	3	5	6	14
13-19 YRS	2220	3.0	22	<1	1	2	3	6	8	16
GRAND TOTAL	**4927**	**2.6**	**14**	**<1**	**<1**	**2**	**3**	**5**	**7**	**14**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	48	2.0	2	<1	1	1	3	4	5	7
6-12 YRS	98	2.2	3	<1	1	2	3	3	5	12
13-19 YRS	326	2.1	3	<1	<1	2	2	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	104	1.8	6	<1	<1	1	2	3	5	16
6-12 YRS	200	2.3	6	<1	1	2	3	5	6	14
13-19 YRS	363	3.6	14	<1	1	2	5	7	9	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	3	3.3	4	1	1	4	5	5	5	5
1-5 YRS	46	3.4	22	<1	1	2	4	5	9	31
6-12 YRS	49	2.6	4	1	1	2	3	6	8	9
13-19 YRS	232	3.2	10	<1	1	2	4	6	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	3	16.0	259	1	1	14	28	33	33	33
1-5 YRS	67	6.4	130	1	1	3	6	11	22	62
6-12 YRS	141	4.9	34	1	1	3	6	11	14	33
13-19 YRS	514	7.6	109	1	1	5	8	14	22	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	477	2.1	3	<1	1	2	2	4	5	9
B. *Operated*	669	2.9	11	<1	1	2	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*	332	3.1	10	<1	1	2	4	6	9	14
B. *Operated*	725	7.0	98	1	1	5	8	13	20	59
1. SINGLE DX	1146	2.6	7	<1	1	2	3	5	7	12
2. MULTIPLE DX	1057	5.8	74	1	1	3	7	11	16	50
A. NOT OPERATED	809	2.5	6	<1	1	2	3	5	7	12
B. OPERATED	1394	5.0	60	1	1	3	6	10	15	45
TOTAL 0-27 DYS	4	2.8	1	2	2	3	3	4	4	4
1-11 MOS	11	5.7	97	<1	<1	1	5	22	32	33
1-5 YRS	265	3.3	42	<1	1	2	3	6	9	45
6-12 YRS	488	3.1	15	<1	1	2	3	6	10	20
13-19 YRS	1435	4.6	50	<1	1	3	5	9	13	38
GRAND TOTAL	**2203**	**4.1**	**42**	**<1**	**1**	**2**	**5**	**8**	**12**	**32**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	2.4	4	1	1	2	3	6	6	6
1-5 YRS	63	2.1	2	<1	<1	2	3	4	5	9
6-12 YRS	109	2.4	2	<1	1	2	3	4	6	8
13-19 YRS	295	2.9	6	<1	1	2	4	5	7	9
B. *Operated*										
0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	25	1.9	7	<1	<1	1	2	2	6	14
1-5 YRS	534	1.8	3	<1	<1	1	2	3	5	9
6-12 YRS	777	2.0	3	<1	1	2	2	4	5	9
13-19 YRS	2006	2.2	5	<1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	3.5	1	3	3	3	4	5	5	5
1-5 YRS	44	3.4	9	<1	1	3	4	6	12	15
6-12 YRS	87	3.6	7	1	1	3	5	7	9	13
13-19 YRS	331	3.9	25	<1	1	3	4	7	10	32
B. *Operated*										
0-27 DYS	3	2.7	2	1	1	3	4	4	4	4
1-11 MOS	13	2.1	4	<1	<1	1	2	5	7	7
1-5 YRS	305	2.5	7	1	1	2	3	5	7	15
6-12 YRS	523	2.8	8	1	1	2	3	5	7	17
13-19 YRS	1746	3.5	30	<1	1	2	4	7	10	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	473	2.6	4	<1	1	2	3	5	6	9
B. *Operated*	3344	2.1	5	<1	<1	1	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	467	3.8	20	1	1	3	4	7	10	28
B. *Operated*	2590	3.2	23	1	1	2	3	6	9	24
1. SINGLE DX	3817	2.2	5	<1	1	2	2	4	5	10
2. MULTIPLE DX	3057	3.3	22	1	1	2	4	6	9	25
A. NOT OPERATED	940	3.2	13	<1	1	2	4	6	8	18
B. OPERATED	5934	2.6	13	<1	1	2	3	5	7	16
TOTAL 0-27 DYS	7	2.4	1	<1	<1	3	3	4	4	4
1-11 MOS	47	2.1	5	<1	1	1	2	5	6	14
1-5 YRS	946	2.1	5	<1	<1	1	2	4	6	13
6-12 YRS	1496	2.4	5	<1	1	2	3	5	6	11
13-19 YRS	4378	2.9	17	<1	1	2	3	5	8	19
GRAND TOTAL	**6874**	**2.7**	**13**	**<1**	**1**	**2**	**3**	**5**	**7**	**17**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	2.3	2	<1	<1	2	3	4	4	4
1-5 YRS	69	3.1	18	<1	<1	2	3	5	9	29
6-12 YRS	206	2.9	5	<1	<1	2	4	6	8	10
13-19 YRS	371	3.0	7	<1	1	2	4	6	7	10
B. *Operated*										
0-27 DYS	2	7.0	72	1	1	7	13	13	13	13
1-11 MOS	11	4.1	9	1	1	3	7	9	9	9
1-5 YRS	308	3.5	25	<1	<1	2	4	7	11	30
6-12 YRS	797	3.7	23	<1	1	2	4	7	11	26
13-19 YRS	1031	3.9	22	1	1	3	5	7	11	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	5.8	10	2	2	7	8	9	9	9
1-5 YRS	56	4.3	22	1	1	3	5	8	10	27
6-12 YRS	143	4.5	15	1	2	3	5	8	10	22
13-19 YRS	202	4.1	14	1	1	3	5	8	9	15
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	121	6.8	59	1	1	4	9	15	23	40
6-12 YRS	335	7.1	81	1	1	4	8	15	29	54
13-19 YRS	629	6.9	73	1	1	4	7	16	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	653	3.0	8	<1	<1	2	4	6	8	10
B. *Operated*	2149	3.8	23	<1	1	2	4	7	11	26
2. MULTIPLE DX										
A. *Not Operated*	406	4.3	15	1	1	3	5	8	9	22
B. *Operated*	1089	7.0	74	1	1	4	8	16	27	48
1. SINGLE DX	2802	3.6	19	<1	1	2	4	7	10	24
2. MULTIPLE DX	1495	6.2	59	1	1	4	7	13	21	44
A. NOT OPERATED	1059	3.5	11	<1	1	3	4	7	8	14
B. OPERATED	3238	4.9	42	1	1	3	5	10	16	38
TOTAL 0-27 DYS	3	7.3	36	1	1	8	12	13	13	13
1-11 MOS	26	3.6	8	<1	1	3	4	8	9	9
1-5 YRS	554	4.3	33	<1	1	2	5	9	14	31
6-12 YRS	1481	4.4	35	<1	1	3	5	9	13	34
13-19 YRS	2233	4.6	35	1	1	3	5	9	14	35
GRAND TOTAL	**4297**	**4.5**	**35**	**<1**	**1**	**3**	**5**	**9**	**14**	**34**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.3	16	<1	<1	1	6	8	8	8
1-5 YRS	7	1.0		1	1	1	1	1	1	1
6-12 YRS	7	1.7	2	<1	<1	1	3	4	4	4
13-19 YRS	7	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.3		<1	<1	1	2	2	2	2
6-12 YRS	20	3.0	14	1	1	2	3	8	13	14
13-19 YRS	47	3.6	28	<1	1	2	4	8	11	33
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	1.3	1	<1	<1	1	2	3	3	3
6-12 YRS	7	4.6	55	1	1	1	4	18	21	21
13-19 YRS	13	2.9	6	<1	<1	2	4	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	12	4.5	62	<1	<1	2	3	14	27	29
6-12 YRS	27	4.7	24	1	1	3	6	14	31	99+
13-19 YRS	151	9.9	135	1	1	5	13	28	33	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	1.6	2	<1	<1	1	1	3	5	8
B. *Operated*	70	3.3	22	1	1	2	3	7	13	30
2. MULTIPLE DX										
A. *Not Operated*	30	2.8	15	<1	<1	1	2	6	8	21
B. *Operated*	190	8.8	119	1	1	5	11	26	32	66
1. SINGLE DX	94	2.9	18	<1	1	1	3	6	10	26
2. MULTIPLE DX	220	8.0	109	1	1	4	9	23	31	60
A. NOT OPERATED	54	2.2	10	<1	<1	1	2	5	8	20
B. OPERATED	260	7.3	98	1	1	3	8	20	30	53
TOTAL 0-27 DYS										
1-11 MOS	4	2.8	12	<1	<1	1	5	8	8	8
1-5 YRS	31	2.5	26	<1	<1	1	2	3	7	29
6-12 YRS	61	3.8	22	1	1	2	5	11	18	91
13-19 YRS	218	7.8	109	1	1	4	9	22	31	45
GRAND TOTAL	**314**	**6.4**	**87**	**1**	**1**	**3**	**7**	**18**	**30**	**46**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	15	3.5	7	<1	1	3	4	8	9	10
6-12 YRS	16	2.9	4	<1	1	2	3	7	8	8
13-19 YRS	40	3.6	7	<1	1	3	5	7	10	11
B. *Operated*										
0-27 DYS										
1-11 MOS	5	3.4	11	<1	<1	3	5	9	9	9
1-5 YRS	93	4.0	21	<1	1	2	4	10	17	21
6-12 YRS	171	3.3	9	1	1	2	4	7	9	17
13-19 YRS	400	3.2	9	<1	1	2	4	6	8	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	3.5	4	1	1	3	5	6	6	6
1-5 YRS	29	3.4	22	<1	<1	2	4	10	24	99+
6-12 YRS	36	6.9	98	1	1	3	9	17	28	50
13-19 YRS	79	7.0	115	<1	1	4	8	24	34	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	3	7.0	39	2	2	5	12	14	14	14
1-5 YRS	40	4.9	28	<1	1	2	7	10	19	22
6-12 YRS	90	4.8	24	1	1	3	6	11	14	25
13-19 YRS	393	5.3	79	1	1	3	5	9	15	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	3.3	6	<1	1	3	4	7	10	11
B. *Operated*	669	3.3	11	<1	1	2	4	7	9	20
2. MULTIPLE DX										
A. *Not Operated*	148	6.2	91	<1	1	3	7	17	30	99+
B. *Operated*	526	5.2	66	1	1	3	5	10	15	51
1. SINGLE DX	741	3.3	11	<1	1	2	4	7	9	19
2. MULTIPLE DX	674	5.4	71	1	1	3	5	11	19	74
A. NOT OPERATED	220	5.3	65	<1	1	3	5	11	25	99+
B. OPERATED	1195	4.1	36	1	1	3	4	8	11	26
TOTAL 0-27 DYS										
1-11 MOS	13	4.1	14	<1	<1	3	5	10	13	14
1-5 YRS	177	4.0	22	<1	1	2	4	10	18	23
6-12 YRS	313	4.1	24	1	1	2	4	9	13	24
13-19 YRS	912	4.4	50	1	1	3	5	8	12	44
GRAND TOTAL	**1415**	**4.3**	**40**	**1**	**1**	**3**	**5**	**9**	**13**	**34**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	4	3.5	7	<1	<1	3	5	7	7	7
1-5 YRS	134	3.8	4	1	1	4	5	6	7	12
6-12 YRS	422	3.9	4	1	2	4	5	6	8	11
13-19 YRS	464	4.0	6	1	2	4	5	6	7	14
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	4.8	11	<1	<1	4	8	9	9	9
6-12 YRS	19	5.9	9	2	3	5	7	10	13	14
13-19 YRS	22	6.0	16	<1	1	5	8	13	14	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	12	2.9	4	1	1	2	4	6	7	7
1-5 YRS	75	3.9	7	1	1	3	6	8	8	13
6-12 YRS	236	4.1	9	1	1	4	5	7	9	16
13-19 YRS	320	3.8	6	1	1	3	5	7	8	14
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	5.8	18	1	1	5	8	12	13	13
6-12 YRS	36	5.7	21	1	2	4	9	12	16	18
13-19 YRS	60	4.6	12	<1	1	4	6	10	12	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1024	3.9	5	1	2	4	5	6	7	12
B. Operated	49	5.8	12	1	1	5	8	11	14	14
2. MULTIPLE DX										
A. Not Operated	644	3.9	7	1	1	3	5	7	8	15
B. Operated	102	5.0	15	1	1	4	7	11	13	18
1. SINGLE DX	1073	4.0	5	1	2	4	5	6	8	13
2. MULTIPLE DX	746	4.1	5	1	1	3	5	7	9	15
A. NOT OPERATED	1668	3.9	6	1	1	4	5	6	8	14
B. OPERATED	151	5.3	14	1	1	4	8	11	13	18
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	16	3.1	4	<1	1	2	4	7	7	7
1-5 YRS	223	3.9	6	1	1	4	5	7	8	13
6-12 YRS	713	4.1	7	1	2	4	5	7	9	14
13-19 YRS	866	4.0	7	1	1	4	5	7	6	14
GRAND TOTAL	**1819**	**4.0**	**7**	**1**	**1**	**4**	**5**	**7**	**8**	**14**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	9	1.6	1	<1	<1	1	2	3	4	4
1-11 MOS	127	1.8	2	<1	1	1	2	3	6	8
1-5 YRS	522	1.7	2	<1	<1	1	2	3	4	10
6-12 YRS	695	1.8	2	<1	<1	1	2	3	4	8
13-19 YRS	1358	1.9	2	<1	<1	1	2	4	5	8
B. Operated										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS	70	3.1	34	<1	<1	1	2	6	13	36
6-12 YRS	122	3.5	19	<1	<1	2	3	7	13	24
13-19 YRS	212	3.1	10	<1	1	2	4	6	7	22
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	6	2.7	5	<1	<1	2	5	6	6	6
1-11 MOS	184	3.0	10	1	1	2	4	6	8	19
1-5 YRS	748	2.3	6	<1	1	2	3	5	6	10
6-12 YRS	959	2.2	3	1	1	2	2	4	6	9
13-19 YRS	2281	2.4	4	<1	1	2	3	5	6	10
B. Operated										
0-27 DYS										
1-11 MOS	5	3.8	1	3	3	3	5	5	5	5
1-5 YRS	82	3.8	16	<1	1	3	5	8	11	24
6-12 YRS	142	3.8	14	1	1	3	5	8	10	22
13-19 YRS	412	4.2	37	<1	1	3	5	8	13	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2711	1.8	2	<1	<1	1	2	3	4	8
B. Operated	409	3.2	17	<1	1	2	3	6	10	24
2. MULTIPLE DX										
A. Not Operated	4178	2.4	5	<1	1	2	3	5	6	10
B. Operated	641	4.1	29	1	1	3	5	8	12	27
1. SINGLE DX	3120	2.0	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX	4819	2.6	8	<1	1	2	3	5	7	13
A. NOT OPERATED	6889	2.1	4	<1	1	2	2	4	6	10
B. OPERATED	1050	3.7	24	<1	1	2	4	7	11	27
TOTAL 0-27 DYS	17	2.1	2	<1	<1	1	3	5	6	6
1-11 MOS	319	2.5	7	1	1	2	3	5	7	15
1-5 YRS	1422	2.2	7	<1	1	1	2	4	6	11
6-12 YRS	1918	2.2	5	<1	1	2	2	4	6	12
13-19 YRS	4263	2.4	8	<1	<1	2	3	5	6	12
GRAND TOTAL	**7939**	**2.4**	**7**	**<1**	**1**	**2**	**3**	**5**	**6**	**12**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	79	2.0	2	1	1	2	2	4	4	10
6-12 YRS	39	2.3	6	<1	<1	1	2	4	9	12
13-19 YRS	51	3.4	15	<1	<1	2	4	7	10	23
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.7	1	<1	<1	1	2	3	3	3
1-5 YRS	28	5.4	43	<1	1	3	7	14	21	29
6-12 YRS	18	5.4	59	1	1	2	8	16	25	30
13-19 YRS	59	6.1	51	1	1	4	7	15	21	39
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	42	3.1	27	1	1	2	3	5	8	34
6-12 YRS	25	3.0	4	1	1	2	5	6	7	8
13-19 YRS	47	2.9	6	<1	1	2	4	7	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	32	6.4	88	<1	<1	2	7	17	20	48
6-12 YRS	30	6.1	62	<1	<1	3	7	16	17	39
13-19 YRS	112	7.0	86	1	1	3	9	16	20	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	2.4	7	<1	1	2	3	5	6	12
B. *Operated*	108	5.7	49	1	1	3	7	14	21	34
2. MULTIPLE DX										
A. *Not Operated*	116	3.0	13	1	1	2	3	6	8	18
B. *Operated*	175	6.7	81	<1	1	3	9	17	20	49
1. SINGLE DX	280	3.7	25	<1	1	2	4	9	12	29
2. MULTIPLE DX	291	5.2	57	1	1	3	5	12	17	46
A. NOT OPERATED	288	2.6	9	1	1	2	3	5	8	12
B. OPERATED	283	6.3	69	1	1	3	8	16	20	46
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	8	1.9	1	<1	<1	2	3	3	3	3
1-5 YRS	181	3.5	32	1	1	2	3	7	13	32
6-12 YRS	112	3.9	31	<1	1	2	4	9	15	33
13-19 YRS	269	5.4	54	1	1	3	6	12	18	43
GRAND TOTAL	**571**	**4.5**	**42**	**1**	**1**	**2**	**5**	**10**	**17**	**40**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	14	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	15	1.8	2	<1	<1	1	2	3	6	7
13-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	17	1.2		<1	<1	1	1	2	3	3
6-12 YRS	17	1.6	1	<1	<1	1	2	4	4	4
13-19 YRS	7	1.9	2	1	1	1	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	1.7	3	<1	<1	1	1	5	5	5
6-12 YRS	4	1.8		<1	<1	2	2	2	2	2
13-19 YRS	6	2.8	1	1	1	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	2.3	3	<1	<1	1	4	5	5	5
6-12 YRS	7	2.7	9	<1	<1	1	5	8	8	8
13-19 YRS	12	3.3	4	1	1	3	4	6	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	1.4	1	<1	<1	1	1	2	3	7
B. *Operated*	42	1.5	1	<1	<1	1	1	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	16	2.1	2	<1	<1	2	3	4	5	5
B. *Operated*	26	2.8	5	<1	<1	2	4	6	8	8
1. SINGLE DX	76	1.4	1	<1	<1	1	1	3	4	6
2. MULTIPLE DX	42	2.6	4	<1	<1	2	4	5	7	8
A. NOT OPERATED	50	1.6	2	<1	<1	1	2	3	4	7
B. OPERATED	68	2.0	3	<1	<1	1	3	5	5	8
TOTAL 0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	44	1.4	1	<1	<1	1	1	3	4	5
6-12 YRS	43	1.9	3	<1	<1	1	2	4	6	8
13-19 YRS	29	2.6	3	<1	1	2	4	5	5	8
GRAND TOTAL	**118**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**8**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	67	1.8	2	1	1	1	2	3	4	10
1-11 MOS	278	1.6	2	<1	<1	1	2	3	4	8
1-5 YRS	1154	1.2	1	<1	<1	1	1	2	2	4
6-12 YRS	437	1.3	1	<1	<1	1	1	2	3	6
13-19 YRS	239	1.5	1	<1	<1	1	2	3	4	7
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	57	1.6	1	<1	1	1	2	3	3	5
1-5 YRS	449	1.7	2	<1	1	1	2	3	4	7
6-12 YRS	90	3.1	11	<1	1	2	4	6	8	20
13-19 YRS	66	2.7	6	<1	1	1	4	7	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	25	3.2	8	<1	1	2	4	8	9	10
1-11 MOS	142	3.1	10	<1	1	2	3	6	9	17
1-5 YRS	236	2.1	3	<1	<1	1	2	4	6	10
6-12 YRS	75	2.2	5	<1	<1	1	3	4	7	12
13-19 YRS	60	3.5	23	<1	<1	2	3	7	10	31
B. *Operated*										
0-27 DYS	2	11.0	128	3	3	11	19	19	19	19
1-11 MOS	29	3.6	14	1	1	2	4	8	10	19
1-5 YRS	154	4.6	45	<1	1	3	5	9	12	35
6-12 YRS	38	2.6	8	<1	<1	2	3	6	8	15
13-19 YRS	41	5.7	39	1	1	4	7	14	22	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2175	1.4	1	<1	<1	1	1	2	3	6
B. *Operated*	663	2.0	4	<1	1	1	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	538	2.6	8	<1	1	2	3	5	7	14
B *Operated*	264	4.4	36	<1	1	3	5	9	15	30
1. SINGLE DX	2838	1.5	2	<1	<1	1	2	2	4	7
2. MULTIPLE DX	802	3.2	18	<1	1	2	3	7	9	22
A. NOT OPERATED	2713	1.6	3	<1	<1	1	2	3	4	8
B. OPERATED	927	2.7	14	<1	1	1	3	6	8	19
TOTAL 0-27 DYS	95	2.3	7	1	1	1	3	4	8	15
1-11 MOS	506	2.1	5	<1	<1	1	2	4	6	13
1-5 YRS	1993	1.7	6	<1	<1	1	2	3	4	9
6-12 YRS	640	1.7	3	<1	<1	1	2	4	5	9
13-19 YRS	406	2.4	11	<1	<1	1	2	5	7	20
GRAND TOTAL	**3640**	**1.9**	**6**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	12	7.7	65	1	1	7	9	20	28	29
1-5 YRS	73	8.5	61	1	1	6	12	21	25	35
6-12 YRS	21	6.2	36	1	1	5	8	13	19	26
13-19 YRS	34	6.2	26	1	1	5	10	12	18	21
B. *Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	13	12.8	150	1	1	8	21	32	32	32
1-5 YRS	101	11.4	134	1	1	7	17	28	32	57
6-12 YRS	99	10.8	114	1	2	7	12	30	37	46
13-19 YRS	114	10.9	98	1	2	7	14	28	33	46
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	26	11.2	96	2	3	8	15	20	38	39
1-5 YRS	120	7.7	46	1	1	6	11	17	20	30
6-12 YRS	46	7.5	40	1	1	6	10	17	22	29
13-19 YRS	62	6.8	24	1	2	6	10	13	17	21
B. *Operated*										
0-27 DYS	1	96.0		96	96	96	96	96	96	96
1-11 MOS	44	23.1	296	3	5	19	32	45	51	89
1-5 YRS	210	20.6	192	3	5	19	30	40	53	99+
6-12 YRS	145	19.5	312	2	3	14	27	46	68	99+
13-19 YRS	171	20.3	322	2	4	15	28	48	61	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	7.5	49	1	1	6	10	18	23	30
B. *Operated*	328	11.1	115	1	2	7	14	29	33	49
2. MULTIPLE DX										
A. *Not Operated*	254	7.8	45	1	1	6	11	17	20	38
B. *Operated*	571	20.6	278	2	4	17	30	46	59	99+
1. SINGLE DX	468	10.0	98	1	2	7	13	25	31	44
2. MULTIPLE DX	825	16.6	241	2	2	12	23	40	53	99+
A. NOT OPERATED	394	7.7	47	1	1	6	10	17	21	34
B. OPERATED	899	17.1	239	2	3	13	25	39	51	97
TOTAL 0-27 DYS	2	55.0	3362	14	14	55	96	96	96	96
1-11 MOS	95	16.5	228	1	2	12	23	38	44	75
1-5 YRS	504	13.9	160	1	2	10	21	32	40	71
6-12 YRS	311	14.1	217	1	2	9	19	35	46	96
13-19 YRS	381	14.0	214	1	2	9	18	35	48	79
GRAND TOTAL	**1293**	**14.2**	**199**	**1**	**2**	**10**	**20**	**33**	**45**	**89**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	164	4.0	14	1	1	3	5	8	12	19
1-5 YRS	687	4.8	25	1	1	3	6	10	15	24
6-12 YRS	216	5.0	23	1	1	4	6	9	13	29
13-19 YRS	280	4.1	17	1	1	3	6	9	11	21
B. *Operated*										
0-27 DYS										
1-11 MOS	24	4.1	7	<1	1	3	6	8	9	9
1-5 YRS	146	8.4	79	1	1	6	10	18	26	48
6-12 YRS	62	9.2	108	1	1	6	11	22	26	64
13-19 YRS	76	7.1	37	1	1	6	10	16	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	4.5	11	2	2	3	7	10	10	10
1-11 MOS	342	5.8	29	1	1	4	8	12	16	27
1-5 YRS	1452	6.2	31	1	1	4	8	13	17	27
6-12 YRS	373	5.7	33	1	1	4	8	12	15	27
13-19 YRS	570	5.0	23	1	1	3	7	11	14	23
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	72	12.9	133	1	2	9	20	28	39	51
1-5 YRS	295	12.3	137	1	2	9	17	28	37	56
6-12 YRS	116	15.2	233	1	2	10	20	34	44	71
13-19 YRS	151	11.5	125	1	2	8	14	28	37	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1348	4.6	22	1	1	3	6	10	13	23
B. *Operated*	308	7.9	70	1	1	6	10	17	23	43
2. MULTIPLE DX										
A. *Not Operated*	2743	5.8	29	1	1	4	8	12	16	27
B. *Operated*	635	12.7	152	1	2	9	17	29	39	58
1. SINGLE DX	1656	5.2	32	1	1	3	7	11	15	27
2. MULTIPLE DX	3378	7.1	60	1	1	5	9	15	22	40
A. NOT OPERATED	4091	5.4	27	1	1	4	7	12	15	26
B. OPERATED	943	11.1	130	1	2	8	15	26	35	56
TOTAL 0-27 DYS	8	5.0	14	2	2	3	8	11	11	11
1-11 MOS	602	6.1	43	1	1	4	8	14	18	32
1-5 YRS	2580	6.6	49	1	1	4	9	14	19	35
6-12 YRS	767	7.2	79	1	1	4	9	15	23	44
13-19 YRS	1077	5.8	42	1	1	4	8	12	18	36
GRAND TOTAL	**5034**	**6.5**	**51**	**1**	**1**	**4**	**8**	**14**	**20**	**37**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	7	1.6	1	<1	<1	1	2	3	3	3
6-12 YRS	28	2.4	11	<1	<1	1	3	3	6	18
13-19 YRS	85	2.6	5	<1	<1	2	3	5	6	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	19	2.3	3	<1	1	2	3	4	6	8
6-12 YRS	55	2.1	2	1	1	2	2	4	5	8
13-19 YRS	185	2.5	6	<1	1	2	3	4	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	3	20.3	804	2	2	6	41	53	53	53
1-5 YRS	8	7.9	168	<1	<1	2	8	30	39	39
6-12 YRS	28	4.3	53	1	1	3	5	6	11	40
13-19 YRS	103	5.0	114	<1	1	2	5	10	12	75
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	32	2.6	5	1	1	2	3	7	8	9
6-12 YRS	78	2.1	2	1	1	2	3	4	5	7
13-19 YRS	232	4.8	148	1	1	2	3	7	15	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	2.5	6	<1	<1	2	3	5	6	15
B. *Operated*	259	2.4	5	<1	1	2	3	4	7	11
2. MULTIPLE DX										
A. *Not Operated*	143	5.4	117	1	1	2	5	10	13	67
B. *Operated*	344	4.0	102	1	1	2	3	6	10	76
1. SINGLE DX	381	2.4	5	<1	1	2	3	4	6	13
2. MULTIPLE DX	487	4.4	107	1	1	2	4	7	12	73
A. NOT OPERATED	265	4.0	68	<1	1	2	4	7	11	51
B. OPERATED	603	3.3	61	1	1	2	3	5	8	59
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	7	10.4	357	<1	<1	4	6	44	53	53
1-5 YRS	66	3.0	25	<1	1	2	3	7	8	34
6-12 YRS	189	2.5	11	1	1	2	3	4	6	14
13-19 YRS	605	3.9	80	<1	1	2	3	6	10	70
GRAND TOTAL	**868**	**3.6**	**63**	**<1**	**1**	**2**	**3**	**6**	**9**	**52**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	21	1.4	1	<1	<1	1	2	3	3	3
1-5 YRS	208	2.0	3	<1	<1	1	2	4	5	9
6-12 YRS	367	2.2	4	<1	<1	2	3	4	5	10
13-19 YRS	587	2.1	3	<1	<1	1	3	4	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.7	2	<1	<1	3	4	4	4	4
1-5 YRS	32	3.6	13	<1	<1	2	5	9	11	16
6-12 YRS	72	4.3	21	1	1	2	5	10	16	22
13-19 YRS	180	3.9	20	<1	1	2	4	10	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	22	4.9	59	1	1	2	3	16	26	31
1-5 YRS	188	2.8	5	1	1	2	4	5	7	9
6-12 YRS	315	2.6	4	1	1	2	3	5	6	9
13-19 YRS	645	3.0	21	<1	1	2	3	5	8	15
B. *Operated*										
0-27 DYS										
1-11 MOS	2	8.0	98	1	1	8	15	15	15	15
1-5 YRS	49	5.8	29	1	1	4	7	12	19	26
6-12 YRS	78	8.6	120	1	1	4	11	27	37	47
13-19 YRS	297	8.8	115	1	1	5	11	22	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1186	2.1	3	<1	<1	1	2	4	5	9
B. *Operated*	287	3.9	19	<1	1	2	5	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	1170	2.9	14	<1	1	2	3	5	7	14
B. *Operated*	426	8.4	106	1	1	5	10	21	34	53
1. SINGLE DX	1473	2.4	7	<1	<1	2	3	5	7	15
2. MULTIPLE DX	1596	4.4	45	1	1	2	4	9	15	40
A. NOT OPERATED	2356	2.5	9	<1	1	2	3	5	6	11
B. OPERATED	713	6.6	76	1	1	3	8	16	26	50
TOTAL 0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	48	3.4	33	<1	1	2	3	5	16	31
1-5 YRS	477	2.8	8	<1	1	2	3	5	8	16
6-12 YRS	832	3.1	20	<1	1	2	3	6	9	26
13-19 YRS	1709	3.8	36	<1	1	2	4	8	12	34
GRAND TOTAL	**3069**	**3.5**	**28**	**<1**	**1**	**2**	**4**	**7**	**11**	**30**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	2.0	2	<1	<1	2	3	4	6	6
1-11 MOS	143	1.4	1	<1	<1	1	2	2	3	6
1-5 YRS	2993	1.4	1	<1	<1	1	1	2	3	5
6-12 YRS	384	2.3	16	<1	1	2	2	4	5	10
13-19 YRS	2832	2.1	4	<1	<1	1	2	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.7	1	<1	<1	1	2	3	3	3
1-5 YRS	15	1.8	2	<1	<1	1	3	3	5	5
6-12 YRS	6	2.8	3	1	1	2	5	5	5	5
13-19 YRS	13	2.1	3	<1	<1	2	2	5	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	3.6	12	<1	<1	2	6	9	10	10
1-11 MOS	122	3.1	7	<1	1	2	4	6	8	14
1-5 YRS	1100	2.1	4	<1	1	1	2	4	6	10
6-12 YRS	457	3.6	31	1	1	2	4	7	9	35
13-19 YRS	5324	4.2	46	<1	1	2	4	8	15	40
B. *Operated*										
0-27 DYS										
1-11 MOS	4	5.3	11	3	3	4	7	10	10	10
1-5 YRS	14	4.7	23	<1	1	3	7	11	16	18
6-12 YRS	7	5.9	15	<1	1	5	10	11	11	11
13-19 YRS	97	6.7	108	1	1	3	6	16	30	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6364	1.7	3	<1	<1	1	2	3	4	8
B. *Operated*	37	2.1	2	<1	<1	1	3	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	7014	3.8	38	<1	1	2	4	7	12	34
B. *Operated*	122	6.3	89	<1	1	3	6	15	26	49
1. SINGLE DX	6401	1.7	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	7136	3.9	39	<1	1	2	4	7	12	35
A. NOT OPERATED	13378	2.8	23	<1	1	2	3	5	8	25
B. OPERATED	159	5.3	72	<1	1	3	6	12	19	40
TOTAL 0-27 DYS	23	2.8	7	<1	<1	2	3	7	9	10
1-11 MOS	272	2.2	5	<1	1	1	3	5	6	12
1-5 YRS	4122	1.6	2	<1	<1	1	2	3	4	7
6-12 YRS	854	3.0	24	1	1	2	3	5	8	29
13-19 YRS	8266	3.5	33	<1	1	2	4	6	11	32
GRAND TOTAL	**13537**	**2.9**	**23**	**<1**	**1**	**2**	**3**	**5**	**8**	**26**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	3.0	4	1	1	2	5	6	6	6
1-11 MOS	155	1.5	2	<1	<1	1	2	2	3	9
1-5 YRS	1929	1.9	4	<1	1	1	2	4	6	10
6-12 YRS	385	1.7	2	<1	<1	1	2	3	4	9
13-19 YRS	614	1.7	3	<1	<1	1	2	3	4	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	14	3.2	12	<1	<1	1	4	9	11	12
6-12 YRS	9	2.6	3	<1	<1	2	4	5	5	5
13-19 YRS	20	4.1	19	1	1	2	4	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	2.6	6	1	1	2	3	7	7	7
1-11 MOS	78	2.5	5	1	1	2	3	6	7	11
1-5 YRS	869	3.0	15	1	1	2	3	6	8	15
6-12 YRS	159	3.0	11	<1	1	2	4	6	9	13
13-19 YRS	520	3.4	40	<1	1	2	3	7	11	35
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	25	6.2	51	<1	1	3	7	16	22	31
6-12 YRS	13	6.8	44	<1	1	6	8	14	24	26
13-19 YRS	22	5.8	61	<1	1	2	6	19	24	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3091	1.8	3	<1	1	1	2	4	5	9
B. *Operated*	44	3.4	13	<1	1	2	4	9	13	16
2. MULTIPLE DX										
A. *Not Operated*	1631	3.1	22	<1	1	2	3	6	9	21
B. *Operated*	62	6.2	50	<1	1	3	8	17	22	31
1. SINGLE DX	3135	1.8	4	<1	1	1	2	4	6	10
2. MULTIPLE DX	1693	3.2	23	<1	1	2	3	7	9	23
A. NOT OPERATED	4722	2.3	10	<1	1	1	2	5	6	12
B. OPERATED	106	5.0	36	<1	1	3	7	13	19	30
TOTAL 0-27 DYS	14	2.8	4	1	1	2	5	6	7	7
1-11 MOS	235	1.9	3	<1	1	1	2	3	6	10
1-5 YRS	2337	2.3	8	<1	1	1	2	5	7	12
6-12 YRS	566	2.2	6	<1	1	1	2	4	7	11
13-19 YRS	1176	2.6	21	<1	<1	1	2	5	7	22
GRAND TOTAL	**4828**	**2.3**	**11**	**<1**	**1**	**1**	**2**	**5**	**7**	**14**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	19	2.6	4	<1	<1	2	3	6	7	7
1-11 MOS	147	2.3	4	<1	1	1	3	4	7	10
1-5 YRS	652	2.0	5	<1	1	1	2	4	5	11
6-12 YRS	373	2.4	3	<1	1	2	3	5	6	9
13-19 YRS	483	2.2	5	<1	1	2	3	4	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	7	19.0	733	<1	<1	3	40	62	65	65
6-12 YRS	6	2.5	8	<1	<1	1	2	7	8	8
13-19 YRS	9	7.8	55	1	1	4	13	20	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	21	4.1	7	<1	1	4	7	7	8	9
1-11 MOS	233	4.2	18	1	1	3	6	8	12	20
1-5 YRS	620	3.9	19	1	1	2	5	8	11	26
6-12 YRS	363	3.1	10	1	1	2	3	6	8	16
13-19 YRS	563	3.3	15	<1	1	2	4	6	9	21
B. *Operated*										
0-27 DYS										
1-11 MOS	9	7.2	37	2	2	4	10	18	18	18
1-5 YRS	50	16.2	627	1	1	6	16	68	95	99+
6-12 YRS	23	7.3	70	1	1	4	10	21	57	99+
13-19 YRS	39	11.0	190	1	2	7	13	21	38	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1674	2.2	4	<1	1	2	3	4	6	10
B. *Operated*	23	10.0	265	<1	1	3	11	27	56	65
2. MULTIPLE DX										
A. *Not Operated*	1800	3.6	16	1	1	2	4	7	10	20
B. *Operated*	121	12.2	345	1	1	6	13	34	72	99+
1. SINGLE DX	1697	2.3	9	<1	1	2	3	4	6	12
2. MULTIPLE DX	1921	4.1	41	1	1	2	4	8	12	30
A. NOT OPERATED	3474	2.9	11	<1	1	2	3	6	8	17
B. OPERATED	144	11.8	331	1	1	5	13	33	67	99+
TOTAL 0-27 DYS	40	3.4	6	<1	1	3	6	7	7	9
1-11 MOS	390	3.6	15	1	1	2	4	8	11	18
1-5 YRS	1329	3.5	46	<1	1	2	4	7	10	32
6-12 YRS	765	2.9	9	1	1	2	3	6	8	16
13-19 YRS	1094	3.1	19	<1	1	2	3	6	9	21
GRAND TOTAL	**3618**	**3.3**	**26**	**<1**	**1**	**2**	**4**	**6**	**9**	**22**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	40	3.9	21	<1	1	3	4	7	14	24
1-5 YRS	83	2.8	8	<1	1	2	3	5	8	17
6-12 YRS	61	4.4	12	<1	1	3	6	8	11	19
13-19 YRS	104	4.5	17	<1	1	3	5	10	13	22
B. *Operated*										
0-27 DYS	6	18.3	391	5	5	10	21	53	57	57
1-11 MOS	183	7.3	56	1	2	5	8	18	23	40
1-5 YRS	405	6.0	46	<1	1	4	7	11	19	44
6-12 YRS	404	4.7	18	<1	1	3	6	9	13	23
13-19 YRS	473	4.7	22	1	1	3	6	9	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	6.0	13	3	3	5	8	11	11	11
1-11 MOS	72	5.2	44	1	1	3	6	8	19	36
1-5 YRS	152	4.4	18	<1	1	3	6	11	13	18
6-12 YRS	126	5.9	54	<1	1	4	7	14	19	38
13-19 YRS	155	5.9	33	1	1	4	8	13	18	24
B. *Operated*										
0-27 DYS	12	14.0	142	2	3	9	23	29	38	39
1-11 MOS	383	11.2	160	1	2	6	14	27	42	58
1-5 YRS	635	8.7	118	1	1	5	10	20	31	68
6-12 YRS	595	8.3	109	1	2	5	9	19	28	70
13-19 YRS	730	8.4	93	1	2	5	10	19	25	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	3.9	15	<1	1	3	4	8	12	20
B. *Operated*	1471	5.4	34	<1	1	4	6	11	16	33
2. MULTIPLE DX										
A. *Not Operated*	509	5.3	35	1	1	4	7	12	16	34
B. *Operated*	2355	9.0	116	1	2	5	10	20	31	59
1. SINGLE DX	1760	5.2	32	<1	1	4	6	10	15	32
2. MULTIPLE DX	2864	8.3	104	1	1	5	10	19	28	57
A. NOT OPERATED	798	4.8	28	<1	1	3	6	11	15	25
B. OPERATED	3826	7.6	88	1	1	5	9	17	25	54
TOTAL 0-27 DYS	23	13.2	186	2	3	7	21	28	45	57
1-11 MOS	678	9.1	118	1	2	5	10	22	34	54
1-5 YRS	1275	7.0	80	1	1	4	8	15	23	54
6-12 YRS	1186	6.6	70	1	1	4	8	14	21	47
13-19 YRS	1462	6.7	62	1	1	4	8	14	20	44
GRAND TOTAL	**4624**	**7.1**	**78**	**1**	**1**	**4**	**8**	**16**	**23**	**51**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	1.5	2	<1	<1	1	1	4	4	4
1-11 MOS	6	2.3	5	1	1	1	5	81	99+	99+
1-5 YRS	177	1.5	1	<1	<1	1	2	3	3	5
6-12 YRS	311	1.5	1	<1	1	1	2	3	3	5
13-19 YRS	344	1.8	2	<1	1	1	2	3	5	8
B. *Operated*										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	4	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	171	1.7	2	<1	<1	1	2	3	4	8
6-12 YRS	276	1.9	2	<1	1	1	2	3	4	8
13-19 YRS	351	2.1	4	<1	1	1	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	3.3	7	<1	<1	2	5	7	8	8
1-11 MOS	9	2.6	5	<1	<1	1	4	6	7	7
1-5 YRS	49	2.1	3	<1	1	1	3	4	6	8
6-12 YRS	54	2.0	2	1	1	2	2	3	5	7
13-19 YRS	73	3.2	6	1	1	3	4	6	8	13
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	2.7	7	1	1	2	3	7	8	8
1-5 YRS	28	3.0	21	<1	1	1	2	8	12	23
6-12 YRS	53	2.0	2	<1	1	1	3	4	5	6
13-19 YRS	69	5.7	73	<1	1	3	6	13	18	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	844	1.6	1	<1	<1	1	2	3	4	6
B. *Operated*	804	1.9	3	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	192	2.5	4	1	1	2	3	5	7	9
B. *Operated*	157	3.8	39	<1	1	2	4	8	13	36
1. SINGLE DX	1648	1.8	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX	349	3.1	20	1	1	2	4	6	8	23
A. NOT OPERATED	1036	1.8	2	<1	1	1	2	3	5	8
B. OPERATED	961	2.2	9	<1	1	1	2	4	6	13
TOTAL 0-27 DYS	16	2.2	4	<1	<1	1	3	5	7	8
1-11 MOS	25	2.4	4	<1	1	1	4	7	26	99+
1-5 YRS	425	1.7	3	<1	<1	1	2	3	4	9
6-12 YRS	694	1.7	2	<1	1	1	2	3	4	7
13-19 YRS	837	2.4	10	<1	1	1	3	5	7	14
GRAND TOTAL	**1997**	**2.0**	**5**	**<1**	**1**	**1**	**2**	**4**	**5**	**10**

Length of Stay Tables
Operation Groups

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	3.6	6	1	1	3	6	7	8	8
1-11 MOS	31	4.5	7	2	2	4	6	7	10	13
1-5 YRS	56	3.7	4	1	1	3	5	6	7	10
6-12 YRS	108	5.4	12	1	2	5	7	9	12	19
13-19 YRS	185	5.4	14	1	2	5	7	10	12	21
B. *Operated*										
0-27 DYS										
1-11 MOS	8	5.3	23	1	1	4	9	13	13	13
1-5 YRS	51	6.8	40	1	1	5	8	16	20	29
6-12 YRS	102	7.9	40	1	2	6	9	16	20	36
13-19 YRS	145	6.6	60	2	2	6	11	16	28	37
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	3.2	3	<1	1	3	5	5	7	7
1-11 MOS	30	4.8	29	1	1	3	5	9	12	29
1-5 YRS	65	5.5	15	1	1	4	7	10	12	20
6-12 YRS	69	6.1	18	2	2	5	7	13	14	21
13-19 YRS	132	6.6	21	2	2	5	8	13	17	21
B. *Operated*										
0-27 DYS	4	13.5	132	4	4	10	21	30	30	30
1-11 MOS	16	10.8	153	1	1	6	15	19	41	51
1-5 YRS	42	10.9	100	1	2	7	17	24	34	43
6-12 YRS	60	10.8	95	2	3	8	12	24	32	55
13-19 YRS	136	12.4	154	2	3	8	16	24	42	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	389	5.0	12	1	2	4	6	9	11	19
B. *Operated*	306	8.0	49	1	2	6	10	16	22	35
2. MULTIPLE DX										
A. *Not Operated*	310	5.9	19	1	2	5	7	12	15	21
B. *Operated*	258	11.7	130	2	2	8	14	24	34	58
1. SINGLE DX	695	6.3	30	1	2	5	8	12	16	30
2. MULTIPLE DX	568	8.6	77	2	2	6	10	18	24	46
A. NOT OPERATED	699	5.4	15	1	2	4	7	10	13	20
B. OPERATED	564	9.7	89	1	2	7	12	20	29	50
TOTAL 0-27 DYS	27	4.9	32	1	1	3	6	8	15	30
1-11 MOS	85	5.8	47	1	1	4	7	12	16	43
1-5 YRS	214	6.4	40	1	1	4	7	15	20	34
6-12 YRS	339	7.2	40	2	2	6	9	13	18	33
13-19 YRS	598	8.0	65	2	2	6	9	16	23	43
GRAND TOTAL	**1263**	**7.3**	**53**	**1**	**2**	**5**	**9**	**15**	**20**	**39**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	16	2.5	4	<1	<1	2	3	6	7	7
1-5 YRS	43	2.1	3	<1	<1	1	3	4	5	10
6-12 YRS	40	2.4	4	<1	1	2	2	6	8	9
13-19 YRS	89	4.4	60	1	1	2	5	8	13	50
B. *Operated*										
0-27 DYS	3	4.0	12	2	2	2	7	8	8	8
1-11 MOS	17	9.0	64	1	1	7	10	23	26	28
1-5 YRS	63	3.4	16	<1	<1	2	3	9	14	19
6-12 YRS	60	3.7	10	<1	1	2	4	9	11	13
13-19 YRS	152	4.2	17	<1	1	3	5	10	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	33	3.5	10	1	1	2	5	8	10	13
1-5 YRS	108	3.1	12	1	1	2	3	6	10	19
6-12 YRS	74	3.2	8	1	1	2	4	7	9	13
13-19 YRS	134	4.3	32	<1	1	2	5	11	13	31
B. *Operated*										
0-27 DYS	6	5.5	7	1	1	6	8	8	8	8
1-11 MOS	54	9.6	134	<1	1	7	14	22	63	99+
1-5 YRS	105	5.3	34	<1	1	3	7	14	21	62
6-12 YRS	72	7.6	68	1	1	5	9	17	23	44
13-19 YRS	159	8.4	121	1	1	4	11	22	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	3.3	31	<1	1	2	3	6	9	26
B. *Operated*	295	4.2	19	<1	1	3	5	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	350	3.6	19	<1	1	2	4	8	12	25
B. *Operated*	396	7.6	90	<1	1	4	10	18	27	73
1. SINGLE DX	484	3.8	24	<1	1	2	4	8	12	23
2. MULTIPLE DX	746	5.7	60	<1	1	3	7	14	21	45
A. NOT OPERATED	539	3.5	23	<1	1	2	4	7	11	25
B. OPERATED	691	6.1	63	<1	1	3	8	14	22	46
TOTAL 0-27 DYS	11	4.5	8	1	1	4	7	8	8	8
1-11 MOS	120	6.9	81	<1	1	5	9	17	25	99+
1-5 YRS	319	3.8	20	<1	1	2	4	9	14	24
6-12 YRS	246	4.5	29	1	1	2	5	10	13	31
13-19 YRS	534	5.5	62	<1	1	3	6	12	20	41
GRAND TOTAL	**1230**	**5.0**	**47**	**<1**	**1**	**3**	**6**	**12**	**16**	**35**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	21	2.0	2	1	1	2	3	4	5	6
1-5 YRS	51	2.6	3	<1	1	2	3	5	7	7
6-12 YRS	39	2.9	2	<1	1	3	4	5	6	6
13-19 YRS	23	2.7	3	<1	1	2	3	5	7	7
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	4	5.5	10	3	3	4	7	10	10	10
6-12 YRS										
13-19 YRS	6	6.8	100	2	2	3	4	26	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	10.5	5	9	9	10	12	12	12	12
1-11 MOS	29	4.5	64	1	1	3	4	7	15	44
1-5 YRS	69	2.7	5	1	1	2	3	5	6	14
6-12 YRS	22	4.1	11	<1	1	3	6	8	11	15
13-19 YRS	20	3.4	4	1	1	3	5	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	6	9.5	171	2	2	3	12	33	35	35
6-12 YRS	7	5.3	4	3	3	5	6	8	9	9
13-19 YRS	15	14.6	427	1	1	4	14	47	64	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	2.6	2	1	1	2	3	5	6	7
B. *Operated*	11	6.0	58	2	2	3	5	17	27	28
2. MULTIPLE DX										
A. *Not Operated*	142	3.5	18	1	1	2	4	6	8	18
B. *Operated*	29	11.2	261	1	2	4	12	37	48	70
1. SINGLE DX	145	2.9	7	1	1	2	3	5	6	11
2. MULTIPLE DX	171	4.8	67	1	1	3	4	8	13	46
A. NOT OPERATED	276	3.1	11	1	1	2	4	6	7	14
B. OPERATED	40	9.8	208	1	2	4	10	31	42	70
TOTAL 0-27 DYS	3	8.0	21	3	3	9	11	12	12	12
1-11 MOS	51	3.7	40	1	1	2	4	6	12	44
1-5 YRS	130	3.1	13	1	1	2	4	5	7	19
6-12 YRS	68	3.6	6	1	1	3	5	6	7	14
13-19 YRS	64	6.1	129	1	1	3	4	11	31	67
GRAND TOTAL	**316**	**3.9**	**48**	**1**	**1**	**3**	**4**	**7**	**10**	**40**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	4	1.8	1	1	1	2	2	3	3	3
1-11 MOS	4	1.3		<1	<1	1	1	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS	96	2.0	2	<1	<1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	3	1.3		<1	<1	1	2	2	2	2
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	2.7	2	1	1	3	4	4	4	4
13-19 YRS	58	2.4	3	<1	<1	2	3	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	104	2.0	2	<1	<1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	5	1.4		<1	<1	1	2	2	2	2
B. *Operated*	67	2.3	3	<1	<1	2	3	5	6	7
1. SINGLE DX	105	2.0	2	<1	<1	2	3	4	4	8
2. MULTIPLE DX	72	2.3	3	<1	<1	2	3	5	6	7
A. NOT OPERATED	6	1.3		<1	<1	1	2	2	2	2
B. OPERATED	171	2.1	2	<1	<1	2	3	4	5	7
TOTAL 0-27 DYS	6	2.2	1	1	1	2	3	3	3	3
1-11 MOS	8	1.4		<1	<1	1	2	2	2	2
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	3	2.7	2	1	1	3	4	4	4	4
13-19 YRS	158	2.1	2	<1	<1	2	3	4	5	7
GRAND TOTAL	**177**	**2.1**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	1	7.0		7	7	7	7	7	7	7
1000-1499	2	22.0	288	10	10	22	34	34	34	34
1500-1749	10	15.1	45	7	7	14	17	26	27	27
1750-2499	7414	3.3	5	1	2	3	4	5	7	12
2500+	474448	2.9	2	1	1	3	3	5	5	7
B. *Operated*										
1-999 G										
1000-1499	2	42.5	61	37	37	42	48	48	48	48
1500-1749	2	55.5	1	55	55	55	56	56	56	56
1750-2499	13	7.5	23	2	3	7	11	14	16	16
2500+	183	3.5	4	2	2	3	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	156	59.9	698	9	17	71	87	99+	99+	99+
1000-1499	985	42.2	269	19	23	40	53	65	73	94
1500-1749	1404	25.3	105	11	13	24	31	38	44	56
1750-2499	22128	7.4	41	2	2	5	9	16	20	31
2500+	249925	3.8	4	2	2	3	5	6	7	11
B. *Operated*										
1-999 G	300	72.3	451	35	52	89	99+	99+	99+	99+
1000-1499	881	51.7	349	23	30	53	68	91	99+	99+
1500-1749	609	34.6	218	16	20	32	41	55	67	95
1750-2499	2206	17.8	165	3	5	15	23	34	43	86
2500+	5521	8.1	77	2	2	6	9	15	22	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	481875	2.9	2	1	1	3	3	5	5	7
B. *Operated*	200	4.7	47	2	2	3	4	7	12	51
2. MULTIPLE DX										
A. *Not Operated*	274598	4.4	19	2	2	3	5	7	9	23
B. *Operated*	9517	18.1	417	2	3	10	26	56	80	99+
1. SINGLE DX	482075	2.9	2	1	1	3	3	5	5	7
2. MULTIPLE DX	284115	4.8	39	2	2	4	5	7	11	36
A. NOT OPERATED	756473	3.5	9	1	2	3	4	5	6	13
B. OPERATED	9717	17.8	413	2	3	9	25	55	79	99+
TOTAL 1-999 G	457	68.0	576	20	41	84	99+	99+	99+	99+
1000-1499	1870	46.7	330	20	25	46	60	78	94	99+
1500-1749	2025	28.1	158	12	15	26	34	44	52	78
1750-2499	31761	7.2	53	2	2	5	9	16	21	36
2500+	730077	3.3	4	1	2	3	4	5	6	9
GRAND TOTAL	**766190**	**3.6**	**16**	**1**	**2**	**3**	**4**	**5**	**7**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	2	13.0	32	9	9	13	17	17	17	17
1000-1499	1	40.0		40	40	40	40	40	40	40
1500-1749	7	18.3	66	9	9	20	24	29	30	30
1750-2499	1005	4.8	7	2	2	4	6	7	10	15
2500+	4164	4.4	3	2	2	4	5	6	7	10
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	4	6.8	2	5	5	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	24	61.2	706	13	20	68	81	95	98	99+
1000-1499	243	41.1	246	19	24	39	49	64	74	85
1500-1749	368	24.5	101	12	14	23	30	37	41	58
1750-2499	3560	9.3	43	3	3	7	13	18	22	31
2500+	3187	5.2	7	2	3	5	6	8	9	15
B. *Operated*										
1-999 G	41	70.3	305	45	56	90	99+	99+	99+	99+
1000-1499	220	55.4	302	31	35	57	69	92	99+	99+
1500-1749	161	34.8	209	14	18	34	43	53	67	99
1750-2499	375	18.8	127	4	6	18	24	33	41	58
2500+	92	9.6	51	3	4	7	11	18	26	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5179	4.5	5	2	2	4	5	7	8	12
B. *Operated*	4	6.8	2	5	5	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	7382	9.5	99	3	3	6	11	20	29	51
B. *Operated*	889	32.2	515	5	7	28	52	76	99+	99+
1. SINGLE DX	5183	4.5	5	2	2	4	5	7	8	12
2. MULTIPLE DX	8271	12.0	193	3	3	6	14	29	45	84
A. NOT OPERATED	12561	7.4	67	2	3	5	7	15	22	46
B. OPERATED	893	32.1	516	5	7	28	52	76	99+	99+
TOTAL 1-999 G	67	65.3	536	20	35	83	99+	99+	99+	99+
1000-1499	464	47.9	323	22	28	47	62	76	93	99+
1500-1749	536	27.5	156	12	14	25	34	43	50	81
1750-2499	4940	9.1	53	2	3	6	12	19	23	35
2500+	7447	4.8	6	2	3	5	6	7	8	13
GRAND TOTAL	**13454**	**9.1**	**134**	**2**	**3**	**5**	**8**	**20**	**33**	**73**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	1	34.0		34	34	34	34	34	34	34
1750-2499	79	3.0	3	1	1	3	3	5	6	10
2500+	1195	2.4	1	1	1	2	3	4	5	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	3	60.3	134	47	47	67	84	99+	99+	99+
1000-1499	24	35.7	335	13	13	31	43	55	67	95
1500-1749	21	26.8	150	10	13	25	30	44	56	60
1750-2499	213	8.2	52	1	2	6	11	17	22	32
2500+	645	4.1	17	1	2	3	5	7	9	28
B. *Operated*										
1-999 G	4	46.0	1785	10	10	97	99+	99+	99+	99+
1000-1499	13	53.5	374	22	23	56	68	93	98	99+
1500-1749	6	45.0	590	26	26	37	53	86	90	90
1750-2499	24	16.0	91	2	7	13	22	28	35	41
2500+	51	6.9	39	1	1	5	10	16	20	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1275	2.5	2	1	1	2	3	4	5	7
B. *Operated*	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	906	6.6	83	1	2	4	6	14	26	52
B. *Operated*	98	19.2	485	1	2	12	27	68	96	99+
1. SINGLE DX	1278	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1004	7.9	136	1	2	4	7	19	31	79
A. NOT OPERATED	2181	4.2	40	1	1	3	4	7	12	37
B. OPERATED	101	18.8	478	1	2	11	27	67	95	99+
TOTAL 1-999 G	7	52.1	996	10	11	81	99+	99+	99+	99+
1000-1499	37	41.9	413	13	17	42	55	71	94	99+
1500-1749	28	30.9	279	11	15	27	35	53	63	90
1750-2499	316	7.5	54	1	2	5	10	17	23	34
2500+	1894	3.1	9	1	1	3	3	5	7	14
GRAND TOTAL	**2282**	**4.9**	**68**	**1**	**1**	**3**	**4**	**8**	**17**	**53**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	2.7	17	<1	<1	1	2	10	12	12
6-12 YRS	18	2.6	5	1	1	2	2	7	8	8
13-19 YRS	28	3.5	34	<1	<1	2	4	6	9	32
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	112	2.0	5	<1	<1	1	2	3	4	15
6-12 YRS	375	2.2	3	<1	<1	2	3	4	5	9
13-19 YRS	1930	2.4	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.8	1	<1	<1	1	3	3	3	3
6-12 YRS	10	5.5	54	<1	<1	2	10	17	23	23
13-19 YRS	25	1.6	3	<1	<1	1	1	2	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS	8	3.6	17	<1	<1	2	5	11	12	12
1-5 YRS	106	2.1	2	<1	<1	2	3	3	4	9
6-12 YRS	233	3.2	12	1	1	2	3	6	8	16
13-19 YRS	559	3.7	24	1	1	3	4	6	8	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.1	21	<1	<1	2	3	6	8	31
B. *Operated*	2421	2.4	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	40	2.6	17	<1	<1	1	2	6	11	23
B. *Operated*	906	3.4	19	<1	1	3	4	6	8	20
1. SINGLE DX	2474	2.4	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	946	3.4	19	<1	1	3	4	6	8	22
A. NOT OPERATED	93	2.9	19	<1	<1	1	3	6	10	28
B. OPERATED	3327	2.6	7	<1	<1	2	3	4	6	12
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	11	3.0	13	<1	<1	2	2	10	12	12
1-5 YRS	230	2.1	4	<1	<1	2	3	3	4	13
6-12 YRS	636	2.7	7	<1	<1	2	3	5	6	13
13-19 YRS	2542	2.7	8	<1	1	2	3	5	6	10
GRAND TOTAL	**3420**	**2.7**	**8**	**<1**	**<1**	**2**	**3**	**4**	**6**	**12**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	22	2.5	33	1	1	1	2	2	13	28
13-19 YRS	6	2.2	4	<1	<1	1	2	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.5	25	<1	<1	4	8	8	8	8
6-12 YRS	3	11.7	154	4	4	5	21	26	26	26
13-19 YRS	8	4.4	6	2	2	4	6	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	30	2.4	24	<1	<1	1	2	2	6	28
B. *Operated*	13	6.1	41	<1	1	5	6	12	23	26
1. SINGLE DX										
2. MULTIPLE DX	43	3.5	31	<1	1	2	3	7	15	28
A. NOT OPERATED	30	2.4	24	<1	<1	1	2	2	6	28
B. OPERATED	13	6.1	41	<1	1	5	6	12	23	26
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	3	3.7	14	<1	<1	2	6	8	8	8
6-12 YRS	25	3.6	50	1	1	1	2	5	26	28
13-19 YRS	14	3.4	6	<1	<1	3	5	7	8	9
GRAND TOTAL	**43**	**3.5**	**31**	**<1**	**1**	**2**	**3**	**7**	**15**	**28**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	327	3.5	35	<1	<1	2	4	7	10	22
1-11 MOS	513	2.4	6	<1	<1	1	3	5	7	15
1-5 YRS	993	2.1	8	<1	<1	1	2	4	6	15
6-12 YRS	686	2.6	10	<1	<1	1	3	5	8	18
13-19 YRS	1881	2.2	17	<1	<1	1	2	4	6	14
B. *Operated*										
0-27 DYS	8	3.0	6	<1	<1	2	4	7	8	8
1-11 MOS	101	5.4	17	<1	<1	5	9	11	12	17
1-5 YRS	424	2.9	11	<1	<1	2	3	7	10	17
6-12 YRS	365	2.5	6	<1	<1	2	3	5	8	12
13-19 YRS	1066	2.8	8	<1	<1	2	3	6	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	263	5.7	45	1	1	3	7	14	20	30
1-11 MOS	530	3.5	31	<1	<1	2	4	7	10	25
1-5 YRS	1842	2.9	15	<1	<1	2	3	5	8	25
6-12 YRS	1896	3.2	22	<1	<1	2	4	5	9	24
13-19 YRS	2935	3.5	43	<1	1	2	4	6	10	40
B. *Operated*										
0-27 DYS	6	8.8	43	3	3	6	13	19	20	20
1-11 MOS	232	6.3	47	1	1	4	8	13	19	35
1-5 YRS	822	4.1	61	<1	1	2	3	9	13	47
6-12 YRS	605	4.2	61	<1	<1	2	3	9	14	38
13-19 YRS	1000	4.9	75	<1	<1	2	5	11	19	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4400	2.4	14	<1	<1	1	3	4	7	16
B. *Operated*	1964	2.9	9	<1	<1	2	3	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	7466	3.3	30	<1	<1	2	4	6	9	30
B. *Operated*	2665	4.6	65	<1	<1	2	5	10	16	54
1. SINGLE DX	6364	2.5	13	<1	<1	1	3	5	8	16
2. MULTIPLE DX	10131	3.7	40	<1	<1	2	4	7	12	36
A. NOT OPERATED	11866	3.0	25	<1	<1	2	3	5	8	25
B. OPERATED	4629	3.9	42	<1	<1	2	4	9	12	37
TOTAL 0-27 DYS	604	4.5	40	<1	1	3	5	10	16	30
1-11 MOS	1376	3.7	25	<1	<1	2	4	8	12	24
1-5 YRS	4081	2.9	23	<1	<1	2	3	6	9	25
6-12 YRS	3552	3.2	25	<1	<1	2	3	6	9	25
13-19 YRS	6882	3.3	36	<1	<1	2	3	6	9	35
GRAND TOTAL	**16495**	**3.2**	**30**	**<1**	**<1**	**2**	**3**	**6**	**10**	**29**

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8880	3.7	10	1	2	3	4	6	8	15
1-11 MOS	25334	3.8	14	<1	1	3	5	8	10	19
1-5 YRS	84957	2.8	13	<1	<1	2	3	6	8	19
6-12 YRS	97052	3.0	16	<1	1	2	3	6	8	22
13-19 YRS	243474	3.2	14	1	1	2	4	5	7	16
2. MULTIPLE DX										
0-27 DYS	28295	11.8	257	2	2	5	13	34	55	99+
1-11 MOS	31541	6.2	56	1	1	4	7	12	18	44
1-5 YRS	85538	4.0	32	<1	1	2	4	8	12	29
6-12 YRS	68022	4.4	46	<1	1	2	5	9	14	38
13-19 YRS	162622	5.3	54	1	1	3	6	10	15	43
TOT. SINGLE DX	459697	3.1	14	<1	1	2	4	6	8	18
" MULTIPLE DX	376118	5.4	67	1	1	3	6	11	18	49
TOTAL 0-27 DYS	37175	9.9	210	1	2	5	9	27	47	98
1-11 MOS	56875	5.1	39	<1	1	3	6	10	15	34
1-5 YRS	170595	3.4	23	<1	<1	2	4	7	10	24
6-12 YRS	165074	3.6	29	<1	1	2	4	7	11	29
13-19 YRS	406096	4.1	31	1	1	3	4	7	10	30
GRAND TOTAL	**835815**	**4.2**	**39**	**<1**	**1**	**3**	**4**	**8**	**12**	**35**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.19; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	13.3	65	4	4	10	18	18	18	18
1-11 MOS	63	7.2	59	1	1	4	10	15	17	68
1-5 YRS	116	10.3	83	1	2	8	13	19	27	51
6-12 YRS	118	9.6	52	1	2	9	12	17	21	42
13-19 YRS	141	11.5	67	2	3	10	14	18	28	54
2. MULTIPLE DX										
0-27 DYS	10	18.6	300	2	7	14	25	78	98	99+
1-11 MOS	105	15.0	165	1	2	12	21	30	60	66
1-5 YRS	173	16.1	241	2	2	12	22	36	64	99+
6-12 YRS	163	16.2	247	1	2	12	21	39	59	97
13-19 YRS	223	20.1	362	3	5	14	26	49	84	99+
TOT. SINGLE DX	441	10.1	80	1	2	9	12	18	24	52
" MULTIPLE DX	674	17.3	274	2	3	12	23	41	64	99+
TOTAL 0-27 DYS	13	17.4	242	2	4	15	21	68	92	99+
1-11 MOS	168	12.1	154	1	2	8	17	26	36	67
1-5 YRS	289	13.8	186	2	2	10	18	29	50	99+
6-12 YRS	281	13.4	176	1	2	10	17	29	46	79
13-19 YRS	364	16.8	273	2	4	11	20	40	63	99+
GRAND TOTAL	1115	14.4	210	2	2	10	18	33	90	99+

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	6.2	7	2	2	6	9	9	9	9
1-11 MOS	110	6.5	16	3	3	5	8	11	13	24
1-5 YRS	66	9.4	70	2	3	7	10	17	32	45
6-12 YRS	88	7.9	26	3	3	7	10	12	15	22
13-19 YRS	86	11.3	179	3	4	8	12	19	29	96
2. MULTIPLE DX										
0-27 DYS	6	32.3	1015	11	11	20	37	88	94	94
1-11 MOS	65	11.4	61	4	4	8	17	24	26	91
1-5 YRS	96	16.1	224	3	5	10	24	41	49	99+
6-12 YRS	91	20.5	514	3	4	12	25	73	85	99+
13-19 YRS	150	22.5	425	5	6	16	32	76	99+	99+
TOT. SINGLE DX	356	8.5	71	3	3	7	10	15	20	46
" MULTIPLE DX	408	18.9	363	4	5	12	25	52	93	99+
TOTAL 0-27 DYS	12	19.3	652	2	3	10	20	54	88	94
1-11 MOS	175	8.3	38	3	4	6	10	19	23	38
1-5 YRS	162	13.4	172	3	3	9	16	31	45	99+
6-12 YRS	179	14.3	314	3	4	9	15	31	73	99
13-19 YRS	236	18.4	363	4	5	11	25	63	99	99+
GRAND TOTAL	764	14.1	253	3	4	9	16	36	67	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	9	4.6	2	3	3	4	5	7	8	8
1-11 MOS	264	5.2	4	2	3	5	6	8	9	11
1-5 YRS	162	5.9	24	2	2	5	7	10	13	38
6-12 YRS	122	5.6	14	2	2	5	7	9	11	24
13-19 YRS	99	5.5	6	2	2	5	7	9	10	14
2. MULTIPLE DX										
0-27 DYS	17	15.5	501	3	3	8	11	53	82	92
1-11 MOS	72	9.1	92	3	4	6	10	15	19	56
1-5 YRS	98	9.1	140	2	3	6	9	16	24	74
6-12 YRS	99	8.9	61	2	3	7	10	22	32	99+
13-19 YRS	111	15.4	441	2	3	8	15	49	88	99+
TOT. SINGLE DX	656	5.5	12	2	3	5	7	9	10	16
" MULTIPLE DX	397	11.1	221	2	3	7	10	22	48	99
TOTAL 0-27 DYS	26	11.7	401	3	3	6	9	14	69	92
1-11 MOS	336	6.0	26	2	3	5	7	9	11	23
1-5 YRS	260	7.1	70	2	2	5	8	11	16	49
6-12 YRS	221	7.1	38	2	2	5	8	13	23	55
13-19 YRS	210	10.7	260	2	3	6	9	19	57	99
GRAND TOTAL	1053	7.6	98	2	3	5	8	12	19	75

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	34	6.6	14	1	3	6	8	11	14	20
1-11 MOS	213	7.3	35	2	3	6	9	11	16	40
1-5 YRS	92	8.6	105	2	3	5	8	25	41	99+
6-12 YRS	82	6.0	21	2	3	5	7	11	14	28
13-19 YRS	32	7.7	42	2	3	6	9	13	18	36
2. MULTIPLE DX										
0-27 DYS	118	38.4	752	6	8	37	67	93	99+	99+
1-11 MOS	233	14.7	221	3	3	9	17	36	47	69
1-5 YRS	151	10.5	137	2	3	7	12	22	32	88
6-12 YRS	100	13.1	197	3	4	8	17	29	51	99+
13-19 YRS	71	13.1	184	3	4	9	16	30	66	99+
TOT. SINGLE DX	453	7.3	47	2	3	6	8	13	20	43
" MULTIPLE DX	673	17.5	302	3	4	10	22	55	74	99+
TOTAL 0-27 DYS	152	31.3	764	4	5	20	62	89	99+	99+
1-11 MOS	446	11.2	146	2	3	7	12	25	38	67
1-5 YRS	243	9.7	126	2	3	7	11	23	40	99+
6-12 YRS	182	9.9	130	3	3	6	10	23	34	96
13-19 YRS	103	11.5	146	3	3	8	13	24	45	99+
GRAND TOTAL	1126	13.4	272	3	3	7	14	37	63	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	10	11.9	40	3	4	11	17	21	21	21
1-11 MOS	169	7.3	54	2	2	5	8	15	24	37
1-5 YRS	305	6.3	39	2	2	4	8	11	18	38
6-12 YRS	228	5.9	27	2	2	4	7	12	17	30
13-19 YRS	160	8.3	89	2	2	6	10	14	23	49
2. MULTIPLE DX										
0-27 DYS	34	28.0	600	4	5	21	53	97	99+	99+
1-11 MOS	343	12.6	202	2	2	7	15	36	47	65
1-5 YRS	495	9.6	138	1	2	6	11	22	38	93
6-12 YRS	368	9.9	131	2	2	6	12	23	35	84
13-19 YRS	260	14.8	260	2	3	9	20	40	74	99+
TOT. SINGLE DX	882	6.8	49	2	2	5	8	13	20	38
" MULTIPLE DX	1500	11.7	193	2	2	7	14	31	48	99+
TOTAL 0-27 DYS	44	24.3	516	4	5	18	52	90	99+	99+
1-11 MOS	512	10.8	160	2	2	6	12	27	41	61
1-5 YRS	800	8.4	103	2	2	5	9	19	30	65
6-12 YRS	606	8.3	95	2	2	5	9	19	30	63
13-19 YRS	420	12.3	205	2	3	8	14	32	51	99+
GRAND TOTAL	**2382**	**9.9**	**145**	**2**	**2**	**6**	**11**	**24**	**38**	**90**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	5	8.0	73	3	3	4	11	23	23	23
1-5 YRS	9	10.7	18	6	6	11	13	17	19	19
6-12 YRS	13	8.6	7	4	5	9	11	12	12	12
13-19 YRS	51	9.5	23	4	5	9	11	16	20	25
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	6.8	7	3	3	8	9	9	9	9
1-5 YRS	26	13.1	123	3	4	11	16	24	32	58
6-12 YRS	33	11.2	53	3	5	9	14	19	27	37
13-19 YRS	81	26.7	475	5	6	18	37	65	70	85
TOT. SINGLE DX	79	9.4	22	3	4	9	11	16	20	24
" MULTIPLE DX	145	20.1	355	4	5	11	26	48	67	78
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	10	7.4	36	3	3	6	9	16	23	23
1-5 YRS	35	12.5	96	3	4	11	15	20	26	58
6-12 YRS	46	10.5	41	4	5	9	12	18	22	37
13-19 YRS	132	20.1	370	4	5	11	26	49	68	79
GRAND TOTAL	**224**	**16.3**	**264**	**4**	**5**	**10**	**18**	**36**	**59**	**76**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	13	10.1	34	2	2	11	14	19	19	19
1-11 MOS	32	8.6	53	1	2	7	10	19	23	33
1-5 YRS	38	11.0	49	3	4	10	15	21	28	29
6-12 YRS	51	10.9	79	2	2	9	13	21	35	39
13-19 YRS	90	12.6	142	2	3	9	15	26	41	64
2. MULTIPLE DX										
0-27 DYS	83	20.7	191	5	7	17	25	41	48	94
1-11 MOS	60	12.5	78	2	3	11	17	27	29	38
1-5 YRS	78	15.6	242	<1	2	10	18	41	54	64
6-12 YRS	69	12.9	105	<1	<1	11	20	29	32	39
13-19 YRS	103	18.1	222	1	3	15	30	45	59	99+
TOT. SINGLE DX	224	11.2	94	2	3	9	14	23	30	50
" MULTIPLE DX	393	16.4	185	<1	3	12	24	38	47	99+
TOTAL 0-27 DYS	96	19.3	183	4	6	15	24	40	48	92
1-11 MOS	92	11.1	72	2	2	9	16	24	28	37
1-5 YRS	116	14.1	183	1	2	10	17	33	46	61
6-12 YRS	120	12.0	95	<1	1	10	17	28	32	39
13-19 YRS	193	15.5	192	1	3	11	22	41	50	99+
GRAND TOTAL	**617**	**14.5**	**158**	**1**	**3**	**11**	**19**	**33**	**44**	**72**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	22	3.8	10	<1	1	3	5	9	12	13
6-12 YRS	40	2.7	6	<1	1	2	3	5	8	14
13-19 YRS	135	2.9	6	<1	1	2	3	7	9	12
2. MULTIPLE DX										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	4	13.0	292	2	2	6	24	38	38	38
1-5 YRS	24	5.4	103	<1	1	2	4	11	24	51
6-12 YRS	34	5.5	19	<1	1	5	7	12	15	17
13-19 YRS	89	5.2	49	<1	1	3	5	12	19	41
TOT. SINGLE DX	199	3.0	7	<1	1	2	3	7	9	13
" MULTIPLE DX	152	5.5	57	<1	1	3	6	12	18	50
TOTAL 0-27 DYS	2	7.0	72	1	1	7	13	13	13	13
1-11 MOS	5	11.6	229	2	2	6	17	38	38	38
1-5 YRS	46	4.6	59	<1	1	2	4	10	12	51
6-12 YRS	74	4.0	14	<1	1	2	5	9	14	17
13-19 YRS	224	3.8	24	<1	1	2	4	8	12	25
GRAND TOTAL	**351**	**4.1**	**30**	**<1**	**1**	**2**	**4**	**9**	**13**	**26**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	7	2.7	6	<1	<1	2	3	7	8	8
1-5 YRS	28	2.1	2	<1	<1	2	3	4	5	8
6-12 YRS	93	2.4	6	<1	1	2	3	4	6	16
13-19 YRS	426	2.2	1	<1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	2	4.0	18	1	1	4	7	7	7	7
1-11 MOS	10	3.8	14	1	1	2	3	10	13	13
1-5 YRS	72	2.5	4	1	1	2	3	5	8	10
6-12 YRS	150	4.0	99	1	1	2	3	5	10	70
13-19 YRS	451	3.3	25	1	1	2	3	6	10	36
TOT. SINGLE DX	555	2.2	3	<1	1	2	3	4	5	9
" MULTIPLE DX	685	3.4	39	1	1	2	3	6	10	38
TOTAL 0-27 DYS	3	3.7	9	1	1	3	6	7	7	7
1-11 MOS	17	3.4	11	<1	1	2	3	8	11	13
1-5 YRS	100	2.4	4	1	1	2	3	5	7	10
6-12 YRS	243	3.4	65	<1	1	2	3	5	10	41
13-19 YRS	877	2.8	14	<1	1	2	3	5	7	20
GRAND TOTAL	**1240**	**2.9**	**23**	**<1**	**1**	**2**	**3**	**5**	**7**	**19**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	23	5.8	11	2	3	5	7	8	12	19
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.5	13	3	3	5	8	8	8	8
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	8	6.4	8	3	3	5	9	11	11	11
TOT. SINGLE DX	25	5.6	12	1	2	5	6	8	11	19
" MULTIPLE DX	11	6.3	8	3	3	6	8	10	11	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.3	6	3	3	5	7	8	8	8
6-12 YRS	2	4.0	18	<1	<1	3	7	7	7	7
13-19 YRS	31	6.0	11	2	3	5	7	9	11	19
GRAND TOTAL	**36**	**5.8**	**10**	**2**	**3**	**5**	**7**	**9**	**11**	**19**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	4	3.5	3	2	2	3	5	6	6	6
13-19 YRS	14	4.8	6	1	2	5	7	8	9	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	5	16.4	208	4	4	15	25	39	39	39
13-19 YRS	19	5.7	58	1	1	3	7	13	25	33
TOT. SINGLE DX	19	4.3	6	<1	1	4	6	8	9	9
" MULTIPLE DX	25	8.2	99	1	1	4	11	20	34	39
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	7.5	85	<1	<1	7	14	14	14	14
6-12 YRS	9	10.7	152	2	2	4	16	31	39	39
13-19 YRS	33	5.3	36	1	1	4	7	9	14	33
GRAND TOTAL	**44**	**6.5**	**62**	**1**	**1**	**4**	**7**	**15**	**24**	**39**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	4.7	4	3	3	4	6	7	7	7
1-5 YRS	16	2.6	7	<1	1	2	3	5	10	12
6-12 YRS	42	3.9	13	1	2	3	4	5	7	25
13-19 YRS	327	4.1	5	2	2	4	5	6	6	15
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	6.5	13	4	4	6	9	9	9	9
1-5 YRS	5	4.0	1	3	3	4	5	5	5	5
6-12 YRS	16	7.4	44	1	2	6	10	15	23	27
13-19 YRS	162	5.6	16	2	3	4	6	11	14	29
TOT. SINGLE DX	388	4.0	7	1	2	4	4	6	6	16
" MULTIPLE DX	185	5.8	19	2	3	4	6	11	14	28
TOTAL 0-27 DYS										
1-11 MOS	5	5.4	6	3	3	4	7	9	9	9
1-5 YRS	21	2.9	6	<1	1	2	4	5	8	12
6-12 YRS	58	4.9	24	1	2	4	4	10	14	27
13-19 YRS	489	4.6	10	2	3	4	5	7	10	24
GRAND TOTAL	**573**	**4.6**	**11**	**2**	**2**	**4**	**5**	**7**	**11**	**25**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	10	3.4	20	1	1	2	3	10	16	16
1-5 YRS	387	2.0	4	<1	1	2	2	3	4	7
6-12 YRS	248	2.4	2	1	1	2	3	4	5	10
13-19 YRS	212	2.8	4	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	2.7	8	1	1	1	5	6	6	6
1-5 YRS	39	4.1	35	<1	1	2	4	10	19	29
6-12 YRS	35	4.0	13	1	1	3	4	8	15	17
3-19 YRS	65	5.4	32	1	1	4	6	10	15	33
TOT. SINGLE DX	859	2.4	4	1	1	2	3	4	5	9
" MULTIPLE DX	142	4.6	28	1	1	3	5	10	16	29
TOTAL 0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	13	3.2	17	1	1	2	3	8	14	16
1-5 YRS	426	2.2	7	<1	1	2	2	3	4	13
6-12 YRS	283	2.6	4	1	1	2	3	4	5	13
13-19 YRS	277	3.4	12	1	1	3	4	5	8	23
GRAND TOTAL	**1001**	**2.7**	**8**	**1**	**1**	**2**	**3**	**4**	**6**	**16**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	3	7.3	8	4	4	9	9	9	9	9
1-5 YRS	18	8.2	16	3	4	7	10	12	17	20
6-12 YRS	11	4.8	12	1	2	4	6	10	14	14
13-19 YRS	50	8.5	22	3	3	8	10	15	18	26
2. MULTIPLE DX										
0-27 DYS	3	7.0	1	6	6	7	8	8	8	8
1-11 MOS	10	14.6	129	5	5	10	17	34	41	41
1-5 YRS	18	23.8	611	4	5	10	41	61	76	83
6-12 YRS	14	12.2	73	<1	2	9	18	27	28	28
13-19 YRS	33	15.1	275	5	6	10	14	30	48	90
TOT. SINGLE DX	83	8.0	21	2	3	7	10	13	18	24
" MULTIPLE DX	78	16.2	298	4	5	9	16	40	52	88
TOTAL 0-27 DYS	4	9.3	21	6	6	7	12	16	16	16
1-11 MOS	13	12.9	108	4	5	9	15	30	39	41
1-5 YRS	36	16.0	368	4	4	8	13	50	61	83
6-12 YRS	25	9.0	59	1	2	7	11	23	27	28
13-19 YRS	83	11.1	132	3	4	9	12	18	27	77
GRAND TOTAL	**161**	**12.0**	**171**	**3**	**4**	**8**	**12**	**23**	**40**	**81**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	51	1.2		<1	<1	1	1	2	2	2
1-5 YRS	266	1.3		<1	<1	1	1	2	2	5
6-12 YRS	135	1.3		<1	<1	1	1	2	2	3
13-19 YRS	108	1.7	1	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	1.4		1	1	1	2	2	2	2
1-5 YRS	45	2.1	8	<1	<1	1	2	4	8	17
6-12 YRS	29	2.1	4	<1	<1	1	2	6	7	8
13-19 YRS	39	2.6	3	<1	1	2	3	6	8	99+
TOT. SINGLE DX	561	1.3	1	<1	<1	1	2	2	2	5
" MULTIPLE DX	119	2.2	5	<1	<1	1	2	5	8	42
TOTAL 0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	56	1.2		<1	<1	1	1	2	2	2
1-5 YRS	311	1.4	2	<1	<1	1	1	2	2	8
6-12 YRS	164	1.4	1	<1	<1	1	1	2	3	7
13-19 YRS	147	1.9	2	<1	<1	1	2	3	5	11
GRAND TOTAL	**680**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**8**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	30	1.8	1	<1	<1	1	2	3	4	6
1-5 YRS	497	1.7		<1	<1	2	2	3	3	6
6-12 YRS	272	1.9	1	<1	<1	2	2	3	3	8
13-19 YRS	245	2.0	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
0-27 DYS	8	16.5	1030	2	2	3	11	72	95	95
1-11 MOS	18	2.4	4	<1	<1	2	3	4	8	10
1-5 YRS	220	2.7	16	<1	1	2	3	5	6	20
6-12 YRS	183	2.7	7	1	1	2	3	5	8	16
13-19 YRS	508	3.5	25	<1	1	2	4	7	10	36
TOT. SINGLE DX	1044	1.8	1	<1	<1	2	2	3	3	7
" MULTIPLE DX	937	3.3	29	<1	1	2	3	6	9	27
TOTAL 0-27 DYS	8	16.5	1030	2	2	3	11	72	95	95
1-11 MOS	48	2.0	3	<1	<1	2	2	4	4	10
1-5 YRS	717	2.0	6	<1	<1	2	2	3	5	8
6-12 YRS	455	2.2	4	<1	1	2	2	4	5	11
13-19 YRS	753	3.0	18	<1	1	2	3	6	9	26
GRAND TOTAL	**1981**	**2.5**	**15**	**<1**	**<1**	**2**	**3**	**4**	**6**	**16**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	14	2.9	10	<1	<1	1	5	9	10	10
1-5 YRS	87	1.7	2	<1	<1	1	2	3	3	10
6-12 YRS	57	1.7	1	<1	<1	1	2	2	4	9
13-19 YRS	50	2.1	2	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
0-27 DYS	4	4.3	7	2	2	3	6	8	8	8
1-11 MOS	3	3.0	7	1	1	2	5	6	6	6
1-5 YRS	42	2.1	3	1	1	2	2	3	5	13
6-12 YRS	25	2.4	2	<1	1	2	3	5	6	6
13-19 YRS	47	3.2	35	<1	1	2	3	4	7	42
TOT. SINGLE DX	210	1.9	3	<1	<1	1	2	3	5	10
" MULTIPLE DX	121	2.7	16	1	1	2	3	4	6	21
TOTAL 0-27 DYS	6	4.3	7	2	2	3	7	8	8	8
1-11 MOS	17	2.9	9	<1	<1	1	5	8	10	10
1-5 YRS	129	1.9	3	<1	<1	1	2	3	4	11
6-12 YRS	82	1.9	2	<1	1	2	2	3	5	8
13-19 YRS	97	2.6	18	<1	1	2	3	3	6	26
GRAND TOTAL	**331**	**2.2**	**8**	**<1**	**1**	**2**	**2**	**4**	**6**	**10**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	22	2.0	5	<1	<1	1	2	4	8	11
6-12 YRS	32	1.6	3	<1	<1	1	2	2	3	11
13-19 YRS	22	1.9	3	<1	<1	1	2	4	7	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	8.5	111	1	1	4	15	24	24	24
1-5 YRS	14	1.2		<1	<1	1	1	2	2	2
6-12 YRS	20	5.2	72	<1	<1	2	5	12	27	38
13-19 YRS	21	3.6	5	<1	1	3	5	7	8	9
TOT. SINGLE DX	76	1.8	4	<1	<1	1	2	3	7	11
" MULTIPLE DX	59	3.9	35	<1	1	2	5	8	13	37
TOTAL 0-27 DYS										
1-11 MOS	4	8.5	111	1	1	4	15	24	24	24
1-5 YRS	36	1.7	3	<1	<1	1	2	2	5	11
6-12 YRS	52	3.0	32	<1	<1	1	2	5	11	38
13-19 YRS	43	2.7	5	<1	<1	2	3	7	8	9
GRAND TOTAL	**135**	**2.7**	**19**	**<1**	**<1**	**1**	**2**	**6**	**9**	**26**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	5.4	3	3	3	6	7	8	8	8
1-5 YRS	13	4.2	4	2	2	4	5	7	8	8
6-12 YRS	14	4.4	8	2	2	4	5	7	12	13
13-19 YRS	43	3.6	4	1	2	3	4	6	7	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	14	6.9	57	1	2	4	6	17	26	29
1-5 YRS	28	5.1	10	2	2	4	6	9	12	17
6-12 YRS	24	6.7	55	2	2	4	6	13	27	35
13-19 YRS	27	5.2	9	2	2	5	6	10	12	15
TOT. SINGLE DX	78	4.0	5	2	2	3	5	7	8	13
" MULTIPLE DX	93	5.8	28	2	2	4	6	11	16	32
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	21	6.4	39	2	2	4	6	14	22	29
1-5 YRS	41	4.8	8	2	2	4	6	8	10	17
6-12 YRS	38	5.8	39	2	2	4	6	11	19	35
13-19 YRS	70	4.2	7	2	2	4	5	7	10	15
GRAND TOTAL	**171**	**5.0**	**18**	**2**	**2**	**4**	**5**	**8**	**13**	**28**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	9	4.4	22	1	1	2	6	13	15	15
1-5 YRS	104	2.9	5	<1	1	2	4	6	7	12
6-12 YRS	123	3.4	7	<1	1	3	5	6	9	14
13-19 YRS	101	3.2	5	<1	1	3	4	6	7	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	4.4	12	1	1	4	6	10	10	10
1-5 YRS	79	3.9	7	<1	1	3	5	8	10	11
6-12 YRS	90	4.2	7	1	2	4	5	7	8	17
13-19 YRS	96	5.8	38	1	2	4	6	10	18	36
TOT. SINGLE DX	337	3.2	7	<1	1	2	4	6	8	13
" MULTIPLE DX	270	4.7	19	1	1	4	5	8	11	25
TOTAL 0-27 DYS										
1-11 MOS	14	4.4	18	1	1	3	5	10	14	15
1-5 YRS	183	3.4	6	<1	1	3	5	7	9	11
6-12 YRS	213	3.7	8	<1	1	3	5	7	8	16
13-19 YRS	197	4.5	23	1	1	3	5	7	11	28
GRAND TOTAL	**607**	**3.9**	**13**	**<1**	**1**	**3**	**5**	**7**	**9**	**17**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	9	11.2	550	<1	<1	2	6	49	73	73
1-11 MOS	73	2.4	5	<1	1	2	2	4	7	15
1-5 YRS	39	2.0	1	1	1	2	2	3	4	6
6-12 YRS	25	2.3	1	1	1	2	3	4	5	5
13-19 YRS	28	4.1	13	1	1	3	5	7	12	19
2. MULTIPLE DX										
0-27 DYS	3	13.0	28	7	7	15	16	17	17	17
1-11 MOS	35	4.1	34	1	1	2	4	6	14	33
1-5 YRS	28	2.6	3	1	1	2	3	5	7	8
6-12 YRS	16	3.2	6	1	1	3	4	5	9	11
13-19 YRS	39	4.1	43	1	1	2	4	7	14	40
TOT. SINGLE DX	174	3.0	35	1	1	2	3	5	7	19
" MULTIPLE DX	121	3.9	28	1	1	2	4	7	13	35
TOTAL 0-27 DYS	12	11.7	406	<1	1	3	14	34	67	73
1-11 MOS	108	3.0	15	1	1	2	3	6	8	24
1-5 YRS	67	2.3	2	1	1	2	3	3	6	8
6-12 YRS	41	2.6	3	1	1	2	3	5	5	11
13-19 YRS	67	4.1	30	1	1	2	4	7	12	36
GRAND TOTAL	**295**	**3.4**	**32**	**1**	**1**	**2**	**3**	**6**	**10**	**27**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	2.4	2	<1	<1	2	3	5	5	5
1-5 YRS	38	3.3	9	1	1	2	4	7	10	16
6-12 YRS	48	4.6	7	1	1	5	7	9	9	11
13-19 YRS	59	4.7	10	1	2	4	5	10	13	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	8	4.0	7	<1	<1	3	6	8	8	8
1-5 YRS	33	4.3	9	1	1	3	5	10	11	13
6-12 YRS	44	5.0	12	1	1	4	7	10	12	17
13-19 YRS	61	5.5	17	1	2	4	7	11	13	22
TOT. SINGLE DX	154	4.2	9	1	1	4	5	8	10	14
" MULTIPLE DX	146	5.0	14	1	1	4	7	10	12	17
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	16	3.2	5	<1	<1	2	5	7	8	8
1-5 YRS	71	3.8	10	1	1	3	5	9	10	15
6-12 YRS	92	4.8	10	1	1	4	7	9	11	15
13-19 YRS	120	5.1	14	1	2	4	6	11	13	17
GRAND TOTAL	**300**	**4.6**	**12**	**1**	**1**	**4**	**6**	**10**	**11**	**15**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	1.8	1	1	1	1	2	4	4	4
1-11 MOS	23	2.2	1	1	1	2	3	4	5	5
1-5 YRS	30	2.8	4	<1	1	2	3	5	6	11
6-12 YRS	33	2.3	2	<1	1	2	3	4	7	8
13-19 YRS	17	2.2	1	<1	1	2	3	4	5	5
2. MULTIPLE DX										
0-27 DYS	3	11.3	14	7	7	13	14	14	14	14
1-11 MOS	20	2.7	5	<1	1	2	3	6	7	8
1-5 YRS	22	3.5	16	1	1	2	3	9	14	18
6-12 YRS	18	3.1	5	<1	1	2	4	7	8	8
13-19 YRS	23	5.3	72	<1	1	2	5	14	29	37
TOT. SINGLE DX	108	2.4	3	1	1	2	3	4	5	9
" MULTIPLE DX	86	4.0	28	1	1	2	4	8	13	32
TOTAL 0-27 DYS	8	5.4	29	1	1	3	10	14	14	14
1-11 MOS	43	2.4	3	1	1	2	3	5	6	8
1-5 YRS	52	3.1	9	1	1	2	3	6	10	18
6-12 YRS	51	2.6	4	<1	1	2	3	6	8	8
13-19 YRS	40	4.0	44	<1	1	2	4	6	17	37
GRAND TOTAL	194	3.1	14	1	1	2	3	5	8	21

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	11	2.0	1	<1	<1	2	2	4	4	4
1-11 MOS	75	2.3	1	<1	1	2	3	3	4	9
1-5 YRS	103	2.3	2	1	1	2	3	4	5	8
6-12 YRS	120	2.2	1	<1	1	2	2	3	4	9
13-19 YRS	108	2.1	1	1	1	2	2	3	4	9
2. MULTIPLE DX										
0-27 DYS	6	4.8	9	1	1	5	7	9	9	9
1-11 MOS	31	2.5	1	1	1	2	4	4	5	5
1-5 YRS	67	2.4	3	<1	1	2	2	5	5	13
6-12 YRS	67	3.0	5	<1	<1	2	3	6	9	12
13-19 YRS	71	3.1	7	1	1	2	4	5	7	18
TOT. SINGLE DX	417	2.2	2	1	1	2	2	3	4	8
" MULTIPLE DX	242	2.8	6	<1	1	2	3	5	7	13
TOTAL 0-27 DYS	17	3.0	6	<1	<1	2	4	7	8	9
1-11 MOS	106	2.4	2	1	1	2	3	4	4	8
1-5 YRS	170	2.4	3	1	1	2	2	4	5	9
6-12 YRS	187	2.5	3	<1	1	2	3	4	6	11
13-19 YRS	179	2.5	4	1	1	2	2	4	6	12
GRAND TOTAL	659	2.5	3	1	1	2	3	4	5	10

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	4	4.0	22	1	1	2	7	11	11	11
6-12 YRS	13	2.1	1	<1	<1	2	3	4	4	4
13-19 YRS	4	2.0		1	1	2	3	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	3.5	5	2	2	3	5	7	7	7
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	4.0	7	2	2	3	6	7	7	7
13-19 YRS	3	1.7		1	1	2	2	2	2	2
TOT. SINGLE DX	23	2.4	5	<1	1	2	3	4	7	11
" MULTIPLE DX	11	3.0	4	1	1	2	3	7	7	7
TOTAL 0-27 DYS										
1-11 MOS	6	3.0	4	1	1	2	3	7	7	7
1-5 YRS	5	3.6	17	1	1	2	4	11	11	11
6-12 YRS	16	2.4	3	<1	1	2	3	4	6	7
13-19 YRS	7	1.9		1	1	2	2	3	3	3
GRAND TOTAL	34	2.6	4	1	1	2	3	4	7	11

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	1.8	1	1	1	2	2	3	3	3
1-5 YRS	16	3.2	4	<1	1	3	4	6	7	8
6-12 YRS	69	5.4	19	2	2	4	7	9	10	31
13-19 YRS	157	4.8	15	2	2	4	6	9	10	17
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	16	6.6	46	2	2	4	6	19	23	25
1-5 YRS	19	4.3	3	2	2	4	6	7	7	7
6-12 YRS	52	4.7	7	1	2	4	6	9	9	14
13-19 YRS	118	5.4	30	2	2	4	6	9	13	29
TOT. SINGLE DX	246	4.8	16	1	2	4	6	9	10	18
" MULTIPLE DX	206	5.2	23	2	2	4	6	9	13	22
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	20	5.6	40	1	1	3	6	16	22	25
1-5 YRS	35	3.8	4	1	2	4	5	7	7	8
6-12 YRS	121	5.1	14	1	2	4	6	9	10	20
13-19 YRS	275	5.0	22	2	2	4	6	9	12	18
GRAND TOTAL	452	5.0	19	1	2	4	6	9	11	20

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	18	2.4	1	<1	1	2	3	4	5	5
1-5 YRS	24	2.7	8	<1	1	2	3	6	9	14
6-12 YRS	25	3.4	7	1	1	2	4	7	9	12
13-19 YRS	30	3.3	4	<1	1	3	5	6	7	9
2. MULTIPLE DX										
0-27 DYS	4	49.5	2760	4	4	49	95	95	95	95
1-11 MOS	17	4.2	40	<1	1	3	4	22	71	99+
1-5 YRS	15	2.7	3	<1	1	2	4	4	6	7
6-12 YRS	50	4.0	16	1	1	3	4	8	13	21
13-19 YRS	43	5.3	24	1	2	4	6	8	15	29
TOT. SINGLE DX	97	3.0	5	<1	1	2	4	6	7	13
" MULTIPLE DX	129	5.7	147	1	1	3	5	8	21	96
TOTAL 0-27 DYS	4	49.5	2760	4	4	49	95	95	95	95
1-11 MOS	35	3.3	21	<1	1	2	4	5	22	99+
1-5 YRS	39	2.7	6	<1	1	2	4	5	7	14
6-12 YRS	75	3.8	13	1	1	3	4	7	12	20
13-19 YRS	73	4.5	17	<1	2	4	5	7	9	27
GRAND TOTAL	226	4.6	88	1	1	3	4	7	12	95

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	1.3		1	1	1	2	2	2	2
1-11 MOS	376	1.4	1	<1	<1	1	2	2	2	3
1-5 YRS	3028	1.5		<1	<1	1	2	2	2	3
6-12 YRS	1587	1.6		<1	<1	2	2	2	2	3
13-19 YRS	804	1.7		<1	1	2	2	2	2	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	69	1.5		<1	<1	1	2	2	2	4
1-5 YRS	779	1.5		<1	<1	1	2	2	2	4
6-12 YRS	418	1.6		<1	<1	2	2	2	3	3
13-19 YRS	233	2.0	24	<1	1	2	2	2	3	4
TOT. SINGLE DX	5801	1.5		<1	<1	1	2	2	2	3
" MULTIPLE DX	1499	1.6	4	<1	<1	2	2	2	2	4
TOTAL 0-27 DYS	6	1.3		1	1	1	2	2	2	2
1-11 MOS	445	1.4	1	<1	<1	1	2	2	2	3
1-5 YRS	3807	1.5		<1	<1	1	2	2	2	3
6-12 YRS	2005	1.6		<1	<1	2	2	2	2	3
13-19 YRS	1037	1.8	6	<1	1	2	2	2	3	3
GRAND TOTAL	7300	1.6	1	<1	<1	2	2	2	2	3

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	2.0	1	1	1	2	3	4	4	4
1-5 YRS	11	1.5		<1	<1	1	2	2	2	2
6-12 YRS	6	1.5	1	1	1	1	1	4	4	4
13-19 YRS	6	1.3	2	<1	<1	2	4	4	4	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.2		<1	<1	1	1	2	2	2
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	6	1.8		1	1	2	2	3	3	3
TOT. SINGLE DX	28	1.8	1	<1	<1	2	2	4	4	4
" MULTIPLE DX	12	1.7		<1	<1	2	2	3	3	3
TOTAL 0-27 DYS										
1-11 MOS	5	2.0	2	1	1	2	3	4	4	4
1-5 YRS	16	1.4		<1	<1	1	2	2	2	2
6-12 YRS	7	1.7	2	1	1	1	3	4	4	4
13-19 YRS	12	2.1	1	<1	<1	2	2	4	4	4
GRAND TOTAL	40	1.7	1	<1	<1	1	2	3	4	4

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	35	3.3	4	<1	<1	3	5	6	7	9
1-5 YRS	128	2.7	8	<1	<1	2	3	6	8	15
6-12 YRS	127	3.4	7	1	1	2	4	7	10	13
13-19 YRS	157	3.0	6	<1	1	2	3	5	10	15
2. MULTIPLE DX										
0-27 DYS	2	4.5	25	1	1	4	8	8	8	8
1-11 MOS	13	3.8	6	1	1	3	5	8	9	9
1-5 YRS	53	4.9	34	<1	<1	3	5	12	16	28
6-12 YRS	101	4.3	17	1	1	3	5	8	11	24
13-19 YRS	134	5.4	30	1	2	4	6	12	17	32
TOT. SINGLE DX	448	3.0	8	<1	1	2	3	6	9	14
" MULTIPLE DX	303	4.9	26	1	1	3	6	10	16	27
TOTAL 0-27 DYS	3	4.3	12	1	1	4	7	8	8	8
1-11 MOS	48	3.4	5	<1	1	3	5	7	8	9
1-5 YRS	181	3.3	17	<1	<1	2	4	7	11	23
6-12 YRS	228	3.8	12	1	1	3	4	8	10	21
13-19 YRS	291	4.1	20	1	1	3	4	9	13	24
GRAND TOTAL	751	3.8	16	<1	1	2	4	8	11	21

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	10	3.4	1	2	2	3	4	5	5	5
1-11 MOS	35	1.6	1	<1	<1	1	2	3	7	99+
1-5 YRS	377	1.9	2	<1	<1	2	2	3	4	7
6-12 YRS	527	1.9	1	<1	<1	2	2	3	4	7
13-19 YRS	296	2.2	3	<1	<1	2	2	4	7	11
2. MULTIPLE DX										
0-27 DYS	301	3.8	4	1	2	3	5	6	8	12
1-11 MCS	16	3.3	7	<1	<1	2	6	7	8	9
1-5 YRS	155	2.8	8	<1	<1	2	3	6	10	15
6-12 YRS	204	3.0	34	<1	1	2	3	5	7	16
13-19 YRS	266	4.2	39	1	1	2	4	8	11	35
TOT. SINGLE DX	1245	2.0	2	<1	<1	2	2	3	5	8
" MULTIPLE DX	942	3.5	22	<1	1	2	4	6	8	25
TOTAL 0-27 DYS	311	3.7	4	1	2	3	5	6	7	12
1-11 MOS	51	2.1	4	<1	<1	1	2	6	8	98
1-5 YRS	532	2.2	4	<1	<1	2	2	4	6	11
6-12 YRS	731	2.2	11	<1	<1	2	2	4	5	8
13-19 YRS	562	3.1	21	<1	1	2	3	6	8	30
GRAND TOTAL	**2187**	**2.7**	**11**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	7	1.4		1	1	1	2	2	2	2
6-12 YRS	71	2.0		1	1	2	2	3	3	5
13-19 YRS	124	2.1		1	1	2	2	3	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	10	2.0	1	1	1	2	2	4	5	5
6-12 YRS	45	2.1		1	1	2	2	3	3	6
13-19 YRS	76	2.5	1	1	1	2	3	4	5	8
TOT. SINGLE DX	203	2.0	1	1	1	2	2	3	3	5
" MULTIPLE DX	133	2.3	1	1	1	2	3	4	4	7
TOTAL 0-27 DYS										
1-11 MOS	3	2.3	1	1	1	3	3	3	3	3
1-5 YRS	17	1.8	1	1	1	2	2	2	4	5
6-12 YRS	116	2.0	1	1	1	2	2	3	3	5
13-19 YRS	200	2.2	1	1	1	2	3	3	4	6
GRAND TOTAL	**336**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	229	1.6		<1	<1	2	2	2	3	3
6-12 YRS	1178	1.8		<1	1	2	2	2	3	4
13-19 YRS	918	1.9		1	1	2	2	3	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	161	1.8	1	<1	<1	2	2	3	3	8
6-12 YRS	947	1.9		1	1	2	2	3	3	5
13-19 YRS	791	2.0	1	1	1	2	2	3	3	5
TOT. SINGLE DX	2329	1.8	1	<1	1	2	2	2	3	4
" MULTIPLE DX	1900	2.0	1	1	1	2	2	3	3	5
TOTAL 0-27 DYS										
1-11 MOS	5	1.6		1	1	2	2	2	2	2
1-5 YRS	390	1.7	1	<1	<1	2	2	2	3	4
6-12 YRS	2125	1.8	1	<1	1	2	2	3	3	4
13-19 YRS	1709	2.0	1	1	1	2	2	3	3	5
GRAND TOTAL	**4229**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	14	5.1	18	<1	<1	3	10	12	12	12
1-11 MOS	1084	1.2	1	<1	<1	<1	1	1	3	6
1-5 YRS	7180	1.1	1	<1	<1	<1	1	1	1	2
6-12 YRS	2920	1.1		<1	<1	<1	1	1	2	2
13-19 YRS	464	1.3		<1	<1	1	1	2	2	5
2. MULTIPLE DX										
0-27 DYS	22	7.5	72	1	2	5	6	19	27	38
1-11 MOS	642	4.4	31	<1	<1	3	6	10	14	25
1-5 YRS	5344	1.7	3	<1	<1	1	2	2	4	10
6-12 YRS	2492	1.5	2	<1	<1	1	2	2	2	7
13-19 YRS	305	2.4	30	<1	<1	1	2	3	6	27
TOT. SINGLE DX	11662	1.1	1	<1	<1	<1	1	1	2	3
" MULTIPLE DX	8805	1.9	7	<1	<1	1	2	3	5	13
TOTAL 0-27 DYS	36	6.6	52	<1	1	4	7	16	19	38
1-11 MOS	1726	2.4	15	<1	<1	1	2	6	9	18
1-5 YRS	12524	1.3	2	<1	<1	<1	1	2	2	7
6-12 YRS	5412	1.3	1	<1	<1	1	1	2	2	5
13-19 YRS	769	1.7	13	<1	<1	1	2	2	3	13
GRAND TOTAL	20467	1.4	4	<1	<1	<1	1	2	3	9

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	6	4.3	34	<1	<1	2	4	15	16	16
1-5 YRS	107	3.1	17	1	1	2	3	5	9	25
6-12 YRS	278	2.4	2	1	1	2	3	3	4	12
13-19 YRS	274	2.4	2	1	1	2	3	3	4	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	8.8	31	3	3	8	13	16	16	16
1-5 YRS	122	3.9	17	1	1	2	4	9	15	22
6-12 YRS	471	2.6	8	1	1	2	3	4	5	13
13-19 YRS	514	2.6	5	1	1	2	3	4	5	9
TOT. SINGLE DX	666	2.5	5	1	1	2	3	4	5	14
" MULTIPLE DX	1111	2.8	8	1	1	2	3	4	7	15
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	10	6.1	35	<1	<1	3	10	16	16	16
1-5 YRS	229	3.5	18	1	1	2	3	7	12	22
6-12 YRS	749	2.5	6	1	1	2	3	4	5	13
13-19 YRS	788	2.5	4	1	1	2	3	4	5	10
GRAND TOTAL	1777	2.7	7	1	1	2	3	4	6	15

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	1.7		<1	<1	1	2	3	3	3
1-5 YRS	194	1.5	2	<1	<1	1	1	2	3	10
6-12 YRS	295	1.6	1	<1	<1	1	2	2	3	7
13-19 YRS	223	2.0	1	<1	1	2	2	3	4	8
2. MULTIPLE DX										
0-27 DYS	2	2.5	5	<1	<1	2	4	4	4	4
1-11 MOS	4	2.8	5	<1	<1	2	4	6	6	6
1-5 YRS	161	2.5	12	<1	<1	1	2	6	8	19
6-12 YRS	283	2.1	9	<1	<1	1	2	3	4	20
13-19 YRS	198	2.4	9	<1	1	2	2	3	5	21
TOT. SINGLE DX	718	1.7	2	<1	<1	1	2	3	3	8
" MULTIPLE DX	648	2.3	10	<1	<1	2	2	4	6	19
TOTAL 0-27 DYS	2	2.5	5	<1	<1	2	4	4	4	4
1-11 MOS	10	2.1	3	<1	<1	2	3	5	6	6
1-5 YRS	355	2.0	7	<1	<1	1	2	4	6	17
6-12 YRS	578	1.8	5	<1	<1	1	2	3	3	13
13-19 YRS	421	2.2	5	<1	1	2	2	3	4	12
GRAND TOTAL	1366	2.0	6	<1	<1	1	2	3	4	13

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	32	1.8		<1	1	2	2	3	4	4
13-19 YRS	789	2.4		1	1	2	3	4	4	5
2. MULTIPLE DX										
0-27 DYS	3	1.7	1	1	1	1	3	3	3	3
1-11 MOS	4	3.0	2	2	2	3	4	5	5	5
1-5 YRS	5	2.2		2	2	2	3	3	3	3
6-12 YRS	108	1.9	1	<1	<1	2	2	4	4	6
13-19 YRS	1512	2.5	1	1	1	2	3	4	4	6
TOT. SINGLE DX	827	2.3	1	1	1	2	3	4	4	5
" MULTIPLE DX	1632	2.4	2	1	1	2	3	4	4	6
TOTAL 0-27 DYS	4	1.5	1	1	1	1	2	3	3	3
1-11 MOS	7	2.7	2	1	1	2	4	5	5	5
1-5 YRS	7	2.3	1	1	1	2	3	4	4	4
6-12 YRS	140	1.9	1	<1	<1	2	2	3	4	5
13-19 YRS	2301	2.4	2	1	1	2	3	4	4	6
GRAND TOTAL	**2459**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

542: Rhinoplasty (21.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	11	3.4	4	1	1	3	5	7	7	7
1-5 YRS	97	2.2	2	<1	1	2	3	4	6	8
6-12 YRS	186	2.4	3	<1	1	2	3	4	5	8
13-19 YRS	2277	2.1	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
0-27 DYS	18	3.6	1	2	3	3	4	5	6	6
1-11 MOS	14	4.2	31	<1	1	2	6	9	19	22
1-5 YRS	127	2.6	3	1	1	2	3	5	6	9
6-12 YRS	288	2.5	2	1	1	2	3	4	6	9
13-19 YRS	3631	2.4	3	1	1	2	3	4	4	7
TOT. SINGLE DX	2574	2.2	1	1	1	2	3	3	4	6
" MULTIPLE DX	4078	2.5	3	1	1	2	3	4	5	7
TOTAL 0-27 DYS	21	3.3	1	1	2	3	4	5	6	6
1-11 MOS	25	3.8	19	<1	1	2	6	7	11	22
1-5 YRS	224	2.4	3	<1	1	2	3	5	6	8
6-12 YRS	474	2.4	3	1	1	2	3	4	5	8
13-19 YRS	5908	2.3	2	1	1	2	3	4	4	7
GRAND TOTAL	**6652**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	14	2.3	4	<1	<1	1	2	6	8	8
1-5 YRS	69	2.0	1	<1	<1	2	2	3	5	7
6-12 YRS	115	2.0	2	<1	<1	2	2	4	5	8
13-19 YRS	184	2.4	2	<1	1	2	3	5	6	9
2. MULTIPLE DX										
0-27 DYS	3	4.7	2	3	3	5	6	6	6	6
1-11 MOS	9	4.2	12	1	1	3	6	10	11	11
1-5 YRS	35	4.1	13	<1	1	3	5	6	12	19
6-12 YRS	121	2.8	6	<1	<1	2	3	5	9	13
13-19 YRS	344	3.0	29	1	1	2	3	4	7	14
TOT. SINGLE DX	382	2.2	2	<1	<1	2	2	4	5	9
" MULTIPLE DX	512	3.0	22	<1	1	2	3	5	8	15
TOTAL 0-27 DYS	3	4.7	2	3	3	5	6	6	6	6
1-11 MOS	23	3.0	8	<1	<1	2	4	8	9	11
1-5 YRS	104	2.7	7	<1	<1	2	3	5	6	16
6-12 YRS	236	2.4	4	<1	<1	2	3	4	7	10
13-19 YRS	528	2.8	20	1	1	2	3	5	6	14
GRAND TOTAL	**894**	**2.7**	**14**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	4.3	2	3	3	4	5	6	6	6
1-5 YRS	100	1.4	3	<1	<1	1	1	2	2	11
6-12 YRS	477	1.5	1	<1	<1	1	2	2	4	6
13-19 YRS	1427	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	21	4.2	7	1	2	4	5	6	10	14
1-11 MOS	4	3.3	10	1	1	2	5	8	8	8
1-5 YRS	61	3.3	14	<1	1	2	4	8	10	22
6-12 YRS	208	2.7	8	<1	1	2	3	6	7	17
13-19 YRS	908	3.3	21	1	1	2	4	6	8	19
TOT. SINGLE DX	2007	1.6	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	1202	3.2	18	<1	1	2	4	6	8	19
TOTAL 0-27 DYS	21	4.2	7	1	2	4	5	6	10	14
1-11 MOS	7	3.7	6	1	1	3	5	8	8	8
1-5 YRS	161	2.1	8	<1	<1	1	2	4	7	18
6-12 YRS	685	1.9	4	<1	<1	1	2	4	5	9
13-19 YRS	2335	2.3	10	<1	<1	2	3	4	6	12
GRAND TOTAL	**3209**	**2.2**	**8**	**<1**	**<1**	**2**	**2**	**4**	**6**	**12**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	2.6	2	<1	<1	2	4	5	5	5
6-12 YRS	38	3.9	50	1	1	2	3	5	10	45
13-19 YRS	138	2.4	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	31	2.7	5	1	1	2	3	5	7	13
13-19 YRS	155	3.9	23	1	1	3	4	6	14	28
TOT. SINGLE DX	185	2.7	12	1	1	2	3	4	5	12
" MULTIPLE DX	188	3.7	21	1	1	2	4	6	13	28
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	11	2.4	2	<1	<1	2	4	5	5	5
6-12 YRS	69	3.3	30	1	1	2	3	5	8	39
13-19 YRS	293	3.2	14	1	1	2	3	5	8	25
GRAND TOTAL	**373**	**3.2**	**17**	**1**	**1**	**2**	**3**	**5**	**8**	**26**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	5.0	18	2	2	5	8	8	8	8
1-5 YRS	34	2.7	15	<1	<1	1	3	5	6	23
6-12 YRS	126	2.3	5	<1	<1	2	2	4	8	13
13-19 YRS	175	3.3	10	<1	1	2	4	8	10	16
2. MULTIPLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	10	3.6	6	<1	<1	3	6	7	8	8
1-5 YRS	65	2.9	8	<1	<1	2	4	7	9	16
6-12 YRS	171	4.7	37	<1	1	2	5	11	17	31
13-19 YRS	283	5.7	63	1	1	3	6	13	18	36
TOT. SINGLE DX	337	2.8	9	<1	<1	2	3	7	9	15
" MULTIPLE DX	530	5.0	48	<1	1	2	6	11	17	33
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	12	3.8	7	<1	<1	3	6	8	8	8
1-5 YRS	99	2.8	11	<1	<1	1	3	7	9	20
6-12 YRS	297	3.7	25	<1	<1	2	4	9	12	30
13-19 YRS	458	4.7	44	1	1	2	6	11	15	33
GRAND TOTAL	**867**	**4.1**	**34**	**<1**	**<1**	**2**	**5**	**9**	**13**	**31**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	3.0	7	<1	<1	2	5	6	6	6
1-11 MOS	3	6.3	70	1	1	2	12	16	16	16
1-5 YRS	197	1.5	4	<1	<1	1	1	2	2	8
6-12 YRS	315	1.5		<1	<1	1	2	2	2	4
13-19 YRS	4414	1.5		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
0-27 DYS	30	7.2	82	2	2	4	6	18	23	46
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	344	2.6	27	<1	<1	1	2	5	7	26
6-12 YRS	384	2.7	22	<1	<1	2	2	4	7	37
13-19 YRS	1783	2.6	32	<1	1	2	2	3	5	34
TOT. SINGLE DX	4932	1.5	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	2544	2.7	31	<1	<1	2	2	4	6	35
TOTAL 0-27 DYS	33	6.8	76	2	2	4	6	18	22	46
1-11 MOS	6	4.2	34	1	1	2	3	15	16	16
1-5 YRS	541	2.2	20	<1	<1	1	2	4	5	20
6-12 YRS	699	2.1	13	<1	<1	1	2	3	5	19
13-19 YRS	6197	1.8	10	<1	<1	2	2	2	3	8
GRAND TOTAL	**7476**	**1.9**	**11**	**<1**	**<1**	**2**	**2**	**2**	**3**	**11**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	611	1.1		<1	<1	1	1	1	2	2
6-12 YRS	53	1.5	1	<1	<1	1	2	3	4	7
13-19 YRS	64	1.6		<1	<1	1	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	1.3		<1	<1	1	2	2	2	2
1-5 YRS	445	1.4	1	<1	<1	1	1	2	3	7
6-12 YRS	146	2.4	46	<1	<1	1	2	2	5	99+
13-19 YRS	140	2.7	35	<1	<1	2	2	5	7	61
TOT. SINGLE DX	731	1.2		<1	<1	1	1	2	2	4
" MULTIPLE DX	735	1.9	17	<1	<1	1	2	2	4	26
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	6	1.2		<1	<1	1	1	2	2	2
1-5 YRS	1056	1.2	1	<1	<1	1	1	2	2	4
6-12 YRS	199	2.2	34	<1	<1	1	2	2	4	82
13-19 YRS	204	2.4	25	<1	<1	1	2	4	6	49
GRAND TOTAL	**1466**	**1.5**	**9**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	9	2.8	8	<1	<1	1	3	8	10	10
1-5 YRS	61	1.4		<1	<1	1	1	2	3	5
6-12 YRS	80	2.2	1	<1	<1	2	3	4	5	8
13-19 YRS	91	2.5	3	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
0-27 DYS	17	3.4	3	2	2	3	4	7	8	8
1-11 MOS	2	10.0	72	4	4	10	16	16	16	16
1-5 YRS	79	2.9	79	<1	<1	1	2	4	8	60
6-12 YRS	140	3.3	62	<1	<1	2	3	5	11	89
13-19 YRS	215	3.1	19	<1	1	2	3	5	8	17
TOT. SINGLE DX	242	2.1	2	<1	<1	2	3	4	5	9
" MULTIPLE DX	453	3.2	43	<1	<1	2	3	5	9	26
TOTAL 0-27 DYS	18	3.4	3	2	2	3	4	6	8	8
1-11 MOS	11	4.1	23	<1	<1	3	4	12	16	16
1-5 YRS	140	2.2	46	<1	<1	1	2	3	5	20
6-12 YRS	220	2.9	41	<1	<1	2	3	4	7	44
13-19 YRS	306	2.9	15	<1	<1	2	3	5	8	15
GRAND TOTAL	**695**	**2.8**	**29**	**<1**	**<1**	**2**	**3**	**4**	**7**	**17**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	15	2.8	2	<1	1	3	4	4	6	6
1-5 YRS	48	2.6	4	<1	1	2	3	6	8	9
6-12 YRS	118	2.7	5	<1	1	2	3	5	7	12
13-19 YRS	228	2.8	2	1	1	2	3	4	5	11
2. MULTIPLE DX										
0-27 DYS	3	9.3	56	5	5	5	15	18	18	18
1-11 MOS	6	4.0	8	1	1	3	6	9	9	9
1-5 YRS	29	4.4	18	1	1	3	6	10	14	20
6-12 YRS	44	3.8	15	1	1	3	4	7	9	25
13-19 YRS	82	4.7	44	1	2	3	4	8	11	46
TOT. SINGLE DX	410	2.7	3	1	1	2	3	5	6	11
" MULTIPLE DX	164	4.5	31	1	1	3	5	8	11	26
TOTAL 0-27 DYS	4	7.3	55	1	1	5	12	18	18	18
1-11 MOS	21	3.1	4	<1	1	3	4	6	7	9
1-5 YRS	77	3.3	10	1	1	2	4	7	9	18
6-12 YRS	162	3.0	8	1	1	2	4	6	8	15
13-19 YRS	310	3.3	14	1	1	3	4	5	7	12
GRAND TOTAL	**574**	**3.2**	**12**	**1**	**1**	**3**	**4**	**5**	**8**	**15**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	162	4.0	4	1	2	4	5	7	7	10
1-5 YRS	686	3.6	3	1	1	3	5	6	7	9
6-12 YRS	138	3.4	2	1	1	3	4	6	6	9
13-19 YRS	71	3.5	5	2	2	3	4	5	7	16
2. MULTIPLE DX										
0-27 DYS	6	11.5	23	6	6	11	13	19	20	20
1-11 MOS	169	4.2	3	2	2	4	5	7	7	12
1-5 YRS	582	4.4	15	2	2	4	5	7	8	14
6-12 YRS	152	3.8	3	1	2	3	5	6	7	11
13-19 YRS	64	3.5	2	2	2	3	4	6	7	10
TOT. SINGLE DX	1057	3.6	4	1	1	3	5	6	7	10
" MULTIPLE DX	973	4.3	11	2	2	4	5	7	8	13
TOTAL 0-27 DYS	6	11.5	24	6	6	11	13	19	20	20
1-11 MOS	331	4.1	4	1	2	4	5	7	7	12
1-5 YRS	1268	4.0	9	1	2	4	5	6	7	11
6-12 YRS	290	3.6	3	1	2	3	4	6	7	10
13-19 YRS	135	3.5	4	2	2	3	4	6	7	14
GRAND TOTAL	**2030**	**3.9**	**7**	**1**	**2**	**4**	**5**	**6**	**7**	**12**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	39	4.7	13	<1	1	3	7	8	8	21
1-11 MOS	638	4.3	5	1	2	4	6	8	8	11
1-5 YRS	623	2.2	3	<1	<1	1	3	5	7	9
6-12 YRS	396	2.2	2	<1	<1	2	3	4	5	9
13-19 YRS	341	2.8	6	<1	<1	2	3	6	8	15
2. MULTIPLE DX										
0-27 DYS	101	5.9	73	1	2	4	6	10	16	55
1-11 MOS	290	5.0	11	1	2	5	7	8	12	22
1-5 YRS	370	3.3	11	1	1	2	4	6	8	19
6-12 YRS	329	3.0	20	<1	1	2	3	6	7	20
13-19 YRS	560	3.5	37	<1	1	2	4	6	9	17
TOT. SINGLE DX	2037	3.0	6	<1	<1	2	4	7	8	11
" MULTIPLE DX	1650	3.8	27	1	1	3	5	7	9	21
TOTAL 0-27 DYS	140	5.6	57	1	1	4	6	9	15	50
1-11 MOS	928	4.5	8	1	2	4	6	8	8	16
1-5 YRS	993	2.6	7	<1	<1	2	3	6	7	11
6-12 YRS	725	2.5	11	<1	<1	2	3	4	6	11
13-19 YRS	901	3.3	26	<1	1	2	4	6	8	15
GRAND TOTAL	**3687**	**3.3**	**15**	**<1**	**1**	**2**	**4**	**7**	**8**	**15**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	5	1.8		1	1	2	2	2	2	2
1-5 YRS	1222	1.5		<1	1	1	2	2	2	4
6-12 YRS	4892	1.6		<1	1	2	2	2	2	3
13-19 YRS	14619	1.8		1	1	2	2	2	3	4
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	9	2.7	6	1	1	2	3	7	9	9
1-5 YRS	899	1.7	1	<1	1	2	2	2	3	6
6-12 YRS	1472	1.7		<1	1	2	2	2	3	5
13-19 YRS	2885	2.1	8	1	1	2	2	3	4	8
TOT. SINGLE DX	20741	1.7	1	1	1	2	2	2	3	4
" MULTIPLE DX	5266	1.9	5	1	1	2	2	3	4	7
TOTAL 0-27 DYS	4	1.5		1	1	1	2	2	2	2
1-11 MOS	14	2.4	4	1	1	2	2	4	8	9
1-5 YRS	2121	1.6	1	<1	1	1	2	2	3	5
6-12 YRS	6364	1.6	1	<1	1	2	2	2	2	4
13-19 YRS	17504	1.8	2	1	1	2	2	3	3	5
GRAND TOTAL	26007	1.8	1	1	1	2	2	2	3	4

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	2.2		1	1	2	3	3	3	3
1-11 MOS	20	1.2		<1	<1	1	1	2	2	2
1-5 YRS	11449	1.6		<1	1	2	2	2	2	3
6-12 YRS	18250	1.6		<1	1	2	2	2	2	3
13-19 YRS	4712	1.8		1	1	2	2	2	3	4
2. MULTIPLE DX										
0-27 DYS	8	1.4		1	1	1	2	2	2	2
1-11 MOS	30	4.0	24	1	1	2	3	10	13	25
1-5 YRS	12767	1.7	1	<1	1	2	2	2	3	5
6-12 YRS	11269	1.7		<1	1	2	2	2	3	5
13-19 YRS	1913	2.0	3	1	1	2	2	3	4	7
TOT. SINGLE DX	34437	1.6		<1	1	2	2	2	2	3
" MULTIPLE DX	25987	1.7	2	<1	1	2	2	2	3	5
TOTAL 0-27 DYS	14	1.7	1	1	1	2	2	3	3	3
1-11 MOS	50	2.9	16	<1	1	2	2	6	11	25
1-5 YRS	24216	1.6	1	<1	1	2	2	2	2	4
6-12 YRS	29519	1.6	1	<1	1	2	2	2	2	4
13-19 YRS	6625	1.8	1	1	1	2	2	3	3	5
GRAND TOTAL	60424	1.7	1	<1	1	2	2	2	2	4

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	25	1.8	6	<1	<1	1	2	2	5	14
1-5 YRS	1224	1.3		<1	<1	1	2	2	2	2
6-12 YRS	1236	1.3		<1	<1	1	2	2	2	2
13-19 YRS	197	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	73	2.8	10	<1	1	1	2	8	10	15
1-5 YRS	4441	1.4	1	<1	<1	1	2	2	2	4
6-12 YRS	2405	1.4		<1	<1	1	2	2	2	3
13-19 YRS	245	1.8	5	<1	<1	2	2	2	3	7
TOT. SINGLE DX	2682	1.3		<1	<1	1	2	2	2	2
" MULTIPLE DX	7165	1.4	1	<1	<1	1	2	2	2	4
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	98	2.5	10	<1	1	1	2	7	10	15
1-5 YRS	5665	1.4	1	<1	<1	1	2	2	2	3
6-12 YRS	3641	1.4		<1	<1	1	2	2	2	3
13-19 YRS	442	1.6	3	<1	<1	1	2	2	3	4
GRAND TOTAL	9847	1.4	1	<1	<1	1	2	2	2	3

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	6.2	30	1	1	4	10	15	15	15
1-11 MOS	50	2.0	2	<1	<1	2	2	3	5	9
1-5 YRS	308	2.1	4	<1	<1	1	2	4	7	10
6-12 YRS	509	2.1	2	<1	1	2	2	4	5	9
13-19 YRS	922	2.5	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
0-27 DYS	4	9.0	40	3	3	8	14	17	17	17
1-11 MOS	22	10.8	419	<1	1	2	10	33	68	84
1-5 YRS	129	3.3	7	1	1	2	5	7	9	12
6-12 YRS	136	3.2	11	<1	1	2	4	6	9	16
13-19 YRS	259	3.5	5	1	1	3	4	7	9	12
TOT. SINGLE DX	1794	2.3	4	<1	1	2	3	4	6	9
" MULTIPLE DX	550	3.7	26	1	1	3	4	7	10	14
TOTAL 0-27 DYS	9	7.4	33	1	2	5	12	16	17	17
1-11 MOS	72	4.7	142	<1	<1	2	3	9	12	78
1-5 YRS	437	2.5	5	<1	<1	2	3	6	7	12
6-12 YRS	645	2.3	5	<1	1	2	3	4	6	11
13-19 YRS	1181	2.7	4	1	1	2	3	5	6	11
GRAND TOTAL	2344	2.7	9	<1	1	2	3	5	7	12

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	23	3.1	1	1	2	3	4	5	6	6
1-11 MOS	21	1.9	2	<1	<1	1	2	4	6	7
1-5 YRS	107	1.3		<1	<1	<1	1	2	2	4
6-12 YRS	35	4.3	224	<1	<1	1	2	4	6	90
13-19 YRS	51	2.7	4	<1	1	2	4	6	8	8
2. MULTIPLE DX										
0-27 DYS	325	3.8	3	1	2	3	5	6	7	12
1-11 MOS	12	7.5	36	1	2	7	9	19	19	19
1-5 YRS	48	3.3	7	1	1	2	5	7	10	11
6-12 YRS	31	2.8	8	<1	<1	2	3	6	10	14
13-19 YRS	32	3.6	8	1	1	2	6	7	10	11
TOT. SINGLE DX	237	2.3	35	<1	<1	1	2	4	5	8
" MULTIPLE DX	448	3.7	6	1	1	3	5	6	8	14
TOTAL 0-27 DYS	348	3.7	4	1	2	3	5	6	7	12
1-11 MOS	33	3.9	22	<1	1	2	6	9	17	19
1-5 YRS	155	1.9	3	<1	<1	1	2	4	6	10
6-12 YRS	66	3.6	121	<1	<1	2	3	5	8	70
13-19 YRS	83	3.0	6	<1	1	2	4	7	8	11
GRAND TOTAL	685	3.2	17	<1	<1	3	4	6	7	12

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	16	2.9	9	<1	<1	2	3	8	11	12
1-5 YRS	184	1.8	1	<1	1	2	2	3	4	8
6-12 YRS	164	1.6	1	<1	<1	1	2	2	3	7
13-19 YRS	155	1.7	1	<1	1	2	2	2	3	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	20	9.3	52	1	1	8	15	19	23	25
1-5 YRS	43	2.3	5	1	1	2	2	4	7	13
6-12 YRS	71	1.8	2	<1	1	2	2	3	4	10
13-19 YRS	61	2.4	12	<1	<1	2	2	3	5	26
TOT. SINGLE DX	519	1.7	2	<1	1	2	2	2	3	8
" MULTIPLE DX	195	2.9	16	<1	1	2	2	6	11	23
TOTAL 0-27 DYS										
1-11 MOS	36	6.4	43	<1	1	3	10	17	20	25
1-5 YRS	227	1.9	2	<1	1	2	2	3	4	9
6-12 YRS	235	1.7	2	<1	<1	1	2	2	3	8
13-19 YRS	216	1.9	4	<1	1	2	2	2	3	9
GRAND TOTAL	714	2.1	6	<1	1	2	2	3	4	14

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	6.3	41	1	1	4	11	15	15	15
1-5 YRS	15	2.3	1	1	1	2	3	5	5	5
6-12 YRS	10	2.7	6	<1	<1	2	3	7	9	9
13-19 YRS	9	1.6		1	1	1	2	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	6	17.5	327	1	1	14	32	41	42	42
1-5 YRS	27	4.4	38	<1	<1	2	5	8	18	31
6-12 YRS	12	2.8	3	<1	1	2	4	6	6	6
13-19 YRS	15	7.1	95	<1	1	3	10	20	32	36
TOT. SINGLE DX	38	2.6	7	1	1	2	3	5	8	15
" MULTIPLE DX	60	6.1	85	<1	1	2	6	18	31	41
TOTAL 0-27 DYS										
1-11 MOS	10	13.0	229	1	1	5	26	37	42	42
1-5 YRS	42	3.6	26	<1	1	2	4	6	11	31
6-12 YRS	22	2.8	5	<1	<1	2	4	6	7	9
13-19 YRS	24	5.0	66	<1	1	2	4	14	25	36
GRAND TOTAL	98	4.7	57	<1	1	2	4	11	24	39

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS										
13-19 YRS	1	11.0		11	11	11	11	11	11	11
TOT. SINGLE DX										
" MULTIPLE DX	2	7.0	32	3	3	7	11	11	11	11
TOTAL 0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS										
13-19 YRS	1	11.0		11	11	11	11	11	11	11
GRAND TOTAL	2	7.0	32	3	3	7	11	11	11	11

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-27 DYS	1	74.0		74	74	74	74	74	74	74
1-11 MOS	4	38.0	392	18	19	55	99+	99+	99+	99+
1-5 YRS	4	10.3	21	5	5	13	36	99+	99+	99+
6-12 YRS										
13-19 YRS	5	35.6	296	12	14	37	60	96	99+	99+
TOT. SINGLE DX	4	8.3	78	1	1	6	15	20	20	20
" MULTIPLE DX	14	31.8	484	6	10	39	93	99+	99+	99+
TOTAL 0-27 DYS	2	47.0	1458	20	20	47	74	74	74	74
1-11 MOS	4	38.0	392	18	19	55	99+	99+	99+	99+
1-5 YRS	5	8.6	29	2	2	10	15	91	99+	99+
6-12 YRS	1	10.0		10	10	55	99+	99+	99+	99+
13-19 YRS	6	29.8	437	1	3	36	55	92	99+	99+
GRAND TOTAL	18	26.6	485	2	4	31	70	99+	99+	99+

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	9.6	10	7	7	8	12	14	14	14
1-11 MOS	19	7.5	38	1	1	5	14	16	17	17
1-5 YRS	95	6.1	67	1	1	4	6	11	21	49
6-12 YRS	24	7.0	187	<1	1	3	7	11	31	69
13-19 YRS	24	6.8	41	<1	1	8	9	16	47	99+
2. MULTIPLE DX										
0-27 DYS	21	27.6	551	4	8	41	99+	99+	99+	99+
1-11 MOS	51	25.5	441	1	2	20	43	72	96	99+
1-5 YRS	151	10.3	176	1	1	6	14	28	43	99+
6-12 YRS	48	17.4	486	<1	1	6	33	59	68	99+
13-19 YRS	94	25.8	491	1	2	22	40	67	89	99+
TOT. SINGLE DX	167	6.6	75	1	1	4	8	15	21	68
" MULTIPLE DX	365	18.3	405	1	1	12	32	67	99+	99+
TOTAL 0-27 DYS	26	24.2	495	5	7	29	99+	99+	99+	99+
1-11 MOS	70	20.6	395	1	2	15	34	61	79	99+
1-5 YRS	246	8.7	138	1	1	5	9	22	34	99+
6-12 YRS	72	13.9	407	<1	1	5	15	48	67	96
13-19 YRS	118	21.9	458	1	2	16	35	64	88	99+
GRAND TOTAL	532	14.7	331	1	1	8	22	53	85	99+

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	5.5	26	<1	<1	4	9	13	14	14
1-5 YRS	26	3.5	12	1	1	2	4	7	11	17
6-12 YRS	20	5.0	12	<1	1	4	7	11	12	13
13-19 YRS	35	6.3	19	<1	1	5	9	12	15	17
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	51	99+	99+	99+	99+
1-11 MOS	13	13.4	153	2	3	9	18	34	43	45
1-5 YRS	22	9.0	121	1	2	6	9	20	40	45
6-12 YRS	17	5.6	13	1	2	4	8	11	13	14
13-19 YRS	65	9.3	104	1	2	7	13	17	25	65
TOT. SINGLE DX	87	5.1	17	<1	1	4	7	11	14	17
" MULTIPLE DX	118	9.1	101	1	2	7	11	17	32	80
TOTAL 0-27 DYS	1	3.0		3	3	51	99+	99+	99+	99+
1-11 MOS	19	10.9	124	<1	1	8	13	27	39	45
1-5 YRS	48	6.1	68	1	1	3	7	11	19	45
6-12 YRS	37	5.3	13	1	1	4	8	11	12	14
13-19 YRS	100	8.2	76	1	2	6	11	15	18	51
GRAND TOTAL	205	7.4	69	1	1	5	9	14	18	57

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	1	43.0		43	43	43	43	43	43	43
TOT. SINGLE DX	2	1.5	1	<1	<1	1	2	2	2	2
" MULTIPLE DX	4	11.5	441	1	1	1	22	43	43	43
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.2		<1	<1	1	1	2	2	2
6-12 YRS										
13-19 YRS	1	43.0		43	43	43	43	43	43	43
GRAND TOTAL	6	8.2	291	<1	<1	1	2	39	43	43

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	11	12.4	47	5	6	12	19	48	93	99+
1-5 YRS	13	6.8	36	1	1	5	8	18	20	21
6-12 YRS	4	6.5		6	6	6	7	7	7	7
13-19 YRS	70	9.8	45	2	3	8	12	16	25	35
2. MULTIPLE DX										
0-27 DYS	2	30.0	288	18	18	42	85	99+	99+	99+
1-11 MOS	17	19.4	506	2	3	12	29	80	96	99+
1-5 YRS	32	18.7	365	3	4	13	22	43	59	90
6-12 YRS	51	14.8	148	4	5	11	19	34	48	54
13-19 YRS	128	14.8	138	5	6	12	16	27	36	64
TOT. SINGLE DX	99	9.5	44	2	3	8	12	19	26	68
" MULTIPLE DX	230	15.8	200	4	5	12	18	35	49	94
TOTAL 0-27 DYS	3	21.0	387	3	3	30	71	99+	99+	99+
1-11 MOS	28	16.6	330	3	4	12	23	73	99+	99+
1-5 YRS	45	15.3	297	2	3	9	18	41	50	90
6-12 YRS	55	14.2	142	4	5	10	19	33	46	54
13-19 YRS	198	13.0	111	3	5	10	15	25	34	55
GRAND TOTAL	329	13.9	161	3	4	11	16	29	41	94

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	12.0	128	4	4	12	20	20	20	20
1-11 MOS	3	7.0	9	4	4	7	9	10	10	10
1-5 YRS	7	8.7	20	5	5	7	10	16	18	18
6-12 YRS	5	7.6	1	6	6	8	8	9	9	9
13-19 YRS	12	10.5	25	6	7	8	12	20	22	22
2. MULTIPLE DX										
0-27 DYS	6	31.8	1191	1	2	13	75	77	77	77
1-11 MOS	6	11.5	50	6	6	8	19	22	22	22
1-5 YRS	8	17.0	187	8	8	12	18	41	49	49
6-12 YRS	6	23.7	1096	6	6	10	15	83	91	91
13-19 YRS	22	18.0	198	7	8	11	28	42	79	99+
TOT. SINGLE DX	29	9.3	22	4	5	8	10	19	20	22
" MULTIPLE DX	48	19.5	397	6	7	11	22	60	78	99+
TOTAL 0-27 DYS	8	26.9	954	1	2	13	47	76	77	77
1-11 MOS	9	10.0	39	4	5	7	12	21	22	22
1-5 YRS	15	13.1	121	5	6	10	14	22	42	49
6-12 YRS	11	16.4	619	6	6	9	10	45	87	91
13-19 YRS	34	15.4	148	7	7	11	19	31	59	99+
GRAND TOTAL	77	15.6	278	5	6	10	18	31	72	97

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	2.6	5	1	1	2	3	7	8	8
1-11 MOS	145	4.6	23	1	1	3	6	11	15	21
1-5 YRS	463	2.9	22	<1	1	2	3	5	9	25
6-12 YRS	110	4.5	44	<1	1	2	4	10	14	40
13-19 YRS	122	4.6	17	1	1	3	7	10	13	20
2. MULTIPLE DX										
0-27 DYS	29	13.7	321	1	2	7	16	41	57	77
1-11 MOS	217	9.2	81	1	2	7	13	20	25	99+
1-5 YRS	408	7.2	87	1	1	4	9	16	23	60
6-12 YRS	122	9.3	98	1	1	6	11	22	32	48
13-19 YRS	224	10.9	137	1	2	7	14	22	42	76
TOT. SINGLE DX	848	3.6	25	<1	1	2	4	8	13	25
" MULTIPLE DX	1000	8.9	108	1	1	6	12	20	28	68
TOTAL 0-27 DYS	37	11.3	272	1	1	6	11	26	54	77
1-11 MOS	362	7.3	63	1	1	5	10	17	21	80
1-5 YRS	871	4.9	58	<1	1	2	6	12	17	37
6-12 YRS	232	7.0	79	1	1	4	9	16	24	48
13-19 YRS	346	8.7	104	1	1	6	11	19	32	58
GRAND TOTAL	1848	6.5	77	1	1	3	8	15	21	54

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS	15	3.6	16	1	1	2	5	7	14	16
6-12 YRS	4	8.3	15	5	5	8	11	13	13	13
13-19 YRS	57	5.2	8	1	2	5	7	10	10	14
2. MULTIPLE DX										
0-27 DYS	40	10.9	176	2	3	6	14	37	78	99+
1-11 MOS	2	21.5	13	19	19	21	24	24	24	24
1-5 YRS	14	12.1	146	1	1	10	14	37	38	38
6-12 YRS	9	9.4	101	2	3	6	9	26	35	35
13-19 YRS	44	8.3	52	3	3	7	9	15	23	36
TOT. SINGLE DX	79	4.9	11	1	1	5	6	10	11	15
" MULTIPLE DX	109	10.1	114	2	3	7	12	26	37	99+
TOTAL 0-27 DYS	40	10.9	177	2	3	6	14	37	78	99+
1-11 MOS	5	9.8	119	1	1	4	20	24	24	24
1-5 YRS	29	7.7	95	1	1	4	11	17	37	38
6-12 YRS	13	9.1	72	2	4	6	11	18	32	35
13-19 YRS	101	6.6	29	2	3	5	8	11	15	36
GRAND TOTAL	188	7.9	77	1	2	5	9	16	31	85

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	12.2	195	3	3	7	15	37	37	37
1-11 MOS	4	7.5	19	4	4	6	10	14	14	14
1-5 YRS	17	8.1	56	<1	1	5	12	21	24	25
6-12 YRS	36	8.8	72	1	1	7	11	16	26	44
13-19 YRS	523	6.0	21	2	2	5	7	10	13	26
2. MULTIPLE DX										
0-27 DYS	326	22.9	525	4	5	13	33	65	80	99+
1-11 MOS	35	14.1	68	1	4	15	19	24	31	35
1-5 YRS	78	14.0	210	1	2	10	17	30	48	79
6-12 YRS	102	10.7	53	3	3	9	14	22	26	33
13-19 YRS	503	9.3	68	2	3	7	11	17	27	49
TOT. SINGLE DX	585	6.3	27	2	2	5	8	11	15	29
" MULTIPLE DX	1044	14.2	256	3	3	9	16	33	55	93
TOTAL 0-27 DYS	331	22.7	522	3	5	13	33	64	80	99+
1-11 MOS	39	13.4	67	1	4	13	18	24	31	35
1-5 YRS	95	13.0	187	1	2	9	15	26	42	74
6-12 YRS	138	10.2	59	2	3	8	13	21	26	38
13-19 YRS	1026	7.6	47	2	3	6	9	14	19	44
GRAND TOTAL	**1629**	**11.4**	**188**	**2**	**3**	**7**	**12**	**24**	**44**	**85**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	23	4.7	10	<1	1	4	6	10	11	11
1-5 YRS	217	5.4	9	<1	1	6	7	8	9	17
6-12 YRS	177	5.8	9	1	2	6	7	8	9	20
13-19 YRS	255	7.2	17	1	2	7	8	12	16	24
2. MULTIPLE DX										
0-27 DYS	5	20.6	1106	3	3	7	26	80	80	80
1-11 MOS	10	18.2	385	1	3	14	19	48	69	69
1-5 YRS	71	10.3	67	2	4	7	14	23	27	40
6-12 YRS	54	11.4	158	3	4	7	12	24	34	76
13-19 YRS	162	10.8	101	1	2	8	13	21	34	46
TOT. SINGLE DX	673	6.1	13	1	2	6	7	9	12	23
" MULTIPLE DX	302	11.2	128	1	3	8	13	23	34	69
TOTAL 0-27 DYS	6	17.3	949	<1	<1	6	8	73	80	80
1-11 MOS	33	8.8	155	<1	1	5	9	19	26	69
1-5 YRS	288	6.6	28	1	1	6	7	10	16	30
6-12 YRS	231	7.1	49	1	2	6	7	11	16	36
13-19 YRS	417	8.6	53	1	2	7	10	16	21	41
GRAND TOTAL	**975**	**7.7**	**54**	**1**	**2**	**6**	**8**	**14**	**19**	**41**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	9	10.3	36	2	2	11	13	19	20	20
1-11 MOS	125	10.8	20	6	7	10	12	17	20	26
1-5 YRS	451	8.7	13	5	6	8	10	12	15	24
6-12 YRS	167	8.7	10	5	6	8	10	12	14	22
13-19 YRS	86	9.5	16	6	6	9	11	13	17	26
2. MULTIPLE DX										
0-27 DYS	30	16.8	180	4	7	13	21	42	60	99+
1-11 MOS	408	15.3	145	7	8	12	17	29	44	99+
1-5 YRS	639	12.2	78	6	6	10	13	20	29	52
6-12 YRS	217	12.0	60	6	7	10	13	20	24	41
13-19 YRS	151	13.7	92	7	7	10	14	24	35	62
TOT. SINGLE DX	838	9.1	15	5	6	8	10	13	17	24
" MULTIPLE DX	1445	13.3	100	6	7	10	14	23	35	74
TOTAL 0-27 DYS	39	15.3	153	2	5	12	19	37	55	99+
1-11 MOS	533	14.2	119	7	7	11	16	24	38	99
1-5 YRS	1090	10.7	55	6	6	9	11	17	23	44
6-12 YRS	384	10.6	41	6	6	9	12	17	22	39
13-19 YRS	237	12.2	69	6	7	10	13	21	30	57
GRAND TOTAL	**2283**	**11.7**	**73**	**6**	**6**	**9**	**13**	**19**	**27**	**59**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	2	8.5	61	3	3	8	14	14	14	14
13-19 YRS	2	12.5	41	8	8	12	17	17	17	17
2. MULTIPLE DX										
0-27 DYS	3	10.3	44	3	3	12	15	16	16	16
1-11 MOS	10	13.0	14	7	8	12	14	19	19	19
1-5 YRS	1	17.0		17	17	17	17	17	17	17
6-12 YRS	2	9.5	1	9	9	9	10	10	10	10
13-19 YRS	3	19.7	69	13	13	17	26	29	29	29
TOT. SINGLE DX	7	10.9	23	3	4	10	15	17	17	17
" MULTIPLE DX	19	13.5	30	5	8	13	17	19	25	29
TOTAL 0-27 DYS	4	11.5	35	3	3	13	15	16	16	16
1-11 MOS	11	12.6	14	7	8	12	14	19	19	19
1-5 YRS	2	13.5	25	10	10	13	17	17	17	17
6-12 YRS	4	9.0	21	3	3	9	12	14	14	14
13-19 YRS	5	16.8	60	8	8	17	20	29	29	29
GRAND TOTAL	**26**	**12.8**	**29**	**3**	**7**	**12**	**16**	**19**	**21**	**29**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	19	4.2	9	1	1	3	6	10	11	11
1-11 MOS	304	2.5	10	1	1	2	2	4	9	18
1-5 YRS	912	1.8	2	<1	1	2	2	2	3	7
6-12 YRS	391	1.9	2	<1	1	2	2	2	3	6
13-19 YRS	282	2.4	15	1	1	2	2	3	3	13
2. MULTIPLE DX										
0-27 DYS	125	9.3	138	1	1	6	10	23	37	82
1-11 MOS	921	3.8	26	1	1	2	3	9	14	27
1-5 YRS	1451	2.2	7	1	1	2	2	3	6	15
6-12 YRS	570	2.1	4	1	1	2	2	3	4	15
13-19 YRS	467	3.0	22	1	1	2	2	5	10	27
TOT. SINGLE DX	1908	2.0	6	<1	1	2	2	2	3	11
" MULTIPLE DX	3534	3.0	20	1	1	2	2	6	10	25
TOTAL 0-27 DYS	144	8.6	124	1	1	5	10	19	33	77
1-11 MOS	1225	3.5	23	1	1	2	3	8	13	25
1-5 YRS	2363	2.1	5	1	1	2	2	2	4	12
6-12 YRS	961	2.0	4	<1	1	2	2	2	3	11
13-19 YRS	749	2.8	20	1	1	2	2	3	8	25
GRAND TOTAL	5442	2.6	15	1	1	2	2	4	8	20

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	11	5.9	15	1	1	5	10	11	11	11
1-5 YRS	16	7.9	69	1	1	5	9	18	28	32
6-12 YRS	17	6.1	11	1	2	5	8	11	13	14
13-19 YRS	24	3.6	3	1	2	3	5	6	7	8
2. MULTIPLE DX										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	15	10.1	75	1	3	7	12	27	29	30
1-5 YRS	32	8.4	41	2	2	7	11	16	18	33
6-12 YRS	49	6.4	20	2	2	5	9	11	17	21
13-19 YRS	40	6.1	14	2	3	5	7	9	15	20
TOT. SINGLE DX	68	5.6	24	1	2	4	7	11	14	30
" MULTIPLE DX	138	7.2	30	2	2	6	9	14	19	30
TOTAL 0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	26	8.3	53	1	2	6	11	18	28	30
1-5 YRS	48	8.3	49	1	2	7	11	17	20	33
6-12 YRS	66	6.3	18	2	2	5	9	12	15	21
13-19 YRS	64	5.2	11	1	2	4	6	8	10	20
GRAND TOTAL	206	6.7	29	2	2	5	8	12	18	31

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	8.3	6	6	6	8	10	11	11	11
1-11 MOS	11	7.9	33	2	3	7	8	16	23	24
1-5 YRS	33	6.8	8	2	3	7	8	11	13	14
6-12 YRS	23	8.8	18	3	5	8	10	16	18	21
13-19 YRS	33	8.1	31	1	1	7	10	17	20	21
2. MULTIPLE DX										
0-27 DYS	9	15.9	136	<1	3	14	27	68	99+	99+
1-11 MOS	40	14.6	202	2	3	9	16	37	43	73
1-5 YRS	51	8.3	25	<1	2	8	11	14	15	29
6-12 YRS	39	9.4	96	1	2	7	11	22	27	53
13-19 YRS	67	11.7	153	2	3	9	12	21	28	78
TOT. SINGLE DX	103	7.8	20	2	2	7	9	14	17	23
" MULTIPLE DX	206	11.2	123	1	2	8	13	23	36	77
TOTAL 0-27 DYS	12	14.0	112	1	5	11	25	50	90	99+
1-11 MOS	51	13.1	173	2	3	8	15	30	41	73
1-5 YRS	84	7.7	19	1	2	7	9	13	15	25
6-12 YRS	62	9.2	67	1	2	7	10	18	22	50
13-19 YRS	100	10.5	115	1	2	8	12	20	23	69
GRAND TOTAL	309	10.1	91	1	2	8	12	18	26	63

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	113	3.6	5	1	2	3	4	5	6	16
1-11 MOS	210	4.7	52	1	1	2	5	10	13	42
1-5 YRS	497	3.2	31	<1	1	2	3	7	9	24
6-12 YRS	190	2.3	4	<1	1	2	2	5	7	11
13-19 YRS	147	3.4	11	<1	1	2	4	8	12	15
2. MULTIPLE DX										
0-27 DYS	947	5.6	78	2	2	3	5	8	16	66
1-11 MOS	236	9.6	141	1	1	7	12	21	40	99+
1-5 YRS	489	6.1	64	<1	1	4	7	13	19	36
6-12 YRS	175	7.4	118	1	1	4	9	17	21	61
13-19 YRS	235	7.9	46	1	2	6	11	18	21	34
TOT. SINGLE DX	1157	3.4	26	<1	1	2	4	7	10	23
" MULTIPLE DX	2082	6.6	84	1	2	4	7	14	20	61
TOTAL 0-27 DYS	1060	5.4	71	2	2	3	5	7	13	61
1-11 MOS	446	7.3	105	1	1	4	9	17	27	67
1-5 YRS	986	4.6	50	<1	1	2	6	10	15	30
6-12 YRS	365	4.7	65	<1	1	2	5	11	16	32
13-19 YRS	382	6.1	38	1	1	4	9	14	19	29
GRAND TOTAL	3239	5.4	66	1	1	3	6	11	17	54

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	4.0	2	3	3	4	5	6	6	6
1-5 YRS										
6-12 YRS	4	2.3	2	1	1	2	3	4	4	4
13-19 YRS	87	3.4	3	2	2	3	4	6	7	11
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	20	3.2	2	<1	1	3	5	5	6	6
TOT. SINGLE DX	96	3.4	3	1	2	3	4	6	7	11
" MULTIPLE DX	23	3.6	5	<1	1	3	5	7	9	9
TOTAL 0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	4	4.0	2	3	3	4	5	6	6	6
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	5	3.6	11	1	1	3	5	9	9	9
13-19 YRS	107	3.4	3	1	2	3	4	5	7	10
GRAND TOTAL	**119**	**3.4**	**4**	**1**	**2**	**3**	**4**	**6**	**7**	**10**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	13.3	33	8	8	12	17	21	21	21
1-11 MOS	24	9.0	18	2	4	9	12	16	16	17
1-5 YRS	33	8.8	29	4	5	8	9	12	14	36
6-12 YRS	14	7.5	11	2	3	8	11	11	13	13
13-19 YRS	31	10.8	195	2	3	7	10	28	49	60
2. MULTIPLE DX										
0-27 DYS	21	22.1	379	5	6	15	28	57	62	67
1-11 MOS	83	13.3	136	6	6	9	14	32	39	95
1-5 YRS	101	10.9	29	5	6	9	13	19	23	28
6-12 YRS	54	12.9	154	3	3	9	17	42	85	99+
13-19 YRS	87	13.6	117	3	4	10	19	31	35	84
TOT. SINGLE DX	106	9.5	73	3	3	8	10	14	18	54
" MULTIPLE DX	346	13.1	123	4	5	9	15	28	41	99+
TOTAL 0-27 DYS	25	20.7	331	5	7	14	22	57	60	67
1-11 MOS	107	12.3	113	5	6	9	13	24	34	91
1-5 YRS	134	10.4	30	5	6	9	12	18	23	31
6-12 YRS	68	11.8	129	3	3	8	14	41	57	99+
13-19 YRS	118	12.9	138	2	3	9	15	31	42	72
GRAND TOTAL	**452**	**12.3**	**113**	**3**	**4**	**9**	**14**	**26**	**39**	**98**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	3	9.0		9	9	9	9	9	9	9
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	15.0	2	14	14	15	16	16	16	16
1-5 YRS	5	13.0	32	5	5	13	16	21	21	21
6-12 YRS										
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOT. SINGLE DX	4	8.8		8	8	9	9	9	9	9
" MULTIPLE DX	8	12.0	39	<1	1	13	15	19	21	21
TOTAL 0-27 DYS										
1-11 MOS	3	12.7	17	8	8	14	15	16	16	16
1-5 YRS	8	11.5	23	5	6	11	13	19	21	21
6-12 YRS										
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	**12**	**10.9**	**28**	**<1**	**3**	**11**	**14**	**17**	**20**	**21**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	41	1.6	6	<1	<1	<1	<1	<1	6	15
13-19 YRS	18	4.7	8	1	1	4	5	9	11	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	7	4.9	31	1	1	2	10	14	14	14
1-5 YRS	4	3.5	9	<1	<1	3	6	7	7	7
6-12 YRS	36	5.7	29	<1	1	4	7	14	20	21
13-19 YRS	212	6.5	45	1	2	5	8	13	16	39
TOT. SINGLE DX	59	2.6	9	<1	<1	<1	4	7	10	15
" MULTIPLE DX	259	6.3	43	1	1	4	8	13	16	37
TOTAL 0-27 DYS										
1-11 MOS	7	4.9	32	1	1	2	10	14	14	14
1-5 YRS	4	3.5	9	<1	<1	3	6	7	7	7
6-12 YRS	77	3.5	21	<1	<1	<1	4	9	15	21
13-19 YRS	230	6.4	43	1	2	5	8	12	15	38
GRAND TOTAL	**318**	**5.6**	**38**	**<1**	**<1**	**4**	**7**	**12**	**15**	**36**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	81	7.8	103	1	2	4	10	14	39	86
1-11 MOS	206	7.8	20	3	3	7	10	14	15	26
1-5 YRS	460	6.2	14	1	2	6	8	11	13	19
6-12 YRS	173	6.1	31	1	1	5	7	10	15	36
13-19 YRS	253	5.5	41	1	1	4	7	11	16	33
2. MULTIPLE DX										
0-27 DYS	6214	21.3	442	2	4	14	32	61	82	99+
1-11 MOS	556	13.3	152	3	4	10	16	26	42	96
1-5 YRS	667	10.9	146	2	3	7	12	22	38	78
6-12 YRS	242	9.1	110	1	1	7	10	17	25	61
13-19 YRS	617	10.7	186	1	1	7	12	26	40	77
TOT. SINGLE DX	1173	6.4	31	1	2	5	8	11	15	28
" MULTIPLE DX	8296	18.8	390	2	3	11	27	54	75	99+
TOTAL 0-27 DYS	6295	21.2	441	2	4	13	31	60	82	99+
1-11 MOS	762	11.9	123	3	4	9	14	23	34	77
1-5 YRS	1127	9.0	98	2	3	6	10	16	26	61
6-12 YRS	415	7.8	79	1	1	6	9	14	21	47
13-19 YRS	870	9.2	150	1	1	5	10	20	35	74
GRAND TOTAL	**9469**	**17.3**	**362**	**2**	**3**	**10**	**23**	**50**	**72**	**99+**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	5.3	20	1	1	3	9	12	13	13
1-11 MOS	66	5.2	16	<1	1	4	7	12	13	14
1-5 YRS	432	3.0	12	<1	<1	2	3	7	9	16
6-12 YRS	492	2.9	7	<1	<1	2	3	7	8	14
13-19 YRS	670	3.4	14	<1	1	2	4	7	10	18
2. MULTIPLE DX										
0-27 DYS	4	25.5	640	7	7	16	42	62	62	62
1-11 MOS	62	7.7	38	1	2	6	10	14	20	33
1-5 YRS	199	5.3	24	1	1	4	8	11	12	26
6-12 YRS	226	4.8	29	<1	1	3	6	10	13	31
13-19 YRS	360	6.7	68	1	1	4	8	16	21	36
TOT. SINGLE DX	1668	3.2	12	<1	<1	2	4	7	10	16
" MULTIPLE DX	851	6.0	50	1	1	4	8	12	17	33
TOTAL 0-27 DYS	12	12.0	287	1	2	7	12	35	58	62
1-11 MOS	128	6.4	29	1	1	5	9	12	14	31
1-5 YRS	631	3.8	18	<1	<1	2	5	8	11	17
6-12 YRS	718	3.5	15	<1	<1	2	4	8	10	17
13-19 YRS	1030	4.5	36	<1	1	2	5	10	15	27
GRAND TOTAL	**2519**	**4.2**	**27**	**<1**	**1**	**2**	**5**	**9**	**12**	**23**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	13.7	158	2	2	12	23	27	27	27
1-5 YRS	11	6.4	79	<1	1	3	7	18	31	32
6-12 YRS	9	3.4	12	1	1	2	4	10	10	10
13-19 YRS	31	4.2	13	<1	1	3	6	9	11	17
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	6.7	36	<1	<1	5	7	17	20	20
6-12 YRS	5	5.8	50	1	1	2	9	18	18	18
13-19 YRS	30	10.2	88	<1	2	10	13	17	21	51
TOT. SINGLE DX	54	5.0	36	<1	1	3	6	10	16	32
" MULTIPLE DX	45	8.9	73	<1	1	7	11	18	20	51
TOTAL 0-27 DYS										
1-11 MOS	3	13.7	158	2	2	12	23	27	27	27
1-5 YRS	21	6.5	56	<1	1	4	7	16	25	32
6-12 YRS	14	4.3	24	1	1	2	6	11	16	18
13-19 YRS	61	7.1	58	<1	1	5	10	15	18	48
GRAND TOTAL	**99**	**6.8**	**56**	**<1**	**1**	**4**	**10**	**15**	**19**	**42**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	13.0	32	9	9	13	17	17	17	17
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	3	11.3	94	3	3	9	19	22	22	22
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	21.3	494	8	8	9	37	47	47	47
6-12 YRS	1	57.0		57	57	57	57	57	57	57
13-19 YRS	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	6	10.2	65	<1	<1	9	17	21	22	22
" MULTIPLE DX	5	24.6	645	2	2	9	49	57	57	57
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	5	18.0	276	8	8	9	24	47	47	47
6-12 YRS	2	29.0	1568	<1	<1	28	57	57	57	57
13-19 YRS	4	9.0	85	2	2	6	15	22	22	22
GRAND TOTAL	**11**	**16.7**	**347**	**<1**	**1**	**9**	**21**	**51**	**56**	**57**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	27.0	441	3	3	36	40	42	42	42
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	2	20.5	545	4	4	20	37	37	37	37
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	46.5	375	5	24	56	67	99+	99+	99+
6-12 YRS	6	38.0	45	32	32	38	48	90	99+	99+
13-19 YRS	12	47.6	300	30	33	43	50	70	93	97
TOT. SINGLE DX	6	21.2	358	3	3	20	37	41	42	42
" MULTIPLE DX	28	45.1	271	29	32	44	57	98	99+	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	13	42.0	429	2	3	44	62	99+	99+	99+
6-12 YRS	7	33.3	197	5	13	37	45	85	99+	99+
13-19 YRS	14	43.7	393	9	26	42	49	62	89	97
GRAND TOTAL	34	40.9	362	3	10	42	55	92	99+	99+

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	46	5.1	14	1	1	4	7	10	14	16
1-5 YRS	418	5.5	32	<1	1	4	7	12	17	26
6-12 YRS	333	6.1	30	1	2	5	7	12	15	29
13-19 YRS	514	6.5	23	2	2	6	8	11	14	27
2. MULTIPLE DX										
0-27 DYS	17	11.6	121	1	2	9	13	26	38	44
1-11 MOS	79	9.8	79	2	2	7	12	22	31	44
1-5 YRS	433	8.6	101	<1	1	5	11	19	30	61
6-12 YRS	438	8.9	84	<1	1	6	10	19	26	52
13-19 YRS	879	11.8	137	2	4	8	13	26	37	65
TOT. SINGLE DX	1313	6.1	28	1	1	5	7	11	15	26
" MULTIPLE DX	1846	10.3	116	1	2	7	11	22	33	58
TOTAL 0-27 DYS	19	10.9	112	1	2	8	13	25	36	44
1-11 MOS	125	8.1	60	1	2	6	10	16	24	42
1-5 YRS	851	7.1	70	<1	1	5	9	15	23	46
6-12 YRS	771	7.7	63	<1	1	6	9	15	21	44
13-19 YRS	1393	9.8	102	2	3	7	10	19	31	55
GRAND TOTAL	3159	8.5	84	1	2	6	10	17	26	51

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	11	9.0	311	1	2	3	6	29	59	62
1-11 MOS	45	12.3	183	2	2	9	14	30	50	99+
1-5 YRS	85	9.7	94	1	2	6	14	24	32	41
6-12 YRS	59	13.1	207	1	1	8	23	35	43	64
13-19 YRS	73	10.2	84	1	2	7	14	24	32	30
2. MULTIPLE DX										
0-27 DYS	271	17.2	406	3	3	10	21	55	84	99+
1-11 MOS	102	25.8	410	3	4	25	49	85	99+	99+
1-5 YRS	182	15.5	307	1	2	9	20	43	61	99+
6-12 YRS	92	22.7	521	2	3	13	34	59	85	99
13-19 YRS	172	18.8	345	2	3	12	25	45	61	88
TOT. SINGLE DX	273	11.0	139	1	2	7	14	27	37	65
" MULTIPLE DX	819	18.8	395	2	3	11	28	56	75	99+
TOTAL 0-27 DYS	282	16.9	405	3	3	9	20	55	83	99+
1-11 MOS	147	21.7	378	2	3	16	39	69	99+	99+
1-5 YRS	267	13.6	247	1	2	8	17	35	53	99
6-12 YRS	151	18.9	419	1	2	11	28	43	69	97
13-19 YRS	245	16.2	282	2	2	10	21	40	53	76
GRAND TOTAL	1092	16.9	342	2	2	10	24	46	68	99+

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	46.0		46	46	46	46	46	46	46
1-11 MOS	43	5.2	38	<1	1	3	6	12	18	34
1-5 YRS	106	3.2	24	<1	<1	2	3	6	14	29
6-12 YRS	65	3.3	10	<1	<1	2	4	7	9	18
13-19 YRS	85	3.7	11	<1	<1	2	6	8	9	17
2. MULTIPLE DX										
0-27 DYS	7	36.1	797	6	7	32	56	78	83	83
1-11 MOS	62	8.9	137	1	1	4	12	25	37	96
1-5 YRS	155	6.2	105	<1	<1	2	8	16	20	39
6-12 YRS	80	4.4	23	<1	1	2	6	10	16	23
13-19 YRS	139	8.0	113	1	2	5	9	15	26	51
TOT. SINGLE DX	300	3.8	26	<1	<1	2	4	8	13	29
" MULTIPLE DX	443	7.3	122	<1	1	4	9	16	26	72
TOTAL 0-27 DYS	8	37.4	695	6	7	38	53	76	83	83
1-11 MOS	105	7.4	100	1	1	4	10	16	32	84
1-5 YRS	261	5.0	75	<1	<1	2	4	14	18	39
6-12 YRS	145	3.9	18	<1	<1	2	5	9	13	19
13-19 YRS	224	6.4	79	<1	1	4	8	13	17	46
GRAND TOTAL	743	5.9	86	<1	1	3	7	14	19	46

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	575	3.8	3	2	2	3	5	6	7	9
1-11 MOS	1304	3.5	3	2	2	3	4	5	6	10
1-5 YRS	142	4.4	4	2	2	4	5	7	9	14
6-12 YRS	15	4.9	3	1	2	5	6	7	8	8
13-19 YRS	6	5.2		4	4	5	6	6	6	6
2. MULTIPLE DX										
0-27 DYS	151	6.4	64	2	2	4	6	10	14	57
1-11 MOS	367	5.0	10	2	2	4	6	9	12	17
1-5 YRS	32	6.6	12	2	3	6	8	12	14	15
6-12 YRS	4	14.0	200	5	5	8	22	35	35	35
13-19 YRS	5	23.6	420	9	9	13	35	58	58	58
TOT. SINGLE DX	2042	3.7	3	2	2	3	4	6	7	10
" MULTIPLE DX	559	5.7	33	2	2	4	6	10	13	34
TOTAL 0-27 DYS	726	4.3	17	2	2	4	5	7	8	16
1-11 MOS	1671	3.9	5	2	2	3	4	6	7	13
1-5 YRS	174	4.8	7	2	2	4	6	8	10	14
6-12 YRS	19	6.8	51	1	2	5	7	9	24	35
13-19 YRS	11	13.5	261	4	4	6	12	39	56	58
GRAND TOTAL	2601	4.1	10	2	2	4	5	6	8	15

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	9	10.1	99	2	3	8	11	26	35	35
1-5 YRS	9	9.8	120	1	1	7	10	29	36	36
6-12 YRS	4	3.8	3	2	2	3	5	6	6	6
13-19 YRS	7	19.3	164	7	7	12	30	37	39	39
2. MULTIPLE DX										
0-27 DYS	12	43.2	716	9	16	47	97	99+	99+	99+
1-11 MOS	45	22.8	286	4	8	21	39	90	99+	99+
1-5 YRS	77	17.9	230	3	5	13	28	45	61	99+
6-12 YRS	41	19.0	246	4	6	14	29	41	62	99+
13-19 YRS	49	23.2	589	4	4	15	49	95	99+	99+
TOT. SINGLE DX	30	11.1	122	2	2	7	12	33	36	39
" MULTIPLE DX	224	21.6	373	4	5	16	35	73	99+	99+
TOTAL 0-27 DYS	13	40.1	781	4	8	42	95	99+	99+	99+
1-11 MOS	54	20.7	276	4	5	17	35	71	99+	99+
1-5 YRS	86	17.0	223	2	4	12	25	42	60	99+
6-12 YRS	45	17.6	244	3	4	13	26	38	56	99+
13-19 YRS	56	22.7	534	4	5	15	39	93	99+	99+
GRAND TOTAL	254	20.3	355	4	4	15	32	65	99+	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	14.7		14	14	15	15	15	15	15
1-5 YRS	6	3.5	4	<1	<1	3	4	7	7	7
6-12 YRS	16	4.8	8	2	2	4	7	9	10	11
13-19 YRS	65	5.4	14	<1	2	4	7	12	13	17
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	11	14.5	691	1	1	7	12	48	88	92
1-5 YRS	16	5.6	35	<1	1	4	7	12	21	25
6-12 YRS	25	5.8	12	1	1	6	9	10	12	14
13-19 YRS	148	7.2	70	1	2	5	8	12	20	42
TOT. SINGLE DX	91	5.4	15	<1	2	4	7	12	14	17
" MULTIPLE DX	200	7.3	95	1	2	5	8	12	19	61
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	14	14.5	532	1	1	9	15	25	77	92
1-5 YRS	22	5.0	28	<1	1	4	6	9	17	25
6-12 YRS	41	5.4	11	1	2	5	8	10	11	14
13-19 YRS	213	6.6	54	1	2	5	8	12	16	35
GRAND TOTAL	291	6.7	70	1	2	5	8	12	15	37

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	8	9.5	7	3	5	10	11	12	12	12
2. MULTIPLE DX										
0-27 DYS	1	83.0		83	83	83	83	83	83	83
1-11 MOS	3	17.7	124	5	5	22	25	26	26	26
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	2	14.5	85	8	8	14	21	21	21	21
13-19 YRS	17	11.9	15	6	6	13	14	15	20	22
TOT. SINGLE DX	11	8.5	12	3	3	10	11	12	12	12
" MULTIPLE DX	24	15.7	235	6	6	13	15	23	43	83
TOTAL 0-27 DYS	2	43.5	3121	4	4	43	83	83	83	83
1-11 MOS	4	14.0	137	3	3	13	24	26	26	26
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	3	13.3	46	8	8	11	18	21	21	21
13-19 YRS	25	11.2	14	5	6	11	13	15	17	22
GRAND TOTAL	35	13.5	174	3	5	11	14	22	25	83

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	15	9.2	6	5	6	8	12	13	13	13
2. MULTIPLE DX										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS	4	13.3	147	<1	<1	11	21	30	30	30
6-12 YRS										
13-19 YRS	9	16.0	48	7	7	16	20	26	29	29
TOT. SINGLE DX	15	9.2	7	5	6	8	12	13	13	13
" MULTIPLE DX	14	14.6	69	1	6	13	19	29	30	30
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS	4	13.3	148	<1	<1	11	21	30	30	30
6-12 YRS										
13-19 YRS	24	11.8	32	6	7	11	13	19	24	29
GRAND TOTAL	29	11.8	43	5	6	11	13	21	29	30

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	16	5.8	32	2	2	4	6	8	21	26
1-11 MOS	67	7.7	79	2	2	5	8	14	28	49
1-5 YRS	45	8.4	87	1	2	6	10	20	29	51
6-12 YRS	16	10.6	51	2	4	8	13	23	26	27
13-19 YRS	98	7.7	14	4	5	7	8	10	13	27
2. MULTIPLE DX										
0-27 DYS	21	29.8	594	3	6	26	64	99+	99+	99+
1-11 MOS	137	19.4	297	4	5	14	27	41	71	99+
1-5 YRS	190	18.1	318	3	6	12	22	43	67	99+
6-12 YRS	82	15.5	124	5	5	12	21	33	41	49
13-19 YRS	143	13.2	171	5	6	9	14	24	38	95
TOT. SINGLE DX	242	7.9	50	2	2	6	8	12	23	44
" MULTIPLE DX	573	17.3	269	5	6	11	22	38	65	99+
TOTAL 0-27 DYS	37	19.4	489	2	3	10	29	79	99+	99+
1-11 MOS	204	15.6	256	2	3	10	22	36	57	99+
1-5 YRS	235	16.3	288	2	4	10	20	37	63	99+
6-12 YRS	98	14.7	115	5	5	11	19	29	40	49
13-19 YRS	241	10.9	115	5	5	8	11	21	27	87
GRAND TOTAL	815	14.5	222	3	4	9	18	33	50	99+

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	6.3	8	3	3	6	8	11	11	11
1-11 MOS	48	6.8	36	1	1	5	9	14	21	29
1-5 YRS	165	3.4	10	1	1	2	4	8	9	15
6-12 YRS	155	4.8	20	1	1	4	6	9	11	21
13-19 YRS	328	5.5	16	1	2	5	7	9	14	18
2. MULTIPLE DX										
0-27 DYS	16	20.5	266	5	6	16	28	60	87	99+
1-11 MOS	75	11.5	130	3	3	9	14	18	45	91
1-5 YRS	152	6.8	50	1	2	5	8	12	18	39
6-12 YRS	160	6.7	28	1	2	5	8	14	19	30
13-19 YRS	421	7.4	29	2	3	6	9	14	17	29
TOT. SINGLE DX	702	5.0	18	1	1	4	7	9	12	21
" MULTIPLE DX	824	7.8	51	1	2	6	9	15	19	48
TOTAL 0-27 DYS	22	16.6	234	4	5	11	20	53	75	99+
1-11 MOS	123	9.7	98	2	3	7	12	18	28	74
1-5 YRS	317	5.0	32	1	1	3	6	10	13	29
6-12 YRS	315	5.7	25	1	1	5	8	11	17	27
13-19 YRS	749	6.6	25	1	2	5	8	12	15	28
GRAND TOTAL	**1526**	**6.5**	**38**	**1**	**1**	**5**	**8**	**12**	**17**	**34**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	25	7.9	13	4	4	7	9	11	15	21
1-5 YRS	13	8.8	7	5	5	9	10	12	14	14
6-12 YRS	13	16.4	148	5	6	11	21	34	45	48
13-19 YRS	91	12.8	66	7	7	10	14	22	32	48
2. MULTIPLE DX										
0-27 DYS	31	43.3	572	10	15	44	70	99+	99+	99+
1-11 MOS	59	14.1	171	5	6	11	15	24	29	93
1-5 YRS	32	13.1	65	5	6	10	19	27	33	99+
6-12 YRS	37	17.4	149	6	6	12	26	38	47	99+
13-19 YRS	171	16.4	104	7	7	12	22	31	37	53
TOT. SINGLE DX	143	11.9	64	5	6	10	13	20	30	48
" MULTIPLE DX	330	18.3	225	6	7	12	25	40	58	99+
TOTAL 0-27 DYS	32	42.1	597	7	12	43	69	99+	99+	99+
1-11 MOS	84	12.3	132	5	5	10	14	21	26	79
1-5 YRS	45	11.8	52	5	5	9	14	25	32	99+
6-12 YRS	50	17.1	146	6	6	12	26	37	47	99+
13-19 YRS	262	15.2	94	7	7	11	19	30	36	51
GRAND TOTAL	**473**	**16.4**	**185**	**6**	**6**	**11**	**21**	**35**	**48**	**99+**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	10.5	18	5	6	9	15	16	16	16
1-11 MOS	11	8.8	19	4	5	8	11	15	20	20
1-5 YRS	19	9.3	22	3	4	8	12	17	20	20
6-12 YRS	22	9.8	13	6	6	9	12	14	17	21
13-19 YRS	43	10.6	44	5	6	9	12	15	23	44
2. MULTIPLE DX										
0-27 DYS	44	36.0	396	9	14	46	70	99+	99+	99+
1-11 MOS	31	19.9	569	5	6	11	19	48	94	97
1-5 YRS	50	13.1	142	5	6	9	15	21	42	71
6-12 YRS	42	13.7	248	5	6	8	12	25	51	85
13-19 YRS	126	14.8	169	6	7	11	16	25	37	77
TOT. SINGLE DX	103	10.0	28	5	6	9	12	15	20	34
" MULTIPLE DX	293	18.1	309	6	6	11	22	57	95	99+
TOTAL 0-27 DYS	52	32.1	424	8	9	41	68	99+	99+	99+
1-11 MOS	42	17.0	446	4	5	10	17	32	79	97
1-5 YRS	69	12.0	112	5	5	9	13	20	31	66
6-12 YRS	64	12.3	170	6	6	9	12	19	39	82
13-19 YRS	169	13.7	140	6	7	10	14	24	34	68
GRAND TOTAL	**396**	**16.0**	**248**	**5**	**6**	**10**	**18**	**45**	**68**	**99+**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	9.0	36	5	5	6	12	18	18	18
1-11 MOS	9	8.1	16	5	5	7	9	15	17	17
1-5 YRS	15	8.2	10	3	4	8	11	12	14	14
6-12 YRS	11	6.5	14	2	2	6	10	12	14	14
13-19 YRS	14	8.1	20	3	4	7	12	15	17	17
2. MULTIPLE DX										
0-27 DYS	20	31.1	763	5	6	21	46	75	92	97
1-11 MOS	7	8.3	17	5	5	6	9	16	17	17
1-5 YRS	11	13.5	146	3	4	9	17	32	44	45
6-12 YRS	8	22.4	244	6	8	17	29	49	53	53
13-19 YRS	25	13.7	135	3	4	9	18	25	41	54
TOT. SINGLE DX	53	7.9	16	3	4	7	10	14	16	18
" MULTIPLE DX	71	19.0	369	4	5	12	21	48	61	95
TOTAL 0-27 DYS	24	27.4	706	5	5	16	36	65	91	97
1-11 MOS	16	8.2	16	5	5	7	9	16	17	17
1-5 YRS	26	10.5	72	3	4	9	11	18	28	45
6-12 YRS	19	13.2	168	2	3	10	15	31	47	53
13-19 YRS	39	11.7	99	3	4	8	15	21	32	54
GRAND TOTAL	**124**	**14.2**	**248**	**3**	**4**	**9**	**16**	**30**	**52**	**90**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	8.7	24	1	2	8	11	16	17	17
1-11 MOS	224	6.0	17	2	3	5	7	11	12	24
1-5 YRS	140	6.7	15	2	3	6	8	12	15	19
6-12 YRS	41	6.9	7	3	4	6	8	11	12	13
13-19 YRS	108	9.0	14	4	6	8	11	13	16	24
2. MULTIPLE DX										
0-27 DYS	52	22.4	299	5	10	17	30	48	99	99+
1-11 MOS	240	10.6	121	3	4	8	12	23	51	99+
1-5 YRS	196	10.4	70	4	4	8	12	19	24	50
6-12 YRS	82	10.1	42	4	4	8	12	19	23	36
13-19 YRS	195	12.1	90	4	5	9	14	22	30	58
TOT. SINGLE DX	520	6.9	17	2	3	6	9	11	14	23
" MULTIPLE DX	765	11.7	113	4	4	9	13	23	36	99+
TOTAL 0-27 DYS	59	20.8	286	5	7	16	27	47	99	99+
1-11 MOS	464	8.4	77	2	3	6	10	15	25	99+
1-5 YRS	336	8.9	51	3	4	7	10	15	21	44
6-12 YRS	123	9.0	33	4	4	8	11	16	21	32
13-19 YRS	303	11.0	66	4	5	9	12	18	24	51
GRAND TOTAL	**1285**	**9.8**	**79**	**3**	**4**	**8**	**11**	**18**	**26**	**75**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	26.7	760	3	4	19	23	75	81	81
1-11 MOS	19	12.8	36	5	6	10	18	21	23	25
1-5 YRS	13	10.3	26	4	6	10	11	14	24	26
6-12 YRS	4	6.0	2	5	5	6	7	8	8	8
13-19 YRS	4	11.5	21	7	7	11	15	16	16	16
2. MULTIPLE DX										
0-27 DYS	29	29.6	660	6	7	22	50	95	99+	99+
1-11 MOS	23	19.3	269	5	6	15	29	52	75	99+
1-5 YRS	24	15.7	142	6	6	12	21	41	58	99+
6-12 YRS	12	13.1	65	7	7	10	16	26	31	32
13-19 YRS	32	18.1	211	6	7	14	21	34	45	77
TOT. SINGLE DX	46	13.2	139	4	5	10	16	22	25	81
" MULTIPLE DX	120	20.1	326	6	6	15	28	51	87	99+
TOTAL 0-27 DYS	35	29.1	657	5	7	21	47	91	99+	99+
1-11 MOS	42	16.3	171	5	6	14	19	41	56	99+
1-5 YRS	37	13.8	107	6	6	10	15	37	43	99+
6-12 YRS	16	11.3	58	5	5	8	11	24	30	32
13-19 YRS	36	17.4	194	6	7	14	19	32	44	77
GRAND TOTAL	**166**	**18.2**	**283**	**5**	**6**	**13**	**22**	**43**	**81**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	3.9	2	2	2	4	4	6	7	7
1-11 MOS	25	4.0	6	1	2	4	4	7	9	14
1-5 YRS	1035	5.3	11	2	2	4	7	10	12	16
6-12 YRS	9456	4.1	5	2	2	3	5	7	9	13
13-19 YRS	14597	4.0	4	2	2	4	5	6	8	12
2. MULTIPLE DX										
0-27 DYS	4	10.5	77	3	3	10	18	20	20	20
1-11 MOS	12	8.3	61	2	3	5	11	20	27	28
1-5 YRS	487	8.0	34	2	3	7	10	15	19	28
6-12 YRS	2516	6.4	23	2	3	5	8	12	15	25
13-19 YRS	4067	6.0	19	2	3	5	7	11	14	25
TOT. SINGLE DX	25120	4.1	5	2	2	3	5	7	8	12
" MULTIPLE DX	7086	6.3	22	2	3	5	7	11	15	25
TOTAL 0-27 DYS	11	6.3	36	2	2	4	6	18	20	20
1-11 MOS	37	5.4	27	2	2	4	5	13	16	28
1-5 YRS	1522	6.2	20	2	2	5	8	11	14	23
6-12 YRS	11972	4.5	10	2	2	4	5	8	10	17
13-19 YRS	18664	4.4	9	2	2	4	5	7	9	16
GRAND TOTAL	**32206**	**4.6**	**10**	**2**	**2**	**4**	**5**	**8**	**10**	**17**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	16	6.1	9	1	2	6	8	10	11	11
6-12 YRS	81	4.5	7	2	2	4	5	7	9	17
13-19 YRS	159	4.0	3	2	2	4	5	6	8	9
2. MULTIPLE DX										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	8	18.8	879	3	3	8	15	69	91	91
6-12 YRS	37	6.6	27	2	2	5	8	13	17	27
13-19 YRS	116	5.9	18	2	3	5	7	9	16	24
TOT. SINGLE DX	256	4.3	5	2	2	4	5	7	9	11
" MULTIPLE DX	163	6.8	65	2	3	5	8	12	17	27
TOTAL 0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	24	10.3	310	2	3	7	10	14	39	91
6-12 YRS	118	5.1	15	2	2	4	6	9	13	21
13-19 YRS	275	4.8	10	2	2	4	6	8	9	20
GRAND TOTAL	**419**	**5.2**	**30**	**2**	**2**	**4**	**6**	**9**	**11**	**21**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	9.4	24	3	3	10	13	15	15	15
6-12 YRS	41	7.6	14	2	3	7	9	13	14	17
13-19 YRS	33	7.5	23	2	3	7	10	16	18	20
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	9.5	113	2	2	9	17	17	17	17
6-12 YRS	21	10.3	31	3	4	9	12	19	22	25
13-19 YRS	14	8.4	26	3	3	6	13	16	18	19
TOT. SINGLE DX	79	7.6	18	2	3	7	10	14	16	19
" MULTIPLE DX	37	9.6	31	3	3	8	13	18	19	25
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	7	9.4	35	2	2	10	14	17	17	17
6-12 YRS	62	8.5	21	2	3	8	11	14	18	24
13-19 YRS	47	7.8	24	2	3	7	11	16	18	20
GRAND TOTAL	**116**	**8.3**	**23**	**2**	**3**	**7**	**12**	**15**	**18**	**22**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	14	6.5	24	1	1	5	11	15	15	15
1-11 MOS	35	4.6	46	<1	1	3	4	8	13	40
1-5 YRS	121	2.4	4	<1	<1	2	3	5	7	11
6-12 YRS	101	2.9	6	<1	<1	2	4	6	9	13
13-19 YRS	166	3.8	7	<1	1	3	5	8	9	13
2. MULTIPLE DX										
0-27 DYS	22	10.9	113	2	2	8	12	26	39	43
1-11 MOS	37	7.6	102	<1	1	4	9	13	30	53
1-5 YRS	89	7.3	119	1	1	4	8	15	22	71
6-12 YRS	77	6.1	35	1	2	4	7	14	20	31
13-19 YRS	106	8.7	113	2	2	5	10	17	35	56
TOT. SINGLE DX	437	3.4	11	<1	<1	2	4	7	9	14
" MULTIPLE DX	331	7.7	96	1	2	5	9	16	23	53
TOTAL 0-27 DYS	36	9.2	82	1	2	6	12	16	32	43
1-11 MOS	72	6.1	76	<1	1	3	7	12	17	50
1-5 YRS	210	4.4	59	<1	<1	2	5	10	12	37
6-12 YRS	178	4.3	21	<1	1	3	5	9	13	23
13-19 YRS	272	5.7	54	1	1	4	6	10	15	49
GRAND TOTAL	**768**	**5.2**	**52**	**<1**	**1**	**3**	**6**	**11**	**15**	**40**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	33	2.8	3	<1	1	2	4	5	7	8
1-5 YRS	18	2.2	1	<1	<1	2	3	4	4	4
6-12 YRS	28	3.3	26	<1	1	2	3	5	13	27
13-19 YRS	116	4.1	11	1	2	3	5	9	12	18
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	23	7.3	114	1	1	3	7	23	35	45
1-5 YRS	14	4.6	29	<1	1	2	7	10	18	21
6-12 YRS	3	5.7	16	2	2	5	9	10	10	10
13-19 YRS	79	6.0	120	1	1	4	5	9	30	96
TOT. SINGLE DX	197	3.6	12	1	1	3	4	6	10	19
" MULTIPLE DX	119	6.1	105	1	1	4	6	10	30	92
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	56	4.7	53	<1	1	3	5	8	18	44
1-5 YRS	32	3.2	15	<1	<1	2	3	7	8	21
6-12 YRS	31	3.5	25	<1	1	2	4	7	11	27
13-19 YRS	195	4.9	56	1	2	3	5	9	13	63
GRAND TOTAL	**316**	**4.5**	**48**	**1**	**1**	**3**	**5**	**8**	**12**	**37**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	48	9.9	16	4	6	9	11	14	19	25
1-5 YRS	40	12.2	188	3	6	10	12	16	18	94
6-12 YRS	10	14.5	106	1	1	14	20	29	35	35
13-19 YRS	9	15.9	48	9	9	16	17	27	32	32
2. MULTIPLE DX										
0-27 DYS	8	28.4	128	12	14	27	38	43	44	44
1-11 MOS	47	12.0	62	5	6	10	13	18	33	46
1-5 YRS	74	13.8	78	6	7	11	15	20	29	59
6-12 YRS	13	24.7	362	7	7	15	46	52	58	59
13-19 YRS	23	20.7	184	7	8	16	25	45	52	56
TOT. SINGLE DX	107	11.7	93	4	6	10	12	18	21	60
" MULTIPLE DX	165	15.8	133	6	7	12	18	33	45	59
TOTAL 0-27 DYS	8	28.4	128	12	14	27	38	43	44	44
1-11 MOS	95	10.9	40	5	6	10	12	17	21	41
1-5 YRS	114	13.2	117	5	7	11	15	19	26	75
6-12 YRS	23	20.3	268	2	6	15	28	48	53	59
13-19 YRS	32	19.3	148	8	9	16	23	38	49	56
GRAND TOTAL	**272**	**14.2**	**121**	**5**	**7**	**11**	**16**	**25**	**36**	**58**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	6.0	32	2	2	6	10	10	10	10
1-11 MOS	33	3.3	6	<1	1	3	4	6	7	13
1-5 YRS	115	2.9	6	<1	1	2	4	7	9	13
6-12 YRS	176	3.6	8	<1	<1	3	5	8	9	12
13-19 YRS	557	4.5	12	<1	1	4	6	8	11	16
2. MULTIPLE DX										
0-27 DYS	3	21.0	675	6	6	6	40	51	51	51
1-11 MOS	49	6.9	34	1	1	5	11	16	20	21
1-5 YRS	128	6.6	75	1	1	4	7	18	20	47
6-12 YRS	231	5.9	60	1	2	4	7	10	15	51
13-19 YRS	1040	5.9	45	1	2	4	7	10	13	32
TOT. SINGLE DX	883	4.1	11	<1	1	3	5	8	10	15
" MULTIPLE DX	1451	6.0	51	1	2	4	7	11	15	35
TOTAL 0-27 DYS	5	15.0	413	2	2	6	20	51	51	51
1-11 MOS	82	5.5	26	<1	1	4	7	13	16	21
1-5 YRS	243	4.9	46	<1	1	3	6	10	18	36
6-12 YRS	407	4.9	29	1	1	3	6	9	11	26
13-19 YRS	1597	5.4	34	1	2	4	6	9	12	28
GRAND TOTAL	2334	5.3	37	1	1	4	6	10	12	30

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	74	1.5		<1	<1	1	2	2	4	5
1-5 YRS	21	1.8	1	<1	<1	2	2	3	4	4
6-12 YRS	7	4.0	8	<1	<1	3	7	8	8	8
13-19 YRS	70	3.0	3	1	1	3	4	5	5	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	10	4.7	106	<1	<1	1	2	18	34	34
1-5 YRS	11	3.9	17	1	1	2	5	11	14	14
6-12 YRS	4	2.0		1	1	2	3	3	3	3
13-19 YRS	46	5.6	64	1	2	4	5	9	19	47
TOT. SINGLE DX	172	2.3	3	<1	<1	2	3	4	5	8
" MULTIPLE DX	71	5.0	59	<1	1	3	5	9	15	44
TOTAL 0-27 DYS										
1-11 MOS	84	1.9	13	<1	<1	1	2	3	4	24
1-5 YRS	32	2.5	7	<1	1	2	3	5	9	14
6-12 YRS	11	3.3	6	<1	<1	2	5	7	8	8
13-19 YRS	116	4.0	29	1	1	3	4	6	8	38
GRAND TOTAL	243	3.1	21	<1	<1	2	3	5	7	34

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	7	2.1	3	<1	<1	2	2	5	6	6
1-5 YRS	13	2.2	5	<1	<1	1	2	6	8	9
6-12 YRS	16	2.0	1	<1	<1	2	3	3	5	6
13-19 YRS	125	2.9	2	<1	1	3	4	5	6	9
2. MULTIPLE DX										
0-27 DYS	5	3.6	4	1	1	4	5	6	6	6
1-11 MOS	4	1.8	2	<1	<1	1	3	4	4	4
1-5 YRS	15	2.1	1	<1	<1	2	3	3	4	4
6-12 YRS	7	7.4	129	1	1	4	5	27	33	33
13-19 YRS	74	3.9	4	1	1	3	5	7	8	11
TOT. SINGLE DX	161	2.7	3	<1	<1	2	3	5	6	9
" MULTIPLE DX	105	3.8	13	<1	1	3	4	6	8	21
TOTAL 0-27 DYS	5	3.6	4	1	1	4	5	6	6	6
1-11 MOS	11	2.0	3	<1	<1	1	2	5	6	6
1-5 YRS	28	2.1	3	<1	<1	2	3	4	5	9
6-12 YRS	23	3.7	43	<1	<1	2	3	5	15	33
13-19 YRS	199	3.2	4	<1	1	3	4	6	7	11
GRAND TOTAL	266	3.1	7	<1	1	3	4	5	7	11

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	3.0	3	1	1	2	5	5	5	5
6-12 YRS										
13-19 YRS	72	4.0	5	1	2	3	5	7	8	13
2. MULTIPLE DX										
0-27 DYS	4	6.0	6	4	4	6	8	9	9	9
1-11 MOS	2	6.5	1	6	6	6	7	7	7	7
1-5 YRS	6	4.2	8	<1	<1	3	6	9	9	9
6-12 YRS	5	7.4	44	2	2	4	14	16	16	16
13-19 YRS	175	4.7	5	2	2	4	5	7	10	15
TOT. SINGLE DX	77	4.0	5	1	2	3	5	7	8	13
" MULTIPLE DX	192	4.8	7	2	2	4	6	8	10	16
TOTAL 0-27 DYS	4	6.0	6	4	4	6	8	9	9	9
1-11 MOS	2	6.5	1	6	6	6	7	7	7	7
1-5 YRS	11	3.6	6	<1	1	3	5	7	9	9
6-12 YRS	5	7.4	44	2	2	4	14	16	16	16
13-19 YRS	247	4.5	6	2	2	4	5	7	9	14
GRAND TOTAL	269	4.5	6	2	2	4	5	7	10	15

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	12	3.3	8	<1	<1	2	5	8	10	10
1-11 MOS	55	3.0	8	<1	<1	2	4	6	8	18
1-5 YRS	54	4.5	35	<1	1	3	5	11	12	40
6-12 YRS	31	3.9	5	1	1	3	5	8	9	10
13-19 YRS	124	3.4	7	1	1	3	4	6	8	15
2. MULTIPLE DX										
0-27 DYS	34	11.2	309	2	2	6	9	20	56	88
1-11 MOS	59	6.1	34	1	1	5	7	15	21	93
1-5 YRS	57	6.5	51	<1	1	4	9	14	19	43
6-12 YRS	20	6.2	44	<1	1	4	8	13	21	29
13-19 YRS	90	5.0	14	1	2	4	6	11	14	16
TOT. SINGLE DX	276	3.6	13	<1	1	3	4	7	10	17
" MULTIPLE DX	260	6.5	70	1	1	4	8	14	18	63
TOTAL 0-27 DYS	46	9.2	241	<1	1	5	8	19	30	88
1-11 MOS	114	4.6	24	<1	1	3	6	10	18	56
1-5 YRS	111	5.5	44	<1	1	3	7	11	15	42
6-12 YRS	51	4.8	22	1	1	3	7	10	13	29
13-19 YRS	214	4.1	11	1	1	3	5	8	12	16
GRAND TOTAL	536	5.0	43	1	1	3	6	10	14	34

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	4	10.3	19	6	6	10	14	14	14	14
6-12 YRS	3	7.7	6	5	5	8	9	10	10	10
13-19 YRS	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	34.0		34	34	34	34	34	34	34
1-5 YRS	7	29.7	394	6	6	32	37	59	64	64
6-12 YRS	6	14.3	164	4	4	8	32	87	99+	99+
13-19 YRS	14	10.9	41	4	5	9	13	19	27	29
TOT. SINGLE DX	10	8.0	13	3	4	7	10	14	14	14
" MULTIPLE DX	29	16.7	210	4	5	10	29	36	64	99+
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	20.0	392	6	6	20	34	34	34	34
1-5 YRS	11	22.6	339	6	6	14	35	48	63	64
6-12 YRS	9	12.1	115	4	4	8	27	67	99+	99+
13-19 YRS	16	10.1	40	3	4	9	12	18	26	29
GRAND TOTAL	39	14.5	173	4	4	9	22	35	50	99+

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	7.3	97	2	2	3	12	22	22	22
1-11 MOS	52	5.6	23	1	1	4	8	14	16	19
1-5 YRS	53	4.4	34	1	1	2	4	11	18	28
6-12 YRS	32	5.0	26	1	1	3	7	12	13	26
13-19 YRS	100	5.5	32	1	1	3	7	12	20	27
2. MULTIPLE DX										
0-27 DYS	11	40.5	919	8	8	32	81	92	99	99+
1-11 MOS	72	12.8	206	2	2	8	14	32	45	68
1-5 YRS	81	10.0	89	1	2	7	12	24	29	45
6-12 YRS	78	8.8	69	1	1	7	12	18	27	40
13-19 YRS	218	12.4	188	2	2	8	14	26	49	82
TOT. SINGLE DX	241	5.2	31	1	1	3	7	13	18	26
" MULTIPLE DX	460	12.1	190	1	2	8	14	28	43	83
TOTAL 0-27 DYS	15	31.7	910	2	2	24	64	88	97	99+
1-11 MOS	124	9.8	142	1	1	6	12	21	33	65
1-5 YRS	134	7.8	75	1	1	4	11	20	28	44
6-12 YRS	110	7.7	60	1	1	6	11	16	25	40
13-19 YRS	318	10.2	150	1	2	7	12	21	32	65
GRAND TOTAL	701	9.7	146	1	1	6	12	21	32	72

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	7.2	8	4	4	7	9	11	11	11
1-11 MOS	17	8.9	26	4	5	7	10	18	22	23
1-5 YRS	10	7.6	7	5	5	7	9	12	12	12
6-12 YRS	34	7.4	10	3	4	6	10	12	13	15
13-19 YRS	1146	6.5	6	4	4	6	7	10	11	16
2. MULTIPLE DX										
0-27 DYS	6	9.7	88	<1	<1	7	9	26	28	28
1-11 MOS	33	11.2	48	5	5	9	16	23	32	99+
1-5 YRS	23	15.9	237	5	5	11	18	28	46	78
6-12 YRS	37	10.2	47	4	4	8	12	19	27	34
13-19 YRS	835	9.0	24	4	5	8	11	14	18	24
TOT. SINGLE DX	1212	6.5	7	4	4	6	8	10	12	16
" MULTIPLE DX	934	9.3	33	4	5	8	11	15	19	29
TOTAL 0-27 DYS	11	8.5	49	<1	2	7	9	18	27	28
1-11 MOS	50	10.4	42	5	5	8	13	21	27	99
1-5 YRS	33	13.4	180	5	5	9	13	28	28	78
6-12 YRS	71	8.8	31	4	4	8	11	14	20	33
13-19 YRS	1981	7.5	16	4	4	6	9	12	14	22
GRAND TOTAL	2146	7.7	20	4	4	7	9	12	15	24

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	30	12.9	31	6	6	13	16	20	23	28
1-5 YRS	9	9.4	51	1	1	9	12	20	25	25
6-12 YRS	4	4.5	33	<1	<1	2	8	13	13	13
13-19 YRS	14	9.3	89	1	2	5	15	20	32	36
2. MULTIPLE DX										
0-27 DYS	3	38.0	79	28	28	41	44	45	45	45
1-11 MOS	22	23.3	157	6	8	22	31	40	47	52
1-5 YRS	13	19.5	200	1	3	18	23	54	90	99+
6-12 YRS	7	8.7	42	2	2	9	11	19	21	21
13-19 YRS	15	9.4	46	<1	1	11	15	18	21	22
TOT. SINGLE DX	57	10.9	52	1	2	10	15	19	24	35
" MULTIPLE DX	60	18.0	175	1	3	16	24	42	47	95
TOTAL 0-27 DYS	3	38.0	79	28	28	41	44	45	45	45
1-11 MOS	52	17.3	109	6	7	15	22	33	38	52
1-5 YRS	22	15.4	160	1	2	13	22	47	67	99+
6-12 YRS	11	7.2	40	<1	1	6	11	16	21	21
13-19 YRS	29	9.3	65	1	1	6	15	18	23	36
GRAND TOTAL	**117**	**14.5**	**127**	**1**	**2**	**12**	**19**	**30**	**42**	**67**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS										
1-5 YRS	7	6.7	43	<1	<1	5	13	16	16	16
6-12 YRS	5	3.8	7	2	2	2	6	8	8	8
13-19 YRS	30	9.6	114	1	2	6	14	22	28	51
2. MULTIPLE DX										
0-27 DYS	1	32.0		32	32	32	32	32	32	32
1-11 MOS	4	4.3	34	1	1	2	7	13	13	13
1-5 YRS	10	15.2	217	1	1	9	29	37	42	42
6-12 YRS	13	11.1	64	2	2	9	12	26	28	29
13-19 YRS	65	14.8	284	2	2	12	16	27	58	89
TOT. SINGLE DX	43	8.7	95	1	1	5	13	20	27	51
" MULTIPLE DX	93	14.1	238	2	2	11	16	30	41	83
TOTAL 0-27 DYS	2	27.5	41	23	23	27	32	32	32	32
1-11 MOS	4	4.3	34	1	1	2	7	13	13	13
1-5 YRS	17	11.7	157	<1	1	6	17	31	38	42
6-12 YRS	18	9.1	58	2	2	8	10	22	27	29
13-19 YRS	95	13.2	235	2	2	11	15	26	48	82
GRAND TOTAL	**136**	**12.4**	**198**	**1**	**2**	**9**	**15**	**27**	**37**	**73**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	15	3.5	7	1	1	3	5	7	10	11
1-11 MOS	62	3.9	8	<1	1	3	6	8	10	14
1-5 YRS	178	2.9	4	<1	1	2	4	6	7	11
6-12 YRS	266	3.7	36	1	1	3	4	6	8	20
13-19 YRS	702	4.7	23	1	1	4	6	8	11	24
2. MULTIPLE DX										
0-27 DYS	19	8.3	52	3	3	6	11	12	25	35
1-11 MOS	89	8.9	146	1	2	5	8	19	32	70
1-5 YRS	176	5.1	41	1	1	3	6	10	14	32
6-12 YRS	243	5.0	25	1	1	3	6	9	14	34
13-19 YRS	830	5.8	34	2	2	4	6	10	15	36
TOT. SINGLE DX	1223	4.2	23	1	1	3	5	7	9	22
" MULTIPLE DX	1357	5.8	42	1	2	4	6	10	15	38
TOTAL 0-27 DYS	34	6.2	38	1	1	5	7	12	12	35
1-11 MOS	151	6.9	95	1	1	4	7	12	24	61
1-5 YRS	354	4.0	24	<1	1	3	5	8	11	25
6-12 YRS	509	4.3	32	1	1	3	5	8	10	28
13-19 YRS	1532	5.3	30	1	2	4	6	9	13	29
GRAND TOTAL	**2580**	**5.0**	**34**	**1**	**1**	**4**	**6**	**9**	**12**	**30**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	74	2.0	1	<1	1	2	2	4	5	6
1-11 MOS	1700	1.7	1	<1	<1	1	2	2	3	6
1-5 YRS	3346	1.5		<1	<1	1	2	2	3	4
6-12 YRS	2011	1.8		<1	<1	2	2	3	3	5
13-19 YRS	3343	2.7	1	1	1	3	3	4	5	6
2. MULTIPLE DX										
0-27 DYS	96	16.2	773	1	1	4	39	98	99+	99+
1-11 MOS	1240	2.7	17	<1	<1	2	3	5	9	18
1-5 YRS	2612	1.9	2	<1	<1	2	2	3	4	9
6-12 YRS	1036	2.0	1	<1	<1	2	2	3	4	7
13-19 YRS	1003	3.3	17	1	1	3	4	5	6	12
TOT. SINGLE DX	10474	2.0	1	<1	<1	2	2	3	4	6
" MULTIPLE DX	5987	2.5	23	<1	<1	2	3	4	6	16
TOTAL 0-27 DYS	170	10.0	486	1	1	2	6	80	99+	99+
1-11 MOS	2940	2.1	8	<1	<1	2	2	3	5	13
1-5 YRS	5958	1.7	1	<1	<1	1	2	2	3	6
6-12 YRS	3047	1.9	1	<1	<1	2	2	3	4	6
13-19 YRS	4346	2.8	5	1	1	3	3	4	5	7
GRAND TOTAL	**16461**	**2.2**	**9**	**<1**	**<1**	**2**	**2**	**4**	**4**	**9**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	48	1.9	2	<1	<1	1	2	3	4	12
1-11 MOS	1234	1.6	3	<1	<1	1	2	2	3	4
1-5 YRS	1181	1.4		<1	<1	1	2	2	2	4
6-12 YRS	320	1.7		<1	<1	1	2	3	3	4
13-19 YRS	186	2.9	1	1	1	3	4	5	5	6
2. MULTIPLE DX										
0-27 DYS	77	29.3	1126	1	1	35	90	99+	99+	99+
1-11 MOS	1108	2.7	19	<1	<1	2	2	4	8	26
1-5 YRS	847	2.0	16	<1	<1	1	2	3	4	12
6-12 YRS	161	2.1	3	<1	<1	2	2	3	5	13
13-19 YRS	67	3.3	2	1	1	3	5	6	6	7
TOT. SINGLE DX	2969	1.6	2	<1	<1	1	2	3	3	5
" MULTIPLE DX	2260	3.3	78	<1	<1	2	2	4	9	93
TOTAL 0-27 DYS	125	18.7	871	<1	1	3	62	99+	99+	99+
1-11 MOS	2342	2.1	11	<1	<1	1	2	3	4	16
1-5 YRS	2028	1.7	7	<1	<1	1	2	2	3	7
6-12 YRS	481	1.8	2	<1	<1	2	2	3	3	6
13-19 YRS	253	3.0	2	1	1	3	4	5	5	6
GRAND TOTAL	**5229**	**2.4**	**35**	**<1**	**<1**	**1**	**2**	**3**	**4**	**39**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	12	1.8		<1	1	2	2	3	3	3
6-12 YRS	21	2.0		<1	<1	2	3	3	4	4
13-19 YRS	40	3.0	1	1	1	3	4	4	5	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	5	7.0	51	<1	<1	6	10	19	19	19
6-12 YRS	10	1.9	1	<1	<1	2	2	4	5	5
13-19 YRS	8	3.4	1	2	2	3	4	5	5	5
TOT. SINGLE DX	75	2.5	2	<1	1	2	3	4	4	7
" MULTIPLE DX	25	3.4	13	<1	1	2	4	6	10	19
TOTAL 0-27 DYS										
1-11 MOS	4	2.5	2	1	1	2	3	4	4	4
1-5 YRS	17	3.4	19	<1	<1	2	3	7	15	19
6-12 YRS	31	1.9	1	<1	<1	2	3	3	4	5
13-19 YRS	48	3.0	2	1	2	3	4	4	5	8
GRAND TOTAL	**100**	**2.7**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**13**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	211	2.0	2	<1	<1	2	2	3	4	10
1-5 YRS	1115	1.9	2	<1	<1	2	2	3	3	5
6-12 YRS	453	1.9		<1	<1	2	2	3	4	5
13-19 YRS	228	2.6	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	28	18.5	420	4	5	9	19	47	70	84
1-11 MOS	93	3.4	13	<1	1	2	4	6	9	21
1-5 YRS	270	2.8	14	<1	<1	2	3	5	7	14
6-12 YRS	104	2.5	5	<1	1	2	3	4	5	14
13-19 YRS	62	3.5	5	1	2	3	4	6	7	15
TOT. SINGLE DX	2009	2.0	2	<1	<1	2	2	3	4	6
" MULTIPLE DX	557	3.7	43	<1	1	2	3	6	9	39
TOTAL 0-27 DYS	30	17.4	409	3	4	9	17	47	69	84
1-11 MOS	304	2.4	6	<1	<1	2	3	4	6	16
1-5 YRS	1385	2.1	5	<1	<1	2	2	3	4	8
6-12 YRS	557	2.0	2	<1	<1	2	2	3	4	6
13-19 YRS	290	2.8	3	1	1	2	3	5	6	8
GRAND TOTAL	**2566**	**2.4**	**11**	**<1**	**<1**	**2**	**2**	**4**	**5**	**12**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	23	3.6	5	1	1	3	4	7	9	11
1-5 YRS	106	2.1	2	<1	<1	2	2	4	6	9
6-12 YRS	100	2.0	1	<1	<1	2	2	3	4	7
13-19 YRS	197	2.8	7	1	1	2	3	5	6	9
2. MULTIPLE DX										
0-27 DYS	2	16.0	338	3	3	16	29	29	29	29
1-11 MOS	24	6.1	20	1	2	5	8	11	16	19
1-5 YRS	53	3.7	24	<1	1	2	4	8	16	97
6-12 YRS	34	3.7	8	<1	1	3	5	8	10	13
13-19 YRS	61	4.7	7	1	1	4	7	9	10	13
TOT. SINGLE DX	427	2.5	5	<1	<1	2	3	4	6	9
" MULTIPLE DX	174	4.5	19	<1	1	3	6	9	12	30
TOTAL 0-27 DYS	3	12.0	217	3	3	4	23	29	29	29
1-11 MOS	47	4.9	15	1	2	3	7	10	12	19
1-5 YRS	159	2.6	10	<1	<1	2	3	6	8	29
6-12 YRS	134	2.4	4	<1	<1	2	3	4	6	10
13-19 YRS	258	3.2	8	1	1	3	4	6	8	11
GRAND TOTAL	**601**	**3.1**	**10**	**<1**	**1**	**2**	**3**	**6**	**8**	**15**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	3.3	1	2	2	4	4	4	4	4
1-11 MOS	23	5.4	8	<1	1	5	7	9	11	11
1-5 YRS	22	3.7	10	<1	<1	2	5	10	11	11
6-12 YRS	9	3.3	5	<1	<1	3	5	7	7	7
13-19 YRS	19	5.3	12	1	2	5	7	10	13	15
2. MULTIPLE DX										
0-27 DYS	15	22.5	450	7	7	14	23	62	67	69
1-11 MOS	19	9.7	40	2	3	9	11	21	23	24
1-5 YRS	27	10.3	355	<1	<1	5	11	21	38	98
6-12 YRS	15	9.3	103	<1	<1	7	13	19	34	39
13-19 YRS	31	12.6	118	2	4	9	15	22	35	55
TOT. SINGLE DX	76	4.6	10	<1	1	4	6	9	11	14
" MULTIPLE DX	107	12.4	219	<1	1	9	14	23	41	81
TOTAL 0-27 DYS	18	19.3	425	3	4	10	23	60	66	69
1-11 MOS	42	7.3	27	1	2	6	9	12	21	24
1-5 YRS	49	7.3	208	<1	<1	3	8	14	22	98
6-12 YRS	24	7.1	74	<1	<1	4	8	18	25	39
13-19 YRS	50	9.8	90	2	2	7	11	21	23	55
GRAND TOTAL	**183**	**9.2**	**147**	**<1**	**1**	**6**	**10**	**20**	**24**	**67**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	6.8	17	3	3	5	10	13	13	13
1-11 MOS	54	4.4	15	1	1	3	6	10	14	15
1-5 YRS	279	4.2	46	<1	<1	2	4	8	12	46
6-12 YRS	193	4.3	19	<1	1	3	6	10	12	25
13-19 YRS	264	4.6	14	1	1	3	6	10	12	18
2. MULTIPLE DX										
0-27 DYS	25	12.2	204	1	2	7	15	42	50	50
1-11 MOS	50	9.3	171	<1	1	6	11	22	32	80
1-5 YRS	143	6.4	74	1	1	4	8	14	18	54
6-12 YRS	135	5.1	27	<1	1	3	7	11	14	49
13-19 YRS	262	8.5	130	1	2	5	9	17	25	69
TOT. SINGLE DX	795	4.4	27	<1	1	3	5	10	13	24
" MULTIPLE DX	615	7.5	104	1	1	4	8	15	23	60
TOTAL 0-27 DYS	30	11.3	175	1	2	7	13	31	50	50
1-11 MOS	104	6.8	96	<1	1	4	8	14	20	57
1-5 YRS	422	4.9	57	<1	1	3	5	11	15	49
6-12 YRS	328	4.6	23	<1	1	3	6	10	12	25
13-19 YRS	526	6.5	76	1	1	4	8	13	18	45
GRAND TOTAL	**1410**	**5.7**	**63**	**<1**	**1**	**3**	**7**	**12**	**16**	**45**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	24	6.4	26	1	2	5	6	15	19	22
1-5 YRS	101	6.2	22	1	2	5	7	11	14	29
6-12 YRS	166	6.6	22	2	2	5	9	13	16	25
13-19 YRS	565	5.8	14	2	3	5	7	10	12	19
2. MULTIPLE DX										
0-27 DYS	21	29.3	701	6	8	20	65	99+	99+	99+
1-11 MOS	27	11.3	153	3	5	7	14	29	67	99+
1-5 YRS	111	9.5	69	2	3	7	12	20	26	71
6-12 YRS	171	10.6	88	3	3	8	13	23	29	49
13-19 YRS	723	9.0	78	3	3	6	9	16	26	55
TOT. SINGLE DX	856	6.0	17	2	2	5	7	11	14	25
" MULTIPLE DX	1053	9.7	101	3	3	7	11	20	30	65
TOTAL 0-27 DYS	21	29.3	701	6	8	21	68	99+	99+	99+
1-11 MOS	51	9.0	98	2	3	6	9	21	29	99
1-5 YRS	212	7.9	50	1	2	6	10	15	22	50
6-12 YRS	337	8.6	60	2	3	6	11	16	25	39
13-19 YRS	1288	7.6	53	2	3	6	8	13	19	42
GRAND TOTAL	**1909**	**8.1**	**67**	**2**	**3**	**6**	**9**	**15**	**23**	**55**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	6	1.3		1	1	1	2	2	2	2
1-5 YRS	5	3.8	2	2	2	4	5	6	6	6
6-12 YRS	34	3.4	16	<1	1	3	4	6	8	24
13-19 YRS	1365	3.2	7	<1	1	2	4	7	8	12
2. MULTIPLE DX										
0-27 DYS	3	2.7	4	<1	<1	2	4	5	5	5
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	2	6.5	25	3	3	6	10	10	10	10
6-12 YRS	22	4.0	8	1	2	3	5	8	11	12
13-19 YRS	1269	4.0	11	1	1	3	5	8	11	15
TOT. SINGLE DX	1411	3.2	8	<1	1	2	4	7	8	12
" MULTIPLE DX	1297	4.0	12	1	1	3	5	8	11	15
TOTAL 0-27 DYS	4	2.3	4	<1	<1	1	3	5	5	5
1-11 MOS	7	3.3	27	1	1	1	2	12	15	15
1-5 YRS	7	4.6	7	2	2	4	6	9	10	10
6-12 YRS	56	3.7	13	<1	1	3	5	6	10	23
13-19 YRS	2634	3.6	10	<1	1	3	5	8	10	14
GRAND TOTAL	**2708**	**3.6**	**10**	**<1**	**1**	**3**	**5**	**8**	**10**	**14**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	7.1	11	2	3	7	10	11	12	12
1-11 MOS	36	7.7	19	1	4	7	10	13	14	25
1-5 YRS	43	8.9	66	1	2	7	10	15	25	47
6-12 YRS	85	7.0	29	1	2	7	8	10	14	34
13-19 YRS	251	6.5	13	1	2	6	8	11	13	19
2. MULTIPLE DX										
0-27 DYS	42	26.9	254	7	12	25	41	61	99+	99+
1-11 MOS	66	13.1	129	4	5	9	17	25	36	94
1-5 YRS	85	12.4	128	3	4	9	15	25	37	94
6-12 YRS	114	10.2	112	2	3	7	11	17	25	64
13-19 YRS	409	7.8	47	2	2	6	10	14	18	31
TOT. SINGLE DX	423	7.0	23	1	2	6	9	11	14	24
" MULTIPLE DX	716	10.3	107	2	3	8	12	20	31	81
TOTAL 0-27 DYS	50	23.7	268	4	6	20	35	57	97	99+
1-11 MOS	102	11.2	97	3	5	8	13	21	27	82
1-5 YRS	128	11.2	110	2	3	8	12	23	35	86
6-12 YRS	199	8.8	79	1	2	7	9	15	22	59
13-19 YRS	660	7.3	35	1	2	6	9	12	16	25
GRAND TOTAL	**1139**	**9.1**	**78**	**2**	**2**	**7**	**10**	**17**	**24**	**61**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	12	9.1	230	3	3	5	6	22	52	57
1-11 MOS	23	6.5	9	2	3	6	9	12	13	13
1-5 YRS	55	10.1	17	5	6	9	12	15	20	23
6-12 YRS	31	7.7	8	4	4	7	9	11	12	17
13-19 YRS	48	8.9	15	5	5	8	10	15	16	23
2. MULTIPLE DX										
0-27 DYS	19	12.3	27	5	6	12	16	20	22	22
1-11 MOS	34	8.6	43	2	4	6	11	23	26	99+
1-5 YRS	90	12.9	157	4	5	9	14	27	41	75
6-12 YRS	73	10.8	100	3	4	8	12	22	27	63
13-19 YRS	153	10.7	52	4	5	9	12	17	22	47
TOT. SINGLE DX	169	8.8	29	3	4	8	10	14	16	23
" MULTIPLE DX	369	11.1	86	4	5	9	12	21	27	52
TOTAL 0-27 DYS	31	11.1	103	3	3	8	15	20	22	57
1-11 MOS	57	7.7	30	2	3	6	9	16	24	94
1-5 YRS	145	11.8	106	5	5	9	13	21	28	55
6-12 YRS	104	9.9	74	4	4	8	11	18	26	51
13-19 YRS	201	10.3	44	4	5	9	11	16	21	46
GRAND TOTAL	**538**	**10.4**	**69**	**4**	**5**	**8**	**12**	**18**	**24**	**49**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	13	8.2	37	2	3	6	11	19	21	21
1-11 MOS	45	8.8	29	3	4	8	11	17	18	28
1-5 YRS	127	6.2	25	2	2	5	8	12	15	24
6-12 YRS	227	6.4	26	2	2	5	9	13	16	23
13-19 YRS	367	6.9	37	1	2	5	10	14	19	31
2. MULTIPLE DX										
0-27 DYS	19	13.9	248	2	4	9	20	48	86	99+
1-11 MOS	65	10.4	63	2	3	9	12	18	23	44
1-5 YRS	157	11.6	74	2	4	9	15	26	30	49
6-12 YRS	235	10.8	110	2	2	8	14	25	32	47
13-19 YRS	440	12.1	127	2	2	9	16	26	35	59
TOT. SINGLE DX	779	6.8	32	2	2	5	9	14	18	29
" MULTIPLE DX	916	11.6	112	2	2	9	15	25	32	58
TOTAL 0-27 DYS	32	11.6	167	2	3	8	16	22	65	99+
1-11 MOS	110	9.8	50	3	3	8	12	17	21	42
1-5 YRS	284	9.1	60	2	2	7	11	19	28	44
6-12 YRS	462	8.7	74	2	2	7	11	19	25	42
13-19 YRS	807	9.7	93	2	2	7	13	21	28	48
GRAND TOTAL	**1695**	**9.4**	**81**	**2**	**2**	**7**	**12**	**20**	**28**	**47**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	8	7.4	6	4	4	7	8	11	12	12
6-12 YRS	17	5.5	10	1	1	5	8	9	12	13
13-19 YRS	69	7.7	11	2	4	7	10	11	12	18
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	4.5	25	1	1	4	8	8	8	8
1-5 YRS	11	7.0	29	<1	<1	8	11	15	17	17
6-12 YRS	13	10.9	113	1	3	7	13	23	38	42
13-19 YRS	68	8.6	33	1	2	8	12	16	20	26
TOT. SINGLE DX	96	7.2	11	1	3	7	10	11	12	17
" MULTIPLE DX	94	8.7	43	1	2	8	11	17	20	35
TOTAL 0-27 DYS										
1-11 MOS	4	4.0	10	1	1	3	6	8	8	8
1-5 YRS	19	7.2	19	<1	1	7	9	13	15	17
6-12 YRS	30	7.9	60	1	1	6	9	15	18	42
13-19 YRS	137	8.1	22	2	2	8	11	14	17	25
GRAND TOTAL	**190**	**7.9**	**28**	**1**	**2**	**7**	**10**	**13**	**17**	**26**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	17	7.6	5	4	4	8	9	11	12	13
1-5 YRS	326	7.3	10	3	4	7	9	11	13	17
6-12 YRS	307	7.5	7	4	4	7	9	11	12	16
13-19 YRS	68	9.0	12	4	5	9	10	13	16	21
2. MULTIPLE DX										
0-27 DYS	4	23.0	84	12	12	24	30	32	32	32
1-11 MOS	63	11.3	49	4	5	9	15	22	27	31
1-5 YRS	347	8.8	19	4	4	8	10	13	17	25
6-12 YRS	258	9.4	24	4	5	8	11	15	20	24
13-19 YRS	127	12.9	60	5	7	10	15	25	29	61
TOT. SINGLE DX	720	7.5	10	3	4	7	9	11	13	17
" MULTIPLE DX	799	9.9	33	4	5	9	11	16	22	30
TOTAL 0-27 DYS	6	16.5	153	2	2	15	29	32	32	32
1-11 MOS	80	10.5	42	4	4	8	13	20	26	31
1-5 YRS	673	8.1	16	3	4	8	10	12	14	24
6-12 YRS	565	8.4	16	4	4	8	10	12	15	23
13-19 YRS	195	11.5	47	5	6	10	13	21	28	49
GRAND TOTAL	**1519**	**8.8**	**23**	**4**	**4**	**8**	**10**	**13**	**18**	**28**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	4.7	10	1	1	6	7	7	7	7
1-11 MOS	2	10.0	72	4	4	10	16	16	16	16
1-5 YRS	47	5.6	25	<1	<1	4	9	13	14	20
6-12 YRS	41	5.1	23	<1	1	3	7	11	17	21
13-19 YRS	205	4.5	6	1	2	4	6	8	9	11
2. MULTIPLE DX										
0-27 DYS	4	8.5	33	4	4	6	12	17	17	17
1-11 MOS	13	8.9	37	1	1	9	13	17	18	18
1-5 YRS	65	9.5	47	<1	1	9	13	19	21	31
6-12 YRS	56	8.3	37	<1	1	7	11	18	20	27
13-19 YRS	103	7.8	40	1	2	6	11	18	21	28
TOT. SINGLE DX	298	4.8	12	1	1	4	6	9	12	18
" MULTIPLE DX	241	8.4	41	1	1	7	12	18	20	27
TOTAL 0-27 DYS	7	6.9	24	1	2	6	7	15	17	17
1-11 MOS	15	9.1	38	1	1	9	14	17	18	18
1-5 YRS	112	7.9	42	<1	1	7	12	17	21	28
6-12 YRS	97	6.9	34	<1	1	5	9	17	19	24
13-19 YRS	308	5.6	20	1	2	4	7	10	15	23
GRAND TOTAL	**539**	**6.4**	**28**	**1**	**1**	**5**	**9**	**14**	**18**	**24**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	2.8	2	1	1	3	4	4	4	4
1-11 MOS	44	4.0	31	<1	<1	2	5	9	12	34
1-5 YRS	725	1.9	3	<1	<1	1	2	4	6	9
6-12 YRS	956	2.0	4	<1	<1	1	2	4	6	12
13-19 YRS	888	3.0	6	<1	<1	2	4	6	8	12
2. MULTIPLE DX										
0-27 DYS	13	17.1	135	2	4	13	30	32	33	33
1-11 MOS	88	6.7	64	<1	<1	4	9	15	20	46
1-5 YRS	1067	2.5	7	<1	<1	1	3	6	8	14
6-12 YRS	1223	2.9	14	<1	<1	2	3	6	8	17
13-19 YRS	1304	4.9	36	1	1	3	6	10	12	32
TOT. SINGLE DX	2617	2.3	6	<1	<1	1	3	5	7	12
" MULTIPLE DX	3695	3.6	24	<1	<1	2	4	8	11	24
TOTAL 0-27 DYS	17	13.7	141	1	2	8	28	32	33	33
1-11 MOS	132	5.8	55	<1	<1	3	8	12	19	38
1-5 YRS	1792	2.3	6	<1	<1	1	2	5	7	12
6-12 YRS	2179	2.5	10	<1	<1	1	3	5	7	14
13-19 YRS	2192	4.1	25	<1	1	3	5	8	11	22
GRAND TOTAL	**6312**	**3.1**	**17**	**<1**	**<1**	**2**	**4**	**7**	**9**	**17**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	3.2	4	1	1	2	5	6	8	8
6-12 YRS	10	3.1	6	2	2	2	3	7	10	10
13-19 YRS	18	1.8		1	1	2	2	3	4	4
2. MULTIPLE DX										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	5	8.0	17	3	3	10	11	12	12	12
1-5 YRS	17	3.4	6	<1	1	2	4	8	9	9
6-12 YRS	10	4.1	9	1	1	3	6	9	9	9
13-19 YRS	45	4.2	12	<1	1	3	5	9	11	16
TOT. SINGLE DX	39	2.5	4	1	1	2	3	5	7	10
" MULTIPLE DX	79	4.2	12	1	1	3	6	9	11	16
TOTAL 0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	5	8.0	18	3	3	10	11	12	12	12
1-5 YRS	28	3.3	6	1	1	2	4	7	9	9
6-12 YRS	20	3.6	8	1	1	3	4	9	10	10
13-19 YRS	63	3.5	10	1	1	3	4	7	10	16
GRAND TOTAL	118	3.6	9	1	1	3	4	9	10	16

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	37	4.8	15	1	2	3	7	9	14	20
1-11 MOS	51	4.9	26	1	1	3	6	10	18	28
1-5 YRS	87	5.1	14	1	1	4	7	11	13	18
6-12 YRS	57	6.3	18	1	1	5	9	12	16	19
13-19 YRS	69	5.5	15	1	1	5	8	10	12	18
2. MULTIPLE DX										
0-27 DYS	205	9.3	80	3	3	7	10	19	27	56
1-11 MOS	95	6.2	21	2	2	5	8	13	15	25
1-5 YRS	176	8.5	82	2	2	6	11	16	21	78
6-12 YRS	152	8.7	52	1	1	8	11	16	20	39
13-19 YRS	185	11.6	180	1	2	8	14	25	36	83
TOT. SINGLE DX	301	5.4	13	1	1	4	7	11	14	19
" MULTIPLE DX	813	9.2	94	2	2	7	11	19	26	65
TOTAL 0-27 DYS	242	8.6	73	2	3	6	10	17	26	50
1-11 MOS	146	5.7	24	1	2	4	7	12	15	26
1-5 YRS	263	7.3	62	1	2	5	9	14	19	45
6-12 YRS	209	8.0	44	1	1	7	10	16	18	36
13-19 YRS	254	10.0	142	1	2	6	11	22	31	81
GRAND TOTAL	1114	8.1	76	1	2	6	10	16	23	51

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	8	1.1		<1	<1	<1	1	2	2	2
1-5 YRS	367	1.2		<1	<1	1	1	2	2	4
6-12 YRS	260	1.4	1	<1	<1	1	2	2	3	6
13-19 YRS	36	1.9	2	<1	<1	1	2	3	7	8
2. MULTIPLE DX										
0-27 DYS	11	5.8	47	2	2	4	5	15	25	26
1-11 MOS	5	3.4	23	<1	<1	1	4	12	12	12
1-5 YRS	228	2.0	3	<1	<1	1	2	4	6	11
6-12 YRS	233	2.0	2	<1	<1	2	2	4	5	10
13-19 YRS	55	2.9	7	<1	1	2	3	7	8	13
TOT. SINGLE DX	671	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	532	2.2	5	<1	<1	2	2	4	6	12
TOTAL 0-27 DYS	11	5.8	47	2	2	4	5	15	25	26
1-11 MOS	13	2.0	9	<1	<1	1	1	4	11	12
1-5 YRS	595	1.5	2	<1	<1	1	2	2	3	9
6-12 YRS	493	1.7	2	<1	<1	1	2	3	4	8
13-19 YRS	91	2.5	6	<1	<1	2	2	6	8	13
GRAND TOTAL	1203	1.7	3	<1	<1	1	2	3	4	10

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	6.7	2	5	5	7	8	8	8	8
1-11 MOS	70	4.1	13	<1	<1	3	7	9	10	18
1-5 YRS	1207	5.3	13	1	1	5	8	10	12	15
6-12 YRS	334	5.5	15	<1	1	5	8	11	13	16
13-19 YRS	182	5.5	21	1	1	4	8	12	15	21
2. MULTIPLE DX										
0-27 DYS	9	16.8	180	2	2	14	30	35	38	38
1-11 MOS	46	5.5	19	<1	1	5	8	10	12	21
1-5 YRS	632	6.5	28	1	1	5	9	13	15	21
6-12 YRS	256	5.6	25	1	1	4	8	12	16	24
13-19 YRS	127	7.2	59	1	1	5	9	15	22	41
TOT. SINGLE DX	1796	5.3	14	<1	1	5	8	10	12	16
" MULTIPLE DX	1070	6.4	33	1	1	5	9	13	16	25
TOTAL 0-27 DYS	12	14.3	152	2	3	8	24	33	37	38
1-11 MOS	116	4.7	16	<1	<1	3	7	9	10	20
1-5 YRS	1839	5.7	19	1	1	5	8	11	13	18
6-12 YRS	590	5.5	20	<1	1	4	8	12	14	19
13-19 YRS	309	6.2	37	1	1	4	8	13	17	28
GRAND TOTAL	2866	5.7	22	<1	1	5	8	11	14	20

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	5.7	31	1	1	4	7	15	16	16
1-5 YRS	263	1.7	6	<1	<1	1	2	2	4	9
6-12 YRS	269	1.6	1	<1	<1	1	2	3	5	8
13-19 YRS	161	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	4	2.0		<1	<1	2	3	3	3	3
1-11 MOS	21	3.4	10	<1	<1	2	5	9	10	11
1-5 YRS	528	1.8	2	<1	<1	1	2	3	5	8
6-12 YRS	509	2.4	20	<1	<1	1	2	5	6	11
13-19 YRS	328	4.1	42	<1	1	2	4	8	10	45
TOT. SINGLE DX	700	1.8	4	<1	<1	1	2	3	5	9
" MULTIPLE DX	1390	2.6	19	<1	<1	1	3	5	7	15
TOTAL 0-27 DYS	5	2.4	1	<1	<1	2	3	4	4	4
1-11 MOS	27	3.9	15	<1	<1	2	6	10	12	16
1-5 YRS	791	1.7	4	<1	<1	1	2	3	5	8
6-12 YRS	778	2.1	14	<1	<1	1	2	4	6	10
13-19 YRS	489	3.4	30	<1	1	2	4	6	8	38
GRAND TOTAL	2090	2.3	14	<1	<1	1	2	5	6	12

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	3.0	12	<1	<1	1	5	7	7	7
1-5 YRS	155	1.9	1	<1	<1	1	2	3	4	8
6-12 YRS	126	2.0	2	<1	<1	1	2	4	5	7
13-19 YRS	139	3.0	4	<1	1	2	4	5	6	13
2. MULTIPLE DX										
0-27 DYS	5	6.6	20	2	2	8	10	12	12	12
1-11 MOS	7	5.1	28	<1	<1	3	8	14	15	15
1-5 YRS	162	2.2	5	<1	<1	2	2	4	6	10
6-12 YRS	187	2.6	13	<1	<1	2	3	4	6	23
13-19 YRS	160	4.0	55	1	1	2	4	6	8	58
TOT. SINGLE DX	423	2.3	3	<1	<1	2	3	4	6	9
" MULTIPLE DX	521	3.0	25	<1	<1	2	3	5	7	25
TOTAL 0-27 DYS	5	6.6	20	2	2	8	10	12	12	12
1-11 MOS	10	4.5	23	<1	<1	2	7	12	15	15
1-5 YRS	317	2.0	3	<1	<1	2	2	4	5	9
6-12 YRS	313	2.4	9	<1	<1	2	3	4	6	9
13-19 YRS	299	3.5	32	1	1	2	4	6	7	25
GRAND TOTAL	944	2.7	15	<1	<1	2	3	5	6	15

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	6.5	5	5	5	6	8	8	8	8
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	4	5.8	20	2	2	4	9	12	12	12
TOT. SINGLE DX	4	6.0	10	2	2	6	8	9	9	9
" MULTIPLE DX	7	7.1	13	2	2	9	9	11	12	12
TOTAL 0-27 DYS	2	6.5	5	5	5	6	8	8	8	8
1-11 MOS	2	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	6	5.7	17	2	2	4	9	12	12	12
GRAND TOTAL	11	6.7	11	2	2	8	9	10	12	12

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	8.3	56	<1	<1	8	14	16	16	16
6-12 YRS	3	3.0	1	2	2	3	4	4	4	4
13-19 YRS	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS	2	8.0	18	5	5	8	11	11	11	11
13-19 YRS	9	11.0	92	1	3	8	11	26	35	35
TOT. SINGLE DX	7	5.9	26	<1	<1	4	8	14	16	16
" MULTIPLE DX	12	9.9	74	1	3	8	11	20	33	35
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	3	8.3	56	<1	<1	8	14	16	16	16
6-12 YRS	5	5.0	13	2	2	4	6	11	11	11
13-19 YRS	10	10.6	84	1	3	8	11	24	35	35
GRAND TOTAL	19	8.4	58	<1	1	7	11	15	26	35

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	4.2	46	<1	<1	1	4	16	21	21
6-12 YRS	7	6.9	63	2	2	4	8	21	24	24
13-19 YRS	12	4.9	13	1	1	4	8	10	11	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	2.7	2	<1	<1	3	4	4	4	4
1-5 YRS	12	3.7	15	<1	<1	2	5	11	12	12
6-12 YRS	11	2.3	2	<1	<1	2	3	5	6	6
13-19 YRS	13	8.8	100	<1	1	5	12	19	34	38
TOT. SINGLE DX	28	5.2	34	<1	<1	3	8	11	21	24
" MULTIPLE DX	39	4.9	45	<1	<1	2	6	12	13	38
TOTAL 0-27 DYS										
1-11 MOS	3	2.7	2	<1	<1	3	4	4	4	4
1-5 YRS	21	3.9	27	<1	<1	1	5	11	16	21
6-12 YRS	18	4.1	29	<1	<1	2	4	8	18	24
13-19 YRS	25	7.0	60	<1	1	5	10	12	20	38
GRAND TOTAL	67	5.0	40	<1	<1	2	7	12	15	36

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	5	6.6	7	4	4	6	8	11	11	11
6-12 YRS	6	7.3	55	2	2	5	7	20	22	22
13-19 YRS	3	7.0	28	<1	<1	9	10	11	11	11
2. MULTIPLE DX										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	5	18.0	410	7	7	8	23	54	54	54
6-12 YRS	3	18.7	82	12	12	15	25	29	29	29
13-19 YRS	9	12.9	53	2	4	10	17	24	25	25
TOT. SINGLE DX	15	6.9	26	<1	2	6	9	11	19	22
" MULTIPLE DX	20	14.2	135	3	5	11	15	27	41	54
TOTAL 0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	3	5.3	1	4	4	6	6	6	6	6
1-5 YRS	10	12.3	222	4	4	7	11	33	54	54
6-12 YRS	9	11.1	87	2	2	7	17	26	29	29
13-19 YRS	12	11.4	51	<1	1	10	14	24	25	25
GRAND TOTAL	35	11.1	99	2	3	8	13	23	28	54

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	6.0		6	6	6	6	6	6	6
1-11 MOS	3	6.3	1	5	5	7	7	7	7	7
1-5 YRS	7	5.9	24	<1	<1	5	9	13	14	14
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
0-27 DYS	9	9.4	42	2	3	8	14	20	21	21
1-11 MOS	14	8.6	23	4	5	7	9	15	21	23
1-5 YRS	7	10.0	27	1	2	10	14	16	16	16
6-12 YRS	10	15.7	761	4	4	7	8	53	94	94
13-19 YRS	7	10.1	109	<1	1	6	16	28	30	30
TOT. SINGLE DX	15	5.6	12	<1	<1	5	7	9	13	14
" MULTIPLE DX	47	10.7	188	2	3	7	11	18	24	94
TOTAL 0-27 DYS	11	8.8	36	2	3	6	12	19	21	21
1-11 MOS	17	8.2	20	4	5	7	9	13	20	23
1-5 YRS	14	7.9	29	<1	<1	9	12	15	16	16
6-12 YRS	11	14.7	696	4	4	7	8	45	90	94
13-19 YRS	9	8.7	91	<1	1	4	12	25	30	30
GRAND TOTAL	62	9.5	149	1	3	7	10	17	22	86

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	2.0		2	2	2	2	2	2	2
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	2	5.0	32	1	1	5	9	9	9	9
2. MULTIPLE DX										
0-27 DYS	7	5.6	9	2	2	5	7	10	11	11
1-11 MOS	1	31.0		31	31	31	31	31	31	31
1-5 YRS										
6-12 YRS	2	6.5	13	4	4	6	9	9	9	9
13-19 YRS	1	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	7	3.9	15	<1	<1	2	7	10	10	10
" MULTIPLE DX	11	7.6	69	1	2	5	9	19	30	31
TOTAL 0-27 DYS	10	4.5	9	2	2	3	6	9	11	11
1-11 MOS	2	20.5	221	10	10	20	31	31	31	31
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	6.5	13	4	4	6	9	9	9	9
13-19 YRS	3	3.7	21	1	1	1	7	9	9	9
GRAND TOTAL	18	6.2	50	<1	1	4	9	11	23	31

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS										
13-19 YRS	6	4.2	19	<1	<1	3	3	12	13	13
2. MULTIPLE DX										
0-27 DYS	2	8.0	32	4	4	8	12	12	12	12
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	4	3.5	1	2	2	3	4	5	5	5
TOT. SINGLE DX	11	3.5	10	<1	1	3	3	7	13	13
" MULTIPLE DX	9	5.0	17	1	1	4	7	12	12	12
TOTAL 0-27 DYS	2	8.0	32	4	4	8	12	12	12	12
1-11 MOS	4	2.5		2	2	2	3	3	3	3
1-5 YRS	3	5.7	30	2	2	3	10	12	12	12
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	10	3.9	11	<1	1	3	4	9	13	13
GRAND TOTAL	20	4.2	13	<1	1	3	4	12	13	13

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	4.0	8	2	2	3	6	8	8	8
1-11 MOS	30	2.1	8	<1	<1	1	2	3	5	17
1-5 YRS	120	1.7		<1	<1	1	2	3	4	5
6-12 YRS	96	2.5	8	<1	1	2	3	4	6	18
13-19 YRS	209	2.9	4	1	1	2	3	5	6	12
2. MULTIPLE DX										
0-27 DYS	5	7.0	16	4	4	6	8	14	14	14
1-11 MOS	37	2.9	10	<1	<1	2	3	6	11	16
1-5 YRS	110	2.2	7	<1	<1	1	2	3	6	18
6-12 YRS	57	2.2	1	<1	1	2	3	4	5	5
13-19 YRS	105	4.5	81	1	1	3	5	8	11	37
TOT. SINGLE DX	459	2.4	5	<1	1	2	3	5	6	12
" MULTIPLE DX	314	3.1	16	<1	1	2	3	6	9	19
TOTAL 0-27 DYS	9	5.7	14	2	2	5	7	12	14	14
1-11 MOS	67	2.6	10	<1	<1	2	3	5	8	17
1-5 YRS	230	1.9	4	<1	<1	1	2	3	4	14
6-12 YRS	153	2.4	6	<1	1	2	3	4	5	8
13-19 YRS	314	3.4	14	1	1	3	4	6	8	17
GRAND TOTAL	773	2.7	9	<1	1	2	3	5	6	16

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	15	1.6		<1	1	2	2	2	3	3
1-5 YRS	155	1.9	3	<1	<1	2	2	3	4	7
6-12 YRS	136	2.3	2	1	1	2	3	4	5	9
13-19 YRS	383	3.1	5	1	1	3	4	5	7	13
2. MULTIPLE DX										
0-27 DYS	32	5.1	17	2	2	4	5	12	15	19
1-11 MOS	15	1.9	1	<1	<1	2	3	4	4	4
1-5 YRS	140	2.2	3	<1	<1	2	3	4	4	13
6-12 YRS	149	2.6	3	1	1	2	3	4	5	9
13-19 YRS	331	4.1	40	1	1	3	4	7	10	25
TOT. SINGLE DX	690	2.7	5	1	1	2	3	5	6	12
" MULTIPLE DX	667	3.4	23	1	1	3	4	5	8	18
TOTAL 0-27 DYS	33	5.5	21	2	2	4	5	15	17	19
1-11 MOS	30	1.8	1	<1	<1	2	2	3	4	4
1-5 YRS	295	2.1	4	<1	<1	2	2	3	4	10
6-12 YRS	285	2.5	3	1	1	2	3	4	5	9
13-19 YRS	714	3.6	22	1	1	3	4	6	8	18
GRAND TOTAL	1357	3.0	14	1	1	2	3	5	7	16

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	36	1.6		<1	<1	1	2	3	3	5
1-5 YRS	1173	2.1	1	<1	<1	2	3	3	4	7
6-12 YRS	1236	2.2	1	<1	1	2	3	4	4	6
13-19 YRS	985	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	11	6.7	127	1	1	3	7	58	94	99+
1-11 MOS	69	2.1	5	<1	<1	2	2	3	4	17
1-5 YRS	1093	2.2	1	<1	<1	2	3	4	5	7
6-12 YRS	814	2.6	2	<1	1	2	3	5	6	9
13-19 YRS	308	2.8	2	1	1	3	4	5	6	9
TOT. SINGLE DX	3430	2.1	2	<1	1	2	3	4	4	7
" MULTIPLE DX	2295	2.5	3	<1	1	2	3	4	6	9
TOTAL 0-27 DYS	11	6.7	127	1	1	3	7	58	94	99+
1-11 MOS	105	2.0	4	<1	<1	2	2	3	4	12
1-5 YRS	2266	2.1	2	<1	<1	2	3	4	4	7
6-12 YRS	2050	2.4	2	<1	1	2	3	4	5	8
13-19 YRS	1293	2.3	2	1	1	2	3	4	5	8
GRAND TOTAL	**5725**	**2.3**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**7**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	7	1.4		1	1	1	2	2	2	2
1-5 YRS	80	1.8	1	<1	<1	1	2	3	4	7
6-12 YRS	303	1.8	1	<1	1	1	2	3	4	7
13-19 YRS	266	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	9	10.0	222	1	1	5	8	35	48	48
1-11 MOS	6	1.8		1	1	2	2	3	3	3
1-5 YRS	39	2.7	6	<1	<1	2	3	7	9	12
6-12 YRS	126	2.0	5	<1	1	2	2	3	4	12
13-19 YRS	102	3.6	10	1	1	3	4	8	12	16
TOT. SINGLE DX	657	2.0	2	<1	1	2	3	4	4	7
" MULTIPLE DX	282	3.0	16	<1	1	2	3	5	9	17
TOTAL 0-27 DYS	10	9.4	201	1	1	5	5	32	48	48
1-11 MOS	13	1.6		1	1	2	2	3	3	3
1-5 YRS	119	2.1	3	<1	<1	1	2	4	6	11
6-12 YRS	429	1.9	3	<1	1	1	2	3	4	7
13-19 YRS	368	2.7	5	1	1	2	3	4	6	13
GRAND TOTAL	**939**	**2.3**	**6**	**<1**	**1**	**2**	**3**	**4**	**5**	**11**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	6.0	90	1	1	2	7	23	23	23
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	6	2.7	1	<1	<1	3	3	4	4	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS										
13-19 YRS	8	2.0	3	<1	<1	1	3	5	5	5
TOT. SINGLE DX	12	3.9	37	<1	1	2	3	10	21	23
" MULTIPLE DX	10	2.1	3	<1	<1	1	4	5	5	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	7	5.0	64	1	1	2	4	19	23	23
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	14	2.3	2	<1	<1	2	3	5	5	5
GRAND TOTAL	**22**	**3.1**	**22**	**<1**	**<1**	**2**	**3**	**5**	**12**	**23**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	118	1.6	1	<1	<1	1	2	2	3	6
1-5 YRS	460	1.7	1	<1	<1	1	2	3	3	5
6-12 YRS	318	1.9		<1	1	2	2	3	4	5
13-19 YRS	844	2.4	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS	5	18.8	1254	<1	<1	5	82	98	99+	99+
1-11 MOS	134	2.0	1	<1	<1	2	3	3	4	8
1-5 YRS	476	1.9	1	<1	<1	2	2	3	4	7
6-12 YRS	241	2.3	4	<1	1	2	3	4	5	10
13-19 YRS	330	3.1	8	1	1	3	3	5	6	13
TOT. SINGLE DX	1741	2.1	2	<1	1	2	3	3	4	7
" MULTIPLE DX	1186	2.4	10	<1	<1	2	3	4	5	10
TOTAL 0-27 DYS	6	15.8	1056	<1	<1	3	63	96	99+	99+
1-11 MOS	252	1.8	1	<1	<1	2	2	3	4	8
1-5 YRS	936	1.8	2	<1	<1	2	2	3	3	6
6-12 YRS	559	2.1	3	<1	1	2	2	3	4	9
13-19 YRS	1174	2.6	4	1	1	2	3	4	5	10
GRAND TOTAL	**2927**	**2.2**	**5**	**<1**	**<1**	**2**	**3**	**4**	**5**	**9**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	217	2.2	18	<1	<1	1	2	2	4	29
1-5 YRS	799	1.4		<1	<1	1	2	2	2	3
6-12 YRS	426	1.5		<1	<1	1	2	2	2	3
13-19 YRS	327	1.7		<1	<1	2	2	3	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	117	7.9	122	<1	<1	3	10	23	34	47
1-5 YRS	324	1.9	1	<1	<1	2	2	3	4	8
6-12 YRS	161	1.9	1	<1	<1	2	2	3	4	9
13-19 YRS	132	2.7	6	<1	1	2	3	5	7	15
TOT. SINGLE DX	3226	1.6	3	<1	<1	1	2	2	3	6
" MULTIPLE DX	1062	4.1	56	<1	<1	2	3	8	17	42
TOTAL 0-27 DYS										
1-11 MOS	482	3.7	56	<1	<1	1	2	9	20	42
1-5 YRS	2107	2.3	20	<1	<1	1	2	3	6	23
6-12 YRS	968	1.6	1	<1	<1	1	2	2	3	4
13-19 YRS	731	2.0	2	<1	<1	2	2	3	4	8
GRAND TOTAL	**4288**	**2.2**	**17**	**<1**	**<1**	**1**	**2**	**3**	**5**	**23**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	26	3.2	1	1	2	3	3	5	6	6
1-11 MOS	15	1.4		<1	<1	1	2	2	3	3
1-5 YRS	174	3.5	8	<1	<1	3	5	8	9	13
6-12 YRS	69	3.1	6	<1	<1	2	5	7	9	9
13-19 YRS	85	3.6	8	<1	1	3	5	8	11	14
2. MULTIPLE DX										
0-27 DYS	74	3.8	6	1	2	3	4	5	7	18
1-11 MOS	14	3.5	17	<1	<1	2	4	10	14	15
1-5 YRS	127	3.5	9	<1	<1	2	4	7	9	17
6-12 YRS	43	4.1	14	<1	1	2	6	11	12	14
13-19 YRS	46	6.8	76	<1	1	3	8	18	28	43
TOT. SINGLE DX	369	3.3	7	<1	<1	2	5	7	9	13
" MULTIPLE DX	304	4.1	21	<1	1	3	5	8	12	25
TOTAL 0-27 DYS	100	3.6	5	1	2	3	4	5	6	16
1-11 MOS	29	2.4	9	<1	<1	1	2	5	10	15
1-5 YRS	301	3.5	9	<1	<1	2	5	8	9	14
6-12 YRS	112	3.5	10	<1	<1	2	5	8	9	13
13-19 YRS	131	4.7	35	<1	1	3	5	10	14	32
GRAND TOTAL	**673**	**3.7**	**14**	**<1**	**<1**	**3**	**5**	**8**	**10**	**17**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	29	4.8	1	3	3	5	6	6	7	8
13-19 YRS	974	5.1	4	2	3	5	6	8	9	12
2. MULTIPLE DX										
0-27 DYS	3	9.0	9	6	6	9	11	12	12	12
1-11 MOS	1	31.0		31	31	31	31	31	31	31
1-5 YRS	5	4.8		4	4	5	5	6	6	6
6-12 YRS	30	5.6	3	2	3	6	7	7	9	10
13-19 YRS	1037	6.1	8	3	3	6	7	9	11	17
TOT. SINGLE DX	1008	5.1	4	2	3	5	6	8	8	12
" MULTIPLE DX	1076	6.1	9	3	3	6	7	9	11	18
TOTAL 0-27 DYS	5	7.0	14	2	2	6	10	12	12	12
1-11 MOS	3	12.0	271	2	2	3	24	31	31	31
1-5 YRS	6	4.5	1	3	3	4	5	6	6	6
6-12 YRS	59	5.2	3	3	3	5	6	7	8	10
13-19 YRS	2011	5.6	7	3	3	5	7	8	10	15
GRAND TOTAL	**2084**	**5.6**	**7**	**3**	**3**	**5**	**6**	**8**	**10**	**15**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	9	4.3	6	1	1	4	5	8	10	10
6-12 YRS	43	6.9	12	3	4	6	8	11	15	18
13-19 YRS	463	5.7	5	3	4	5	6	8	9	13
2. MULTIPLE DX										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	6	6.0	13	1	1	6	7	12	12	12
1-5 YRS	10	5.5	11	2	2	5	7	11	14	14
6-12 YRS	47	6.4	20	3	3	5	8	13	14	27
13-19 YRS	646	6.8	9	4	4	6	8	10	12	18
TOT. SINGLE DX	518	5.8	6	3	4	5	6	8	9	14
" MULTIPLE DX	710	6.7	10	3	4	6	8	10	13	18
TOTAL 0-27 DYS	3	8.7	41	4	4	6	13	16	16	16
1-11 MOS	7	5.9	11	1	2	5	7	11	12	12
1-5 YRS	19	4.9	9	1	2	4	6	9	12	14
6-12 YRS	90	6.6	16	3	3	6	8	12	13	23
13-19 YRS	1109	6.3	8	3	4	6	7	9	11	17
GRAND TOTAL	**1228**	**6.3**	**9**	**3**	**4**	**6**	**7**	**9**	**11**	**17**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	2	7.5	25	4	4	7	11	11	11	11
13-19 YRS	14	5 6	4	3	3	5	8	8	9	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	7.5	5	6	6	7	9	9	9	9
13-19 YRS	24	6.7	7	4	4	6	8	10	13	15
TOT. SINGLE DX	17	5.6	6	3	3	5	8	9	10	11
" MULTIPLE DX	26	6.8	7	4	4	6	8	10	13	15
TOTAL 0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	4	7.5	10	4	4	7	10	11	11	11
13-19 YRS	38	6.3	7	3	4	6	8	10	11	15
GRAND TOTAL	**43**	**6.3**	**7**	**3**	**4**	**6**	**8**	**10**	**11**	**15**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	5.3	15	1	2	4	7	12	13	13
13-19 YRS	209	3.0	4	<1	1	2	4	6	7	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	5	6.0	16	2	2	4	9	12	12	12
13-19 YRS	274	4.8	7	1	1	5	6	8	10	14
TOT. SINGLE DX	220	3.1	5	<1	1	2	4	6	7	12
" MULTIPLE DX	280	4.8	8	1	1	4	6	9	10	14
TOTAL 0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	16	5.5	15	1	2	4	7	12	13	13
13-19 YRS	483	4.0	7	1	1	3	5	7	9	13
GRAND TOTAL	**500**	**4.1**	**8**	**1**	**1**	**4**	**6**	**7**	**9**	**13**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	52	1.5		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	42	2.0	6	<1	<1	1	2	4	5	16
TOT. SINGLE DX	52	1.5	1	<1	<1	1	2	3	3	3
" MULTIPLE DX	43	2.0	6	<1	<1	1	2	4	5	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	94	1.7	3	<1	<1	1	2	3	4	12
GRAND TOTAL	**95**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**11**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	71	3.0	4	<1	<1	3	4	5	6	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.7		3	3	4	4	4	4	4
13-19 YRS	131	3.8	4	1	2	3	4	7	8	14
TOT. SINGLE DX	72	3.0	4	<1	<1	3	4	5	6	11
" MULTIPLE DX	134	3.8	5	1	2	3	4	7	8	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	3.5		3	3	3	4	4	4	4
13-19 YRS	202	3.5	5	<1	1	3	4	6	8	12
GRAND TOTAL	**206**	**3.5**	**5**	**<1**	**1**	**3**	**4**	**6**	**8**	**12**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	2.5	5	<1	<1	2	4	4	4	4
1-5 YRS										
6-12 YRS	7	5.6	6	2	2	5	8	9	9	9
13-19 YRS	396	5.0	2	3	3	5	6	7	8	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	5.7	2	4	4	6	7	7	7	7
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	7	5.4	3	3	3	5	6	8	9	9
13-19 YRS	494	5.6	6	3	3	5	6	9	10	14
TOT. SINGLE DX	406	5.0	3	3	3	5	6	7	8	10
" MULTIPLE DX	505	5.6	6	3	3	5	6	9	10	14
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	4.4	5	<1	<1	4	6	7	7	7
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	14	5.5	5	2	3	5	7	9	9	9
13-19 YRS	890	5.3	5	3	3	5	6	8	9	13
GRAND TOTAL	**911**	**5.3**	**5**	**3**	**3**	**5**	**6**	**8**	**9**	**13**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	101	2.2	1	<1	1	2	3	3	4	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS	87	2.7	27	<1	1	2	3	3	4	34
TOT. SINGLE DX	104	2.2	1	<1	1	2	3	3	4	7
" MULTIPLE DX	88	2.7	27	<1	1	2	3	3	4	34
TOTAL 0-27 DYS										
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	188	2.4	13	<1	1	2	3	3	4	8
GRAND TOTAL	**192**	**2.4**	**13**	**<1**	**1**	**2**	**3**	**3**	**4**	**8**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	4	3.3	15	<1	<1	1	5	9	9	9
13-19 YRS	85	1.7		<1	<1	2	2	3	3	4
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	6	2.3	3	<1	<1	2	4	5	5	5
13-19 YRS	93	3.1	11	<1	<1	2	3	7	10	66
TOT. SINGLE DX	91	1.7	1	<1	<1	2	2	3	3	7
" MULTIPLE DX	102	3.0	11	<1	<1	2	3	6	9	59
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	2.5	5	<1	<1	2	4	4	4	4
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	10	2.7	7	<1	<1	2	4	7	9	9
13-19 YRS	178	2.4	7	<1	<1	2	3	4	7	21
GRAND TOTAL	**193**	**2.4**	**6**	**<1**	**<1**	**2**	**3**	**4**	**7**	**21**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	117	3.2	2	1	1	3	4	6	6	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	58	4.5	9	1	1	4	6	8	12	17
TOT. SINGLE DX	117	3.2	3	1	1	3	4	6	6	8
" MULTIPLE DX	58	4.5	10	1	1	4	6	8	12	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	175	3.6	5	1	1	3	4	6	7	13
GRAND TOTAL	175	3.6	5	1	1	3	4	6	7	13

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	43	4.0	8	<1	1	3	6	7	10	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	10.5	5	9	9	10	12	12	12	12
6-12 YRS	3	8.7	74	1	1	7	15	18	18	18
13-19 YRS	48	4.1	7	<1	1	4	6	8	9	10
TOT. SINGLE DX	43	4.0	9	<1	1	3	6	7	10	13
" MULTIPLE DX	54	4.6	12	<1	1	4	6	9	10	18
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	10.5	5	9	9	10	12	12	12	12
6-12 YRS	3	8.7	74	1	1	7	15	18	18	18
13-19 YRS	91	4.0	8	<1	1	3	6	8	9	12
GRAND TOTAL	97	4.3	10	<1	1	4	6	9	10	16

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-27 DYS	3	5.7	12	2	2	6	8	9	9	9
1-11 MOS	5	6.4	2	5	5	6	8	8	8	8
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	4	5.8	1	5	5	6	6	7	7	7
13-19 YRS	25	9.4	53	5	5	7	9	14	32	33
2. MULTIPLE DX										
0-27 DYS	5	7.4	4	5	5	8	9	10	10	10
1-11 MOS	18	9.4	21	5	6	8	11	13	21	26
1-5 YRS	10	6.7	3	4	4	6	7	9	10	10
6-12 YRS	14	7.1	16	3	3	6	8	13	17	18
13-19 YRS	147	8.4	21	4	5	7	9	13	16	40
TOT. SINGLE DX	38	8.3	39	4	5	6	8	12	25	33
" MULTIPLE DX	194	8.3	20	4	5	7	9	13	15	34
TOTAL 0-27 DYS	8	6.8	7	2	3	7	9	10	10	10
1-11 MOS	23	8.7	19	5	5	8	10	12	18	26
1-5 YRS	11	6.6	3	4	5	6	7	9	10	10
6-12 YRS	18	6.8	13	3	3	6	7	11	16	18
13-19 YRS	172	8.5	26	4	5	7	9	13	18	38
GRAND TOTAL	232	8.3	23	4	5	7	9	13	15	34

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS										
13-19 YRS	7	5.0	4	2	2	5	6	8	9	9
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	7	6.1	2	4	4	6	8	73	99+	99+
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS	3	7.7	14	5	5	6	10	12	12	12
13-19 YRS	28	6.0	8	3	4	5	6	9	12	18
TOT. SINGLE DX	8	5.1	4	2	3	5	6	8	9	9
" MULTIPLE DX	41	6.0	7	3	4	5	7	10	14	99+
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	8	6.1	2	4	4	6	8	64	99+	99+
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS	3	7.7	14	5	5	6	10	12	12	12
13-19 YRS	35	5.8	8	3	4	5	6	9	11	18
GRAND TOTAL	49	5.9	7	3	4	5	6	9	12	99+

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	8.0	7	5	5	9	10	10	10	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	17.0		17	17	17	17	17	17	17
13-19 YRS										
TOT. SINGLE DX	3	8.0	7	5	5	9	10	10	10	10
" MULTIPLE DX	1	17.0		17	17	17	17	17	17	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	17.0		17	17	17	17	17	17	17
13-19 YRS	3	8.0	7	5	5	9	10	10	10	10
GRAND TOTAL	4	10.3	25	5	5	9	13	17	17	17

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	655	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	146	4.2	75	<1	<1	2	4	8	10	68
TOT. SINGLE DX	656	1.2	1	<1	<1	<1	1	2	2	4
" MULTIPLE DX	146	4.2	75	<1	<1	2	4	8	10	68
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	801	1.7	16	<1	<1	<1	1	3	4	11
GRAND TOTAL	802	1.7	15	<1	<1	<1	1	3	4	11

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	5	2.2	1	1	1	2	3	4	4	4
1-5 YRS	3	5.3	56	<1	<1	1	11	14	14	14
6-12 YRS	18	1.9	1	<1	<1	2	2	4	5	5
13-19 YRS	6845	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	13	3.7	11	<1	<1	2	5	10	10	10
1-5 YRS	3	3.0	4	1	1	3	4	5	5	5
6-12 YRS	23	3.0	2	<1	1	3	4	5	6	7
13-19 YRS	2975	3.0	7	<1	1	2	4	6	8	13
TOT. SINGLE DX	6873	1.7	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	3014	3.0	8	<1	1	2	4	6	8	13
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	18	3.3	9	<1	<1	2	4	9	10	10
1-5 YRS	6	4.2	26	<1	<1	2	5	13	14	14
6-12 YRS	41	2.5	3	<1	1	2	4	5	6	7
13-19 YRS	9820	2.1	4	<1	<1	1	2	4	5	10
GRAND TOTAL	9887	2.1	4	<1	<1	1	2	4	5	10

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	1.1		<1	<1	<1	1	1	2	2
13-19 YRS	2643	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1025	1.7	14	<1	<1	<1	<1	2	5	13
TOT. SINGLE DX	2656	1.1		<1	<1	<1	1	1	2	3
" MULTIPLE DX	1025	1.7	14	<1	<1	<1	<1	2	5	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	1.1		<1	<1	<1	1	1	2	2
13-19 YRS	3668	1.3	4	<1	<1	<1	1	1	2	7
GRAND TOTAL	3681	1.3	4	<1	<1	<1	1	1	2	7

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	3	2.7	8	1	1	1	5	6	6	6
13-19 YRS	1010	1.5	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	201	2.3	11	<1	<1	2	3	5	6	8
TOT. SINGLE DX	1014	1.5	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	202	2.3	12	<1	<1	2	3	5	6	8
TOTAL 0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	4	2.3	6	1	1	1	4	6	6	6
13-19 YRS	1211	1.6	3	<1	<1	1	2	3	4	7
GRAND TOTAL	1216	1.6	3	<1	<1	1	2	3	4	7

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	4.8	4	1	2	5	6	8	8	8
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	21	5.5	2	3	3	5	6	7	8	9
TOT. SINGLE DX	8	4.8	5	1	2	5	6	8	8	8
" MULTIPLE DX	22	5.4	2	3	4	5	6	7	8	9
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	29	5.3	3	3	3	5	6	7	8	9
GRAND TOTAL	30	5.2	3	3	3	5	6	7	8	9

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	96	3.3	6	<1	1	2	5	6	8	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	2.0	2	<1	<1	1	3	4	4	4
6-12 YRS	4	5.8	23	2	2	5	9	12	12	12
13-19 YRS	60	4.3	7	1	1	4	6	8	9	13
TOT. SINGLE DX	101	3.2	6	<1	1	2	5	6	8	13
" MULTIPLE DX	69	4.2	8	1	1	4	6	8	9	13
TOTAL 0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	6	2.5	4	<1	<1	2	4	6	6	6
6-12 YRS	6	4.5	18	1	1	3	7	11	12	12
13-19 YRS	156	3.7	7	<1	1	3	5	7	8	13
GRAND TOTAL	170	3.6	7	<1	1	3	5	7	8	13

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	3	3.3		3	3	3	4	4	4	4
2. MULTIPLE DX										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	9	7.7	6	5	5	7	8	12	14	14
1-5 YRS	2	11.0	50	6	6	11	16	16	16	16
6-12 YRS										
13-19 YRS	7	5.0	5	1	2	5	7	8	8	8
TOT. SINGLE DX	5	3.6	2	2	2	3	4	6	6	6
" MULTIPLE DX	19	7.1	11	2	4	7	8	12	15	16
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	9	7.7	7	5	5	7	8	12	14	14
1-5 YRS	3	8.0	52	2	2	6	13	16	16	16
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	10	4.5	4	1	2	4	5	7	8	8
GRAND TOTAL	24	6.3	11	2	3	6	8	9	15	16

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	5.0	9	2	2	5	7	8	8	8
1-5 YRS	14	2.4	8	<1	<1	1	2	6	10	11
6-12 YRS	34	2.1	4	1	1	1	2	6	6	10
13-19 YRS	137	2.7	8	<1	<1	1	3	7	9	16
2. MULTIPLE DX										
0-27 DYS	2	6.0	18	3	3	6	9	9	9	9
1-11 MOS	3	10.3	30	5	5	10	14	16	16	16
1-5 YRS	17	6.1	19	1	1	6	8	11	15	17
6-12 YRS	28	4.0	11	1	1	3	5	8	11	15
13-19 YRS	98	5.7	37	1	1	3	8	13	20	30
TOT. SINGLE DX	189	2.6	8	<1	1	1	3	6	8	15
" MULTIPLE DX	148	5.5	30	1	1	3	8	12	17	24
TOTAL 0-27 DYS	3	4.7	14	2	2	3	7	9	9	9
1-11 MOS	6	7.7	24	2	2	7	10	15	16	16
1-5 YRS	31	4.4	17	<1	1	2	7	11	11	17
6-12 YRS	62	3.0	8	1	1	2	4	6	9	15
13-19 YRS	235	3.9	23	<1	1	2	5	10	13	22
GRAND TOTAL	**337**	**3.9**	**20**	**<1**	**1**	**2**	**5**	**10**	**13**	**21**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	3.2	11	<1	<1	2	4	9	9	9
1-5 YRS	16	1.9	3	<1	<1	1	2	5	6	7
6-12 YRS	20	3.1	10	1	1	2	3	9	11	12
13-19 YRS	409	2.7	5	<1	<1	2	3	6	7	12
2. MULTIPLE DX										
0-27 DYS	32	5.8	107	1	2	3	4	6	35	51
1-11 MOS	2	7.5	61	2	2	7	13	13	13	13
1-5 YRS	11	2.5	8	<1	<1	2	2	6	11	11
6-12 YRS	32	4.4	40	1	1	2	5	10	13	35
13-19 YRS	329	4.8	36	<1	1	3	6	9	12	25
TOT. SINGLE DX	451	2.7	6	<1	<1	2	3	6	8	12
" MULTIPLE DX	406	4.8	42	<1	1	3	6	9	12	36
TOTAL 0-27 DYS	33	5.7	104	1	2	3	4	6	33	51
1-11 MOS	7	4.4	22	<1	<1	2	7	12	13	13
1-5 YRS	27	2.1	5	<1	<1	1	2	5	8	11
6-12 YRS	52	3.9	29	1	1	2	4	10	12	35
13-19 YRS	738	3.6	21	<1	<1	2	4	8	10	17
GRAND TOTAL	**857**	**3.7**	**24**	**<1**	**<1**	**2**	**4**	**8**	**10**	**19**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	4.3	18	2	2	3	3	12	13	13
1-11 MOS	10	1.6		<1	<1	1	2	3	3	3
1-5 YRS	41	2.6	4	<1	<1	2	4	6	7	10
6-12 YRS	37	2.6	3	1	1	2	3	4	6	10
13-19 YRS	465	2.3	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	5	5.0	5	3	3	4	7	8	8	8
1-11 MOS	7	3.9	2	1	1	4	5	6	6	6
1-5 YRS	49	2.4	3	<1	<1	2	3	5	7	7
6-12 YRS	22	4.7	19	1	1	4	5	10	16	19
13-19 YRS	214	3.6	8	1	1	3	4	7	9	17
TOT. SINGLE DX	559	2.3	3	<1	<1	2	3	4	5	8
" MULTIPLE DX	297	3.5	9	1	1	3	4	7	9	17
TOTAL 0-27 DYS	11	4.6	11	2	2	3	6	10	13	13
1-11 MOS	17	2.5	3	<1	<1	2	4	5	6	6
1-5 YRS	90	2.5	4	<1	<1	2	3	5	7	9
6-12 YRS	59	3.4	10	1	1	2	4	6	10	19
13-19 YRS	679	2.7	5	<1	1	2	3	5	6	12
GRAND TOTAL	**856**	**2.7**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	10	1.9		<1	<1	2	2	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	4	2.3	1	1	1	2	3	4	4	4
TOT. SINGLE DX	11	2.0	1	<1	<1	2	3	3	3	3
" MULTIPLE DX	6	2.2	1	1	1	2	3	4	4	4
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	14	2.0	1	<1	1	2	2	3	4	4
GRAND TOTAL	**17**	**2.1**	**1**	**<1**	**1**	**2**	**3**	**3**	**4**	**4**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	1.5	1	<1	<1	1	2	2	2	2
1-5 YRS	48	1.4		<1	<1	1	2	3	3	5
6-12 YRS	68	1.4		<1	<1	1	2	2	4	5
13-19 YRS	50	3.3	12	1	1	3	4	5	6	26
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	7.5	13	5	5	7	10	10	10	10
1-5 YRS	20	2.6	5	<1	<1	2	4	6	7	8
6-12 YRS	31	2.4	4	1	1	1	4	5	6	10
13-19 YRS	32	4.3	29	1	1	3	4	10	21	24
TOT. SINGLE DX	168	2.0	5	<1	<1	1	2	4	4	7
" MULTIPLE DX	86	3.2	15	<1	1	2	4	7	10	23
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	4.5	16	<1	<1	3	7	10	10	10
1-5 YRS	68	1.8	2	<1	<1	1	2	3	5	8
6-12 YRS	99	1.7	2	<1	1	1	2	4	5	8
13-19 YRS	82	3.6	19	1	1	3	4	6	10	25
GRAND TOTAL	254	2.4	9	<1	<1	1	3	5	6	22

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	2.5	9	<1	<1	<1	4	7	7	7
1-5 YRS	12	2.3	7	<1	<1	1	2	6	9	10
6-12 YRS	13	1.7		<1	<1	1	2	3	4	4
13-19 YRS	8	4.0	6	1	1	3	6	8	8	8
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	12	1.9	1	<1	<1	1	3	4	5	5
6-12 YRS	7	2.7	5	1	1	2	4	6	7	7
13-19 YRS	16	8.4	511	<1	<1	3	4	6	67	93
TOT. SINGLE DX	37	2.5	5	<1	<1	1	3	7	8	10
" MULTIPLE DX	37	4.9	224	<1	<1	2	4	5	7	93
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	2.6	7	<1	<1	<1	4	7	7	7
1-5 YRS	24	2.1	4	<1	<1	1	3	5	7	10
6-12 YRS	20	2.1	2	<1	<1	2	3	4	6	7
13-19 YRS	24	6.9	340	<1	1	3	4	8	34	93
GRAND TOTAL	74	3.7	115	<1	<1	2	3	5	8	73

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	3.2		2	2	3	4	4	4	4
13-19 YRS	7608	2.9	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.0	37	1	1	2	9	12	12	12
13-19 YRS	5981	3.4	4	2	2	3	4	5	6	10
TOT. SINGLE DX	7613	2.9	2	1	2	3	3	4	4	6
" MULTIPLE DX	5984	3.4	4	2	2	3	4	5	6	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	3.9	12	1	1	3	4	10	12	12
13-19 YRS	13589	3.1	3	2	2	3	4	4	5	8
GRAND TOTAL	13597	3.1	3	2	2	3	4	4	5	8

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	106	2.8	1	1	1	3	3	4	5	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	222	3.1	11	1	1	3	3	5	6	14
TOT. SINGLE DX	106	2.8	1	1	1	3	3	4	5	5
" MULTIPLE DX	222	3.1	11	1	1	3	3	5	6	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	328	3.0	8	1	1	3	3	4	5	14
GRAND TOTAL	328	3.0	8	1	1	3	3	4	5	14

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	1308	2.9	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1691	3.4	3	2	2	3	4	5	6	9
TOT. SINGLE DX	1309	2.9	1	1	2	3	3	4	4	6
" MULTIPLE DX	1691	3.4	4	2	2	3	4	5	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	2999	3.2	3	1	2	3	4	4	5	8
GRAND TOTAL	3000	3.2	3	1	2	3	4	4	5	8

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	21	2.4	1	1	1	2	3	4	5	5
13-19 YRS	46453	2.7	1	1	1	3	3	4	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	3.4		3	3	3	4	5	5	5
13-19 YRS	13082	3.2	5	1	2	3	4	5	6	11
TOT. SINGLE DX	46474	2.7	1	1	1	3	3	4	4	6
" MULTIPLE DX	13089	3.2	5	1	2	3	4	5	6	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	28	2.6	1	1	1	3	3	4	5	5
13-19 YRS	59535	2.8	2	1	2	3	3	4	5	7
GRAND TOTAL	59563	2.8	2	1	2	3	3	4	5	7

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	5062	5.3	2	3	4	5	6	7	8	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	7.3	3	5	5	7	9	10	10	10
13-19 YRS	11422	6.1	10	4	4	5	7	8	11	18
TOT. SINGLE DX	5063	5.3	3	3	4	5	6	7	8	11
" MULTIPLE DX	11429	6.1	11	4	4	5	7	8	11	18
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	7.3	3	5	5	7	8	10	10	10
13-19 YRS	16484	5.9	8	3	4	5	6	8	10	16
GRAND TOTAL	16492	5.9	8	3	4	5	6	8	10	16

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	388	5.2	2	3	4	5	6	7	8	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	553	6.5	15	3	4	6	7	10	11	24
TOT. SINGLE DX	388	5.2	2	3	4	5	6	7	8	11
" MULTIPLE DX	553	6.5	15	3	4	6	7	10	11	24
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	941	6.0	10	3	4	5	6	9	10	16
GRAND TOTAL	941	6.0	10	3	4	5	6	9	10	16

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	4.7	2	2	3	4	6	7	8	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	12	5.7	12	2	3	4	7	12	13	13
TOT. SINGLE DX	19	4.7	2	2	3	4	6	7	8	8
" MULTIPLE DX	12	5.7	12	2	3	4	7	12	13	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	31	5.1	6	2	3	4	6	8	11	13
GRAND TOTAL	31	5.1	6	2	3	4	6	8	11	13

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	12	1.8	1	1	1	2	2	4	5	5
13-19 YRS	2501	1.5		1	1	1	2	2	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.0	1	1	1	2	3	4	4	4
13-19 YRS	396	2.1	1	1	1	2	2	3	4	7
TOT. SINGLE DX	2513	1.6	1	1	1	1	2	2	3	4
" MULTIPLE DX	401	2.1	1	1	1	2	2	3	4	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	17	1.9	1	1	1	2	2	4	5	5
13-19 YRS	2897	1.6	1	1	1	1	2	2	3	5
GRAND TOTAL	2914	1.6	1	1	1	1	2	2	3	5

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	201	4.2	21	<1	<1	3	5	8	13	28
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	170	5.3	30	1	1	4	6	10	18	32
TOT. SINGLE DX	201	4.2	22	<1	<1	3	5	8	13	28
" MULTIPLE DX	170	5.3	30	1	1	4	6	10	18	32
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	371	4.7	26	<1	1	3	6	9	15	32
GRAND TOTAL	371	4.7	26	<1	1	3	6	9	15	32

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	3948	2.3	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.7	1	2	2	2	4	4	4	4
13-19 YRS	1696	3.1	6	<1	1	3	4	5	6	12
TOT. SINGLE DX	3950	2.3	2	<1	<1	2	3	4	4	7
" MULTIPLE DX	1699	3.1	6	<1	1	3	4	5	6	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.0	2	<1	<1	2	3	4	4	4
13-19 YRS	5644	2.5	3	<1	<1	2	3	4	5	8
GRAND TOTAL	5649	2.5	3	<1	<1	2	3	4	5	8

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	2.8		1	1	3	3	4	4	4
13-19 YRS	6339	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	8.0	151	2	2	3	10	30	30	30
13-19 YRS	5681	3.0	3	1	2	3	3	4	5	9
TOT. SINGLE DX	6347	2.6	2	1	1	3	3	4	4	5
" MULTIPLE DX	5686	3.0	3	1	2	3	3	4	5	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	4.8	58	1	2	3	3	9	26	30
13-19 YRS	12020	2.8	2	1	2	3	3	4	5	7
GRAND TOTAL	12033	2.8	2	1	2	3	3	4	5	7

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	21	4.1	17	<1	<1	2	5	11	14	16
6-12 YRS	30	3.2	9	<1	<1	2	3	7	8	15
13-19 YRS	93	3.4	5	1	1	3	4	6	9	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	10.1	325	1	1	2	10	42	53	53
6-12 YRS	19	2.6	3	<1	<1	2	3	5	7	9
13-19 YRS	79	3.7	3	1	2	3	4	6	8	11
TOT. SINGLE DX	144	3.5	8	<1	1	3	4	7	10	15
" MULTIPLE DX	106	4.0	28	1	1	3	4	6	9	32
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	29	5.8	101	<1	<1	2	5	14	18	53
6-12 YRS	49	3.0	7	<1	<1	2	3	7	8	15
13-19 YRS	172	3.5	4	1	1	3	4	6	8	11
GRAND TOTAL	250	3.7	16	1	1	3	4	7	9	16

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	5	6.2	12	3	3	5	8	12	12	12
1-5 YRS	13	5.2	4	3	3	5	6	9	11	11
6-12 YRS	37	5.4	14	2	2	4	6	12	12	18
13-19 YRS	1307	3.6	1	2	2	3	4	5	6	8
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	7	6.6	15	2	2	5	8	13	14	14
1-5 YRS	23	11.6	91	1	2	8	18	28	31	32
6-12 YRS	32	6.5	26	2	2	5	6	13	17	23
13-19 YRS	1153	4.1	7	2	3	4	4	6	7	11
TOT. SINGLE DX	1363	3.7	2	2	2	4	4	5	6	9
" MULTIPLE DX	1216	4.3	11	2	3	4	5	6	8	16
TOTAL 0-27 DYS	2	8.0	18	5	5	8	11	11	11	11
1-11 MOS	12	6.4	13	2	3	5	8	13	14	14
1-5 YRS	36	9.3	69	2	3	6	10	25	29	32
6-12 YRS	69	5.9	20	2	2	4	8	12	14	22
13-19 YRS	2460	3.9	5	2	2	4	4	5	6	9
GRAND TOTAL	2579	4.0	7	2	2	4	4	6	7	12

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	34	2.2	2	<1	<1	2	2	4	6	6
6-12 YRS	120	2.4	2	1	1	2	3	4	6	10
13-19 YRS	438	2.7	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	4.7	10	1	1	6	7	7	7	7
1-5 YRS	43	5.9	90	1	1	3	6	10	20	57
6-12 YRS	164	3.7	32	1	1	3	4	6	8	29
13-19 YRS	570	5.0	46	1	1	3	5	9	13	34
TOT. SINGLE DX	592	2.6	3	1	1	2	3	5	6	10
" MULTIPLE DX	780	4.8	46	1	1	3	5	8	12	34
TOTAL 0-27 DYS										
1-11 MOS	3	4.7	10	1	1	6	7	7	7	7
1-5 YRS	77	4.2	54	<1	1	2	4	7	10	50
6-12 YRS	284	3.2	20	1	1	2	3	6	7	11
13-19 YRS	1008	4.0	29	1	1	3	4	7	10	31
GRAND TOTAL	1372	3.8	29	1	1	3	4	7	10	32

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	12	3.3	13	<1	<1	2	3	8	13	14
6-12 YRS	39	2.6	4	<1	1	2	3	5	8	9
13-19 YRS	443	3.1	4	1	1	3	4	5	6	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	19	6.7	64	1	1	6	7	10	26	38
6-12 YRS	117	6.3	55	1	1	4	7	13	21	41
13-19 YRS	744	6.3	55	1	2	4	7	13	19	39
TOT. SINGLE DX	494	3.0	5	1	1	3	4	5	7	13
" MULTIPLE DX	882	6.3	56	1	2	4	7	13	19	40
TOTAL 0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	31	5.4	47	1	1	3	7	9	14	38
6-12 YRS	156	5.4	45	1	1	4	6	9	17	40
13-19 YRS	1187	5.1	39	1	2	3	6	10	15	30
GRAND TOTAL	1376	5.1	40	1	1	3	6	10	15	34

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	8	2.3		2	2	2	3	3	3	3
1-5 YRS	4	3.3	15	<1	<1	1	5	9	9	9
6-12 YRS	24	4.1	6	1	2	4	5	7	10	12
13-19 YRS	49	4.0	10	1	1	3	5	8	12	15
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	8.3	126	2	2	4	7	29	31	31
1-5 YRS	7	7.6	32	2	2	6	12	16	17	17
6-12 YRS	13	3.2	1	1	2	3	4	4	5	5
13-19 YRS	58	4.9	14	1	1	4	6	8	10	24
TOT. SINGLE DX	85	3.8	9	1	1	3	5	7	12	14
" MULTIPLE DX	85	5.1	22	1	2	4	6	8	14	29
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	14	4.9	59	2	2	2	4	9	26	31
1-5 YRS	11	6.0	28	<1	1	4	8	15	17	17
6-12 YRS	37	3.8	5	1	2	3	4	6	8	12
13-19 YRS	107	4.5	13	1	1	4	6	8	12	19
GRAND TOTAL	170	4.5	16	1	1	3	6	8	12	23

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	11	6.8	26	2	3	5	9	14	20	20
1-5 YRS	279	5.9	39	2	2	4	6	11	19	36
6-12 YRS	560	6.7	53	1	2	4	7	14	21	42
13-19 YRS	846	5.1	32	1	1	4	6	9	15	28
2. MULTIPLE DX										
0-27 DYS	2	11.5	181	2	2	11	21	21	21	21
1-11 MOS	17	15.8	134	<1	2	14	25	26	37	43
1-5 YRS	228	7.7	100	2	3	5	7	15	30	50
6-12 YRS	461	8.4	111	2	2	5	9	17	27	62
13-19 YRS	600	7.2	69	1	2	5	8	15	22	45
TOT. SINGLE DX	1696	5.8	41	1	2	4	6	11	18	36
" MULTIPLE DX	1308	7.8	91	2	2	5	8	16	26	48
TOTAL 0-27 DYS	2	11.5	181	2	2	11	21	21	21	21
1-11 MOS	28	12.3	109	1	2	9	21	26	28	43
1-5 YRS	507	6.7	67	2	2	4	6	13	21	46
6-12 YRS	1021	7.5	80	1	2	5	8	15	23	45
13-19 YRS	1446	5.9	48	1	1	4	7	12	18	39
GRAND TOTAL	3004	6.7	64	1	2	4	7	13	21	44

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	5	3.2	1	2	2	3	4	5	5	5
6-12 YRS	63	3.5	2	2	2	3	4	5	6	8
13-19 YRS	798	3.3	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	7	3.6	1	2	2	4	5	5	5	5
1-5 YRS	6	4.3	4	2	2	4	5	8	8	8
6-12 YRS	75	3.8	3	1	2	3	5	7	7	10
13-19 YRS	885	3.7	3	1	2	3	5	6	7	10
TOT. SINGLE DX	869	3.3	2	1	2	3	4	5	6	8
" MULTIPLE DX	973	3.8	4	1	2	3	5	6	7	10
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	9	3.3	2	2	2	3	4	5	5	5
1-5 YRS	11	3.8	3	2	2	3	5	6	8	8
6-12 YRS	138	3.7	3	1	2	3	4	6	7	10
13-19 YRS	1683	3.5	3	1	2	3	4	5	6	9
GRAND TOTAL	1842	3.6	3	1	2	3	4	5	6	9

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	2.8	4	<1	<1	2	4	6	6	6
1-11 MOS	24	6.1	56	1	1	3	7	14	26	32
1-5 YRS	265	5.9	62	1	1	3	6	14	23	42
6-12 YRS	1198	4.0	26	1	1	3	4	7	10	32
13-19 YRS	3531	3.5	16	1	1	3	4	6	9	22
2. MULTIPLE DX										
0-27 DYS	7	18.3	702	3	3	5	25	65	74	74
1-11 MOS	19	14.3	198	1	2	11	22	40	43	44
1-5 YRS	133	8.3	95	1	1	4	10	22	29	44
6-12 YRS	420	9.0	127	1	2	4	10	25	33	53
13-19 YRS	1687	7.1	121	1	1	3	6	17	31	62
TOT. SINGLE DX	5023	3.8	22	1	1	3	4	6	10	27
" MULTIPLE DX	2266	7.6	124	1	1	3	7	20	32	58
TOTAL 0-27 DYS	12	11.8	448	<1	1	4	6	44	70	74
1-11 MOS	43	9.7	133	1	2	4	14	26	39	44
1-5 YRS	398	6.7	75	1	1	3	7	18	25	42
6-12 YRS	1618	5.3	57	1	1	3	5	10	22	41
13-19 YRS	5218	4.7	53	1	1	3	4	8	16	44
GRAND TOTAL	**7289**	**5.0**	**57**	**1**	**1**	**3**	**4**	**9**	**18**	**44**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	24	4.8	25	1	2	3	5	11	17	24
1-5 YRS	105	9.7	85	1	1	5	17	23	28	34
6-12 YRS	624	8.0	88	1	2	5	8	18	27	48
13-19 YRS	1121	5.5	38	1	2	4	6	10	15	37
2. MULTIPLE DX										
0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	6	3.5	8	1	1	3	4	8	9	9
1-5 YRS	76	9.8	90	2	2	5	15	23	26	44
6-12 YRS	315	9.8	155	2	2	5	10	25	39	69
13-19 YRS	538	8.8	127	2	2	5	9	20	31	62
TOT. SINGLE DX	1874	6.5	59	1	2	4	7	14	21	39
" MULTIPLE DX	937	9.2	133	2	2	5	10	23	33	64
TOTAL 0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	30	4.5	22	1	2	3	5	10	14	24
1-5 YRS	181	9.8	87	1	2	5	16	23	28	41
6-12 YRS	939	8.6	111	1	2	5	9	21	31	58
13-19 YRS	1659	6.6	70	1	2	4	7	13	21	47
GRAND TOTAL	**2811**	**7.4**	**85**	**1**	**2**	**4**	**8**	**17**	**26**	**48**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	13	1.7	1	<1	<1	1	2	4	4	4
1-5 YRS	178	2.8	16	<1	<1	2	3	5	15	21
6-12 YRS	493	3.6	40	<1	<1	2	3	5	12	37
13-19 YRS	2254	2.8	12	<1	<1	2	3	4	6	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	16	3.6	12	<1	<1	2	7	8	11	12
1-5 YRS	159	3.0	17	<1	<1	2	3	5	8	27
6-12 YRS	372	4.8	50	1	1	3	4	8	18	39
13-19 YRS	855	4.7	50	1	1	3	5	8	12	47
TOT. SINGLE DX	2939	2.9	17	<1	<1	2	3	4	6	22
" MULTIPLE DX	1402	4.5	47	<1	1	3	4	8	13	43
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	29	2.7	8	<1	<1	1	3	8	9	12
1-5 YRS	337	2.9	17	<1	<1	2	3	5	13	22
6-12 YRS	865	4.1	45	<1	<1	2	4	7	14	38
13-19 YRS	3109	3.3	24	<1	1	2	3	5	7	26
GRAND TOTAL	**4341**	**3.4**	**27**	**<1**	**1**	**2**	**3**	**6**	**8**	**29**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	11.0	129	3	3	6	19	24	24	24
1-5 YRS	67	16.4	128	2	3	18	25	30	33	53
6-12 YRS	148	19.8	180	3	4	20	29	40	43	46
13-19 YRS	174	12.8	139	2	3	9	15	31	39	56
2. MULTIPLE DX										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MCS	1	17.0		17	17	17	17	17	17	17
1-5 YRS	30	21.2	82	2	5	23	27	32	34	35
6-12 YRS	85	26.9	251	4	6	25	34	50	58	74
13-19 YRS	192	21.6	251	5	7	16	29	46	59	72
TOT. SINGLE DX	392	16.0	162	2	3	12	24	35	41	52
" MULTIPLE DX	309	23.0	238	5	7	20	30	45	56	72
TOTAL 0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	4	12.5	95	3	3	11	20	24	24	24
1-5 YRS	97	17.9	119	2	3	20	26	30	33	47
6-12 YRS	233	22.4	217	3	4	22	32	41	45	64
13-19 YRS	366	17.4	217	3	4	13	22	40	50	68
GRAND TOTAL	**701**	**19.1**	**207**	**3**	**4**	**16**	**27**	**39**	**45**	**66**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	22.0		22	22	22	22	22	22	22
1-11 MOS	8	15.4	58	5	7	13	20	27	28	28
1-5 YRS	20	11.0	69	2	3	7	17	25	27	28
6-12 YRS	145	9.8	105	2	3	7	11	19	29	59
13-19 YRS	408	10.4	41	3	4	9	13	19	23	30
2. MULTIPLE DX										
0-27 DYS	3	16.0	21	11	11	17	19	20	20	20
1-11 MOS	12	15.0	17	11	11	14	16	23	24	24
1-5 YRS	27	18.2	185	3	4	16	23	41	46	53
6-12 YRS	81	14.5	140	4	5	10	16	29	44	54
13-19 YRS	589	18.8	178	5	7	15	23	37	48	77
TOT. SINGLE DX	583	10.4	59	3	4	9	13	19	24	48
" MULTIPLE DX	712	18.2	173	5	6	14	22	36	48	69
TOTAL 0-27 DYS	5	18.4	21	11	11	20	22	22	22	22
1-11 MOS	20	15.2	32	8	11	14	17	24	26	28
1-5 YRS	47	15.1	147	2	4	12	20	33	42	53
6-12 YRS	226	11.5	123	3	3	8	13	25	38	57
13-19 YRS	997	15.4	139	4	5	12	19	29	41	66
GRAND TOTAL	1295	14.7	137	3	4	12	18	28	40	64

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	50	7.0	46	<1	1	4	12	17	22	23
1-5 YRS	374	9.7	87	1	1	5	18	23	26	34
6-12 YRS	272	14.6	188	1	2	9	24	33	44	53
13-19 YRS	239	11.0	170	1	2	6	13	30	44	55
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	22	11.9	72	2	3	9	19	22	28	30
1-5 YRS	139	12.4	96	1	2	11	19	26	32	49
6-12 YRS	156	20.4	301	2	3	18	30	44	55	72
13-19 YRS	175	23.1	363	3	4	18	33	54	67	99+
TOT. SINGLE DX	936	11.3	141	1	1	6	18	27	35	53
" MULTIPLE DX	492	18.7	275	2	3	15	27	44	55	85
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	72	8.5	59	1	1	6	14	20	22	29
1-5 YRS	513	10.4	91	1	1	7	18	24	27	38
6-12 YRS	428	16.7	236	2	2	11	26	38	49	63
13-19 YRS	414	16.1	287	1	2	9	24	45	54	81
GRAND TOTAL	1428	13.9	199	1	2	8	21	32	44	64

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	3.2	19	1	1	1	4	11	11	11
1-5 YRS	234	5.6	38	1	1	2	8	15	18	27
6-12 YRS	549	5.1	50	1	1	2	5	15	20	30
13-19 YRS	634	3.4	26	<1	1	2	4	6	10	28
2. MULTIPLE DX										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	45	7.8	71	1	1	4	12	20	25	36
6-12 YRS	151	9.2	92	1	1	5	15	21	24	49
13-19 YRS	258	9.0	194	1	1	4	9	20	39	84
TOT. SINGLE DX	1422	4.4	38	<1	1	2	4	12	17	28
" MULTIPLE DX	457	8.9	147	1	1	4	10	21	30	63
TOTAL 0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	6	3.7	17	1	1	2	6	10	11	11
1-5 YRS	279	6.0	44	1	1	3	10	15	19	28
6-12 YRS	700	6.0	62	1	1	2	7	18	21	34
13-19 YRS	892	5.0	81	<1	1	2	5	10	17	50
GRAND TOTAL	1879	5.5	68	1	1	2	6	15	20	42

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	8	4.3	16	1	1	2	6	11	12	12
1-5 YRS	404	2.6	3	1	1	2	3	5	7	10
6-12 YRS	1443	2.9	6	1	1	2	4	5	7	12
13-19 YRS	4513	3.5	11	1	1	3	4	6	8	16
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	9	10.4	231	1	1	5	11	36	49	49
1-5 YRS	144	5.3	59	1	1	3	6	9	18	46
6-12 YRS	490	5.4	56	1	1	3	6	10	16	37
13-19 YRS	2211	7.3	89	1	2	4	8	15	25	55
TOT. SINGLE DX	6369	3.3	10	1	1	3	4	6	8	15
" MULTIPLE DX	2855	6.9	83	1	1	4	7	14	24	52
TOTAL 0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	17	7.5	133	1	1	4	9	15	37	49
1-5 YRS	548	3.3	20	1	1	2	4	6	8	21
6-12 YRS	1933	3.6	20	1	1	3	4	6	9	23
13-19 YRS	6724	4.8	40	1	1	3	5	9	13	38
GRAND TOTAL	9224	4.4	35	1	1	3	5	8	12	33

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	29	3.5	38	<1	<1	2	3	5	12	34
1-5 YRS	1930	2.1	8	<1	1	1	2	4	6	18
6-12 YRS	6477	2.1	6	<1	1	1	2	4	5	16
13-19 YRS	4024	2.6	11	<1	1	2	3	5	7	15
2. MULTIPLE DX										
0-27 DYS	9	6.1	63	2	2	4	5	19	27	27
1-11 MOS	14	6.5	38	1	1	4	10	18	20	20
1-5 YRS	348	4.9	51	1	1	2	5	13	18	31
6-12 YRS	1318	4.4	46	1	1	2	4	10	17	37
13-19 YRS	1718	6.2	79	1	1	3	7	14	22	49
TOT. SINGLE DX	12463	2.3	9	<1	1	1	2	4	6	17
" MULTIPLE DX	3407	5.4	64	1	1	3	6	12	20	44
TOTAL 0-27 DYS	12	4.9	51	1	1	3	5	12	25	27
1-11 MOS	43	4.5	40	<1	1	2	4	10	19	34
1-5 YRS	2278	2.6	16	<1	1	1	2	5	9	21
6-12 YRS	7795	2.5	14	<1	1	1	2	4	7	21
13-19 YRS	5742	3.7	34	1	1	2	4	7	12	32
GRAND TOTAL	**15870**	**2.9**	**22**	**<1**	**1**	**2**	**3**	**6**	**9**	**24**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	5.0	33	1	1	2	9	14	15	15
1-11 MOS	130	10.0	70	1	1	9	14	19	24	38
1-5 YRS	138	6.4	63	<1	<1	3	9	17	22	37
6-12 YRS	233	2.5	7	<1	1	1	3	6	9	14
13-19 YRS	431	2.7	12	<1	1	1	3	5	9	20
2. MULTIPLE DX										
0-27 DYS	31	4.3	10	2	2	3	5	7	8	19
1-11 MOS	27	10.9	56	<1	2	11	14	21	25	30
1-5 YRS	35	11.1	175	<1	1	6	19	24	39	60
6-12 YRS	82	7.7	262	1	1	2	5	23	39	91
13-19 YRS	254	7.3	96	1	1	4	9	19	23	52
TOT. SINGLE DX	938	4.2	34	<1	1	2	4	12	16	28
" MULTIPLE DX	429	7.7	127	1	1	3	9	20	26	56
TOTAL 0-27 DYS	37	4.4	13	1	2	3	5	8	13	19
1-11 MOS	157	10.1	68	1	1	9	14	19	24	33
1-5 YRS	173	7.3	89	<1	<1	3	10	20	25	44
6-12 YRS	315	3.9	79	<1	1	2	3	7	13	46
13-19 YRS	685	4.4	48	<1	1	2	4	11	18	29
GRAND TOTAL	**1367**	**5.3**	**66**	**<1**	**1**	**2**	**6**	**14**	**20**	**36**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	40	7.9	56	2	2	5	10	19	24	33
1-5 YRS	79	6.2	35	1	2	4	7	13	19	32
6-12 YRS	93	2.8	15	1	1	2	3	6	9	25
13-19 YRS	427	3.1	4	1	1	3	4	5	7	11
2. MULTIPLE DX										
0-27 DYS	1	36.0		36	36	36	36	36	36	36
1-11 MOS	31	13.8	151	2	3	7	23	31	38	44
1-5 YRS	46	9.4	81	2	2	6	11	25	28	39
6-12 YRS	54	5.1	14	1	1	4	7	11	14	17
13-19 YRS	129	5.5	51	1	1	3	6	10	16	43
TOT. SINGLE DX	639	3.7	15	1	1	3	4	6	10	22
" MULTIPLE DX	261	7.2	72	1	1	4	7	19	26	42
TOTAL 0-27 DYS	1	36.0		36	36	36	36	36	36	36
1-11 MOS	71	10.5	105	2	2	5	19	25	33	43
1-5 YRS	125	7.4	55	1	2	5	8	19	25	35
6-12 YRS	147	3.6	16	1	1	2	4	8	12	22
13-19 YRS	556	3.6	16	1	1	3	4	6	9	19
GRAND TOTAL	**900**	**4.7**	**34**	**1**	**1**	**3**	**5**	**9**	**16**	**33**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	153	5.4	37	1	2	3	5	14	18	28
1-5 YRS	300	6.3	46	1	1	4	7	16	21	32
6-12 YRS	353	4.5	31	<1	1	3	5	9	15	30
13-19 YRS	2039	2.9	7	1	1	2	3	5	6	16
2. MULTIPLE DX										
0-27 DYS	8	16.9	129	1	2	21	29	72	99+	99+
1-11 MOS	97	10.8	88	2	3	7	15	26	29	43
1-5 YRS	211	8.9	59	2	2	5	14	21	24	30
6-12 YRS	227	8.8	106	1	1	4	11	26	33	42
13-19 YRS	1179	4.3	46	1	1	3	4	7	13	40
TOT. SINGLE DX	2847	3.6	18	1	1	2	4	6	11	24
" MULTIPLE DX	1722	5.9	65	1	1	3	5	15	23	41
TOTAL 0-27 DYS	10	14.3	130	1	2	14	28	58	96	99+
1-11 MOS	250	7.5	64	1	2	4	11	19	27	33
1-5 YRS	511	7.4	53	1	2	4	10	19	23	31
6-12 YRS	580	6.2	65	<1	1	3	6	16	26	39
13-19 YRS	3218	3.4	23	1	1	2	4	5	8	25
GRAND TOTAL	**4569**	**4.5**	**37**	**1**	**1**	**3**	**4**	**9**	**16**	**32**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	9	13.4	149	5	5	9	15	35	42	42
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	17	10.5	60	4	4	5	20	22	23	23
13-19 YRS	366	7.7	24	2	3	6	10	14	20	27
2. MULTIPLE DX										
0-27 DYS	2	18.5	61	13	13	18	24	24	24	24
1-11 MOS	7	11.9	45	3	3	10	19	20	20	20
1-5 YRS	4	5.8	13	3	3	4	8	11	11	11
6-12 YRS	7	14.9	46	8	8	13	21	25	25	25
13-19 YRS	116	12.5	131	3	4	9	15	28	37	57
TOT. SINGLE DX	396	7.9	29	3	3	6	10	14	21	30
" MULTIPLE DX	136	12.5	119	3	4	9	15	26	35	54
TOTAL 0-27 DYS	4	10.8	100	3	3	8	18	24	24	24
1-11 MOS	16	12.8	98	4	5	10	17	24	37	42
1-5 YRS	6	5.0	9	3	3	4	5	10	11	11
6-12 YRS	24	11.8	58	4	4	10	20	23	24	25
13-19 YRS	482	8.9	54	3	3	7	11	17	23	48
GRAND TOTAL	532	9.1	56	3	3	7	11	18	23	44

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	3	2.7	1	2	2	3	52	99+	99+	99+
1-5 YRS	4	5.8	1	4	4	6	7	7	7	7
6-12 YRS	79	2.8	2	<1	1	2	4	5	6	8
13-19 YRS	2610	2.5	2	<1	1	2	3	5	5	8
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	10	2.3	1	1	1	2	3	4	4	4
1-5 YRS	3	2.0	1	1	1	2	3	3	3	3
6-12 YRS	36	2.6	2	1	1	2	3	4	6	9
13-19 YRS	1962	2.9	7	<1	1	2	4	5	6	12
TOT. SINGLE DX	2696	2.5	2	<1	1	2	3	5	5	8
" MULTIPLE DX	2012	2.9	7	1	1	2	4	5	6	11
TOTAL 0-27 DYS	3	1.7		<1	<1	2	2	2	2	2
1-11 MOS	13	2.4	1	1	1	2	4	14	81	99+
1-5 YRS	7	4.1	5	1	1	4	6	7	7	7
6-12 YRS	115	2.7	3	<1	1	2	3	5	6	9
13-19 YRS	4572	2.7	4	<1	1	2	3	5	6	9
GRAND TOTAL	4710	2.7	4	<1	1	2	3	5	6	9

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	20	7.9	87	<1	1	3	12	25	30	31
1-5 YRS	85	5.3	86	<1	1	2	5	12	20	58
6-12 YRS	453	3.0	15	<1	<1	2	3	5	8	23
13-19 YRS	4294	2.3	5	<1	1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS	4	7.0	12	4	4	6	9	12	12	12
1-11 MOS	16	8.9	51	<1	1	6	15	20	21	21
1-5 YRS	40	10.0	115	1	1	4	15	26	33	43
6-12 YRS	170	5.9	65	1	1	3	6	18	26	32
13-19 YRS	2262	3.0	18	<1	1	2	3	5	7	20
TOT. SINGLE DX	4853	2.4	8	<1	<1	2	3	4	5	13
" MULTIPLE DX	2492	3.4	25	<1	1	2	3	6	10	27
TOTAL 0-27 DYS	5	6.0	15	2	2	5	8	12	12	12
1-11 MOS	36	8.4	70	<1	1	4	14	21	27	31
1-5 YRS	125	6.8	100	<1	1	3	8	19	26	51
6-12 YRS	623	3.8	30	<1	<1	2	3	7	14	29
13-19 YRS	6556	2.5	10	<1	1	2	3	4	6	14
GRAND TOTAL	7345	2.7	14	<1	1	2	3	5	6	19

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS										
1-5 YRS	17	12.7	99	5	5	10	15	17	37	48
6-12 YRS	170	11.5	37	5	7	10	12	17	24	39
13-19 YRS	596	11.5	30	6	7	10	13	17	19	32
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	8.0	18	5	5	8	11	11	11	11
1-5 YRS	41	10.6	47	4	4	9	12	18	21	43
6-12 YRS	163	14.9	96	5	7	12	18	26	37	52
13-19 YRS	442	17.1	170	6	8	13	21	33	49	99+
TOT. SINGLE DX	784	11.5	33	6	7	10	13	17	20	38
" MULTIPLE DX	648	16.1	146	6	7	12	19	32	44	99
TOTAL 0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	2	8.0	18	5	5	8	11	11	11	11
1-5 YRS	58	11.2	62	4	5	10	13	17	21	48
6-12 YRS	333	13.2	69	5	7	11	15	23	32	45
13-19 YRS	1038	13.9	97	6	7	11	15	24	33	78
GRAND TOTAL	1432	13.6	90	6	7	11	15	23	32	66

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	24	3.1	1	1	1	3	4	4	5	6
6-12 YRS	81	4.0	7	1	1	4	5	7	8	16
13-19 YRS	356	4.1	8	1	2	3	5	8	9	15
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	3.3	2	2	2	3	4	5	5	5
1-5 YRS	26	4.7	12	1	2	4	5	9	14	15
6-12 YRS	136	4.7	9	2	2	4	5	7	10	19
13-19 YRS	305	6.2	43	1	2	5	7	11	17	39
TOT. SINGLE DX	463	4.0	8	1	1	3	5	7	9	15
" MULTIPLE DX	471	5.7	32	1	2	4	6	10	14	27
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	5	2.8	2	1	1	3	4	5	5	5
1-5 YRS	50	3.9	8	1	2	3	4	7	9	15
6-12 YRS	217	4.5	9	1	2	4	5	7	9	18
13-19 YRS	661	5.1	26	1	2	4	6	9	12	26
GRAND TOTAL	934	4.9	21	1	2	4	6	8	11	21

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	15.0	18	12	12	15	18	18	18	18
6-12 YRS										
13-19 YRS	13	14.2	59	5	8	12	15	29	31	32
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	19.2	103	9	9	15	26	35	35	35
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	34.0	648	16	16	34	52	52	52	52
13-19 YRS	22	16.0	40	8	9	15	21	23	28	33
TOT. SINGLE DX	15	14.3	52	5	9	12	15	28	31	32
" MULTIPLE DX	30	17.2	96	7	8	15	22	28	35	52
TOTAL 0-27 DYS										
1-11 MOS	5	19.2	103	9	9	15	26	35	35	35
1-5 YRS	3	10.3	74	1	1	12	16	18	18	18
6-12 YRS	2	34.0	648	16	16	34	52	52	52	52
13-19 YRS	35	15.3	47	7	9	14	18	24	31	33
GRAND TOTAL	45	16.2	82	6	9	14	19	28	33	52

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	11	15.6	76	4	5	14	21	29	32	32
6-12 YRS	11	6.3	10	3	3	6	8	12	13	13
13-19 YRS	32	10.7	63	2	3	9	12	21	31	34
2. MULTIPLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	4	11.5	63	4	4	10	18	21	21	21
1-5 YRS	10	15.7	92	2	4	15	23	29	30	30
6-12 YRS	10	8.1	78	2	2	6	7	22	32	32
13-19 YRS	18	16.4	211	3	6	13	15	35	54	64
TOT. SINGLE DX	55	10.8	61	2	3	9	13	21	31	34
" MULTIPLE DX	43	13.7	139	2	3	12	16	29	34	64
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	5	11.6	47	4	4	12	16	21	21	21
1-5 YRS	21	15.7	80	3	5	15	21	29	32	32
6-12 YRS	21	7.1	42	2	3	6	7	12	22	32
13-19 YRS	50	12.7	121	2	3	10	14	25	34	64
GRAND TOTAL	98	12.1	96	2	3	10	15	28	32	51

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	10.0	72	4	4	10	16	16	16	16
1-11 MOS	3	10.3	54	2	2	13	15	16	16	16
1-5 YRS	5	2.6	1	2	2	2	3	4	4	4
6-12 YRS	87	3.8	2	2	2	4	5	6	7	9
13-19 YRS	1983	4.2	7	1	2	4	5	7	8	11
2. MULTIPLE DX										
0-27 DYS	2	13.0	98	6	6	13	20	20	20	20
1-11 MOS	5	4.4	4	3	3	4	5	8	8	8
1-5 YRS	2	7.0	8	5	5	7	9	9	9	9
6-12 YRS	59	5.2	42	1	2	4	5	9	12	43
13-19 YRS	1790	5.0	13	2	2	4	6	8	9	19
TOT. SINGLE DX	2080	4.2	7	1	2	4	5	7	8	11
" MULTIPLE DX	1858	5.0	15	2	2	4	6	8	10	19
TOTAL 0-27 DYS	4	11.5	60	4	4	11	18	20	20	20
1-11 MOS	8	6.6	27	2	2	4	10	15	16	16
1-5 YRS	7	3.9	6	2	2	3	5	8	9	9
6-12 YRS	146	4.4	19	1	2	4	5	6	8	29
13-19 YRS	3773	4.6	11	1	2	4	5	7	8	14
GRAND TOTAL	3938	4.6	11	1	2	4	5	7	8	15

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	16	3.5	2	1	1	4	4	6	6	6
1-5 YRS	46	2.8	5	<1	1	2	4	5	6	15
6-12 YRS	114	2.9	4	<1	1	2	4	5	6	13
13-19 YRS	2327	3.1	2	1	2	3	4	5	5	8
2. MULTIPLE DX										
0-27 DYS	1	35.0		35	35	35	35	35	35	35
1-11 MOS	7	6.0	53	<1	<1	2	11	18	19	19
1-5 YRS	25	4.5	18	<1	1	3	5	11	14	19
6-12 YRS	58	3.7	21	1	1	2	4	7	9	32
13-19 YRS	622	3.7	9	1	2	3	4	6	8	16
TOT. SINGLE DX	2503	3.1	2	1	1	3	4	5	5	8
" MULTIPLE DX	713	3.8	12	1	1	3	4	6	9	17
TOTAL 0-27 DYS	1	35.0		35	35	35	35	35	35	35
1-11 MOS	23	4.3	18	<1	1	3	4	8	16	19
1-5 YRS	71	3.4	11	<1	1	2	4	7	11	18
6-12 YRS	172	3.2	10	1	1	2	4	5	7	14
13-19 YRS	2949	3.2	4	1	2	3	4	5	6	10
GRAND TOTAL	**3216**	**3.3**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	126	4.7	28	<1	1	3	5	13	16	26
1-5 YRS	348	3.1	16	<1	<1	2	3	6	9	27
6-12 YRS	309	3.6	15	<1	1	3	4	7	9	23
13-19 YRS	547	3.4	12	<1	1	2	4	6	9	20
2. MULTIPLE DX										
0-27 DYS	4	18.3	147	3	3	21	28	28	28	28
1-11 MOS	44	5.0	67	1	2	4	11	22	25	32
1-5 YRS	360	5.3	33	1	2	4	5	11	15	34
6-12 YRS	401	6.2	42	1	2	4	7	13	18	37
13-19 YRS	404	7.0	76	1	1	4	8	15	24	41
TOT. SINGLE DX	1331	3.5	16	<1	1	2	4	7	10	23
" MULTIPLE DX	1213	6.3	53	1	2	4	7	14	21	39
TOTAL 0-27 DYS	5	14.8	170	1	1	14	28	28	28	28
1-11 MOS	170	5.5	40	<1	1	3	5	15	21	28
1-5 YRS	708	4.3	26	<1	1	3	5	8	13	28
6-12 YRS	710	5.1	32	1	1	3	6	10	15	30
13-19 YRS	951	4.9	43	<1	1	3	5	10	15	34
GRAND TOTAL	**2544**	**4.8**	**36**	**<1**	**1**	**3**	**5**	**10**	**15**	**30**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	2.8	3	<1	<1	2	4	6	6	6
1-11 MOS	55	2.7	10	<1	<1	1	3	7	11	13
1-5 YRS	392	1.9	3	<1	<1	2	2	3	3	11
6-12 YRS	617	2.0	2	<1	<1	2	2	3	4	9
13-19 YRS	1133	2.0	3	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
0-27 DYS	6	24.3	895	3	3	9	67	94	99+	99+
1-11 MOS	22	11.1	406	1	2	4	13	22	61	93
1-5 YRS	97	4.4	32	<1	1	2	5	10	22	27
6-12 YRS	101	4.5	41	<1	1	2	5	10	14	37
13-19 YRS	224	4.2	37	<1	1	2	4	10	17	42
TOT. SINGLE DX	2203	2.0	3	<1	<1	2	2	3	4	10
" MULTIPLE DX	450	4.9	71	<1	1	2	4	10	20	54
TOTAL 0-27 DYS	12	13.6	535	<1	1	4	20	78	96	99+
1-11 MOS	77	5.1	134	<1	<1	2	4	12	13	79
1-5 YRS	489	2.4	10	<1	<1	2	2	3	6	22
6-12 YRS	718	2.3	8	<1	<1	2	2	4	6	14
13-19 YRS	1357	2.4	10	<1	<1	2	2	4	6	18
GRAND TOTAL	**2653**	**2.5**	**16**	**<1**	**<1**	**2**	**2**	**4**	**6**	**19**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	1.3		1	1	1	2	2	2	2
1-5 YRS	39	2.3	10	<1	<1	1	2	4	8	19
6-12 YRS	20	2.1	1	<1	<1	2	2	4	5	5
13-19 YRS	56	2.4	2	<1	<1	2	3	4	6	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	14	3.0	7	1	1	2	4	6	10	11
6-12 YRS	15	3.1	13	1	1	2	3	3	13	16
13-19 YRS	36	3.9	18	1	1	3	4	7	9	26
TOT. SINGLE DX	120	2.3	4	<1	<1	2	2	4	6	12
" MULTIPLE DX	66	3.5	15	1	1	2	4	7	9	24
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	1.4		1	1	1	2	2	2	2
1-5 YRS	53	2.5	9	<1	<1	2	2	5	9	19
6-12 YRS	35	2.5	7	<1	1	2	3	4	5	16
13-19 YRS	92	3.0	9	<1	1	2	3	6	7	19
GRAND TOTAL	**186**	**2.7**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**18**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	19	1.8		<1	<1	2	2	3	3	3
1-5 YRS	240	1.9	1	<1	1	2	2	3	4	6
6-12 YRS	328	2.0	1	<1	1	2	2	3	4	7
13-19 YRS	994	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	9	2.9	5	<1	<1	2	4	7	8	8
1-5 YRS	136	2.4	3	1	1	2	3	4	7	10
6-12 YRS	263	2.3	3	1	1	2	3	4	5	10
13-19 YRS	764	2.5	5	<1	1	2	3	4	6	11
TOT. SINGLE DX	1582	1.9	1	<1	1	2	2	3	4	6
" MULTIPLE DX	1172	2.4	5	<1	1	2	3	4	6	11
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	28	2.1	2	<1	<1	2	2	4	5	8
1-5 YRS	376	2.1	2	<1	1	2	2	4	4	9
6-12 YRS	591	2.1	3	<1	1	2	2	4	5	8
13-19 YRS	1758	2.2	3	<1	1	2	3	4	5	9
GRAND TOTAL	**2754**	**2.1**	**3**	**<1**	**1**	**2**	**2**	**4**	**5**	**9**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	9	3.3	6	<1	<1	2	5	8	8	8
1-5 YRS	87	2.0	2	<1	1	1	3	4	5	9
6-12 YRS	204	2.4	2	<1	1	2	3	4	5	9
13-19 YRS	547	2.5	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
0-27 DYS	5	12.4	278	1	1	5	20	41	41	41
1-11 MOS	7	3.6	5	1	1	4	4	7	8	8
1-5 YRS	66	4.6	69	1	1	2	4	10	23	51
6-12 YRS	125	3.9	15	1	1	3	4	9	14	19
13-19 YRS	355	4.4	27	1	1	3	5	9	14	29
TOT. SINGLE DX	849	2.5	3	<1	1	2	3	4	6	9
" MULTIPLE DX	558	4.3	32	1	1	3	4	9	14	29
TOTAL 0-27 DYS	7	9.6	209	1	1	3	11	35	41	41
1-11 MOS	16	3.4	6	<1	1	3	4	8	8	8
1-5 YRS	153	3.1	33	<1	1	2	3	5	9	26
6-12 YRS	329	3.0	8	1	1	2	3	5	8	15
13-19 YRS	902	3.3	13	1	1	2	4	6	9	19
GRAND TOTAL	**1407**	**3.2**	**15**	**1**	**1**	**2**	**4**	**6**	**9**	**20**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	396	3.1	7	1	1	3	4	4	6	15
1-5 YRS	515	3.1	3	1	1	3	4	5	6	10
6-12 YRS	382	3.3	6	1	2	3	4	5	7	15
13-19 YRS	632	3.4	4	1	1	3	4	6	7	11
2. MULTIPLE DX										
0-27 DYS	3	10.0	63	4	4	7	16	19	19	19
1-11 MOS	115	3.3	3	1	1	3	4	5	7	11
1-5 YRS	552	3.4	9	1	1	3	4	6	8	12
6-12 YRS	595	4.3	30	1	2	3	5	6	9	37
13-19 YRS	547	5.2	50	1	1	4	5	8	12	43
TOT. SINGLE DX	1926	3.3	5	1	1	3	4	5	7	12
" MULTIPLE DX	1812	4.3	29	1	1	3	5	7	9	32
TOTAL 0-27 DYS	4	8.0	58	2	2	5	13	19	19	19
1-11 MOS	511	3.2	6	1	1	3	4	5	6	15
1-5 YRS	1067	3.3	7	1	1	3	4	5	7	11
6-12 YRS	977	3.9	21	1	2	3	4	6	8	26
13-19 YRS	1179	4.2	27	1	1	3	5	7	9	25
GRAND TOTAL	**3738**	**3.7**	**17**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	18	1.4		<1	<1	1	2	2	3	3
1-5 YRS	62	2.1	10	<1	<1	1	2	3	6	23
6-12 YRS	67	2.1	6	<1	1	1	2	4	5	17
13-19 YRS	146	2.0	3	<1	1	1	2	3	6	10
2. MULTIPLE DX										
0-27 DYS	18	4.6	27	2	2	3	4	7	18	25
1-11 MOS	4	3.8	5	2	2	3	5	7	7	7
1-5 YRS	37	4.8	175	<1	1	2	4	7	10	82
6-12 YRS	24	3.7	13	1	1	2	4	10	12	15
13-19 YRS	100	4.8	45	1	1	2	4	10	18	41
TOT. SINGLE DX	294	2.0	5	<1	1	1	2	3	6	10
" MULTIPLE DX	183	4.6	64	1	1	2	4	9	16	42
TOTAL 0-27 DYS	19	4.5	26	2	2	3	4	7	17	25
1-11 MOS	22	1.9	2	<1	<1	1	2	3	5	7
1-5 YRS	99	3.1	73	<1	<1	1	2	5	7	54
6-12 YRS	91	2.5	9	1	1	2	3	5	10	17
13-19 YRS	246	3.1	22	<1	1	2	3	6	10	21
GRAND TOTAL	**477**	**3.0**	**29**	**<1**	**1**	**2**	**3**	**6**	**9**	**23**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	1.3		<1	<1	1	2	2	2	2
6-12 YRS	3	4.0	12	2	2	2	7	8	8	8
13-19 YRS	10	6.1	35	<1	<1	4	7	16	18	18
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.0	3	1	1	1	3	4	4	4
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	11	8.3	25	<1	1	10	11	14	18	18
TOT. SINGLE DX	19	4.3	24	<1	<1	2	6	12	17	18
" MULTIPLE DX	15	7.1	25	<1	1	7	10	12	16	18
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	9	1.6	1	<1	<1	1	2	3	4	4
6-12 YRS	4	5.3	14	2	2	5	8	9	9	9
13-19 YRS	21	7.2	30	<1	1	7	10	16	18	18
GRAND TOTAL	34	5.5	26	<1	1	4	9	12	17	18

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	12	2.2	4	<1	<1	2	3	5	8	8
1-5 YRS	36	2.7	6	1	1	2	3	6	9	11
6-12 YRS	24	3.3	5	1	1	2	5	7	9	10
13-19 YRS	61	4.5	35	1	1	3	5	7	12	42
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	17.3	891	<1	<1	3	33	62	62	62
1-5 YRS	16	7.3	158	1	1	3	6	25	42	48
6-12 YRS	22	8.6	107	1	2	5	8	28	34	39
13-19 YRS	59	9.3	135	1	2	5	10	19	39	62
TOT. SINGLE DX	133	3.6	20	1	1	3	4	6	10	20
" MULTIPLE DX	102	9.1	154	1	1	5	10	26	41	63
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	16	5.9	227	<1	<1	2	3	8	46	62
1-5 YRS	52	4.1	55	1	1	2	3	8	11	48
6-12 YRS	46	5.8	60	1	1	3	5	12	28	39
13-19 YRS	120	6.9	90	1	1	4	7	13	22	51
GRAND TOTAL	235	6.0	85	1	1	3	6	12	24	50

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	20.7	394	5	5	14	36	43	43	43
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	15.5	63	9	9	13	20	27	27	27
6-12 YRS	4	24.8	518	5	5	22	44	50	50	50
13-19 YRS	18	16.5	180	3	5	11	24	36	44	48
TOT. SINGLE DX	4	16.0	350	2	2	9	28	43	43	43
" MULTIPLE DX	26	17.6	202	4	5	12	27	38	48	50
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	4	15.5	63	9	9	13	20	27	27	27
6-12 YRS	5	20.2	492	2	2	6	41	50	50	50
13-19 YRS	21	17.1	195	4	5	12	26	39	45	48
GRAND TOTAL	30	17.4	211	3	4	12	27	40	48	50

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	12	12.8	142	4	4	9	16	27	44	47
13-19 YRS	16	8.5	22	3	3	7	11	16	18	19
2. MULTIPLE DX										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	2	10.5	181	1	1	10	20	20	20	20
1-5 YRS	8	13.0	108	4	4	10	16	30	36	36
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	19	17.6	202	4	5	16	21	49	78	99+
TOT. SINGLE DX	31	10.2	76	3	3	7	14	19	21	47
" MULTIPLE DX	31	15.9	159	4	4	14	20	39	55	99+
TOTAL 0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	3	14.0	127	1	1	20	21	21	21	21
1-5 YRS	10	11.0	102	2	3	8	15	26	36	36
6-12 YRS	13	12.9	131	4	5	10	16	25	43	47
13-19 YRS	35	13.4	138	3	4	10	19	36	52	99+
GRAND TOTAL	62	13.0	123	3	4	10	18	24	44	94

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	9	7.4	74	3	3	5	6	21	30	30
6-12 YRS	5	7.8	31	1	1	9	12	14	14	14
13-19 YRS	14	12.6	85	3	4	9	22	26	29	30
2. MULTIPLE DX										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	6	10.0	55	2	2	8	13	22	23	23
6-12 YRS	10	15.6	342	4	5	7	10	50	53	53
13-19 YRS	7	15.9	297	6	6	10	15	47	54	54
TOT. SINGLE DX	29	9.9	73	3	3	6	12	26	30	30
" MULTIPLE DX	26	13.5	222	3	3	7	13	45	53	54
TOTAL 0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	3	3.3		3	3	3	4	4	4	4
1-5 YRS	15	8.5	64	2	3	5	9	23	28	30
6-12 YRS	15	13.0	244	1	3	7	11	48	52	53
13-19 YRS	21	13.7	147	4	4	10	18	28	41	54
GRAND TOTAL	55	11.6	144	3	3	7	13	26	44	54

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	1.3		<1	<1	1	2	2	2	2
1-5 YRS	34	2.1	2	<1	1	2	2	4	6	7
6-12 YRS	25	4.0	8	1	1	3	6	8	10	13
13-19 YRS	36	6.2	49	1	1	4	7	12	14	42
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	19.0	392	5	5	19	33	33	33	33
1-5 YRS	12	4.3	17	1	1	3	5	11	14	15
6-12 YRS	8	5.8	13	1	1	5	9	11	11	11
13-19 YRS	24	8.8	67	1	2	7	11	32	50	99+
TOT. SINGLE DX	101	4.0	24	1	1	2	5	8	12	28
" MULTIPLE DX	46	7.5	59	1	1	5	10	15	33	99+
TOTAL 0-27 DYS										
1-11 MOS	8	5.8	123	<1	<1	2	4	25	33	33
1-5 YRS	46	2.6	7	<1	1	2	3	5	7	15
6-12 YRS	33	4.4	10	1	1	4	6	9	11	13
13-19 YRS	60	7.2	57	1	1	5	9	14	32	94
GRAND TOTAL	147	5.1	37	1	1	4	6	11	14	43

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	18	2.3	3	<1	1	2	3	4	7	9
6-12 YRS	35	2.3	2	<1	<1	2	3	4	6	9
13-19 YRS	64	2.5	4	<1	<1	2	3	4	5	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	18.0	679	1	1	5	37	48	48	48
1-5 YRS	10	2.7	2	1	1	2	4	5	5	5
6-12 YRS	17	3.3	11	1	1	2	3	10	12	12
13-19 YRS	37	6.2	132	1	1	2	4	11	40	52
TOT. SINGLE DX	118	2.4	4	<1	<1	2	3	4	6	11
" MULTIPLE DX	67	5.5	106	1	1	2	4	11	34	51
TOTAL 0-27 DYS										
1-11 MOS	4	14.0	517	1	1	3	26	48	48	48
1-5 YRS	28	2.5	3	<1	1	2	3	4	5	9
6-12 YRS	52	2.7	6	<1	1	2	3	5	9	12
13-19 YRS	101	3.9	54	<1	<1	2	4	5	9	48
GRAND TOTAL	185	3.5	43	<1	1	2	3	5	9	47

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	22.0		22	22	22	22	22	22	22
6-12 YRS										
13-19 YRS	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	4	13.8	221	3	3	8	24	35	35	35
TOT. SINGLE DX	3	10.3	102	4	4	5	18	22	22	22
" MULTIPLE DX	6	12.3	149	3	3	9	15	33	35	35
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	18.5	25	15	15	18	22	22	22	22
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	6	10.7	155	3	3	5	13	33	35	35
GRAND TOTAL	9	11.7	120	3	3	5	17	30	35	35

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	3.0	8	<1	<1	2	5	7	7	7
1-11 MOS	13	2.2	3	<1	<1	1	2	5	7	7
1-5 YRS	11	1.6		1	1	2	2	3	3	3
6-12 YRS	57	1.9		<1	<1	2	2	3	4	5
13-19 YRS	1305	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	7	4.0	9	2	2	3	5	9	10	10
1-5 YRS	5	2.4	2	<1	<1	2	4	4	4	4
6-12 YRS	10	2.8	9	<1	<1	2	2	7	11	11
13-19 YRS	277	3.2	24	<1	1	2	3	6	9	24
TOT. SINGLE DX	1390	1.9	1	<1	<1	2	2	3	3	5
" MULTIPLE DX	301	3.2	23	<1	1	2	3	6	9	21
TOTAL 0-27 DYS	6	3.0	5	<1	<1	3	3	7	7	7
1-11 MOS	20	2.8	6	<1	<1	2	3	6	8	10
1-5 YRS	16	1.9	1	<1	1	2	2	4	4	4
6-12 YRS	67	2.0	2	<1	<1	2	2	3	4	10
13-19 YRS	1582	2.1	6	<1	<1	2	2	3	4	9
GRAND TOTAL	**1691**	**2.1**	**5**	**<1**	**<1**	**2**	**2**	**3**	**4**	**9**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	16	2.2		1	1	2	3	3	3	3
13-19 YRS	216	2.4	1	<1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	4	3.5	1	2	2	3	4	5	5	5
13-19 YRS	29	5.7	87	2	2	3	4	10	33	44
TOT. SINGLE DX	232	2.4	1	<1	1	2	3	4	5	6
" MULTIPLE DX	34	5.4	75	2	2	3	4	9	28	44
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	20	2.5	1	1	1	2	3	4	4	5
13-19 YRS	245	2.8	12	<1	1	2	3	4	6	12
GRAND TOTAL	**266**	**2.8**	**12**	**<1**	**1**	**2**	**3**	**4**	**6**	**11**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS	3	5.0	7	2	2	6	7	7	7	7
13-19 YRS	11	3.9	7	1	1	3	6	8	9	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	6	7.3	3	4	4	8	9	9	9	9
1-5 YRS	3	8.7	74	1	1	7	15	18	18	18
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	6.0	8	4	4	6	8	8	8	8
TOT. SINGLE DX	15	4.3	7	1	1	4	7	7	9	9
" MULTIPLE DX	12	7.0	19	1	2	7	8	12	17	18
TOTAL 0-27 DYS										
1-11 MOS	7	7.3	3	4	5	7	9	9	9	9
1-5 YRS	3	8.7	74	1	1	7	15	18	18	18
6-12 YRS	4	4.3	7	2	2	4	6	7	7	7
13-19 YRS	13	4.2	8	1	1	4	7	8	9	9
GRAND TOTAL	**27**	**5.5**	**14**	**1**	**1**	**6**	**7**	**9**	**11**	**18**

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380 and for operation groups 552, 557, 576, 619, 686, 713, and 741

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02;

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	4.7		4	4	5	5	6	6	6
1-11 MOS	8	4.3	11	2	2	3	5	10	12	12
1-5 YRS	4	3.3	10	1	1	2	5	8	8	8
6-12 YRS	38	2.3	2	<1	1	2	3	4	5	6
13-19 YRS	1065	2.9	2	1	1	3	4	5	5	8
2. MULTIPLE DX										
0-27 DYS	9	6.8	12	3	3	6	8	13	13	13
1-11 MOS	6	3.3	2	1	1	3	4	6	6	6
1-5 YRS	5	2.8	5	<1	<1	2	3	7	7	7
6-12 YRS	20	5.0	58	<1	1	3	4	8	23	36
13-19 YRS	356	3.6	19	1	2	3	4	6	7	11
TOT. SINGLE DX	1121	2.9	2	1	1	3	4	5	5	8
" MULTIPLE DX	396	3.7	21	1	1	3	4	6	8	12
TOTAL 0-27 DYS	15	5.9	9	3	3	5	7	12	13	13
1-11 MOS	14	3.9	7	1	2	3	4	7	11	12
1-5 YRS	9	3.0	7	<1	<1	2	4	8	8	8
6-12 YRS	58	3.2	22	<1	1	2	3	5	6	34
13-19 YRS	1421	3.1	7	1	1	3	4	5	6	8
GRAND TOTAL	**1517**	**3.1**	**7**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	15	3.3	5	<1	<1	3	5	7	8	9
1-5 YRS	17	2.2	2	<1	<1	2	3	4	6	7
6-12 YRS	23	3.1	1	<1	1	3	4	5	5	5
13-19 YRS	2945	3.5	5	1	2	3	4	6	7	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	3.3	6	1	1	3	5	6	6	6
1-5 YRS	6	4.8	30	2	2	3	4	15	16	16
6-12 YRS	7	11.6	360	1	1	5	10	45	54	54
13-19 YRS	350	4.6	28	1	2	4	5	7	9	18
TOT. SINGLE DX	3002	3.5	5	1	2	3	4	6	7	11
" MULTIPLE DX	366	4.7	35	1	2	4	5	7	10	18
TOTAL 0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	18	3.3	5	<1	<1	3	5	7	8	9
1-5 YRS	23	2.9	10	<1	<1	2	3	5	10	16
6-12 YRS	30	5.1	89	1	1	3	5	5	11	54
13-19 YRS	3295	3.6	8	1	2	3	4	6	7	12
GRAND TOTAL	**3368**	**3.6**	**8**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	21	4.3	6	<1	1	4	6	8	9	11
1-11 MOS	291	2.4	5	<1	<1	2	2	4	8	14
1-5 YRS	1139	2.2	6	<1	<1	1	2	4	7	13
6-12 YRS	1112	2.3	8	<1	<1	2	2	4	6	15
13-19 YRS	1525	2.6	10	<1	<1	2	3	5	7	16
2. MULTIPLE DX										
0-27 DYS	190	4.5	13	2	2	3	5	8	13	20
1-11 MOS	107	6.2	92	<1	1	4	7	13	16	61
1-5 YRS	349	4.2	33	<1	1	2	5	9	15	31
6-12 YRS	405	4.2	62	<1	<1	2	4	9	15	54
13-19 YRS	831	7.8	172	<1	1	3	7	20	41	72
TOT. SINGLE DX	4088	2.4	9	<1	<1	2	2	4	7	14
" MULTIPLE DX	1882	6.0	105	<1	1	3	5	13	22	61
TOTAL 0-27 DYS	211	4.5	13	1	2	3	5	8	12	19
1-11 MOS	398	3.4	32	<1	<1	2	3	7	11	23
1-5 YRS	1488	2.7	13	<1	<1	2	3	5	9	17
6-12 YRS	1517	2.8	24	<1	<1	2	3	6	9	20
13-19 YRS	2356	4.5	74	<1	<1	2	4	9	15	49
GRAND TOTAL	**5970**	**3.5**	**42**	**<1**	**<1**	**2**	**3**	**7**	**11**	**38**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	25	4.8	9	2	2	4	6	7	13	14
1-11 MOS	208	5.0	25	1	1	4	7	10	13	31
1-5 YRS	1550	3.6	22	<1	<1	2	4	8	11	24
6-12 YRS	1659	4.0	27	<1	1	2	5	8	12	32
13-19 YRS	2504	4.1	26	<1	1	3	5	8	13	27
2. MULTIPLE DX										
0-27 DYS	184	7.1	60	2	2	5	6	16	25	83
1-11 MOS	278	8.4	108	1	1	6	10	16	26	48
1-5 YRS	1537	6.7	80	1	1	4	8	16	25	49
6-12 YRS	1766	6.1	83	1	1	3	7	14	25	51
13-19 YRS	4753	5.8	82	1	1	3	6	12	22	50
TOT. SINGLE DX	5946	4.0	26	<1	1	2	5	8	12	27
" MULTIPLE DX	8518	6.1	83	1	1	3	7	14	24	50
TOTAL 0-27 DYS	209	6.8	54	2	2	5	6	15	23	71
1-11 MOS	486	7.0	76	1	1	5	8	13	19	41
1-5 YRS	3087	5.2	54	<1	1	3	6	12	19	39
6-12 YRS	3425	5.1	58	<1	1	3	5	11	18	40
13-19 YRS	7257	5.2	64	<1	1	3	6	11	18	45
GRAND TOTAL	**14464**	**5.3**	**61**	**<1**	**1**	**3**	**6**	**11**	**18**	**42**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	13.5	1	13	13	13	14	14	14	14
1-11 MOS	20	6.3	74	<1	<1	3	8	16	27	37
1-5 YRS	225	7.5	113	<1	1	3	8	22	29	49
6-12 YRS	277	6.5	53	1	1	4	8	14	22	38
13-19 YRS	423	6.0	48	1	1	4	8	14	19	33
2. MULTIPLE DX										
0-27 DYS	5	43.0	1249	11	11	24	70	96	96	96
1-11 MOS	44	19.0	213	2	2	18	26	41	48	59
1-5 YRS	221	15.5	187	1	1	11	24	34	41	63
6-12 YRS	223	15.8	246	2	2	10	21	40	46	72
13-19 YRS	345	12.4	172	1	1	8	17	28	41	71
TOT. SINGLE DX	947	6.5	66	1	1	4	8	15	24	40
" MULTIPLE DX	838	14.7	211	1	2	10	20	34	46	70
TOTAL 0-27 DYS	7	34.6	1040	11	11	22	52	89	96	96
1-11 MOS	64	15.0	204	1	1	11	22	39	43	58
1-5 YRS	446	11.5	166	1	1	6	18	31	37	59
6-12 YRS	500	10.6	161	1	1	6	13	27	40	61
13-19 YRS	768	8.9	114	1	1	5	12	21	30	57
GRAND TOTAL	1785	10.4	150	1	1	6	14	27	37	98

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	1.2		<1	<1	1	1	2	2	2
1-5 YRS	76	2.9	16	<1	1	2	2	8	11	24
6-12 YRS	88	3.1	11	<1	1	2	4	7	9	20
13-19 YRS	140	3.9	27	<1	1	2	4	8	14	30
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	9.0	43	3	3	8	14	16	16	16
1-5 YRS	37	4.8	35	<1	1	2	7	12	26	99+
6-12 YRS	65	5.4	42	1	1	2	6	16	21	25
13-19 YRS	136	9.2	173	1	1	4	10	21	37	66
TOT. SINGLE DX	309	3.4	20	<1	1	2	4	8	11	26
" MULTIPLE DX	242	7.5	118	1	1	3	8	19	30	65
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	8	4.1	29	<1	<1	2	5	14	16	16
1-5 YRS	113	3.5	23	<1	1	2	4	9	13	54
6-12 YRS	153	4.1	26	1	1	2	4	8	16	26
13-19 YRS	276	6.5	106	<1	1	3	6	15	26	61
GRAND TOTAL	551	5.2	67	<1	1	2	5	12	21	47

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	97	2.2	3	<1	<1	2	2	3	5	11
1-5 YRS	411	2.4	6	<1	1	2	2	4	5	12
6-12 YRS	354	2.8	17	<1	<1	2	3	5	9	18
13-19 YRS	733	2.1	3	<1	<1	2	2	3	5	11
2. MULTIPLE DX										
0-27 DYS	14	5.2	34	2	2	3	5	9	21	25
1-11 MOS	45	2.9	8	1	1	2	3	5	11	14
1-5 YRS	248	3.9	31	<1	1	2	4	8	12	36
6-12 YRS	220	4.2	51	<1	1	2	4	9	12	51
13-19 YRS	457	4.5	40	<1	1	3	5	9	14	51
TOT. SINGLE DX	1595	2.4	7	<1	<1	2	2	4	6	12
" MULTIPLE DX	984	4.2	39	<1	1	2	4	9	13	46
TOTAL 0-27 DYS	14	5.2	34	2	2	3	5	9	21	25
1-11 MOS	142	2.4	5	<1	1	2	3	4	6	14
1-5 YRS	659	3.0	16	<1	1	2	3	5	9	24
6-12 YRS	574	3.3	31	<1	<1	2	3	7	11	25
13-19 YRS	1190	3.1	19	<1	<1	2	3	6	9	27
GRAND TOTAL	2579	3.1	20	<1	<1	2	3	6	9	25

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	6.0	18	3	3	6	9	9	9	9
1-11 MOS	13	4.1	12	1	1	2	7	9	10	10
1-5 YRS	24	3.3	4	1	1	3	4	7	8	9
6-12 YRS	34	3.4	8	1	1	2	4	7	10	14
13-19 YRS	32	4.2	15	1	1	3	5	8	12	21
2. MULTIPLE DX										
0-27 DYS	39	22.1	329	3	4	17	32	52	57	67
1-11 MOS	16	14.6	356	1	2	6	16	53	58	60
1-5 YRS	75	4.4	10	1	2	4	6	8	9	20
6-12 YRS	41	6.2	104	1	2	3	6	11	18	65
13-19 YRS	74	4.8	8	2	2	4	6	8	10	17
TOT. SINGLE DX	105	3.8	10	1	1	3	4	8	10	17
" MULTIPLE DX	245	8.3	138	1	2	5	7	18	35	60
TOTAL 0-27 DYS	41	21.3	326	3	4	17	31	52	56	67
1-11 MOS	29	9.9	225	1	1	5	9	28	55	60
1-5 YRS	99	4.1	9	1	1	3	5	8	9	17
6-12 YRS	75	4.9	62	1	1	3	5	9	13	54
13-19 YRS	106	4.6	10	1	2	4	6	8	10	19
GRAND TOTAL	350	6.9	104	1	2	4	7	13	25	60

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	14.5	180	2	2	11	24	33	33	33
1-11 MOS	34	4.0	11	1	1	3	5	9	11	15
1-5 YRS	76	3.3	17	1	1	2	3	7	9	28
6-12 YRS	128	3.9	18	1	1	2	4	7	12	26
13-19 YRS	663	4.2	19	1	1	2	5	9	12	21
2. MULTIPLE DX										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	38	4.8	16	1	2	3	6	10	14	18
1-5 YRS	71	4.7	66	1	1	2	4	9	14	56
6-12 YRS	109	4.1	14	1	1	3	5	10	13	18
13-19 YRS	437	6.3	49	1	1	4	8	14	20	33
TOT. SINGLE DX	905	4.1	20	1	1	2	5	9	12	22
" MULTIPLE DX	656	5.7	44	1	1	3	7	13	17	32
TOTAL 0-27 DYS	5	15.0	137	2	2	15	21	33	33	33
1-11 MOS	72	4.4	14	1	1	3	6	9	13	17
1-5 YRS	147	4.0	41	1	1	2	4	8	13	33
6-12 YRS	237	4.0	17	1	1	3	4	9	13	22
13-19 YRS	1100	5.0	32	1	1	3	6	11	15	29
GRAND TOTAL	1561	4.8	31	1	1	3	6	11	15	28

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	14	2.2	1	1	1	2	2	3	5	5
1-5 YRS	42	3.7	12	1	1	3	4	7	10	21
6-12 YRS	78	3.7	18	1	1	2	4	8	11	27
13-19 YRS	196	4.1	13	1	1	3	5	8	12	18
2. MULTIPLE DX										
0-27 DYS	4	14.5	43	7	7	14	42	99+	99+	99+
1-11 MOS	11	12.6	173	2	2	5	17	36	40	40
1-5 YRS	49	6.5	38	1	2	5	9	12	16	32
6-12 YRS	65	6.0	48	1	2	3	8	14	19	42
13-19 YRS	194	6.9	52	2	2	5	8	14	23	35
TOT. SINGLE DX	332	3.9	14	1	1	2	5	8	11	19
" MULTIPLE DX	323	7.0	55	1	2	4	8	15	23	41
TOTAL 0-27 DYS	6	11.2	55	2	3	14	21	85	99+	99+
1-11 MOS	25	6.8	101	1	2	2	5	17	35	40
1-5 YRS	91	5.2	28	1	1	3	6	12	15	30
6-12 YRS	143	4.7	33	1	1	3	6	10	15	31
13-19 YRS	390	5.5	35	1	2	3	7	11	17	33
GRAND TOTAL	655	5.4	36	1	2	3	7	12	17	34

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	1.8	1	1	1	2	2	3	3	3
1-5 YRS	2	10.0	162	1	1	10	19	19	19	19
6-12 YRS	5	2.4	1	1	1	2	3	4	4	4
13-19 YRS	5	2.8	1	2	2	2	3	5	5	5
TOT. SINGLE DX	2	2.5	1	2	2	2	3	3	3	3
" MULTIPLE DX	16	3.3	19	1	1	2	3	5	15	19
TOTAL 0-27 DYS										
1-11 MOS	4	1.8	1	1	1	2	2	3	3	3
1-5 YRS	4	6.3	73	1	1	2	11	19	19	19
6-12 YRS	5	2.4	1	1	1	2	3	4	4	4
13-19 YRS	5	2.8	2	2	2	2	3	5	5	5
GRAND TOTAL	18	3.2	17	1	1	2	3	5	13	19

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	6.0	39	1	1	4	11	13	13	13
1-11 MOS	18	3.1	9	1	1	2	3	9	10	10
1-5 YRS	50	3.5	14	1	1	2	3	9	11	19
6-12 YRS	67	3.7	22	<1	1	2	4	9	11	31
13-19 YRS	455	4.6	35	1	1	3	6	10	13	18
2. MULTIPLE DX										
0-27 DYS	11	17.6	551	2	2	8	18	61	71	72
1-11 MOS	41	5.6	35	1	2	3	7	11	22	26
1-5 YRS	69	4.6	39	1	1	2	3	13	19	30
6-12 YRS	85	7.0	112	1	2	3	9	18	29	87
13-19 YRS	405	6.7	42	1	1	4	9	15	18	35
TOT. SINGLE DX	593	4.3	31	1	1	2	5	10	13	19
" MULTIPLE DX	611	6.6	62	1	1	3	9	15	20	43
TOTAL 0-27 DYS	14	15.1	455	1	2	6	15	56	68	72
1-11 MOS	59	4.8	28	1	1	2	6	10	16	26
1-5 YRS	119	4.2	29	1	1	2	3	11	18	26
6-12 YRS	152	5.6	75	1	1	2	5	14	22	63
13-19 YRS	860	5.5	40	1	1	3	8	12	16	28
GRAND TOTAL	1204	5.5	48	1	1	3	7	12	17	34

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1689	3.7	6	1	2	3	4	6	8	14
1-11 MOS	4415	4.0	12	1	1	3	5	8	10	18
1-5 YRS	9079	3.3	9	1	1	3	4	6	8	15
6-12 YRS	9894	3.3	11	1	1	2	4	6	8	17
13-19 YRS	19959	3.9	21	1	1	3	5	7	9	23
2. MULTIPLE DX										
0-27 DYS	5477	10.0	176	2	2	5	10	26	40	73
1-11 MOS	7415	5.7	32	1	2	4	7	11	15	29
1-5 YRS	12409	4.5	20	1	1	3	5	8	11	22
6-12 YRS	11029	4.4	27	1	1	3	5	8	11	27
13-19 YRS	24152	5.1	42	1	1	4	6	9	14	36
TOT. SINGLE DX	45046	3.7	16	1	1	3	4	7	9	19
" MULTIPLE DX	60482	5.4	48	1	1	4	6	10	15	39
TOTAL 0-27 DYS	7166	8.5	143	2	2	4	8	21	34	67
1-11 MOS	11830	5.0	25	1	1	4	6	10	13	24
1-5 YRS	21488	4.0	16	1	1	3	5	7	10	20
6-12 YRS	20923	3.9	20	1	1	3	5	7	10	22
13-19 YRS	44121	4.6	33	1	1	3	5	8	12	31
GRAND TOTAL	105528	4.6	35	1	1	3	5	8	12	32

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	889	3.4	6	1	1	3	4	5	6	11
1-11 MOS	2610	4.4	10	1	2	4	5	8	10	18
1-5 YRS	6354	4.6	31	1	1	3	5	9	18	28
6-12 YRS	3849	6.6	83	1	1	3	6	20	28	44
13-19 YRS	4085	9.3	193	1	1	4	9	28	43	70
2. MULTIPLE DX										
0-27 DYS	3263	7.8	139	1	2	4	7	17	31	72
1-11 MOS	3407	5.4	23	2	2	4	6	10	13	24
1-5 YRS	6298	4.9	26	1	2	3	5	9	14	27
6-12 YRS	3004	7.6	102	1	2	4	7	20	30	51
13-19 YRS	4631	10.6	201	1	2	5	11	31	45	79
TOT. SINGLE DX	17787	6.0	80	1	1	3	5	13	24	49
" MULTIPLE DX	20603	7.1	99	1	2	4	7	15	27	58
TOTAL 0-27 DYS	4152	6.8	114	1	2	4	6	13	26	65
1-11 MOS	6017	5.0	18	1	2	4	6	9	12	22
1-5 YRS	12652	4.8	29	1	1	3	5	9	16	27
6-12 YRS	6853	7.0	92	1	1	4	6	20	29	47
13-19 YRS	8716	10.0	198	1	1	5	10	29	44	75
GRAND TOTAL	38390	6.6	90	1	1	4	6	14	25	54

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4720	3.4	4	1	2	3	4	6	7	11
1-11 MOS	4911	3.9	7	1	1	3	5	7	9	14
1-5 YRS	8535	3.4	6	1	1	3	4	6	7	12
6-12 YRS	4879	3.9	23	1	1	3	5	7	9	25
13-19 YRS	6502	4.5	41	1	1	3	5	8	12	38
2. MULTIPLE DX										
0-27 DYS	8405	7.4	93	2	2	5	7	15	25	60
1-11 MOS	9008	5.0	16	1	2	4	6	9	11	21
1-5 YRS	14341	4.1	14	1	2	3	5	7	9	16
6-12 YRS	6390	4.9	44	1	1	3	5	8	12	41
13-19 YRS	9158	6.4	96	1	1	4	6	13	25	61
TOT. SINGLE DX	29547	3.8	17	1	1	3	4	6	8	19
" MULTIPLE DX	47302	5.4	50	1	2	4	6	9	14	42
TOTAL 0-27 DYS	13125	6.0	65	1	2	4	6	11	19	49
1-11 MOS	13919	4.6	14	1	2	4	6	8	10	19
1-5 YRS	22876	3.8	12	1	1	3	5	7	8	15
6-12 YRS	11269	4.5	36	1	1	3	5	8	10	34
13-19 YRS	15660	5.6	75	1	1	3	5	10	19	53
GRAND TOTAL	**76849**	**4.8**	**38**	**1**	**1**	**3**	**5**	**8**	**12**	**35**

		673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19

713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part 1: Diagnosis Index
Part 2: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index. The diagnosis or operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number **Title**

- 73 Diabetes mellitus, uncontrolled
- 72 Diabetic acidosis
- 73 Diabetic cataract
- 72 Diabetic coma
- 73 Diabetic gangrene
- 73 Diabetic nephropathy
- 73 Diabetic neuropathy
- 73 Diabetic retinopathy
- 73 Diabetic ulcer
- 397 Dialysis, peritoneal
- 397 Dialysis, renal
- 204 Diaphragmatic hernia
- 208 Diarrhea, except infectious and functional
- 211 Diarrhea, functional
- 1 Diarrhea, infectious
- 6 Diphtheria
- Disease
  - 199 Appendix, except acute appendicitis
  - 151 Arteriosclerotic cardiovascular
  - 168 Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
  - 13 Arthropod-borne
  - 79 Autoimmune
  - 6 Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
  - 218 Biliary ducts
  - 234 Bladder, except calculus and cystitis
  - 313 Bone, except osteomyelitis and osteoarthritis
  - 242 Breast, except fibrocystic
  - 241 Breast, fibrocystic
  - 221 Celiac
  - Central nervous system
    - 7 Enteroviral
    - 113 Inflammatory, except enteroviral
    - 117 Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
  - Cerebrovascular — *see Cerebrovascular accident*
  - 136 Chronic rheumatic heart
  - 296 Connective tissue, diffuse
  - 143 Coronary artery
  - 211 Crohn's
  - 75 Cushing's
  - 187 Dental
  - 209 Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
22	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
[illegible]8	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmastectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease – *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number — Title

- 763 Cancer chemotherapy
- Cardiac
  - 573 Catheterization
  - 764 Function tests
  - Massage
    - 763 Closed
    - 575 Open
  - 574 Pacemaker insertion or replacement
  - 575 Revascularization, except coronary bypass
    - 572 Coronary bypass
  - 764 Stress tests
- 509 Carpal tunnel decompression or release
- 760 Cast application
- 758 C.A.T. scan
- 526 Cataract extraction, except intracapsular
  - 525 Intracapsular
- Catheterization
  - 647 Bladder, except suprapubic approach
    - 638 Suprapubic approach
  - 581 Blood vessel
  - 573 Cardiac
  - 645 Ureteral
  - 647 Urethral, indwelling
  - 587 Vein, except umbilical
    - 581 Umbilical
- 669 Cerclage, cervix
- 692 Cesarean section, except low cervical
  - 691 Low cervical
- 763 Chemotherapy
- 758 Cholangiogram (intravenous) (percutaneous)
- 616 Cholecystectomy
- 758 Cholecystogram
- 617 Cholecystotomy
- 764 Circulatory monitoring
- 657 Circumcision, except newborn
- Closure
  - 617 Cholecystostomy
  - 601 Colostomy
  - Fistula — *see Fistulectomy*
  - 596 Gastric anastomosis
  - 601 Sigmoidostomy
  - 570 Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
784	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number **Title**

533 Epilation, eyelid
697 Episioperinorrhaphy
697 Episiorrhaphy
690 Episiotomy, except with forceps delivery
687   With low forceps delivery
689   With other forceps delivery
544 Epistaxis control, except by anterior packing
557   Anterior packing
588 Esophagectomy
589 Esophagoscopy, except surgical approach
619   Surgical approach
588 Esophagotomy
613 Evacuation, hemorrhoids
Evisceration
532   Eyeball
673   Pelvic
Examination
764   Eye
764   General physical
764   Gynecologic
764   Pelvic
761   Psychiatric
763 Exchange transfusion, except intrauterine
696   Intrauterine
Excision — *see also Excision of lesion (and destruction of tissue)*
610   Anal fistula
727   Baker's cyst
705   Bone, except facial
699   Facial, except partial
698   Partial
556   Branchial cleft cyst
704   Bunion
517   Chalazion, eyelid
599   Colon
665   Fallopian tubes, bilateral, except endoscopic approach
664   Endoscopic approach
670   Fibroid, uterine
616   Gallbladder
508   Ganglion, except of tendon
727   Tendon (of hand)
612   Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number — **Title**

- Reduction (continued)
  - Femur
    - 710 Closed, except with internal fixation
      - 708 With internal fixation
    - 710 Open, except with internal fixation
      - 709 With internal fixation
  - 701 Mandible, except closed reduction
    - 700 Closed reduction
  - 701 Maxillofacial, except closed reduction
    - 700 Closed reduction
  - 544 Nose
  - 619 Hemorrhoids
  - Hernia — *see also Herniorrhaphy*
    - 764 Manual
  - 601 Intestinal torsion
  - 601 Intussusception, intestine
  - 745 Mammoplasty
  - 601 Volvulus, intestine
- Release
  - Adhesions — *see Lysis, adhesions*
  - 728 Dupuytren's contracture
  - 749 Scar contracture, skin
  - 642 Urethral stricture
- Removal
  - Calculus
    - 617 Biliary tract
    - 638 Bladder
    - 632 Kidney, except transurethral approach
      - 635 Transurethral approach
    - 519 Lacrimal tract (by incision)
      - 533 Without incision
    - 633 Ureter, except transurethral approach
      - 635 Transurethral approach
  - 764 Catheter, nonoperatively
  - 764 Cholecystotomy tube
  - 693 Ectopic fetus
  - 707 Fixation device, internal
  - Foreign body
    - 762 Bronchus, except with incision
      - 563 With incision
    - 532 Eye, except as below
      - 524 Anterior chamber
      - 520 Conjunctiva

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin